


































NTNV-n77(3450-3550)-PC2-30-100-M-CP-
256QAM-Outer_Full-PASS

Appendix E: Conducted Spurious Emission for SA

Test Result

Band	SCS	Bandwidth h	Modulation n	Channel	RB Config	StartFreq	StopFreq	Result	Limit	Verdict
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1R B_Left	0.009	0.15	-80.32	≤-43dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1R B_Left	0.15	30	-75.00	≤-33dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1R B_Left	30	1000	-63.99	≤-23dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1R B_Left	1000	3000	-57.45	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1R B_Left	3000	6000	-53.46	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1R B_Left	6000	20000	-65.53	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1R B_Left	20000	40000	-59.36	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Inner_1R B_Left	0.009	0.15	-80.34	≤-43dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Inner_1R B_Left	0.15	30	-75.13	≤-33dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Inner_1R B_Left	30	1000	-63.44	≤-23dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Inner_1R B_Left	1000	3000	-57.60	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Inner_1R B_Left	3000	6000	-53.20	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Inner_1R B_Left	6000	20000	-65.18	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Inner_1R B_Left	20000	40000	-59.66	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Inner_1R B_Right	0.009	0.15	-80.36	≤-43dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Inner_1R B_Right	0.15	30	-73.97	≤-33dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Inner_1R B_Right	30	1000	-62.77	≤-23dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Inner_1R B_Right	1000	3000	-57.40	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Inner_1R	3000	6000	-52.35	≤-13dBm	PASS

-3550)			BPSK		B_Right					
n77(3450 -3550)	30	10	DFT- BPSK	L	Inner_1R B_Right	6000	20000	-65.81	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Inner_1R B_Right	20000	40000	-58.77	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Edge_1R B_Right	0.009	0.15	-80.30	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Edge_1R B_Right	0.15	30	-74.96	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Edge_1R B_Right	30	1000	-62.48	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Edge_1R B_Right	1000	3000	-57.56	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Edge_1R B_Right	3000	6000	-53.75	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Edge_1R B_Right	6000	20000	-64.95	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Edge_1R B_Right	20000	40000	-59.07	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Outer_Fu II	0.009	0.15	-81.61	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Outer_Fu II	0.15	30	-74.37	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Outer_Fu II	30	1000	-62.60	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Outer_Fu II	1000	3000	-57.46	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Outer_Fu II	3000	6000	-53.75	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Outer_Fu II	6000	20000	-64.51	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- BPSK	L	Outer_Fu II	20000	40000	-59.52	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Left	0.009	0.15	-79.11	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Left	0.15	30	-72.26	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Left	30	1000	-63.12	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Left	1000	3000	-57.23	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Left	3000	6000	-53.73	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Left	6000	20000	-55.23	≤-13dBm	PASS

-3550)			QPSK		B_Left					
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Left	20000	40000	-59.35	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Left	0.009	0.15	-77.75	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Left	0.15	30	-72.16	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Left	30	1000	-63.88	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Left	1000	3000	-57.33	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Left	3000	6000	-53.83	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Left	6000	20000	-65.32	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Left	20000	40000	-59.78	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Right	0.009	0.15	-75.44	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Right	0.15	30	-73.57	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Right	30	1000	-62.40	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Right	1000	3000	-57.50	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Right	3000	6000	-53.67	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Right	6000	20000	-65.78	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Inner_1R B_Right	20000	40000	-59.35	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Right	0.009	0.15	-80.00	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Right	0.15	30	-75.36	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Right	30	1000	-63.97	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Right	1000	3000	-57.81	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Right	3000	6000	-53.93	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Right	6000	20000	-64.54	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Edge_1R B_Right	20000	40000	-59.49	≤-13dBm	PASS

-3550)			QPSK		B_Right					
n77(3450 -3550)	30	10	DFT- QPSK	L	Outer_Fu II	0.009	0.15	-81.77	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Outer_Fu II	0.15	30	-74.33	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Outer_Fu II	30	1000	-62.99	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Outer_Fu II	1000	3000	-57.78	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Outer_Fu II	3000	6000	-54.16	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Outer_Fu II	6000	20000	-61.67	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- QPSK	L	Outer_Fu II	20000	40000	-59.46	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Left	0.009	0.15	-79.76	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Left	0.15	30	-70.41	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Left	30	1000	-63.27	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Left	1000	3000	-57.64	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Left	3000	6000	-54.05	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Left	6000	20000	-65.72	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Left	20000	40000	-59.68	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Left	0.009	0.15	-78.04	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Left	0.15	30	-70.97	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Left	30	1000	-62.67	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Left	1000	3000	-57.57	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Left	3000	6000	-53.33	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Left	6000	20000	-65.96	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Left	20000	40000	-59.64	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT-	L	Inner_1R	0.009	0.15	-76.64	≤-43dBm	PASS

-3550)			16QAM		B_Right					
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Right	0.15	30	-70.18	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Right	30	1000	-63.48	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Right	1000	3000	-57.50	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Right	3000	6000	-53.66	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Right	6000	20000	-65.48	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Inner_1R B_Right	20000	40000	-59.34	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Right	0.009	0.15	-79.65	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Right	0.15	30	-71.58	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Right	30	1000	-63.57	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Right	1000	3000	-57.51	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Right	3000	6000	-53.81	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Right	6000	20000	-64.79	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Edge_1R B_Right	20000	40000	-57.91	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Outer_Fu II	0.009	0.15	-80.86	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Outer_Fu II	0.15	30	-75.35	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Outer_Fu II	30	1000	-62.60	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Outer_Fu II	1000	3000	-57.64	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Outer_Fu II	3000	6000	-53.71	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Outer_Fu II	6000	20000	-65.98	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 16QAM	L	Outer_Fu II	20000	40000	-59.16	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R B_Left	0.009	0.15	-77.26	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT-	L	Edge_1R	0.15	30	-72.63	≤-33dBm	PASS

-3550)			64QAM		B_Left					
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R B_Left	30	1000	-63.77	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R B_Left	1000	3000	-57.70	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R B_Left	3000	6000	-53.63	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R B_Left	6000	20000	-65.77	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R B_Left	20000	40000	-59.72	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Left	0.009	0.15	-75.10	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Left	0.15	30	-70.58	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Left	30	1000	-63.25	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Left	1000	3000	-57.60	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Left	3000	6000	-53.47	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Left	6000	20000	-65.81	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Left	20000	40000	-52.39	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Right	0.009	0.15	-75.96	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Right	0.15	30	-70.93	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Right	30	1000	-63.92	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Right	1000	3000	-57.63	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Right	3000	6000	-53.56	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Right	6000	20000	-52.46	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Inner_1R B_Right	20000	40000	-59.49	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R B_Right	0.009	0.15	-76.26	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R B_Right	0.15	30	-71.79	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R	30	1000	-63.44	≤-23dBm	PASS

-3550)			64QAM		B_Right					
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R B_Right	1000	3000	-57.58	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R B_Right	3000	6000	-53.91	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R B_Right	6000	20000	-65.86	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Edge_1R B_Right	20000	40000	-59.63	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Outer_Fu II	0.009	0.15	-82.61	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Outer_Fu II	0.15	30	-76.11	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Outer_Fu II	30	1000	-62.45	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Outer_Fu II	1000	3000	-57.74	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Outer_Fu II	3000	6000	-53.69	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Outer_Fu II	6000	20000	-65.63	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 64QAM	L	Outer_Fu II	20000	40000	-58.75	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Left	0.009	0.15	-80.08	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Left	0.15	30	-75.36	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Left	30	1000	-63.67	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Left	1000	3000	-57.41	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Left	3000	6000	-52.45	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Left	6000	20000	-65.81	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Left	20000	40000	-59.05	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Left	0.009	0.15	-81.81	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Left	0.15	30	-74.91	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Left	30	1000	-63.66	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Left	1000	3000	-56.99	≤-13dBm	PASS

-3550)			256QAM		B_Left					
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Left	3000	6000	-53.61	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Left	6000	20000	-56.72	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Left	20000	40000	-59.19	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Right	0.009	0.15	-81.23	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Right	0.15	30	-73.50	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Right	30	1000	-62.63	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Right	1000	3000	-57.58	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Right	3000	6000	-53.55	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Right	6000	20000	-65.61	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Inner_1R B_Right	20000	40000	-59.25	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Right	0.009	0.15	-81.27	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Right	0.15	30	-75.56	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Right	30	1000	-63.51	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Right	1000	3000	-57.41	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Right	3000	6000	-52.89	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Right	6000	20000	-65.26	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Edge_1R B_Right	20000	40000	-59.18	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Outer_Fu II	0.009	0.15	-83.46	≤-43dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Outer_Fu II	0.15	30	-76.72	≤-33dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Outer_Fu II	30	1000	-63.35	≤-23dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Outer_Fu II	1000	3000	-57.31	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Outer_Fu II	3000	6000	-53.10	≤-13dBm	PASS

-3550)			256QAM		II					
n77(3450 -3550)	30	10	DFT- 256QAM	L	Outer_Fu II	6000	20000	-65.21	≤-13dBm	PASS
n77(3450 -3550)	30	10	DFT- 256QAM	L	Outer_Fu II	20000	40000	-59.33	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Left	0.009	0.15	-79.20	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Left	0.15	30	-70.22	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Left	30	1000	-62.35	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Left	1000	3000	-57.49	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Left	3000	6000	-53.04	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Left	6000	20000	-51.58	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Left	20000	40000	-59.35	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Left	0.009	0.15	-74.95	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Left	0.15	30	-68.98	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Left	30	1000	-62.53	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Left	1000	3000	-57.39	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Left	3000	6000	-52.55	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Left	6000	20000	-65.51	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Left	20000	40000	-58.87	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Right	0.009	0.15	-75.19	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Right	0.15	30	-67.61	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Right	30	1000	-63.49	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Right	1000	3000	-57.21	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Right	3000	6000	-52.85	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Right	6000	20000	-64.69	≤-13dBm	PASS

-3550)			QPSK		B_Right					
n77(3450 -3550)	30	10	CP- QPSK	L	Inner_1R B_Right	20000	40000	-58.73	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Right	0.009	0.15	-78.44	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Right	0.15	30	-71.59	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Right	30	1000	-63.66	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Right	1000	3000	-57.06	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Right	3000	6000	-53.47	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Right	6000	20000	-64.96	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Edge_1R B_Right	20000	40000	-58.75	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Outer_Fu II	0.009	0.15	-82.33	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Outer_Fu II	0.15	30	-75.16	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Outer_Fu II	30	1000	-63.71	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Outer_Fu II	1000	3000	-57.24	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Outer_Fu II	3000	6000	-53.35	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Outer_Fu II	6000	20000	-65.69	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- QPSK	L	Outer_Fu II	20000	40000	-59.69	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Left	0.009	0.15	-76.09	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Left	0.15	30	-70.77	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Left	30	1000	-63.42	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Left	1000	3000	-57.23	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Left	3000	6000	-53.16	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Left	6000	20000	-60.27	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Left	20000	40000	-59.07	≤-13dBm	PASS

-3550)			16QAM		B_Left					
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Left	0.009	0.15	-76.31	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Left	0.15	30	-69.63	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Left	30	1000	-63.51	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Left	1000	3000	-56.98	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Left	3000	6000	-53.45	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Left	6000	20000	-50.53	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Left	20000	40000	-58.74	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Right	0.009	0.15	-74.94	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Right	0.15	30	-69.65	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Right	30	1000	-63.99	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Right	1000	3000	-56.97	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Right	3000	6000	-52.50	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Right	6000	20000	-48.24	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Inner_1R B_Right	20000	40000	-59.19	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Right	0.009	0.15	-77.27	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Right	0.15	30	-72.14	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Right	30	1000	-62.81	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Right	1000	3000	-57.17	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Right	3000	6000	-52.74	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Right	6000	20000	-65.15	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Edge_1R B_Right	20000	40000	-58.98	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Outer_Fu	0.009	0.15	-82.19	≤-43dBm	PASS

-3550)			16QAM		II					
n77(3450 -3550)	30	10	CP- 16QAM	L	Outer_Fu II	0.15	30	-75.28	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Outer_Fu II	30	1000	-62.58	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Outer_Fu II	1000	3000	-57.27	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Outer_Fu II	3000	6000	-52.70	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Outer_Fu II	6000	20000	-65.06	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 16QAM	L	Outer_Fu II	20000	40000	-58.29	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Left	0.009	0.15	-76.42	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Left	0.15	30	-71.23	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Left	30	1000	-63.19	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Left	1000	3000	-57.06	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Left	3000	6000	-53.19	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Left	6000	20000	-64.78	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Left	20000	40000	-59.10	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Left	0.009	0.15	-73.83	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Left	0.15	30	-68.95	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Left	30	1000	-63.46	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Left	1000	3000	-57.42	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Left	3000	6000	-53.50	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Left	6000	20000	-65.42	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Left	20000	40000	-59.09	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Right	0.009	0.15	-76.99	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Right	0.15	30	-71.87	≤-33dBm	PASS

-3550)			64QAM		B_Right					
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Right	30	1000	-63.71	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Right	1000	3000	-57.10	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Right	3000	6000	-53.28	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Right	6000	20000	-65.55	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Inner_1R B_Right	20000	40000	-59.48	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Right	0.009	0.15	-77.48	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Right	0.15	30	-69.94	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Right	30	1000	-63.23	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Right	1000	3000	-57.11	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Right	3000	6000	-53.24	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Right	6000	20000	-65.21	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R B_Right	20000	40000	-58.95	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Outer_Fu II	0.009	0.15	-82.70	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Outer_Fu II	0.15	30	-76.97	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Outer_Fu II	30	1000	-62.69	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Outer_Fu II	1000	3000	-57.22	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Outer_Fu II	3000	6000	-53.15	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Outer_Fu II	6000	20000	-64.92	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Outer_Fu II	20000	40000	-58.80	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R B_Left	0.009	0.15	-80.40	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R B_Left	0.15	30	-73.76	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 64QAM	L	Edge_1R	30	1000	-63.31	≤-23dBm	PASS

-3550)			256QAM		B_Left					
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R B_Left	1000	3000	-57.07	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R B_Left	3000	6000	-53.45	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R B_Left	6000	20000	-64.91	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R B_Left	20000	40000	-58.30	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Left	0.009	0.15	-80.09	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Left	0.15	30	-75.38	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Left	30	1000	-62.79	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Left	1000	3000	-56.85	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Left	3000	6000	-53.27	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Left	6000	20000	-65.34	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Left	20000	40000	-59.26	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Right	0.009	0.15	-80.34	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Right	0.15	30	-75.44	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Right	30	1000	-63.03	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Right	1000	3000	-57.16	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Right	3000	6000	-49.43	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Right	6000	20000	-66.01	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Inner_1R B_Right	20000	40000	-59.28	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R B_Right	0.009	0.15	-80.26	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R B_Right	0.15	30	-74.22	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R B_Right	30	1000	-63.14	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R	1000	3000	-57.22	≤-13dBm	PASS

-3550)			256QAM		B_Right					
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R B_Right	3000	6000	-53.20	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R B_Right	6000	20000	-64.94	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Edge_1R B_Right	20000	40000	-58.99	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Outer_Fu II	0.009	0.15	-82.34	≤-43dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Outer_Fu II	0.15	30	-75.50	≤-33dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Outer_Fu II	30	1000	-63.13	≤-23dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Outer_Fu II	1000	3000	-57.27	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Outer_Fu II	3000	6000	-53.49	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Outer_Fu II	6000	20000	-65.58	≤-13dBm	PASS
n77(3450 -3550)	30	10	CP- 256QAM	L	Outer_Fu II	20000	40000	-58.61	≤-13dBm	PASS

Test Graphs

