



Mode	9																																																																																													
	Harmonic																																																																																													
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																													
ANT	CDD3+4																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-01-08 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>46.51</td><td>88.20</td><td>-41.69</td><td>43.74</td><td>40.93</td><td>13.78</td><td>51.94</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	46.51	88.20	-41.69	43.74	40.93	13.78	51.94	---	---	Peak	Level (dBuV/m) Date: 2025-01-08 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>45.47</td><td>88.20</td><td>-42.73</td><td>42.70</td><td>40.93</td><td>13.78</td><td>51.94</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	45.47	88.20	-42.73	42.70	40.93	13.78	51.94	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13710.00	46.51	88.20	-41.69	43.74	40.93	13.78	51.94	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13710.00	45.47	88.20	-42.73	42.70	40.93	13.78	51.94	---	---	Peak																																																																																			







Mode	10																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																											
ANT	CDD3+4																																																																																											
Pol.	Horizontal					Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>44.42</td><td>40.97</td><td>13.81</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	47.24	88.20	-40.96	44.42	40.97	13.81	51.96	---	---	Peak	Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>45.98</td><td>88.20</td><td>-42.22</td><td>43.16</td><td>40.97</td><td>13.81</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	45.98	88.20	-42.22	43.16	40.97	13.81	51.96	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	13790.00	47.24	88.20	-40.96	44.42	40.97	13.81	51.96	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	13790.00	45.98	88.20	-42.22	43.16	40.97	13.81	51.96	---	---	Peak																																																																																	



Mode	11																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																												
ANT	CDD3+4																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-01-09 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-01-09 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>46.19</td><td>88.20</td><td>-42.01</td><td>43.23</td><td>41.09</td><td>13.87</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	46.19	88.20	-42.01	43.23	41.09	13.87	52.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>45.25</td><td>88.20</td><td>-42.95</td><td>42.29</td><td>41.09</td><td>13.87</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	45.25	88.20	-42.95	42.29	41.09	13.87	52.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13990.00	46.19	88.20	-42.01	43.23	41.09	13.87	52.00	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13990.00	45.25	88.20	-42.95	42.29	41.09	13.87	52.00	---	---	Peak																																																																																		



Mode	12																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																		
ANT	CDD3+4																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-01-05  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7178.68</td><td>51.86</td><td>88.20</td><td>-36.34</td><td>39.02</td><td>37.02</td><td>10.18</td><td>34.36</td><td>300</td><td>19 PEAK</td></tr><tr><td>2</td><td>7322.41</td><td>51.83</td><td>74.00</td><td>-22.17</td><td>39.11</td><td>36.88</td><td>10.18</td><td>34.34</td><td>300</td><td>19 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7178.68	51.86	88.20	-36.34	39.02	37.02	10.18	34.36	300	19 PEAK	2	7322.41	51.83	74.00	-22.17	39.11	36.88	10.18	34.34	300	19 PEAK	Level (dBuV/m) Date: 2025-01-05  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.06</td><td>-----</td><td>-----</td><td>69.13</td><td>37.11</td><td>10.20</td><td>34.38</td><td>300</td><td>19 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	82.06	-----	-----	69.13	37.11	10.20	34.38	300	19 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7178.68	51.86	88.20	-36.34	39.02	37.02	10.18	34.36	300	19 PEAK																																																																																									
2	7322.41	51.83	74.00	-22.17	39.11	36.88	10.18	34.34	300	19 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	82.06	-----	-----	69.13	37.11	10.20	34.38	300	19 PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2025-01-05  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7228.96</td><td>42.49</td><td>68.20</td><td>-25.71</td><td>29.69</td><td>36.97</td><td>10.18</td><td>34.35</td><td>300</td><td>19 AVERAGE</td></tr><tr><td>2</td><td>7250.77</td><td>42.61</td><td>54.00</td><td>-11.39</td><td>29.83</td><td>36.95</td><td>10.18</td><td>34.35</td><td>300</td><td>19 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7228.96	42.49	68.20	-25.71	29.69	36.97	10.18	34.35	300	19 AVERAGE	2	7250.77	42.61	54.00	-11.39	29.83	36.95	10.18	34.35	300	19 AVERAGE	Level (dBuV/m) Date: 2025-01-05  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>75.74</td><td>-----</td><td>-----</td><td>62.81</td><td>37.11</td><td>10.20</td><td>34.38</td><td>300</td><td>19 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	75.74	-----	-----	62.81	37.11	10.20	34.38	300	19 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7228.96	42.49	68.20	-25.71	29.69	36.97	10.18	34.35	300	19 AVERAGE																																																																																									
2	7250.77	42.61	54.00	-11.39	29.83	36.95	10.18	34.35	300	19 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	75.74	-----	-----	62.81	37.11	10.20	34.38	300	19 AVERAGE																																																																																									







Mode	12																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																					
ANT	CDD3+4																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz)						Level (dBuV/m) Date: 2025-01-05 Frequency (MHz)																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7176.01</td><td>52.03</td><td>88.20</td><td>-36.17</td><td>39.18</td><td>37.02</td><td>10.19</td><td>34.36</td><td>400</td><td>46</td><td>PEAK</td></tr><tr><td>2</td><td>7342.44</td><td>51.91</td><td>74.00</td><td>-22.09</td><td>39.20</td><td>36.86</td><td>10.18</td><td>34.33</td><td>400</td><td>46</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7176.01	52.03	88.20	-36.17	39.18	37.02	10.19	34.36	400	46	PEAK	2	7342.44	51.91	74.00	-22.09	39.20	36.86	10.18	34.33	400	46	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>81.21</td><td>-----</td><td>-----</td><td>68.28</td><td>37.11</td><td>10.20</td><td>34.38</td><td>400</td><td>46</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	81.21	-----	-----	68.28	37.11	10.20	34.38	400	46
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7176.01	52.03	88.20	-36.17	39.18	37.02	10.19	34.36	400	46	PEAK																																																																																											
2	7342.44	51.91	74.00	-22.09	39.20	36.86	10.18	34.33	400	46	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	81.21	-----	-----	68.28	37.11	10.20	34.38	400	46	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz)						Level (dBuV/m) Date: 2025-01-05 Frequency (MHz)																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7229.85</td><td>42.44</td><td>68.20</td><td>-25.76</td><td>29.64</td><td>36.97</td><td>10.18</td><td>34.35</td><td>400</td><td>46</td><td>AVERAGE</td></tr><tr><td>2</td><td>7257.44</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>29.62</td><td>36.94</td><td>10.18</td><td>34.35</td><td>400</td><td>46</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7229.85	42.44	68.20	-25.76	29.64	36.97	10.18	34.35	400	46	AVERAGE	2	7257.44	42.39	54.00	-11.61	29.62	36.94	10.18	34.35	400	46	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>74.83</td><td>-----</td><td>-----</td><td>61.90</td><td>37.11</td><td>10.20</td><td>34.38</td><td>400</td><td>46</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	74.83	-----	-----	61.90	37.11	10.20	34.38	400	46
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7229.85	42.44	68.20	-25.76	29.64	36.97	10.18	34.35	400	46	AVERAGE																																																																																											
2	7257.44	42.39	54.00	-11.61	29.62	36.94	10.18	34.35	400	46	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	74.83	-----	-----	61.90	37.11	10.20	34.38	400	46	AVERAGE																																																																																											



Mode	12																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																												
ANT	CDD3+4																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_8E) AVG(U-NII_8E)						Level (dBuV/m) Date: 2025-01-09 PEAK(U-NII_8E) AVG(U-NII_8E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>45.23</td><td>88.20</td><td>-42.97</td><td>42.21</td><td>41.08</td><td>13.96</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	45.23	88.20	-42.97	42.21	41.08	13.96	52.02	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>45.10</td><td>88.20</td><td>-43.10</td><td>42.08</td><td>41.08</td><td>13.96</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	45.10	88.20	-43.10	42.08	41.08	13.96	52.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14190.00	45.23	88.20	-42.97	42.21	41.08	13.96	52.02	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14190.00	45.10	88.20	-43.10	42.08	41.08	13.96	52.02	---	---	Peak																																																																																		



		13																																																																																																						
Mode		Band Edge																																																																																																						
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																																						
ANT		CDD3+4																																																																																																						
Pol.	Horizontal										Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-01-05  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5878.20</td><td>53.06</td><td>88.20</td><td>-35.14</td><td>39.52</td><td>36.68</td><td>10.34</td><td>33.48</td><td>197</td><td>360</td><td>PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5878.20	53.06	88.20	-35.14	39.52	36.68	10.34	33.48	197	360	PEAK	Level (dBuV/m) Date: 2025-01-05  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>96.83</td><td>-----</td><td>-----</td><td>83.07</td><td>36.75</td><td>10.50</td><td>33.49</td><td>197</td><td>360</td><td>PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.83	-----	-----	83.07	36.75	10.50	33.49	197	360	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5878.20	53.06	88.20	-35.14	39.52	36.68	10.34	33.48	197	360	PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5955.00	96.83	-----	-----	83.07	36.75	10.50	33.49	197	360	PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2025-01-05  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5899.34</td><td>43.44</td><td>68.20</td><td>-24.76</td><td>29.83</td><td>36.70</td><td>10.39</td><td>33.48</td><td>197</td><td>360</td><td>AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5899.34	43.44	68.20	-24.76	29.83	36.70	10.39	33.48	197	360	AVERAGE	Level (dBuV/m) Date: 2025-01-05  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>88.34</td><td>-----</td><td>-----</td><td>74.58</td><td>36.75</td><td>10.50</td><td>33.49</td><td>197</td><td>360</td><td>AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	88.34	-----	-----	74.58	36.75	10.50	33.49	197	360	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5899.34	43.44	68.20	-24.76	29.83	36.70	10.39	33.48	197	360	AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5955.00	88.34	-----	-----	74.58	36.75	10.50	33.49	197	360	AVERAGE																																																																																													



		13																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																							
ANT		CDD3+4																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5860.84</td><td>53.79</td><td>88.20</td><td>-34.41</td><td>40.30</td><td>36.66</td><td>10.30</td><td>33.47</td><td>110 93 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5860.84	53.79	88.20	-34.41	40.30	36.66	10.30	33.47	110 93 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.24</td><td>-----</td><td>-----</td><td>72.48</td><td>36.75</td><td>10.50</td><td>33.49</td><td>110 93 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.24	-----	-----	72.48	36.75	10.50	33.49
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5860.84	53.79	88.20	-34.41	40.30	36.66	10.30	33.47	110 93 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	86.24	-----	-----	72.48	36.75	10.50	33.49	110 93 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.72</td><td>43.45</td><td>68.20</td><td>-24.75</td><td>29.98</td><td>36.65</td><td>10.29</td><td>33.47</td><td>110 93 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5852.72	43.45	68.20	-24.75	29.98	36.65	10.29	33.47	110 93 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>77.22</td><td>-----</td><td>-----</td><td>63.46</td><td>36.75</td><td>10.50</td><td>33.49</td><td>110 93 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	77.22	-----	-----	63.46	36.75	10.50	33.49
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5852.72	43.45	68.20	-24.75	29.98	36.65	10.29	33.47	110 93 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	77.22	-----	-----	63.46	36.75	10.50	33.49	110 93 AVERAGE																																																																																



Mode	13																																																																																																													
	Harmonic																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																																													
ANT	CDD3+4																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>44.41</td><td>39.69</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>41.90</td><td>43.25</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	46.26	74.00	-27.74	44.41	39.69	13.18	51.02	---	---	Peak	2 17865.00	48.38	74.00	-25.62	41.90	43.25	16.20	52.97	---	---	Peak	Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>47.73</td><td>74.00</td><td>-26.27</td><td>45.88</td><td>39.69</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>41.12</td><td>43.25</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.73	74.00	-26.27	45.88	39.69	13.18	51.02	---	---	Peak	2 17865.00	47.60	74.00	-26.40	41.12	43.25	16.20	52.97	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 11910.00	46.26	74.00	-27.74	44.41	39.69	13.18	51.02	---	---	Peak																																																																																																				
2 17865.00	48.38	74.00	-25.62	41.90	43.25	16.20	52.97	---	---	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 11910.00	47.73	74.00	-26.27	45.88	39.69	13.18	51.02	---	---	Peak																																																																																																				
2 17865.00	47.60	74.00	-26.40	41.12	43.25	16.20	52.97	---	---	Peak																																																																																																				



		14																																																																																								
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU26/0_5955MHz																																																																																									
ANT	CDD3+4																																																																																									
Pol.	Horizontal										Fundamental																																																																															
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E										Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5878.62</td><td>53.24</td><td>88.20</td><td>-34.96</td><td>39.70</td><td>36.68</td><td>10.34</td><td>33.48</td><td>100</td><td>13 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5878.62	53.24	88.20	-34.96	39.70	36.68	10.34	33.48	100	13 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>94.25</td><td>-----</td><td>-----</td><td>80.50</td><td>36.75</td><td>10.49</td><td>33.49</td><td>100</td><td>13 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	94.25	-----	-----	80.50	36.75	10.49	33.49	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5878.62	53.24	88.20	-34.96	39.70	36.68	10.34	33.48	100	13 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	94.25	-----	-----	80.50	36.75	10.49	33.49	100	13 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E										Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5852.86</td><td>43.38</td><td>68.20</td><td>-24.82</td><td>29.91</td><td>36.65</td><td>10.29</td><td>33.47</td><td>100</td><td>13 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5852.86	43.38	68.20	-24.82	29.91	36.65	10.29	33.47	100	13 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>85.73</td><td>-----</td><td>-----</td><td>71.98</td><td>36.75</td><td>10.49</td><td>33.49</td><td>100</td><td>13 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	85.73	-----	-----	71.98	36.75	10.49	33.49	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5852.86	43.38	68.20	-24.82	29.91	36.65	10.29	33.47	100	13 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	85.73	-----	-----	71.98	36.75	10.49	33.49	100	13 AVERAGE																																																																																	



		14																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU26/0_5955MHz																																																																																							
ANT		CDD3+4																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5865.74</td><td>52.77</td><td>88.20</td><td>-35.43</td><td>39.26</td><td>36.67</td><td>10.31</td><td>33.47</td><td>300</td><td>324 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5865.74	52.77	88.20	-35.43	39.26	36.67	10.31	33.47	300	324 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>86.53</td><td>-----</td><td>-----</td><td>72.78</td><td>36.75</td><td>10.49</td><td>33.49</td><td>300</td><td>324 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	86.53	-----	-----	72.78	36.75	10.49	33.49	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5865.74	52.77	88.20	-35.43	39.26	36.67	10.31	33.47	300	324 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	86.53	-----	-----	72.78	36.75	10.49	33.49	300	324 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5869.10</td><td>43.34</td><td>68.20</td><td>-24.86</td><td>29.82</td><td>36.67</td><td>10.32</td><td>33.47</td><td>300</td><td>324 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5869.10	43.34	68.20	-24.86	29.82	36.67	10.32	33.47	300	324 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>79.14</td><td>-----</td><td>-----</td><td>65.39</td><td>36.75</td><td>10.49</td><td>33.49</td><td>300</td><td>324 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	79.14	-----	-----	65.39	36.75	10.49	33.49	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5869.10	43.34	68.20	-24.86	29.82	36.67	10.32	33.47	300	324 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	79.14	-----	-----	65.39	36.75	10.49	33.49	300	324 AVERAGE																																																																																



		14																																																																																																																							
Mode		Harmonic																																																																																																																							
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU26/0_5955MHz																																																																																																																							
ANT		CDD3+4																																																																																																																							
Pol.		Horizontal					Vertical																																																																																																																		
Peak Avg		Level (dBuV/m) Date: 2025-01-09 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>45.60</td><td>39.69</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>42.20</td><td>43.25</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.45	74.00	-26.55	45.60	39.69	13.18	51.02	---	---	Peak	2 17865.00	48.68	74.00	-25.32	42.20	43.25	16.20	52.97	---	---	Peak	Level (dBuV/m) Date: 2025-01-09 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>46.30</td><td>39.69</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>42.49</td><td>43.25</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	48.15	74.00	-25.85	46.30	39.69	13.18	51.02	---	---	Peak	2 17865.00	48.97	74.00	-25.03	42.49	43.25	16.20	52.97	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 11910.00	47.45	74.00	-26.55	45.60	39.69	13.18	51.02	---	---	Peak																																																																																																															
2 17865.00	48.68	74.00	-25.32	42.20	43.25	16.20	52.97	---	---	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 11910.00	48.15	74.00	-25.85	46.30	39.69	13.18	51.02	---	---	Peak																																																																																																															
2 17865.00	48.97	74.00	-25.03	42.49	43.25	16.20	52.97	---	---	Peak																																																																																																															





Mode	15																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU52/37_5955MHz																																																																											
ANT	CDD3+4																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5893.46</td><td>53.20</td><td>88.20</td><td>-35.00</td><td>39.62</td><td>36.69</td><td>10.37</td><td>33.48</td><td>200 118 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5893.46	53.20	88.20	-35.00	39.62	36.69	10.37	33.48	200 118 PEAK	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>81.57</td><td>-----</td><td>-----</td><td>67.82</td><td>36.75</td><td>10.49</td><td>33.49</td><td>200 118 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	81.57	-----	-----	67.82	36.75	10.49	33.49	200 118 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5893.46	53.20	88.20	-35.00	39.62	36.69	10.37	33.48	200 118 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5955.00	81.57	-----	-----	67.82	36.75	10.49	33.49	200 118 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5870.50</td><td>43.40</td><td>68.20</td><td>-24.80</td><td>29.88</td><td>36.67</td><td>10.32</td><td>33.47</td><td>200 118 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5870.50	43.40	68.20	-24.80	29.88	36.67	10.32	33.47	200 118 AVERAGE	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>73.34</td><td>-----</td><td>-----</td><td>59.59</td><td>36.75</td><td>10.49</td><td>33.49</td><td>200 118 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	73.34	-----	-----	59.59	36.75	10.49	33.49	200 118 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5870.50	43.40	68.20	-24.80	29.88	36.67	10.32	33.47	200 118 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5955.00	73.34	-----	-----	59.59	36.75	10.49	33.49	200 118 AVERAGE																																																																			



		15																																																																															
Mode		Band Edge																																																																															
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU52/37_5955MHz																																																																															
ANT		CDD3+4																																																																															
Pol.		Vertical					Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E																																																																											
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5848.24</td><td>52.95</td><td>88.20</td><td>-35.25</td><td>39.49</td><td>36.65</td><td>10.28</td><td>33.47</td><td>100 154 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5848.24	52.95	88.20	-35.25	39.49	36.65	10.28	33.47	100 154 PEAK	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>81.56</td><td>-----</td><td>-----</td><td>67.81</td><td>36.75</td><td>10.49</td><td>33.49</td><td>100 154 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	81.56	-----	-----	67.81	36.75	10.49	33.49
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5848.24	52.95	88.20	-35.25	39.49	36.65	10.28	33.47	100 154 PEAK																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	81.56	-----	-----	67.81	36.75	10.49	33.49	100 154 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E																																																																											
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5902.28</td><td>43.19</td><td>68.20</td><td>-25.01</td><td>29.58</td><td>36.70</td><td>10.39</td><td>33.48</td><td>100 154 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5902.28	43.19	68.20	-25.01	29.58	36.70	10.39	33.48	100 154 AVERAGE	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>74.71</td><td>-----</td><td>-----</td><td>60.96</td><td>36.75</td><td>10.49</td><td>33.49</td><td>100 154 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	74.71	-----	-----	60.96	36.75	10.49	33.49
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5902.28	43.19	68.20	-25.01	29.58	36.70	10.39	33.48	100 154 AVERAGE																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	74.71	-----	-----	60.96	36.75	10.49	33.49	100 154 AVERAGE																																																																									







Mode	15																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU52/37_5955MHz																																																																																																																			
ANT	CDD3+4																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>48.43</td><td>74.00</td><td>-25.57</td><td>46.58</td><td>39.69</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>42.01</td><td>43.25</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	48.43	74.00	-25.57	46.58	39.69	13.18	51.02	---	---	Peak	2	17865.00	48.49	74.00	-25.51	42.01	43.25	16.20	52.97	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>48.17</td><td>74.00</td><td>-25.83</td><td>46.32</td><td>39.69</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>41.51</td><td>43.25</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	48.17	74.00	-25.83	46.32	39.69	13.18	51.02	---	---	Peak	2	17865.00	47.99	74.00	-26.01	41.51	43.25	16.20	52.97	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11910.00	48.43	74.00	-25.57	46.58	39.69	13.18	51.02	---	---	Peak																																																																																																									
2	17865.00	48.49	74.00	-25.51	42.01	43.25	16.20	52.97	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11910.00	48.17	74.00	-25.83	46.32	39.69	13.18	51.02	---	---	Peak																																																																																																									
2	17865.00	47.99	74.00	-26.01	41.51	43.25	16.20	52.97	---	---	Peak																																																																																																									





		16																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU106/53_5955MHz																																																																																																	
ANT		CDD3+4																																																																																																	
Pol.	Horizontal										Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E										Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E																																																																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.98</td><td>52.68</td><td>88.20</td><td>-35.52</td><td>39.29</td><td>36.63</td><td>10.23</td><td>33.47</td><td>400 139 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.98	52.68	88.20	-35.52	39.29	36.63	10.23	33.47	400 139 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.95</td><td>-----</td><td>-----</td><td>73.20</td><td>36.75</td><td>10.49</td><td>33.49</td><td>400 139 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.95	-----	-----	73.20	36.75	10.49	33.49
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5825.98	52.68	88.20	-35.52	39.29	36.63	10.23	33.47	400 139 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	86.95	-----	-----	73.20	36.75	10.49	33.49	400 139 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E										Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E																																																																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5867.84</td><td>43.35</td><td>68.20</td><td>-24.85</td><td>29.83</td><td>36.67</td><td>10.32</td><td>33.47</td><td>400 139 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5867.84	43.35	68.20	-24.85	29.83	36.67	10.32	33.47	400 139 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>79.35</td><td>-----</td><td>-----</td><td>65.60</td><td>36.75</td><td>10.49</td><td>33.49</td><td>400 139 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	79.35	-----	-----	65.60	36.75	10.49	33.49
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5867.84	43.35	68.20	-24.85	29.83	36.67	10.32	33.47	400 139 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	79.35	-----	-----	65.60	36.75	10.49	33.49	400 139 AVERAGE																																																																																										



Mode	16																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU106/53_5955MHz																																																																									
ANT	CDD3+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Date: 2025-01-05  <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5884.64</td><td>53.37</td><td>88.20</td><td>-34.83</td><td>39.82</td><td>36.68</td><td>10.35</td><td>33.48</td><td>300 226 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5884.64	53.37	88.20	-34.83	39.82	36.68	10.35	33.48	300 226 PEAK	Date: 2025-01-05  <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>92.51</td><td>-----</td><td>-----</td><td>78.76</td><td>36.75</td><td>10.49</td><td>33.49</td><td>300 226 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	92.51	-----	-----	78.76	36.75	10.49	33.49	300 226 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5884.64	53.37	88.20	-34.83	39.82	36.68	10.35	33.48	300 226 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	92.51	-----	-----	78.76	36.75	10.49	33.49	300 226 PEAK																																																																		
Avg	Date: 2025-01-05  <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5882.26</td><td>43.34</td><td>68.20</td><td>-24.86</td><td>29.79</td><td>36.68</td><td>10.35</td><td>33.48</td><td>300 226 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5882.26	43.34	68.20	-24.86	29.79	36.68	10.35	33.48	300 226 AVERAGE	Date: 2025-01-05  <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>84.37</td><td>-----</td><td>-----</td><td>70.62</td><td>36.75</td><td>10.49</td><td>33.49</td><td>300 226 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	84.37	-----	-----	70.62	36.75	10.49	33.49	300 226 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5882.26	43.34	68.20	-24.86	29.79	36.68	10.35	33.48	300 226 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	84.37	-----	-----	70.62	36.75	10.49	33.49	300 226 AVERAGE																																																																		





Mode	16																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU106/53_5955MHz																																																																																																																																
ANT	CDD3+4																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11910.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>45.67</td><td>39.69</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>43.38</td><td>43.25</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11910.00	47.52	74.00	-26.48	45.67	39.69	13.18	51.02	---	---	Peak	2	17865.00	49.86	74.00	-24.14	43.38	43.25	16.20	52.97	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11910.00</td><td>48.28</td><td>74.00</td><td>-25.72</td><td>46.43</td><td>39.69</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>49.07</td><td>74.00</td><td>-24.93</td><td>42.59</td><td>43.25</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11910.00	48.28	74.00	-25.72	46.43	39.69	13.18	51.02	---	---	Peak	2	17865.00	49.07	74.00	-24.93	42.59	43.25	16.20	52.97	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11910.00	47.52	74.00	-26.48	45.67	39.69	13.18	51.02	---	---	Peak																																																																																																																						
2	17865.00	49.86	74.00	-24.14	43.38	43.25	16.20	52.97	---	---	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11910.00	48.28	74.00	-25.72	46.43	39.69	13.18	51.02	---	---	Peak																																																																																																																						
2	17865.00	49.07	74.00	-24.93	42.59	43.25	16.20	52.97	---	---	Peak																																																																																																																						



Mode	17																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_6175MHz																																																																																												
ANT	CDD3+4																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>49.83</td><td>74.00</td><td>-24.17</td><td>47.78</td><td>40.04</td><td>13.35</td><td>51.34</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	49.83	74.00	-24.17	47.78	40.04	13.35	51.34	---	---	Peak	Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>49.07</td><td>74.00</td><td>-24.93</td><td>47.02</td><td>40.04</td><td>13.35</td><td>51.34</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	49.07	74.00	-24.93	47.02	40.04	13.35	51.34	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	49.83	74.00	-24.17	47.78	40.04	13.35	51.34	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	49.07	74.00	-24.93	47.02	40.04	13.35	51.34	---	---	Peak																																																																																		







Mode	18																																																																																			
	Harmonic																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz																																																																																			
ANT	CDD3+4																																																																																			
Pol.	Horizontal					Vertical																																																																														
Peak Avg																																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>47.89</td><td>88.20</td><td>-40.31</td><td>45.69</td><td>40.38</td><td>13.50</td><td>51.68</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	47.89	88.20	-40.31	45.69	40.38	13.50	51.68	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>48.43</td><td>88.20</td><td>-39.77</td><td>46.23</td><td>40.38</td><td>13.50</td><td>51.68</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	48.43	88.20	-39.77	46.23	40.38	13.50	51.68	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 12830.00	47.89	88.20	-40.31	45.69	40.38	13.50	51.68	---	---	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 12830.00	48.43	88.20	-39.77	46.23	40.38	13.50	51.68	---	---	Peak																																																																										





Mode	19																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																																			
ANT	CDD3+4																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-01-05 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5857 5889 5921 5953 5985 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5875.88</td><td>53.02</td><td>88.20</td><td>-35.18</td><td>39.48</td><td>36.68</td><td>10.34</td><td>33.48</td><td>400</td><td>59 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5875.88	53.02	88.20	-35.18	39.48	36.68	10.34	33.48	400	59 PEAK	Level (dBuV/m) Date: 2025-01-05 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>90.34</td><td>-----</td><td>-----</td><td>76.53</td><td>36.77</td><td>10.53</td><td>33.49</td><td>400</td><td>59 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	90.34	-----	-----	76.53	36.77	10.53	33.49	400	59 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5875.88	53.02	88.20	-35.18	39.48	36.68	10.34	33.48	400	59 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	90.34	-----	-----	76.53	36.77	10.53	33.49	400	59 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-01-05 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5857 5889 5921 5953 5985 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5899.72</td><td>43.18</td><td>68.20</td><td>-25.02</td><td>29.57</td><td>36.70</td><td>10.39</td><td>33.48</td><td>400</td><td>59 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5899.72	43.18	68.20	-25.02	29.57	36.70	10.39	33.48	400	59 AVERAGE	Level (dBuV/m) Date: 2025-01-05 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>82.58</td><td>-----</td><td>-----</td><td>68.77</td><td>36.77</td><td>10.53</td><td>33.49</td><td>400</td><td>59 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	82.58	-----	-----	68.77	36.77	10.53	33.49	400	59 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5899.72	43.18	68.20	-25.02	29.57	36.70	10.39	33.48	400	59 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	82.58	-----	-----	68.77	36.77	10.53	33.49	400	59 AVERAGE																																																																										



		19																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																																									
ANT		CDD3+4																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5898.76</td><td>52.79</td><td>88.20</td><td>-35.41</td><td>39.19</td><td>36.70</td><td>10.38</td><td>33.48</td><td>300</td><td>115 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5898.76	52.79	88.20	-35.41	39.19	36.70	10.38	33.48	300	115 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>88.62</td><td>-----</td><td>-----</td><td>74.80</td><td>36.77</td><td>10.54</td><td>33.49</td><td>300</td><td>115 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	88.62	-----	-----	74.80	36.77	10.54	33.49	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5898.76	52.79	88.20	-35.41	39.19	36.70	10.38	33.48	300	115 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	88.62	-----	-----	74.80	36.77	10.54	33.49	300	115 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5867.88</td><td>43.14</td><td>68.20</td><td>-25.06</td><td>29.62</td><td>36.67</td><td>10.32</td><td>33.47</td><td>300</td><td>115 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5867.88	43.14	68.20	-25.06	29.62	36.67	10.32	33.47	300	115 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>80.87</td><td>-----</td><td>-----</td><td>67.09</td><td>36.76</td><td>10.51</td><td>33.49</td><td>300</td><td>115 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	80.87	-----	-----	67.09	36.76	10.51	33.49	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5867.88	43.14	68.20	-25.06	29.62	36.67	10.32	33.47	300	115 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	80.87	-----	-----	67.09	36.76	10.51	33.49	300	115 AVERAGE																																																																																	





Mode	19																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																																																																			
ANT	CDD3+4																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>45.43</td><td>39.72</td><td>13.19</td><td>51.04</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>48.59</td><td>74.00</td><td>-25.41</td><td>42.07</td><td>43.28</td><td>16.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	47.30	74.00	-26.70	45.43	39.72	13.19	51.04	---	---	Peak	2	17895.00	48.59	74.00	-25.41	42.07	43.28	16.22	52.98	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>46.28</td><td>39.72</td><td>13.19</td><td>51.04</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>49.63</td><td>74.00</td><td>-24.37</td><td>43.11</td><td>43.28</td><td>16.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	48.15	74.00	-25.85	46.28	39.72	13.19	51.04	---	---	Peak	2	17895.00	49.63	74.00	-24.37	43.11	43.28	16.22	52.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11930.00	47.30	74.00	-26.70	45.43	39.72	13.19	51.04	---	---	Peak																																																																																																									
2	17895.00	48.59	74.00	-25.41	42.07	43.28	16.22	52.98	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11930.00	48.15	74.00	-25.85	46.28	39.72	13.19	51.04	---	---	Peak																																																																																																									
2	17895.00	49.63	74.00	-24.37	43.11	43.28	16.22	52.98	---	---	Peak																																																																																																									



Mode	20																																																																																													
	Harmonic																																																																																													
	U-NII-6_5.925-6.425_802.11ax HE40_CH43_6165MHz																																																																																													
ANT	CDD3+4																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>49.08</td><td>74.00</td><td>-24.92</td><td>47.03</td><td>40.03</td><td>13.35</td><td>51.33</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	49.08	74.00	-24.92	47.03	40.03	13.35	51.33	---	---	Peak	Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>45.38</td><td>40.03</td><td>13.35</td><td>51.33</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	47.43	74.00	-26.57	45.38	40.03	13.35	51.33	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12330.00	49.08	74.00	-24.92	47.03	40.03	13.35	51.33	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12330.00	47.43	74.00	-26.57	45.38	40.03	13.35	51.33	---	---	Peak																																																																																			



Mode	21																																																																																												
	Harmonic																																																																																												
	U-NII-6_5.925-6.425_802.11ax HE40_CH91_6405MHz																																																																																												
ANT	CDD3+4																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>48.05</td><td>88.20</td><td>-40.15</td><td>45.85</td><td>40.37</td><td>13.50</td><td>51.67</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	48.05	88.20	-40.15	45.85	40.37	13.50	51.67	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>48.87</td><td>88.20</td><td>-39.33</td><td>46.67</td><td>40.37</td><td>13.50</td><td>51.67</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	48.87	88.20	-39.33	46.67	40.37	13.50	51.67	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12810.00	48.05	88.20	-40.15	45.85	40.37	13.50	51.67	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12810.00	48.87	88.20	-39.33	46.67	40.37	13.50	51.67	---	---	Peak																																																																																		





Mode	22																																																																																					
	Band Edge																																																																																					
	U-NII-5_6.525-6.875_802.11ax HE80_CH7_Full RU_5985MHz																																																																																					
ANT	CDD3+4																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.48</td><td>57.08</td><td>88.20</td><td>-31.12</td><td>43.41</td><td>36.72</td><td>10.43</td><td>33.48</td><td>206</td><td>294</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5921.48	57.08	88.20	-31.12	43.41	36.72	10.43	33.48	206	294	PEAK	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>99.64</td><td>-----</td><td>-----</td><td>85.80</td><td>36.78</td><td>10.56</td><td>33.50</td><td>206</td><td>294</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.64	-----	-----	85.80	36.78	10.56	33.50	206	294	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5921.48	57.08	88.20	-31.12	43.41	36.72	10.43	33.48	206	294	PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5985.00	99.64	-----	-----	85.80	36.78	10.56	33.50	206	294	PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>46.05</td><td>68.20</td><td>-22.15</td><td>32.38</td><td>36.72</td><td>10.44</td><td>33.49</td><td>206</td><td>294</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	46.05	68.20	-22.15	32.38	36.72	10.44	33.49	206	294	AVERAGE	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>91.21</td><td>-----</td><td>-----</td><td>77.37</td><td>36.78</td><td>10.56</td><td>33.50</td><td>206</td><td>294</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	91.21	-----	-----	77.37	36.78	10.56	33.50	206	294	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5925.00	46.05	68.20	-22.15	32.38	36.72	10.44	33.49	206	294	AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5985.00	91.21	-----	-----	77.37	36.78	10.56	33.50	206	294	AVERAGE																																																																											





	22																																																																													
Mode	Band Edge																																																																													
	U-NII-5_6.525-6.875_802.11ax HE80_CH7_Full RU_5985MHz																																																																													
ANT	CDD3+4																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.68</td><td>53.77</td><td>88.20</td><td>-34.43</td><td>40.09</td><td>36.72</td><td>10.44</td><td>33.48</td><td>385</td><td>256 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.68	53.77	88.20	-34.43	40.09	36.72	10.44	33.48	385	256 PEAK	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>96.54</td><td>-----</td><td>-----</td><td>82.70</td><td>36.78</td><td>10.56</td><td>33.50</td><td>385</td><td>256 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	96.54	-----	-----	82.70	36.78	10.56	33.50	385	256 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5924.68	53.77	88.20	-34.43	40.09	36.72	10.44	33.48	385	256 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5985.00	96.54	-----	-----	82.70	36.78	10.56	33.50	385	256 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.36</td><td>45.38</td><td>68.20</td><td>-22.82</td><td>31.70</td><td>36.72</td><td>10.44</td><td>33.48</td><td>385</td><td>256 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.36	45.38	68.20	-22.82	31.70	36.72	10.44	33.48	385	256 AVERAGE	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>89.24</td><td>-----</td><td>-----</td><td>75.40</td><td>36.78</td><td>10.56</td><td>33.50</td><td>385</td><td>256 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	89.24	-----	-----	75.40	36.78	10.56	33.50	385	256 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5924.36	45.38	68.20	-22.82	31.70	36.72	10.44	33.48	385	256 AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5985.00	89.24	-----	-----	75.40	36.78	10.56	33.50	385	256 AVERAGE																																																																					





Mode	22																																																																																																													
	Harmonic																																																																																																													
	U-NII-5_6.525-6.875_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																													
ANT	CDD3+4																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>44.49</td><td>39.76</td><td>13.22</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17955.00</td><td>50.07</td><td>74.00</td><td>-23.93</td><td>43.45</td><td>43.35</td><td>16.26</td><td>52.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	46.40	74.00	-27.60	44.49	39.76	13.22	51.07	---	---	Peak	2 17955.00	50.07	74.00	-23.93	43.45	43.35	16.26	52.99	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>45.41</td><td>39.76</td><td>13.22</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17955.00</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>44.16</td><td>43.35</td><td>16.26</td><td>52.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	47.32	74.00	-26.68	45.41	39.76	13.22	51.07	---	---	Peak	2 17955.00	50.78	74.00	-23.22	44.16	43.35	16.26	52.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 11970.00	46.40	74.00	-27.60	44.49	39.76	13.22	51.07	---	---	Peak																																																																																																				
2 17955.00	50.07	74.00	-23.93	43.45	43.35	16.26	52.99	---	---	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 11970.00	47.32	74.00	-26.68	45.41	39.76	13.22	51.07	---	---	Peak																																																																																																				
2 17955.00	50.78	74.00	-23.22	44.16	43.35	16.26	52.99	---	---	Peak																																																																																																				



Mode	23																																																																															
	Harmonic																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH39_Full RU_6145MHz																																																																															
ANT	CDD3+4																																																																															
Pol.	Horizontal										Vertical																																																																					
Peak Avg	 Level (dBuV/m) Frequency (MHz) Date: 2025-01-08 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12290.00</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>47.39</td><td>40.00</td><td>13.33</td><td>51.30</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12290.00	49.42	74.00	-24.58	47.39	40.00	13.33	51.30	 Level (dBuV/m) Frequency (MHz) Date: 2025-01-08 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12290.00</td><td>48.41</td><td>74.00</td><td>-25.59</td><td>46.38</td><td>40.00</td><td>13.33</td><td>51.30</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12290.00	48.41	74.00	-25.59	46.38	40.00	13.33	51.30
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 12290.00	49.42	74.00	-24.58	47.39	40.00	13.33	51.30																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 12290.00	48.41	74.00	-25.59	46.38	40.00	13.33	51.30																																																																									



Mode	24																																																																																												
	Harmonic																																																																																												
	U-NII-7_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																												
ANT	CDD3+4																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.91</td><td>88.20</td><td>-40.29</td><td>45.73</td><td>40.34</td><td>13.48</td><td>51.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.91	88.20	-40.29	45.73	40.34	13.48	51.64	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>49.58</td><td>88.20</td><td>-38.62</td><td>47.40</td><td>40.34</td><td>13.48</td><td>51.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	49.58	88.20	-38.62	47.40	40.34	13.48	51.64	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12770.00	47.91	88.20	-40.29	45.73	40.34	13.48	51.64	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12770.00	49.58	88.20	-38.62	47.40	40.34	13.48	51.64	---	---	Peak																																																																																		



Mode	25																																																																									
	Band Edge																																																																									
	U-NII-8_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																									
ANT	CDD3+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.28</td><td>58.55</td><td>88.20</td><td>-29.65</td><td>44.87</td><td>36.72</td><td>10.44</td><td>33.48</td><td>216 311 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5923.28	58.55	88.20	-29.65	44.87	36.72	10.44	33.48	216 311 PEAK	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>98.73</td><td>-----</td><td>-----</td><td>84.84</td><td>36.81</td><td>10.59</td><td>33.51</td><td>216 311 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	98.73	-----	-----	84.84	36.81	10.59	33.51	216 311 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5923.28	58.55	88.20	-29.65	44.87	36.72	10.44	33.48	216 311 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	98.73	-----	-----	84.84	36.81	10.59	33.51	216 311 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>50.38</td><td>68.20</td><td>-17.82</td><td>36.70</td><td>36.72</td><td>10.44</td><td>33.48</td><td>216 311 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5924.96	50.38	68.20	-17.82	36.70	36.72	10.44	33.48	216 311 AVERAGE	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>90.60</td><td>-----</td><td>-----</td><td>76.71</td><td>36.81</td><td>10.59</td><td>33.51</td><td>216 311 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	90.60	-----	-----	76.71	36.81	10.59	33.51	216 311 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5924.96	50.38	68.20	-17.82	36.70	36.72	10.44	33.48	216 311 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	90.60	-----	-----	76.71	36.81	10.59	33.51	216 311 AVERAGE																																																																		



Mode	25																																																																									
	Band Edge																																																																									
	U-NII-8_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																									
ANT	CDD3+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.72</td><td>58.61</td><td>88.20</td><td>-29.59</td><td>44.94</td><td>36.72</td><td>10.43</td><td>33.48</td><td>300 275 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5922.72	58.61	88.20	-29.59	44.94	36.72	10.43	33.48	300 275 PEAK	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>97.15</td><td>-----</td><td>-----</td><td>83.25</td><td>36.81</td><td>10.60</td><td>33.51</td><td>300 275 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	97.15	-----	-----	83.25	36.81	10.60	33.51	300 275 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5922.72	58.61	88.20	-29.59	44.94	36.72	10.43	33.48	300 275 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	97.15	-----	-----	83.25	36.81	10.60	33.51	300 275 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.68</td><td>49.19</td><td>68.20</td><td>-19.01</td><td>35.51</td><td>36.72</td><td>10.44</td><td>33.48</td><td>300 275 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5924.68	49.19	68.20	-19.01	35.51	36.72	10.44	33.48	300 275 AVERAGE	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>88.89</td><td>-----</td><td>-----</td><td>75.00</td><td>36.81</td><td>10.59</td><td>33.51</td><td>300 275 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	88.89	-----	-----	75.00	36.81	10.59	33.51	300 275 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5924.68	49.19	68.20	-19.01	35.51	36.72	10.44	33.48	300 275 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	88.89	-----	-----	75.00	36.81	10.59	33.51	300 275 AVERAGE																																																																		





Mode	25																																																																	
	Harmonic																																																																	
	U-NII-8_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																	
ANT	CDD3+4																																																																	
Pol.	Horizontal	Vertical																																																																
Peak Avg	Level (dBuV/m) Date: 2025-01-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12050.00</td><td>46.76</td><td>74.00</td><td>-27.24</td><td>44.80</td><td>39.83</td><td>13.26</td><td>51.13 --- Peak</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 12050.00	46.76	74.00	-27.24	44.80	39.83	13.26	51.13 --- Peak	Level (dBuV/m) Date: 2025-01-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12050.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>45.83</td><td>39.83</td><td>13.26</td><td>51.13 --- Peak</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 12050.00	47.79	74.00	-26.21	45.83	39.83	13.26	51.13 --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																											
1 12050.00	46.76	74.00	-27.24	44.80	39.83	13.26	51.13 --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																											
1 12050.00	47.79	74.00	-26.21	45.83	39.83	13.26	51.13 --- Peak																																																											





Mode	26																																																																																													
	Harmonic																																																																																													
	U-NII-8_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																													
ANT	CDD3+4																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-01-09 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>46.49</td><td>74.00</td><td>-27.51</td><td>44.43</td><td>40.06</td><td>13.36</td><td>51.36</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	46.49	74.00	-27.51	44.43	40.06	13.36	51.36	---	---	Peak	Level (dBuV/m) Date: 2025-01-09 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>45.19</td><td>40.06</td><td>13.36</td><td>51.36</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	47.25	74.00	-26.75	45.19	40.06	13.36	51.36	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12370.00	46.49	74.00	-27.51	44.43	40.06	13.36	51.36	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12370.00	47.25	74.00	-26.75	45.19	40.06	13.36	51.36	---	---	Peak																																																																																			





Mode	27																																																																																													
	Harmonic																																																																																													
	U-NII-8_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																													
ANT	CDD3+4																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	 Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12690.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>45.47</td><td>40.28</td><td>13.46</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	47.63	74.00	-26.37	45.47	40.28	13.46	51.58	---	---	Peak	 Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12690.00</td><td>48.89</td><td>74.00</td><td>-25.11</td><td>46.73</td><td>40.28</td><td>13.46</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	48.89	74.00	-25.11	46.73	40.28	13.46	51.58	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12690.00	47.63	74.00	-26.37	45.47	40.28	13.46	51.58	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12690.00	48.89	74.00	-25.11	46.73	40.28	13.46	51.58	---	---	Peak																																																																																			



Mode	28																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE20_CH97_Full RU_6435MHz																																																																																																
ANT	CDD3+4																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12870.00</td><td>50.66</td><td>88.20</td><td>-37.54</td><td>48.44</td><td>40.41</td><td>13.52</td><td>51.71</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12870.00	50.66	88.20	-37.54	48.44	40.41	13.52	51.71	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12870.00</td><td>48.80</td><td>88.20</td><td>-39.40</td><td>46.58</td><td>40.41</td><td>13.52</td><td>51.71</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12870.00	48.80	88.20	-39.40	46.58	40.41	13.52	51.71	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 12870.00	50.66	88.20	-37.54	48.44	40.41	13.52	51.71	---	---	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 12870.00	48.80	88.20	-39.40	46.58	40.41	13.52	51.71	---	---	Peak																																																																																							





Mode	29																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH105_Full RU_6475MHz																																																																																																																											
ANT	CDD3+4																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12950.00</td><td>48.21</td><td>88.20</td><td>-39.99</td><td>45.96</td><td>40.47</td><td>13.54</td><td>51.76</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12950.00	48.21	88.20	-39.99	45.96	40.47	13.54	51.76								---								---								Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12950.00</td><td>48.99</td><td>88.20</td><td>-39.21</td><td>46.74</td><td>40.47</td><td>13.54</td><td>51.76</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12950.00	48.99	88.20	-39.21	46.74	40.47	13.54	51.76								---								---								Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																					
1 12950.00	48.21	88.20	-39.99	45.96	40.47	13.54	51.76																																																																																																																					



							Peak																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																					
1 12950.00	48.99	88.20	-39.21	46.74	40.47	13.54	51.76																																																																																																																					

							Peak																																																																																																																					





Mode	30																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE20_CH113_Full RU_6515MHz																																																																																												
ANT	CDD3+4																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.96</td><td>88.20</td><td>-40.24</td><td>45.68</td><td>40.52</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	47.96	88.20	-40.24	45.68	40.52	13.57	51.81	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>48.59</td><td>88.20</td><td>-39.61</td><td>46.31</td><td>40.52</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	48.59	88.20	-39.61	46.31	40.52	13.57	51.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13030.00	47.96	88.20	-40.24	45.68	40.52	13.57	51.81	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13030.00	48.59	88.20	-39.61	46.31	40.52	13.57	51.81	---	---	Peak																																																																																		





Mode	31																																																																																			
	Harmonic																																																																																			
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																																																			
ANT	CDD3+4																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>12890.00</td><td>48.00</td><td>88.20</td><td>-40.20</td><td>45.78</td><td>40.42</td><td>13.52</td><td>51.72</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12890.00	48.00	88.20	-40.20	45.78	40.42	13.52	51.72	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>12890.00</td><td>48.76</td><td>88.20</td><td>-39.44</td><td>46.54</td><td>40.42</td><td>13.52</td><td>51.72</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12890.00	48.76	88.20	-39.44	46.54	40.42	13.52	51.72	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	12890.00	48.00	88.20	-40.20	45.78	40.42	13.52	51.72	---	---	Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	12890.00	48.76	88.20	-39.44	46.54	40.42	13.52	51.72	---	---	Peak																																																																									





Mode	32																																																																																					
	Harmonic																																																																																					
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																																																					
ANT	CDD3+4																																																																																					
Pol.	Horizontal					Vertical																																																																																
Peak Avg																																																																																						
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12970.00</td><td>48.59</td><td>88.20</td><td>-39.61</td><td>46.34</td><td>40.48</td><td>13.55</td><td>51.78</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12970.00	48.59	88.20	-39.61	46.34	40.48	13.55	51.78	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12970.00</td><td>48.96</td><td>88.20</td><td>-39.24</td><td>46.71</td><td>40.48</td><td>13.55</td><td>51.78</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12970.00	48.96	88.20	-39.24	46.71	40.48	13.55	51.78	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 12970.00	48.59	88.20	-39.61	46.34	40.48	13.55	51.78	---	---	Peak																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 12970.00	48.96	88.20	-39.24	46.71	40.48	13.55	51.78	---	---	Peak																																																																												





Mode	33																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz																																																																																																					
ANT	CDD3+4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 12930.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>45.46</td><td>40.45</td><td>13.54</td><td>51.75</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 12930.00	47.70	88.20	-40.50	45.46	40.45	13.54	51.75	---									Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 12930.00</td><td>48.34</td><td>88.20</td><td>-39.86</td><td>46.10</td><td>40.45</td><td>13.54</td><td>51.75</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 12930.00	48.34	88.20	-39.86	46.10	40.45	13.54	51.75	---									Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1 12930.00	47.70	88.20	-40.50	45.46	40.45	13.54	51.75	---																																																																																														
								Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1 12930.00	48.34	88.20	-39.86	46.10	40.45	13.54	51.75	---																																																																																														
								Peak																																																																																														





Mode	34																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz																																																																																												
ANT	CDD3+4																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>46.93</td><td>88.20</td><td>-41.27</td><td>44.64</td><td>40.53</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	46.93	88.20	-41.27	44.64	40.53	13.57	51.81	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.55</td><td>88.20</td><td>-40.65</td><td>45.26</td><td>40.53</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	47.55	88.20	-40.65	45.26	40.53	13.57	51.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13050.00	46.93	88.20	-41.27	44.64	40.53	13.57	51.81	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13050.00	47.55	88.20	-40.65	45.26	40.53	13.57	51.81	---	---	Peak																																																																																		





Mode	35																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.425-6.525_802.11ax HE80_CH119_Full RU_6545MHz																																																																																												
ANT	CDD3+4																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>48.59</td><td>88.20</td><td>-39.61</td><td>46.27</td><td>40.55</td><td>13.59</td><td>51.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	48.59	88.20	-39.61	46.27	40.55	13.59	51.82	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>48.49</td><td>88.20</td><td>-39.71</td><td>46.17</td><td>40.55</td><td>13.59</td><td>51.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	48.49	88.20	-39.71	46.17	40.55	13.59	51.82	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13090.00	48.59	88.20	-39.61	46.27	40.55	13.59	51.82	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13090.00	48.49	88.20	-39.71	46.17	40.55	13.59	51.82	---	---	Peak																																																																																		





Mode	36																																																																																													
	Harmonic																																																																																													
	U-NII-8_6.425-6.525_802.11ax HE160_CH111_Full RU_6505MHz																																																																																													
ANT	CDD3+4																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>48.34</td><td>88.20</td><td>-39.86</td><td>46.07</td><td>40.51</td><td>13.56</td><td>51.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	48.34	88.20	-39.86	46.07	40.51	13.56	51.80	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>47.45</td><td>88.20</td><td>-40.75</td><td>45.18</td><td>40.51</td><td>13.56</td><td>51.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	47.45	88.20	-40.75	45.18	40.51	13.56	51.80	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13010.00	48.34	88.20	-39.86	46.07	40.51	13.56	51.80	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13010.00	47.45	88.20	-40.75	45.18	40.51	13.56	51.80	---	---	Peak																																																																																			





Mode	37																																																																																			
	Harmonic																																																																																			
	U-NII-8_6.425-6.525_802.11ax HE20_CH117_Full RU_6535MHz																																																																																			
ANT	CDD3+4																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13070.00</td><td>48.30</td><td>88.20</td><td>-39.90</td><td>45.99</td><td>40.54</td><td>13.58</td><td>51.81</td><td>---</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 13070.00	48.30	88.20	-39.90	45.99	40.54	13.58	51.81	---	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13070.00</td><td>48.22</td><td>88.20</td><td>-39.98</td><td>45.91</td><td>40.54</td><td>13.58</td><td>51.81</td><td>---</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 13070.00	48.22	88.20	-39.98	45.91	40.54	13.58	51.81	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																												
1 13070.00	48.30	88.20	-39.90	45.99	40.54	13.58	51.81	---																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																												
1 13070.00	48.22	88.20	-39.98	45.91	40.54	13.58	51.81	---																																																																												
Peak						Peak																																																																														



Mode	38																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.425-6.525_802.11ax HE20_CH149_Full RU_6695MHz																																																																																																								
ANT	CDD3+4																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13390.00</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>45.22</td><td>40.73</td><td>13.68</td><td>51.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13390.00	47.75	74.00	-26.25	45.22	40.73	13.68	51.88	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13390.00</td><td>48.71</td><td>74.00</td><td>-25.29</td><td>46.18</td><td>40.73</td><td>13.68</td><td>51.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13390.00	48.71	74.00	-25.29	46.18	40.73	13.68	51.88	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13390.00	47.75	74.00	-26.25	45.22	40.73	13.68	51.88	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13390.00	48.71	74.00	-25.29	46.18	40.73	13.68	51.88	---	---	Peak																																																																																														





Mode	39																																																																																																										
	Harmonic																																																																																																										
	U-NII-5_6.425-6.525_802.11ax HE40_CH123_Full RU_6565MHz																																																																																																										
ANT	CDD3+4																																																																																																										
Pol.	Horizontal						Vertical																																																																																																				
Peak Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 13130.00</td><td>47.05</td><td>88.20</td><td>-41.15</td><td>44.70</td><td>40.58</td><td>13.60</td><td>51.83</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13130.00	47.05	88.20	-41.15	44.70	40.58	13.60	51.83								cm deg								--- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 13130.00</td><td>48.49</td><td>88.20</td><td>-39.71</td><td>46.14</td><td>40.58</td><td>13.60</td><td>51.83</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13130.00	48.49	88.20	-39.71	46.14	40.58	13.60	51.83								cm deg								--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																				
1 13130.00	47.05	88.20	-41.15	44.70	40.58	13.60	51.83																																																																																																				
							cm deg																																																																																																				
							--- --- Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																				
1 13130.00	48.49	88.20	-39.71	46.14	40.58	13.60	51.83																																																																																																				
							cm deg																																																																																																				
							--- --- Peak																																																																																																				





Mode	40																																																																																													
	Harmonic																																																																																													
	U-NII-5_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																													
ANT	CDD3+4																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-01-09 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>44.09</td><td>40.72</td><td>13.67</td><td>51.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	46.61	74.00	-27.39	44.09	40.72	13.67	51.87	---	---	Peak	Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>45.15</td><td>40.72</td><td>13.67</td><td>51.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	47.67	74.00	-26.33	45.15	40.72	13.67	51.87	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13370.00	46.61	74.00	-27.39	44.09	40.72	13.67	51.87	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13370.00	47.67	74.00	-26.33	45.15	40.72	13.67	51.87	---	---	Peak																																																																																			





Mode	41																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz																																																																																																									
ANT	CDD3+4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.76</td><td>88.20</td><td>-40.44</td><td>45.01</td><td>40.91</td><td>13.78</td><td>51.94</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	47.76	88.20	-40.44	45.01	40.91	13.78	51.94	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>48.11</td><td>88.20</td><td>-40.09</td><td>45.36</td><td>40.91</td><td>13.78</td><td>51.94</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	48.11	88.20	-40.09	45.36	40.91	13.78	51.94	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13690.00	47.76	88.20	-40.44	45.01	40.91	13.78	51.94	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13690.00	48.11	88.20	-40.09	45.36	40.91	13.78	51.94	---	---	Peak																																																																																															





Mode	42																																																																																																
	Harmonic																																																																																																
	U-NII-6_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																																																																																																
ANT	CDD3+4																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13250.00</td><td>47.17</td><td>74.00</td><td>-26.83</td><td>44.73</td><td>40.65</td><td>13.64</td><td>51.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13250.00	47.17	74.00	-26.83	44.73	40.65	13.64	51.85	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13250.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>44.82</td><td>40.65</td><td>13.64</td><td>51.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13250.00	47.26	74.00	-26.74	44.82	40.65	13.64	51.85	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13250.00	47.17	74.00	-26.83	44.73	40.65	13.64	51.85	---	---	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13250.00	47.26	74.00	-26.74	44.82	40.65	13.64	51.85	---	---	Peak																																																																																							





Mode	43																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																												
ANT	CDD3+4																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	 Date: 2025-01-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>48.33</td><td>88.20</td><td>-39.87</td><td>45.77</td><td>40.75</td><td>13.69</td><td>51.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	48.33	88.20	-39.87	45.77	40.75	13.69	51.88	---	---	Peak	 Date: 2025-01-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>47.65</td><td>88.20</td><td>-40.55</td><td>45.09</td><td>40.75</td><td>13.69</td><td>51.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	47.65	88.20	-40.55	45.09	40.75	13.69	51.88	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13410.00	48.33	88.20	-39.87	45.77	40.75	13.69	51.88	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13410.00	47.65	88.20	-40.55	45.09	40.75	13.69	51.88	---	---	Peak																																																																																		





Mode	44																																																																																											
	Harmonic																																																																																											
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																											
ANT	CDD3+4																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>45.07</td><td>40.70</td><td>13.66</td><td>51.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13330.00	47.56	74.00	-26.44	45.07	40.70	13.66	51.87	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>44.42</td><td>40.70</td><td>13.66</td><td>51.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13330.00	46.91	74.00	-27.09	44.42	40.70	13.66	51.87	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13330.00	47.56	74.00	-26.44	45.07	40.70	13.66	51.87	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13330.00	46.91	74.00	-27.09	44.42	40.70	13.66	51.87	---	---	Peak																																																																																	





Mode	45																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz																																																																																																								
ANT	CDD3+4																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13750.00</td><td>47.71</td><td>88.20</td><td>-40.49</td><td>44.92</td><td>40.95</td><td>13.79</td><td>51.95</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13750.00	47.71	88.20	-40.49	44.92	40.95	13.79	51.95	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13750.00</td><td>47.50</td><td>88.20</td><td>-40.70</td><td>44.71</td><td>40.95</td><td>13.79</td><td>51.95</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13750.00	47.50	88.20	-40.70	44.71	40.95	13.79	51.95	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13750.00	47.71	88.20	-40.49	44.92	40.95	13.79	51.95	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13750.00	47.50	88.20	-40.70	44.71	40.95	13.79	51.95	---	---	Peak																																																																																														





Mode	46																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz																																																																																																									
ANT	CDD3+4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>47.07</td><td>88.20</td><td>-41.13</td><td>44.29</td><td>40.94</td><td>13.79</td><td>51.95</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	47.07	88.20	-41.13	44.29	40.94	13.79	51.95	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>45.09</td><td>40.94</td><td>13.79</td><td>51.95</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	47.87	88.20	-40.33	45.09	40.94	13.79	51.95	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13730.00	47.07	88.20	-41.13	44.29	40.94	13.79	51.95	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13730.00	47.87	88.20	-40.33	45.09	40.94	13.79	51.95	---	---	Peak																																																																																															





Mode	47																																																																																								
	Harmonic																																																																																								
	U-NII-8_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz																																																																																								
ANT	CDD3+4																																																																																								
Pol.	Horizontal					Vertical																																																																																			
Peak Avg																																																																																									
	<table><thead><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13650.00</td><td>48.94</td><td>88.20</td><td>-39.26</td><td>46.22</td><td>40.89</td><td>13.76</td><td>51.93</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13650.00	48.94	88.20	-39.26	46.22	40.89	13.76	51.93	---	---	Peak	<table><thead><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13650.00</td><td>47.68</td><td>88.20</td><td>-40.52</td><td>44.96</td><td>40.89</td><td>13.76</td><td>51.93</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13650.00	47.68	88.20	-40.52	44.96	40.89	13.76	51.93	---	---
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 13650.00	48.94	88.20	-39.26	46.22	40.89	13.76	51.93	---	---	Peak																																																																															
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 13650.00	47.68	88.20	-40.52	44.96	40.89	13.76	51.93	---	---	Peak																																																																															



Mode	48																																																																																		
	Harmonic																																																																																		
	U-NII-5_6.525-6.875_802.11ax HE20_CH189_Full RU_6895MHz																																																																																		
ANT	CDD3+4																																																																																		
Pol.	Horizontal					Vertical																																																																													
Peak Avg																																																																																			
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13790.00</td><td>47.57</td><td>88.20</td><td>-40.63</td><td>44.75</td><td>40.97</td><td>13.81</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13790.00	47.57	88.20	-40.63	44.75	40.97	13.81	51.96	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13790.00</td><td>48.05</td><td>88.20</td><td>-40.15</td><td>45.23</td><td>40.97</td><td>13.81</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13790.00	48.05	88.20	-40.15	45.23	40.97	13.81	51.96	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 13790.00	47.57	88.20	-40.63	44.75	40.97	13.81	51.96	---	---	Peak																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 13790.00	48.05	88.20	-40.15	45.23	40.97	13.81	51.96	---	---	Peak																																																																									



Mode	49																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_6.525-6.875_802.11ax HE20_CH209_Full RU_6995MHz																																																																																																					
ANT	CDD3+4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>48.06</td><td>88.20</td><td>-40.14</td><td>45.10</td><td>41.09</td><td>13.87</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	48.06	88.20	-40.14	45.10	41.09	13.87	52.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>47.56</td><td>88.20</td><td>-40.64</td><td>44.60</td><td>41.09</td><td>13.87</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	47.56	88.20	-40.64	44.60	41.09	13.87	52.00	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	13990.00	48.06	88.20	-40.14	45.10	41.09	13.87	52.00	---	---	Peak																																																																																											
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	13990.00	47.56	88.20	-40.64	44.60	41.09	13.87	52.00	---	---	Peak																																																																																											



Mode	50																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_6.525-6.875_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																		
ANT	CDD3+4																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7131.95</td><td>52.14</td><td>88.20</td><td>-36.06</td><td>39.25</td><td>37.07</td><td>10.19</td><td>34.37</td><td>213</td><td>0° PEAK</td></tr><tr><td>2</td><td>7270.35</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>38.92</td><td>36.93</td><td>10.18</td><td>34.35</td><td>213</td><td>0° PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7131.95	52.14	88.20	-36.06	39.25	37.07	10.19	34.37	213	0° PEAK	2	7270.35	51.68	74.00	-22.32	38.92	36.93	10.18	34.35	213	0° PEAK	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>84.22</td><td>-----</td><td>-----</td><td>71.29</td><td>37.11</td><td>10.20</td><td>34.38</td><td>213</td><td>0° PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	84.22	-----	-----	71.29	37.11	10.20	34.38	213	0° PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7131.95	52.14	88.20	-36.06	39.25	37.07	10.19	34.37	213	0° PEAK																																																																																									
2	7270.35	51.68	74.00	-22.32	38.92	36.93	10.18	34.35	213	0° PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	84.22	-----	-----	71.29	37.11	10.20	34.38	213	0° PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7139.52</td><td>42.26</td><td>68.20</td><td>-25.94</td><td>29.38</td><td>37.06</td><td>10.19</td><td>34.37</td><td>213</td><td>0° AVERAGE</td></tr><tr><td>2</td><td>7253.88</td><td>42.11</td><td>54.00</td><td>-11.89</td><td>29.33</td><td>36.95</td><td>10.18</td><td>34.35</td><td>213</td><td>0° AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7139.52	42.26	68.20	-25.94	29.38	37.06	10.19	34.37	213	0° AVERAGE	2	7253.88	42.11	54.00	-11.89	29.33	36.95	10.18	34.35	213	0° AVERAGE	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>75.92</td><td>-----</td><td>-----</td><td>62.99</td><td>37.11</td><td>10.20</td><td>34.38</td><td>213</td><td>0° AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	75.92	-----	-----	62.99	37.11	10.20	34.38	213	0° AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7139.52	42.26	68.20	-25.94	29.38	37.06	10.19	34.37	213	0° AVERAGE																																																																																									
2	7253.88	42.11	54.00	-11.89	29.33	36.95	10.18	34.35	213	0° AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	75.92	-----	-----	62.99	37.11	10.20	34.38	213	0° AVERAGE																																																																																									



Mode	50																																																																																																
	Band Edge																																																																																																
	U-NII-5_6.525-6.875_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																
ANT	CDD3+4																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-01-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7181.35</td><td>52.89</td><td>88.20</td><td>-35.31</td><td>40.05</td><td>37.02</td><td>10.18</td><td>34.36</td><td>122</td><td>0° PEAK</td></tr><tr><td>2</td><td>7339.32</td><td>51.21</td><td>74.00</td><td>-22.79</td><td>38.50</td><td>36.86</td><td>10.18</td><td>34.33</td><td>122</td><td>0° PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7181.35	52.89	88.20	-35.31	40.05	37.02	10.18	34.36	122	0° PEAK	2	7339.32	51.21	74.00	-22.79	38.50	36.86	10.18	34.33	122	0° PEAK	Level (dBuV/m) Date: 2025-01-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>78.77</td><td>-----</td><td>-----</td><td>65.84</td><td>37.11</td><td>10.20</td><td>34.38</td><td>122</td><td>0° PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	78.77	-----	-----	65.84	37.11	10.20	34.38	122	0° PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7181.35	52.89	88.20	-35.31	40.05	37.02	10.18	34.36	122	0° PEAK																																																																																							
2	7339.32	51.21	74.00	-22.79	38.50	36.86	10.18	34.33	122	0° PEAK																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	78.77	-----	-----	65.84	37.11	10.20	34.38	122	0° PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2025-01-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7235.64</td><td>42.33</td><td>68.20</td><td>-25.87</td><td>29.54</td><td>36.96</td><td>10.18</td><td>34.35</td><td>122</td><td>0° AVERAGE</td></tr><tr><td>2</td><td>7259.67</td><td>42.14</td><td>54.00</td><td>-11.86</td><td>29.37</td><td>36.94</td><td>10.18</td><td>34.35</td><td>122</td><td>0° AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7235.64	42.33	68.20	-25.87	29.54	36.96	10.18	34.35	122	0° AVERAGE	2	7259.67	42.14	54.00	-11.86	29.37	36.94	10.18	34.35	122	0° AVERAGE	Level (dBuV/m) Date: 2025-01-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>70.39</td><td>-----</td><td>-----</td><td>57.46</td><td>37.11</td><td>10.20</td><td>34.38</td><td>122</td><td>0° AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	70.39	-----	-----	57.46	37.11	10.20	34.38	122	0° AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7235.64	42.33	68.20	-25.87	29.54	36.96	10.18	34.35	122	0° AVERAGE																																																																																							
2	7259.67	42.14	54.00	-11.86	29.37	36.94	10.18	34.35	122	0° AVERAGE																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	70.39	-----	-----	57.46	37.11	10.20	34.38	122	0° AVERAGE																																																																																							



Mode	50																																																																	
	Harmonic																																																																	
	U-NII-5_6.525-6.875_802.11ax HE20_CH229_Full RU_7095MHz																																																																	
ANT	CDD3+4																																																																	
Pol.	Horizontal	Vertical																																																																
Peak Avg	Level (dBuV/m) Date: 2025-01-09 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a series of peaks and valleys, with a prominent peak at 14190.00 MHz. The Y-axis ranges from 0 to 140 dBuV/m, and the X-axis ranges from 7200 to 40000 MHz. The plot is labeled 'PEAK(U-NII_6E)' and 'AVG(U-NII_6E)'. <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 14190.00</td><td>48.02</td><td>88.20</td><td>-40.18</td><td>45.00</td><td>41.08</td><td>13.96</td><td>52.02</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14190.00	48.02	88.20	-40.18	45.00	41.08	13.96	52.02	Level (dBuV/m) Date: 2025-01-09 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a series of peaks and valleys, with a prominent peak at 14190.00 MHz. The Y-axis ranges from 0 to 140 dBuV/m, and the X-axis ranges from 7200 to 40000 MHz. The plot is labeled 'PEAK(U-NII_6E)' and 'AVG(U-NII_6E)'. <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 14190.00</td><td>47.39</td><td>88.20</td><td>-40.81</td><td>44.37</td><td>41.08</td><td>13.96</td><td>52.02</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14190.00	47.39	88.20	-40.81	44.37	41.08	13.96	52.02
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 14190.00	48.02	88.20	-40.18	45.00	41.08	13.96	52.02																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 14190.00	47.39	88.20	-40.81	44.37	41.08	13.96	52.02																																																											





Mode	51																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU26/8_7095MHz																																																																																																					
ANT	CDD3+4																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7133.73</td><td>51.63</td><td>88.20</td><td>-36.57</td><td>38.74</td><td>37.07</td><td>10.19</td><td>34.37</td><td>157</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7318.85</td><td>52.30</td><td>74.00</td><td>-21.70</td><td>39.58</td><td>36.88</td><td>10.18</td><td>34.34</td><td>157</td><td>360</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7133.73	51.63	88.20	-36.57	38.74	37.07	10.19	34.37	157	360	PEAK	2	7318.85	52.30	74.00	-21.70	39.58	36.88	10.18	34.34	157	360	PEAK	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>80.25</td><td>-----</td><td>-----</td><td>67.33</td><td>37.10</td><td>10.20</td><td>34.38</td><td>157</td><td>360</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	80.25	-----	-----	67.33	37.10	10.20	34.38	157	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7133.73	51.63	88.20	-36.57	38.74	37.07	10.19	34.37	157	360	PEAK																																																																																											
2	7318.85	52.30	74.00	-21.70	39.58	36.88	10.18	34.34	157	360	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	80.25	-----	-----	67.33	37.10	10.20	34.38	157	360	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7242.31</td><td>42.34</td><td>68.20</td><td>-25.86</td><td>29.55</td><td>36.96</td><td>10.18</td><td>34.35</td><td>157</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7270.79</td><td>42.21</td><td>54.00</td><td>-11.79</td><td>29.45</td><td>36.93</td><td>10.18</td><td>34.35</td><td>157</td><td>360</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7242.31	42.34	68.20	-25.86	29.55	36.96	10.18	34.35	157	360	AVERAGE	2	7270.79	42.21	54.00	-11.79	29.45	36.93	10.18	34.35	157	360	AVERAGE	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>72.48</td><td>-----</td><td>-----</td><td>59.56</td><td>37.10</td><td>10.20</td><td>34.38</td><td>157</td><td>360</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	72.48	-----	-----	59.56	37.10	10.20	34.38	157	360	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7242.31	42.34	68.20	-25.86	29.55	36.96	10.18	34.35	157	360	AVERAGE																																																																																											
2	7270.79	42.21	54.00	-11.79	29.45	36.93	10.18	34.35	157	360	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	72.48	-----	-----	59.56	37.10	10.20	34.38	157	360	AVERAGE																																																																																											



		51																																																																																																																				
Mode		Band Edge																																																																																																																				
		U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU26/8_7095MHz																																																																																																																				
ANT		CDD3+4																																																																																																																				
Pol.		Vertical					Fundamental																																																																																																															
Peak		Level (dBuV/m) Date: 2025-01-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7216.95</td><td>51.95</td><td>88.20</td><td>-36.25</td><td>39.15</td><td>36.98</td><td>10.18</td><td>34.36</td><td>300</td><td>116 PEAK</td></tr><tr><td>2</td><td>7268.57</td><td>51.55</td><td>74.00</td><td>-22.45</td><td>38.79</td><td>36.93</td><td>10.18</td><td>34.35</td><td>300</td><td>116 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7216.95	51.95	88.20	-36.25	39.15	36.98	10.18	34.36	300	116 PEAK	2	7268.57	51.55	74.00	-22.45	38.79	36.93	10.18	34.35	300	116 PEAK	Level (dBuV/m) Date: 2025-01-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>77.15</td><td>-----</td><td>-----</td><td>64.24</td><td>37.09</td><td>10.20</td><td>34.38</td><td>300</td><td>116 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	77.15	-----	-----	64.24	37.09	10.20	34.38	300	116 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	7216.95	51.95	88.20	-36.25	39.15	36.98	10.18	34.36	300	116 PEAK																																																																																																												
2	7268.57	51.55	74.00	-22.45	38.79	36.93	10.18	34.35	300	116 PEAK																																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	7095.00	77.15	-----	-----	64.24	37.09	10.20	34.38	300	116 PEAK																																																																																																												
Avg		Level (dBuV/m) Date: 2025-01-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7215.61</td><td>42.47</td><td>68.20</td><td>-25.73</td><td>29.67</td><td>36.98</td><td>10.18</td><td>34.36</td><td>300</td><td>116 AVERAGE</td></tr><tr><td>2</td><td>7251.66</td><td>42.17</td><td>54.00</td><td>-11.83</td><td>29.39</td><td>36.95</td><td>10.18</td><td>34.35</td><td>300</td><td>116 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7215.61	42.47	68.20	-25.73	29.67	36.98	10.18	34.36	300	116 AVERAGE	2	7251.66	42.17	54.00	-11.83	29.39	36.95	10.18	34.35	300	116 AVERAGE	Level (dBuV/m) Date: 2025-01-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>69.37</td><td>-----</td><td>-----</td><td>56.45</td><td>37.10</td><td>10.20</td><td>34.38</td><td>300</td><td>116 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	69.37	-----	-----	56.45	37.10	10.20	34.38	300	116 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	7215.61	42.47	68.20	-25.73	29.67	36.98	10.18	34.36	300	116 AVERAGE																																																																																																												
2	7251.66	42.17	54.00	-11.83	29.39	36.95	10.18	34.35	300	116 AVERAGE																																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	7095.00	69.37	-----	-----	56.45	37.10	10.20	34.38	300	116 AVERAGE																																																																																																												



Mode	51																																																																																													
	Harmonic																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU26/8_7095MHz																																																																																													
ANT	CDD3+4																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>48.40</td><td>88.20</td><td>-39.80</td><td>45.38</td><td>41.08</td><td>13.96</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	48.40	88.20	-39.80	45.38	41.08	13.96	52.02	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>46.03</td><td>88.20</td><td>-42.17</td><td>43.01</td><td>41.08</td><td>13.96</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	46.03	88.20	-42.17	43.01	41.08	13.96	52.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	14190.00	48.40	88.20	-39.80	45.38	41.08	13.96	52.02	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	14190.00	46.03	88.20	-42.17	43.01	41.08	13.96	52.02	---	---	Peak																																																																																			





Mode	52																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU52/40_7095MHz																																																																																																						
ANT	CDD3+4																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7230.74</td><td>51.18</td><td>88.20</td><td>-37.02</td><td>38.38</td><td>36.97</td><td>10.18</td><td>34.35</td><td>190</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7292.60</td><td>51.47</td><td>74.00</td><td>-22.53</td><td>38.72</td><td>36.91</td><td>10.18</td><td>34.34</td><td>190</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7230.74	51.18	88.20	-37.02	38.38	36.97	10.18	34.35	190	360	PEAK	2	7292.60	51.47	74.00	-22.53	38.72	36.91	10.18	34.34	190	360	PEAK	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>84.55</td><td>-----</td><td>-----</td><td>71.63</td><td>37.10</td><td>10.20</td><td>34.38</td><td>190</td><td>360</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	84.55	-----	-----	71.63	37.10	10.20	34.38	190	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7230.74	51.18	88.20	-37.02	38.38	36.97	10.18	34.35	190	360	PEAK																																																																																												
2	7292.60	51.47	74.00	-22.53	38.72	36.91	10.18	34.34	190	360	PEAK																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	84.55	-----	-----	71.63	37.10	10.20	34.38	190	360	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7159.54</td><td>42.48</td><td>68.20</td><td>-25.72</td><td>29.62</td><td>37.04</td><td>10.19</td><td>34.37</td><td>190</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7252.10</td><td>42.12</td><td>54.00</td><td>-11.88</td><td>29.34</td><td>36.95</td><td>10.18</td><td>34.35</td><td>190</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7159.54	42.48	68.20	-25.72	29.62	37.04	10.19	34.37	190	360	AVERAGE	2	7252.10	42.12	54.00	-11.88	29.34	36.95	10.18	34.35	190	360	AVERAGE	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>76.60</td><td>-----</td><td>-----</td><td>63.68</td><td>37.10</td><td>10.20</td><td>34.38</td><td>190</td><td>360</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	76.60	-----	-----	63.68	37.10	10.20	34.38	190	360	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7159.54	42.48	68.20	-25.72	29.62	37.04	10.19	34.37	190	360	AVERAGE																																																																																												
2	7252.10	42.12	54.00	-11.88	29.34	36.95	10.18	34.35	190	360	AVERAGE																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	76.60	-----	-----	63.68	37.10	10.20	34.38	190	360	AVERAGE																																																																																												



Mode	52																																																																																																										
	Band Edge																																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU52/40_7095MHz																																																																																																										
ANT	CDD3+4																																																																																																										
Pol.	Vertical					Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII_6E)					Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII_6E)																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7152.87</td><td>51.78</td><td>88.20</td><td>-36.42</td><td>38.91</td><td>37.05</td><td>10.19</td><td>34.37</td><td>200</td><td>182</td><td>PEAK</td></tr><tr><td>2</td><td>7308.62</td><td>51.53</td><td>74.00</td><td>-22.47</td><td>38.80</td><td>36.89</td><td>10.18</td><td>34.34</td><td>200</td><td>182</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7152.87	51.78	88.20	-36.42	38.91	37.05	10.19	34.37	200	182	PEAK	2	7308.62	51.53	74.00	-22.47	38.80	36.89	10.18	34.34	200	182	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>72.37</td><td>-----</td><td>-----</td><td>59.45</td><td>37.10</td><td>10.20</td><td>34.38</td><td>200</td><td>182</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	72.37	-----	-----	59.45	37.10	10.20	34.38	200	182
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7152.87	51.78	88.20	-36.42	38.91	37.05	10.19	34.37	200	182	PEAK																																																																																																
2	7308.62	51.53	74.00	-22.47	38.80	36.89	10.18	34.34	200	182	PEAK																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7095.00	72.37	-----	-----	59.45	37.10	10.20	34.38	200	182	PEAK																																																																																																
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII_6E)					Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII_6E)																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7216.95</td><td>42.22</td><td>68.20</td><td>-25.98</td><td>29.42</td><td>36.98</td><td>10.18</td><td>34.36</td><td>200</td><td>182</td><td>AVERAGE</td></tr><tr><td>2</td><td>7251.21</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>29.35</td><td>36.95</td><td>10.18</td><td>34.35</td><td>200</td><td>182</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7216.95	42.22	68.20	-25.98	29.42	36.98	10.18	34.36	200	182	AVERAGE	2	7251.21	42.13	54.00	-11.87	29.35	36.95	10.18	34.35	200	182	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>63.83</td><td>-----</td><td>-----</td><td>50.91</td><td>37.10</td><td>10.20</td><td>34.38</td><td>200</td><td>182</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	63.83	-----	-----	50.91	37.10	10.20	34.38	200	182
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7216.95	42.22	68.20	-25.98	29.42	36.98	10.18	34.36	200	182	AVERAGE																																																																																																
2	7251.21	42.13	54.00	-11.87	29.35	36.95	10.18	34.35	200	182	AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7095.00	63.83	-----	-----	50.91	37.10	10.20	34.38	200	182	AVERAGE																																																																																																



Mode	52																																																																																			
	Harmonic																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU52/40_7095MHz																																																																																			
ANT	CDD3+4																																																																																			
Pol.	Horizontal					Vertical																																																																														
Peak Avg																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 14190.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>44.13</td><td>41.08</td><td>13.96</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	47.15	88.20	-41.05	44.13	41.08	13.96	52.02	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 14190.00</td><td>47.66</td><td>88.20</td><td>-40.54</td><td>44.64</td><td>41.08</td><td>13.96</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	47.66	88.20	-40.54	44.64	41.08	13.96	52.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 14190.00	47.15	88.20	-41.05	44.13	41.08	13.96	52.02	---	---	Peak																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 14190.00	47.66	88.20	-40.54	44.64	41.08	13.96	52.02	---	---	Peak																																																																										



Mode	53																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU106/54_7095MHz																																																																																																					
ANT	CDD3+4																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7137.74</td><td>51.65</td><td>88.20</td><td>-36.55</td><td>38.77</td><td>37.06</td><td>10.19</td><td>34.37</td><td>376</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7324.19</td><td>50.72</td><td>74.00</td><td>-23.28</td><td>38.00</td><td>36.88</td><td>10.18</td><td>34.34</td><td>376</td><td>360</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7137.74	51.65	88.20	-36.55	38.77	37.06	10.19	34.37	376	360	PEAK	2	7324.19	50.72	74.00	-23.28	38.00	36.88	10.18	34.34	376	360	PEAK	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>84.93</td><td>-----</td><td>-----</td><td>72.00</td><td>37.11</td><td>10.20</td><td>34.38</td><td>376</td><td>360</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	84.93	-----	-----	72.00	37.11	10.20	34.38	376	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7137.74	51.65	88.20	-36.55	38.77	37.06	10.19	34.37	376	360	PEAK																																																																																											
2	7324.19	50.72	74.00	-23.28	38.00	36.88	10.18	34.34	376	360	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	84.93	-----	-----	72.00	37.11	10.20	34.38	376	360	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7220.95</td><td>42.39</td><td>68.20</td><td>-25.81</td><td>29.59</td><td>36.98</td><td>10.18</td><td>34.36</td><td>376</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7252.10</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>29.35</td><td>36.95</td><td>10.18</td><td>34.35</td><td>376</td><td>360</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7220.95	42.39	68.20	-25.81	29.59	36.98	10.18	34.36	376	360	AVERAGE	2	7252.10	42.13	54.00	-11.87	29.35	36.95	10.18	34.35	376	360	AVERAGE	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>77.38</td><td>-----</td><td>-----</td><td>64.46</td><td>37.10</td><td>10.20</td><td>34.38</td><td>376</td><td>360</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	77.38	-----	-----	64.46	37.10	10.20	34.38	376	360	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7220.95	42.39	68.20	-25.81	29.59	36.98	10.18	34.36	376	360	AVERAGE																																																																																											
2	7252.10	42.13	54.00	-11.87	29.35	36.95	10.18	34.35	376	360	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	77.38	-----	-----	64.46	37.10	10.20	34.38	376	360	AVERAGE																																																																																											





		53																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU106/54_7095MHz																																																																																																													
ANT		CDD3+4																																																																																																													
Pol.		Vertical					Fundamental																																																																																																								
Peak		Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7153.76</td><td>51.74</td><td>88.20</td><td>-36.46</td><td>38.87</td><td>37.05</td><td>10.19</td><td>34.37</td><td>314</td><td>359 PEAK</td></tr><tr><td>2</td><td>7270.35</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>38.59</td><td>36.93</td><td>10.18</td><td>34.35</td><td>314</td><td>359 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7153.76	51.74	88.20	-36.46	38.87	37.05	10.19	34.37	314	359 PEAK	2	7270.35	51.35	74.00	-22.65	38.59	36.93	10.18	34.35	314	359 PEAK	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>82.66</td><td>-----</td><td>-----</td><td>69.73</td><td>37.11</td><td>10.20</td><td>34.38</td><td>314</td><td>359 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	82.66	-----	-----	69.73	37.11	10.20	34.38	314	359 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7153.76	51.74	88.20	-36.46	38.87	37.05	10.19	34.37	314	359 PEAK																																																																																																					
2	7270.35	51.35	74.00	-22.65	38.59	36.93	10.18	34.35	314	359 PEAK																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7095.00	82.66	-----	-----	69.73	37.11	10.20	34.38	314	359 PEAK																																																																																																					
Avg		Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7206.71</td><td>42.55</td><td>68.20</td><td>-25.65</td><td>29.74</td><td>36.99</td><td>10.18</td><td>34.36</td><td>314</td><td>359 AVERAGE</td></tr><tr><td>2</td><td>7279.69</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>29.71</td><td>36.92</td><td>10.18</td><td>34.34</td><td>314</td><td>359 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7206.71	42.55	68.20	-25.65	29.74	36.99	10.18	34.36	314	359 AVERAGE	2	7279.69	42.47	54.00	-11.53	29.71	36.92	10.18	34.34	314	359 AVERAGE	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>76.10</td><td>-----</td><td>-----</td><td>63.17</td><td>37.11</td><td>10.20</td><td>34.38</td><td>314</td><td>359 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	76.10	-----	-----	63.17	37.11	10.20	34.38	314	359 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7206.71	42.55	68.20	-25.65	29.74	36.99	10.18	34.36	314	359 AVERAGE																																																																																																					
2	7279.69	42.47	54.00	-11.53	29.71	36.92	10.18	34.34	314	359 AVERAGE																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7095.00	76.10	-----	-----	63.17	37.11	10.20	34.38	314	359 AVERAGE																																																																																																					



Mode	53																																																																																													
	Harmonic																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU106/54_7095MHz																																																																																													
ANT	CDD3+4																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-01-09 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>51.22</td><td>88.20</td><td>-36.98</td><td>48.20</td><td>41.08</td><td>13.96</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	51.22	88.20	-36.98	48.20	41.08	13.96	52.02	---	---	Peak	Level (dBuV/m) Date: 2025-01-09 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.69</td><td>88.20</td><td>-40.51</td><td>44.67</td><td>41.08</td><td>13.96</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	47.69	88.20	-40.51	44.67	41.08	13.96	52.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	14190.00	51.22	88.20	-36.98	48.20	41.08	13.96	52.02	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	14190.00	47.69	88.20	-40.51	44.67	41.08	13.96	52.02	---	---	Peak																																																																																			



Mode	54																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE40_CH203_Full RU_6965MHz																																																																																																								
ANT	CDD3+4																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg	 Date: 2025-01-09						 Date: 2025-01-09																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13930.00</td><td>47.50</td><td>88.20</td><td>-40.70</td><td>44.58</td><td>41.06</td><td>13.85</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13930.00	47.50	88.20	-40.70	44.58	41.06	13.85	51.99	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13930.00</td><td>46.91</td><td>88.20</td><td>-41.29</td><td>43.99</td><td>41.06</td><td>13.85</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13930.00	46.91	88.20	-41.29	43.99	41.06	13.85	51.99	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13930.00	47.50	88.20	-40.70	44.58	41.06	13.85	51.99	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13930.00	46.91	88.20	-41.29	43.99	41.06	13.85	51.99	---	---	Peak																																																																																														





Mode	55																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																						
ANT	CDD3+4																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7182.42</td><td>51.55</td><td>88.20</td><td>-36.65</td><td>38.71</td><td>37.02</td><td>10.18</td><td>34.36</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7285.31</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>38.98</td><td>36.91</td><td>10.18</td><td>34.34</td><td>300</td><td>360</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7182.42	51.55	88.20	-36.65	38.71	37.02	10.18	34.36	300	360	PEAK	2	7285.31	51.73	74.00	-22.27	38.98	36.91	10.18	34.34	300	360	PEAK	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>88.22</td><td>-----</td><td>-----</td><td>75.29</td><td>37.11</td><td>10.20</td><td>34.38</td><td>300</td><td>360</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	88.22	-----	-----	75.29	37.11	10.20	34.38	300	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7182.42	51.55	88.20	-36.65	38.71	37.02	10.18	34.36	300	360	PEAK																																																																																												
2	7285.31	51.73	74.00	-22.27	38.98	36.91	10.18	34.34	300	360	PEAK																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7085.00	88.22	-----	-----	75.29	37.11	10.20	34.38	300	360	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.42</td><td>42.74</td><td>68.20</td><td>-25.46</td><td>29.84</td><td>37.07</td><td>10.20</td><td>34.37</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7250.82</td><td>42.26</td><td>54.00</td><td>-11.74</td><td>29.48</td><td>36.95</td><td>10.18</td><td>34.35</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.42	42.74	68.20	-25.46	29.84	37.07	10.20	34.37	300	360	AVERAGE	2	7250.82	42.26	54.00	-11.74	29.48	36.95	10.18	34.35	300	360	AVERAGE	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>81.27</td><td>-----</td><td>-----</td><td>68.34</td><td>37.11</td><td>10.20</td><td>34.38</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	81.27	-----	-----	68.34	37.11	10.20	34.38	300	360	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.42	42.74	68.20	-25.46	29.84	37.07	10.20	34.37	300	360	AVERAGE																																																																																												
2	7250.82	42.26	54.00	-11.74	29.48	36.95	10.18	34.35	300	360	AVERAGE																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7085.00	81.27	-----	-----	68.34	37.11	10.20	34.38	300	360	AVERAGE																																																																																												





Mode	55																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																					
ANT	CDD3+4																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7216.91</td><td>51.94</td><td>88.20</td><td>-36.26</td><td>39.14</td><td>36.98</td><td>10.18</td><td>34.36</td><td>221</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>7251.96</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>38.56</td><td>36.95</td><td>10.18</td><td>34.35</td><td>221</td><td>305</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	7216.91	51.94	88.20	-36.26	39.14	36.98	10.18	34.36	221	305	PEAK	2	7251.96	51.34	74.00	-22.66	38.56	36.95	10.18	34.35	221	305	PEAK	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7085.00</td><td>87.31</td><td>-----</td><td>-----</td><td>74.38</td><td>37.11</td><td>10.20</td><td>34.38</td><td>221</td><td>305</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	7085.00	87.31	-----	-----	74.38	37.11	10.20	34.38	221	305	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																														
1	7216.91	51.94	88.20	-36.26	39.14	36.98	10.18	34.36	221	305	PEAK																																																																																											
2	7251.96	51.34	74.00	-22.66	38.56	36.95	10.18	34.35	221	305	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																														
1	7085.00	87.31	-----	-----	74.38	37.11	10.20	34.38	221	305	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7127.13</td><td>42.61</td><td>68.20</td><td>-25.59</td><td>29.71</td><td>37.07</td><td>10.20</td><td>34.37</td><td>221</td><td>305</td><td>AVERAGE</td></tr><tr><td>2</td><td>7253.96</td><td>42.18</td><td>54.00</td><td>-11.82</td><td>29.40</td><td>36.95</td><td>10.18</td><td>34.35</td><td>221</td><td>305</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	7127.13	42.61	68.20	-25.59	29.71	37.07	10.20	34.37	221	305	AVERAGE	2	7253.96	42.18	54.00	-11.82	29.40	36.95	10.18	34.35	221	305	AVERAGE	Level (dBuV/m) Date: 2025-01-05 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7085.00</td><td>79.71</td><td>-----</td><td>-----</td><td>66.78</td><td>37.11</td><td>10.20</td><td>34.38</td><td>221</td><td>305</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	7085.00	79.71	-----	-----	66.78	37.11	10.20	34.38	221	305	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																														
1	7127.13	42.61	68.20	-25.59	29.71	37.07	10.20	34.37	221	305	AVERAGE																																																																																											
2	7253.96	42.18	54.00	-11.82	29.40	36.95	10.18	34.35	221	305	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																														
1	7085.00	79.71	-----	-----	66.78	37.11	10.20	34.38	221	305	AVERAGE																																																																																											



Mode	55																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																											
ANT	CDD3+4																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>48.32</td><td>88.20</td><td>-39.88</td><td>45.31</td><td>41.08</td><td>13.95</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	48.32	88.20	-39.88	45.31	41.08	13.95	52.02	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>47.99</td><td>88.20</td><td>-40.21</td><td>44.98</td><td>41.08</td><td>13.95</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	47.99	88.20	-40.21	44.98	41.08	13.95	52.02	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	14170.00	48.32	88.20	-39.88	45.31	41.08	13.95	52.02	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	14170.00	47.99	88.20	-40.21	44.98	41.08	13.95	52.02	---	---	Peak																																																																																	



Mode	56																																																																	
	Harmonic																																																																	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																	
ANT	CDD3+4																																																																	
Pol.	Horizontal	Vertical																																																																
Peak Avg	Level (dBuV/m) Date: 2025-01-09  Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 13890.00</td><td>47.79</td><td>88.20</td><td>-40.41</td><td>44.90</td><td>41.03</td><td>13.84</td><td>51.98</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13890.00	47.79	88.20	-40.41	44.90	41.03	13.84	51.98	Level (dBuV/m) Date: 2025-01-09  Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 13890.00</td><td>46.80</td><td>88.20</td><td>-41.40</td><td>43.91</td><td>41.03</td><td>13.84</td><td>51.98</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13890.00	46.80	88.20	-41.40	43.91	41.03	13.84	51.98
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 13890.00	47.79	88.20	-40.41	44.90	41.03	13.84	51.98																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 13890.00	46.80	88.20	-41.40	43.91	41.03	13.84	51.98																																																											





Mode	57																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																					
ANT	CDD3+4																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7160.57</td><td>51.76</td><td>88.20</td><td>-36.44</td><td>38.90</td><td>37.04</td><td>10.19</td><td>34.37</td><td>400</td><td>120</td><td>PEAK</td></tr><tr><td>2</td><td>7252.18</td><td>52.78</td><td>74.00</td><td>-21.22</td><td>40.00</td><td>36.95</td><td>10.18</td><td>34.35</td><td>400</td><td>120</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7160.57	51.76	88.20	-36.44	38.90	37.04	10.19	34.37	400	120	PEAK	2	7252.18	52.78	74.00	-21.22	40.00	36.95	10.18	34.35	400	120	PEAK	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>76.15</td><td>-----</td><td>-----</td><td>63.18</td><td>37.15</td><td>10.21</td><td>34.39</td><td>400</td><td>120</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	76.15	-----	-----	63.18	37.15	10.21	34.39	400	120	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7160.57	51.76	88.20	-36.44	38.90	37.04	10.19	34.37	400	120	PEAK																																																																																											
2	7252.18	52.78	74.00	-21.22	40.00	36.95	10.18	34.35	400	120	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7025.00	76.15	-----	-----	63.18	37.15	10.21	34.39	400	120	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7214.22</td><td>42.39</td><td>68.20</td><td>-25.81</td><td>29.58</td><td>36.99</td><td>10.18</td><td>34.36</td><td>400</td><td>120</td><td>AVERAGE</td></tr><tr><td>2</td><td>7256.56</td><td>42.18</td><td>54.00</td><td>-11.82</td><td>29.41</td><td>36.94</td><td>10.18</td><td>34.35</td><td>400</td><td>120</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7214.22	42.39	68.20	-25.81	29.58	36.99	10.18	34.36	400	120	AVERAGE	2	7256.56	42.18	54.00	-11.82	29.41	36.94	10.18	34.35	400	120	AVERAGE	Level (dBuV/m) Date: 2025-01-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>69.00</td><td>-----</td><td>-----</td><td>56.04</td><td>37.14</td><td>10.21</td><td>34.39</td><td>400</td><td>120</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	69.00	-----	-----	56.04	37.14	10.21	34.39	400	120	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7214.22	42.39	68.20	-25.81	29.58	36.99	10.18	34.36	400	120	AVERAGE																																																																																											
2	7256.56	42.18	54.00	-11.82	29.41	36.94	10.18	34.35	400	120	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7025.00	69.00	-----	-----	56.04	37.14	10.21	34.39	400	120	AVERAGE																																																																																											



		57																																																																																																																			
Mode		Band Edge																																																																																																																			
		U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																																			
ANT		CDD3+4																																																																																																																			
Pol.	Vertical										Fundamental																																																																																																										
Peak	Level (dBuV/m) Date: 2025-01-05 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7206.56</td><td>52.12</td><td>88.20</td><td>-36.08</td><td>39.31</td><td>36.99</td><td>10.18</td><td>34.36</td><td>200</td><td>72 PEAK</td></tr><tr><td>2</td><td>7306.20</td><td>50.87</td><td>74.00</td><td>-23.13</td><td>38.14</td><td>36.89</td><td>10.18</td><td>34.34</td><td>200</td><td>72 PEAK</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7206.56	52.12	88.20	-36.08	39.31	36.99	10.18	34.36	200	72 PEAK	2	7306.20	50.87	74.00	-23.13	38.14	36.89	10.18	34.34	200	72 PEAK	Level (dBuV/m) Date: 2025-01-05 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7025.00</td><td>76.39</td><td>-----</td><td>-----</td><td>63.39</td><td>37.17</td><td>10.22</td><td>34.39</td><td>200</td><td>72 PEAK</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7025.00	76.39	-----	-----	63.39	37.17	10.22	34.39	200	72 PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	7206.56	52.12	88.20	-36.08	39.31	36.99	10.18	34.36	200	72 PEAK																																																																																																											
2	7306.20	50.87	74.00	-23.13	38.14	36.89	10.18	34.34	200	72 PEAK																																																																																																											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	7025.00	76.39	-----	-----	63.39	37.17	10.22	34.39	200	72 PEAK																																																																																																											
Avg	Level (dBuV/m) Date: 2025-01-05 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7243.42</td><td>42.32</td><td>68.20</td><td>-25.88</td><td>29.53</td><td>36.96</td><td>10.18</td><td>34.35</td><td>200</td><td>72 AVERAGE</td></tr><tr><td>2</td><td>7282.48</td><td>42.06</td><td>54.00</td><td>-11.94</td><td>29.30</td><td>36.92</td><td>10.18</td><td>34.34</td><td>200</td><td>72 AVERAGE</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7243.42	42.32	68.20	-25.88	29.53	36.96	10.18	34.35	200	72 AVERAGE	2	7282.48	42.06	54.00	-11.94	29.30	36.92	10.18	34.34	200	72 AVERAGE	Level (dBuV/m) Date: 2025-01-05 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7025.00</td><td>68.68</td><td>-----</td><td>-----</td><td>55.68</td><td>37.17</td><td>10.22</td><td>34.39</td><td>200</td><td>72 AVERAGE</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7025.00	68.68	-----	-----	55.68	37.17	10.22	34.39	200	72 AVERAGE
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	7243.42	42.32	68.20	-25.88	29.53	36.96	10.18	34.35	200	72 AVERAGE																																																																																																											
2	7282.48	42.06	54.00	-11.94	29.30	36.92	10.18	34.34	200	72 AVERAGE																																																																																																											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	7025.00	68.68	-----	-----	55.68	37.17	10.22	34.39	200	72 AVERAGE																																																																																																											







Mode	57																																																			
	Harmonic																																																			
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																			
ANT	CDD3+4																																																			
Pol.	Horizontal										Vertical																																									
Peak Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>										MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1 14050.00 47.18 88.20 -41.02 44.20 41.09 13.90 52.01 --- --- Peak										1 14050.00 46.62 88.20 -41.58 43.64 41.09 13.90 52.01 --- --- Peak																																										





Mode	58																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																		
ANT	CDD3+4																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-01-05 PEAK_BE(U)NII_6E					Level (dBuV/m) Date: 2025-01-05 PEAK_BE(U)NII_6E																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7143.13</td><td>52.86</td><td>88.20</td><td>-35.34</td><td>39.98</td><td>37.06</td><td>10.19</td><td>34.37</td><td>218 351 PEAK</td></tr><tr><td>2</td><td>7266.25</td><td>51.81</td><td>74.00</td><td>-22.19</td><td>39.05</td><td>36.93</td><td>10.18</td><td>34.35</td><td>218 351 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7143.13	52.86	88.20	-35.34	39.98	37.06	10.19	34.37	218 351 PEAK	2	7266.25	51.81	74.00	-22.19	39.05	36.93	10.18	34.35	218 351 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>87.49</td><td>-----</td><td>-----</td><td>74.44</td><td>37.19</td><td>10.23</td><td>34.37</td><td>218 351 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	87.49	-----	-----	74.44	37.19	10.23	34.37
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7143.13	52.86	88.20	-35.34	39.98	37.06	10.19	34.37	218 351 PEAK																																																																																										
2	7266.25	51.81	74.00	-22.19	39.05	36.93	10.18	34.35	218 351 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	87.49	-----	-----	74.44	37.19	10.23	34.37	218 351 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2025-01-05 AVG_BE(U)NII_6E					Level (dBuV/m) Date: 2025-01-05 AVG_BE(U)NII_6E																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7131.25</td><td>43.71</td><td>68.20</td><td>-24.49</td><td>30.82</td><td>37.07</td><td>10.19</td><td>34.37</td><td>218 351 AVERAGE</td></tr><tr><td>2</td><td>7255.63</td><td>42.46</td><td>54.00</td><td>-11.54</td><td>29.69</td><td>36.94</td><td>10.18</td><td>34.35</td><td>218 351 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7131.25	43.71	68.20	-24.49	30.82	37.07	10.19	34.37	218 351 AVERAGE	2	7255.63	42.46	54.00	-11.54	29.69	36.94	10.18	34.35	218 351 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>79.50</td><td>-----</td><td>-----</td><td>66.47</td><td>37.19</td><td>10.22</td><td>34.38</td><td>218 351 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	79.50	-----	-----	66.47	37.19	10.22	34.38
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7131.25	43.71	68.20	-24.49	30.82	37.07	10.19	34.37	218 351 AVERAGE																																																																																										
2	7255.63	42.46	54.00	-11.54	29.69	36.94	10.18	34.35	218 351 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	79.50	-----	-----	66.47	37.19	10.22	34.38	218 351 AVERAGE																																																																																										





		58																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																								
ANT		CDD3+4																																																																																																								
Pol.		Vertical					Fundamental																																																																																																			
Peak	Level (dBuV/m) Date: 2025-01-05  PEAK_BE(UNII)_6E Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7174.38</td><td>52.26</td><td>88.20</td><td>-35.94</td><td>39.41</td><td>37.03</td><td>10.19</td><td>34.37</td><td>100</td><td>215</td><td>PEAK</td></tr><tr><td>2</td><td>7251.88</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>39.63</td><td>36.95</td><td>10.18</td><td>34.35</td><td>100</td><td>215</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7174.38	52.26	88.20	-35.94	39.41	37.03	10.19	34.37	100	215	PEAK	2	7251.88	52.41	74.00	-21.59	39.63	36.95	10.18	34.35	100	215	PEAK	Level (dBuV/m) Date: 2025-01-05  PEAK_BE(UNII)_6E Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>78.82</td><td>-----</td><td>-----</td><td>65.78</td><td>37.20</td><td>10.22</td><td>34.38</td><td>100</td><td>215</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	78.82	-----	-----	65.78	37.20	10.22	34.38	100	215	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7174.38	52.26	88.20	-35.94	39.41	37.03	10.19	34.37	100	215	PEAK																																																																																															
2	7251.88	52.41	74.00	-21.59	39.63	36.95	10.18	34.35	100	215	PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	6985.00	78.82	-----	-----	65.78	37.20	10.22	34.38	100	215	PEAK																																																																																															
Avg	Level (dBuV/m) Date: 2025-01-05  AVG_BE(UNII)_6E Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7245.00</td><td>42.48</td><td>68.20</td><td>-25.72</td><td>29.69</td><td>36.96</td><td>10.18</td><td>34.35</td><td>100</td><td>215</td><td>AVERAGE</td></tr><tr><td>2</td><td>7254.38</td><td>42.26</td><td>54.00</td><td>-11.74</td><td>29.48</td><td>36.95</td><td>10.18</td><td>34.35</td><td>100</td><td>215</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7245.00	42.48	68.20	-25.72	29.69	36.96	10.18	34.35	100	215	AVERAGE	2	7254.38	42.26	54.00	-11.74	29.48	36.95	10.18	34.35	100	215	AVERAGE	Level (dBuV/m) Date: 2025-01-05  AVG_BE(UNII)_6E Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>70.71</td><td>-----</td><td>-----</td><td>57.66</td><td>37.19</td><td>10.23</td><td>34.37</td><td>100</td><td>215</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	70.71	-----	-----	57.66	37.19	10.23	34.37	100	215	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7245.00	42.48	68.20	-25.72	29.69	36.96	10.18	34.35	100	215	AVERAGE																																																																																															
2	7254.38	42.26	54.00	-11.74	29.48	36.95	10.18	34.35	100	215	AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	6985.00	70.71	-----	-----	57.66	37.19	10.23	34.37	100	215	AVERAGE																																																																																															





Mode	58																																																																															
	Harmonic																																																																															
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																															
ANT	CDD3+4																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg	 Level (dBuV/m) Frequency (MHz) Date: 2025-01-09 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13970.00</td><td>47.47</td><td>88.20</td><td>-40.73</td><td>44.52</td><td>41.08</td><td>13.86</td><td>51.99</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13970.00	47.47	88.20	-40.73	44.52	41.08	13.86	51.99	 Level (dBuV/m) Frequency (MHz) Date: 2025-01-09 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13970.00</td><td>47.88</td><td>88.20</td><td>-40.32</td><td>44.93</td><td>41.08</td><td>13.86</td><td>51.99</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13970.00	47.88	88.20	-40.32	44.93	41.08	13.86	51.99
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13970.00	47.47	88.20	-40.73	44.52	41.08	13.86	51.99																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13970.00	47.88	88.20	-40.32	44.93	41.08	13.86	51.99																																																																									



Mode	59																																																																																
	Harmonic																																																																																
	U-NII-8_6.875-7.125_802.11ax HE40_CH187_Full RU_6885MHz																																																																																
ANT	CDD3+4																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg	Level (dBuV/m) Date: 2025-01-09  PEAK(U-NII_6E) Avg(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>47.83</td><td>88.20</td><td>-40.37</td><td>45.02</td><td>40.96</td><td>13.80</td><td>51.95</td><td>---</td><td>Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2025-01-09  PEAK(U-NII_6E) Avg(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>47.11</td><td>88.20</td><td>-41.09</td><td>44.30</td><td>40.96</td><td>13.80</td><td>51.95</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	13770.00	47.83	88.20	-40.37	45.02	40.96	13.80	51.95	---	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	13770.00	47.11	88.20	-41.09	44.30	40.96	13.80	51.95	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	13770.00	47.83	88.20	-40.37	45.02	40.96	13.80	51.95	---	Peak																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	13770.00	47.11	88.20	-41.09	44.30	40.96	13.80	51.95	---	Peak																																																																							



Mode	62																																																																																																																																																																											
	LF																																																																																																																																																																											
	U-NII-8_6.875-7.125_802.11a-LF_CH229_7095MHz																																																																																																																																																																											
ANT	CDD3+4																																																																																																																																																																											
Pol.	Horizontal					Vertical																																																																																																																																																																						
QPI/ Peak																																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.00</td><td>24.79</td><td>40.00</td><td>-15.21</td><td>30.47</td><td>25.29</td><td>0.53</td><td>31.50 --- --- Peak</td></tr><tr><td>2</td><td>103.72</td><td>31.72</td><td>43.50</td><td>-11.78</td><td>45.74</td><td>16.63</td><td>1.04</td><td>31.69 --- --- Peak</td></tr><tr><td>3</td><td>155.13</td><td>21.75</td><td>43.50</td><td>-21.75</td><td>35.29</td><td>16.78</td><td>1.27</td><td>31.59 --- --- Peak</td></tr><tr><td>4</td><td>232.73</td><td>26.31</td><td>46.00</td><td>-19.69</td><td>39.76</td><td>16.48</td><td>1.57</td><td>31.50 --- --- Peak</td></tr><tr><td>5</td><td>329.73</td><td>27.22</td><td>46.00</td><td>-18.78</td><td>36.83</td><td>20.02</td><td>1.91</td><td>31.54 --- --- Peak</td></tr><tr><td>6</td><td>762.35</td><td>31.57</td><td>46.00</td><td>-14.43</td><td>30.83</td><td>28.89</td><td>2.87</td><td>31.02 --- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	30.00	24.79	40.00	-15.21	30.47	25.29	0.53	31.50 --- --- Peak	2	103.72	31.72	43.50	-11.78	45.74	16.63	1.04	31.69 --- --- Peak	3	155.13	21.75	43.50	-21.75	35.29	16.78	1.27	31.59 --- --- Peak	4	232.73	26.31	46.00	-19.69	39.76	16.48	1.57	31.50 --- --- Peak	5	329.73	27.22	46.00	-18.78	36.83	20.02	1.91	31.54 --- --- Peak	6	762.35	31.57	46.00	-14.43	30.83	28.89	2.87	31.02 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>32.91</td><td>24.84</td><td>40.00</td><td>-15.16</td><td>32.16</td><td>23.75</td><td>0.55</td><td>31.62 --- --- Peak</td></tr><tr><td>2</td><td>59.10</td><td>29.86</td><td>40.00</td><td>-10.14</td><td>48.79</td><td>12.00</td><td>0.77</td><td>31.70 --- --- Peak</td></tr><tr><td>3</td><td>101.78</td><td>33.31</td><td>43.50</td><td>-10.19</td><td>47.60</td><td>16.38</td><td>1.03</td><td>31.70 --- --- Peak</td></tr><tr><td>4</td><td>158.04</td><td>26.75</td><td>43.50</td><td>-16.75</td><td>40.43</td><td>16.62</td><td>1.28</td><td>31.58 --- --- Peak</td></tr><tr><td>5</td><td>326.82</td><td>24.17</td><td>46.00</td><td>-21.83</td><td>33.91</td><td>19.91</td><td>1.90</td><td>31.55 --- --- Peak</td></tr><tr><td>6</td><td>579.02</td><td>31.15</td><td>46.00</td><td>-14.85</td><td>33.67</td><td>26.14</td><td>2.52</td><td>31.18 --- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	32.91	24.84	40.00	-15.16	32.16	23.75	0.55	31.62 --- --- Peak	2	59.10	29.86	40.00	-10.14	48.79	12.00	0.77	31.70 --- --- Peak	3	101.78	33.31	43.50	-10.19	47.60	16.38	1.03	31.70 --- --- Peak	4	158.04	26.75	43.50	-16.75	40.43	16.62	1.28	31.58 --- --- Peak	5	326.82	24.17	46.00	-21.83	33.91	19.91	1.90	31.55 --- --- Peak	6	579.02	31.15	46.00	-14.85	33.67	26.14	2.52	31.18 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																			
	1	30.00	24.79	40.00	-15.21	30.47	25.29	0.53	31.50 --- --- Peak																																																																																																																																																																			
	2	103.72	31.72	43.50	-11.78	45.74	16.63	1.04	31.69 --- --- Peak																																																																																																																																																																			
	3	155.13	21.75	43.50	-21.75	35.29	16.78	1.27	31.59 --- --- Peak																																																																																																																																																																			
	4	232.73	26.31	46.00	-19.69	39.76	16.48	1.57	31.50 --- --- Peak																																																																																																																																																																			
	5	329.73	27.22	46.00	-18.78	36.83	20.02	1.91	31.54 --- --- Peak																																																																																																																																																																			
6	762.35	31.57	46.00	-14.43	30.83	28.89	2.87	31.02 --- --- Peak																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																				
1	32.91	24.84	40.00	-15.16	32.16	23.75	0.55	31.62 --- --- Peak																																																																																																																																																																				
2	59.10	29.86	40.00	-10.14	48.79	12.00	0.77	31.70 --- --- Peak																																																																																																																																																																				
3	101.78	33.31	43.50	-10.19	47.60	16.38	1.03	31.70 --- --- Peak																																																																																																																																																																				
4	158.04	26.75	43.50	-16.75	40.43	16.62	1.28	31.58 --- --- Peak																																																																																																																																																																				
5	326.82	24.17	46.00	-21.83	33.91	19.91	1.90	31.55 --- --- Peak																																																																																																																																																																				
6	579.02	31.15	46.00	-14.85	33.67	26.14	2.52	31.18 --- --- Peak																																																																																																																																																																				



<Co-location>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 60 CO-TX	U-NII-8	6.875-7.125	CDD 6+17	802.11a	229	7095	6Mbps	-	-
			4	BLE	00	2402	2Mbps		
			8	LTE	B48 Link'				
Mode 61 CO-TX	U-NII-8	6.875-7.125	CDD 6+17	802.11a	229	7095	6Mbps	-	-
			Ant 6	UBW TX	CH9				
			8	LTE	B48 Link'				

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
60 CO-TX	802.11a	229	7250.77	42.49	54.00	-11.51	H	AVERAGE	Pass	Band Edge
	802.11a	229	14190.00	50.83	88.20	-37.37	V	Peak	Pass	Harmonic
61 CO-TX	802.11a	229	7277.91	42.46	54.00	-11.54	V	AVERAGE	Pass	Band Edge
	802.11a	229	14190.00	49.07	88.20	-39.13	V	Peak	Pass	Harmonic







		60																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-8_6.875-7.125_802.11a_CH229_7095MHz+ Bluetooth LE_2Mbps_CH00_2402MHz+B48 LINK																																																																																																				
ANT		CDD 6+17+4																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7211.16</td><td>51.75</td><td>88.20</td><td>-36.45</td><td>38.94</td><td>36.99</td><td>10.18</td><td>34.36</td><td>278</td><td>325</td><td>PEAK</td></tr><tr><td>2</td><td>7317.52</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>38.96</td><td>36.88</td><td>10.18</td><td>34.34</td><td>278</td><td>325</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7211.16	51.75	88.20	-36.45	38.94	36.99	10.18	34.36	278	325	PEAK	2	7317.52	51.68	74.00	-22.32	38.96	36.88	10.18	34.34	278	325	PEAK	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>87.49</td><td>-----</td><td>-----</td><td>74.57</td><td>37.10</td><td>10.20</td><td>34.38</td><td>278</td><td>325</td><td>Peak</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	87.49	-----	-----	74.57	37.10	10.20	34.38	278	325	Peak
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7211.16	51.75	88.20	-36.45	38.94	36.99	10.18	34.36	278	325	PEAK																																																																																											
2	7317.52	51.68	74.00	-22.32	38.96	36.88	10.18	34.34	278	325	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	87.49	-----	-----	74.57	37.10	10.20	34.38	278	325	Peak																																																																																											
Avg	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.08</td><td>43.62</td><td>68.20</td><td>-24.58</td><td>30.82</td><td>36.97</td><td>10.18</td><td>34.35</td><td>278</td><td>325</td><td>AVERAGE</td></tr><tr><td>2</td><td>7250.77</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>29.71</td><td>36.95</td><td>10.18</td><td>34.35</td><td>278</td><td>325</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7232.08	43.62	68.20	-24.58	30.82	36.97	10.18	34.35	278	325	AVERAGE	2	7250.77	42.49	54.00	-11.51	29.71	36.95	10.18	34.35	278	325	AVERAGE	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>81.33</td><td>-----</td><td>-----</td><td>68.41</td><td>37.10</td><td>10.20</td><td>34.38</td><td>278</td><td>325</td><td>Average</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	81.33	-----	-----	68.41	37.10	10.20	34.38	278	325	Average
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7232.08	43.62	68.20	-24.58	30.82	36.97	10.18	34.35	278	325	AVERAGE																																																																																											
2	7250.77	42.49	54.00	-11.51	29.71	36.95	10.18	34.35	278	325	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	81.33	-----	-----	68.41	37.10	10.20	34.38	278	325	Average																																																																																											



Mode	60																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz+ Bluetooth LE_2Mbps_CH00_2402MHz+B48 LINK																																																																																																			
ANT	CDD 6+17+4																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-02-11					Level (dBuV/m) Date: 2025-02-11																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7184.02</td><td>52.52</td><td>88.20</td><td>-35.68</td><td>39.68</td><td>37.02</td><td>10.18</td><td>34.36</td><td>100 242 PEAK</td></tr><tr><td>2</td><td>7333.54</td><td>52.29</td><td>74.00</td><td>-21.71</td><td>39.57</td><td>36.87</td><td>10.18</td><td>34.33</td><td>100 242 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7184.02	52.52	88.20	-35.68	39.68	37.02	10.18	34.36	100 242 PEAK	2	7333.54	52.29	74.00	-21.71	39.57	36.87	10.18	34.33	100 242 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>84.25</td><td>-----</td><td>-----</td><td>71.33</td><td>37.10</td><td>10.20</td><td>34.38</td><td>100 242 Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	84.25	-----	-----	71.33	37.10	10.20	34.38
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7184.02	52.52	88.20	-35.68	39.68	37.02	10.18	34.36	100 242 PEAK																																																																																											
2	7333.54	52.29	74.00	-21.71	39.57	36.87	10.18	34.33	100 242 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	84.25	-----	-----	71.33	37.10	10.20	34.38	100 242 Peak																																																																																											
Avg	Level (dBuV/m) Date: 2025-02-11					Level (dBuV/m) Date: 2025-02-11																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.08</td><td>43.54</td><td>68.20</td><td>-24.66</td><td>30.74</td><td>36.97</td><td>10.18</td><td>34.35</td><td>100 242 AVERAGE</td></tr><tr><td>2</td><td>7256.11</td><td>42.29</td><td>54.00</td><td>-11.71</td><td>29.52</td><td>36.94</td><td>10.18</td><td>34.35</td><td>100 242 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7232.08	43.54	68.20	-24.66	30.74	36.97	10.18	34.35	100 242 AVERAGE	2	7256.11	42.29	54.00	-11.71	29.52	36.94	10.18	34.35	100 242 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>77.28</td><td>-----</td><td>-----</td><td>64.36</td><td>37.10</td><td>10.20</td><td>34.38</td><td>100 242 Average</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	77.28	-----	-----	64.36	37.10	10.20	34.38
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7232.08	43.54	68.20	-24.66	30.74	36.97	10.18	34.35	100 242 AVERAGE																																																																																											
2	7256.11	42.29	54.00	-11.71	29.52	36.94	10.18	34.35	100 242 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	77.28	-----	-----	64.36	37.10	10.20	34.38	100 242 Average																																																																																											





Mode	60																																																																																										
	Band Edge																																																																																										
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz+ Bluetooth LE_2Mbps_CH00_2402MHz+B48 LINK																																																																																										
ANT	CDD 6+17+4																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-02-11  Frequency (MHz)					Level (dBuV/m) Date: 2025-02-11  Frequency (MHz)																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2314.94</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>41.88</td><td>30.76</td><td>5.30</td><td>34.17</td><td>300</td><td>343 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2314.94	43.77	74.00	-30.23	41.88	30.76	5.30	34.17	300	343 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>94.70</td><td>-----</td><td>-----</td><td>92.69</td><td>30.78</td><td>5.37</td><td>34.14</td><td>300</td><td>343 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2402.00	94.70	-----	-----	92.69	30.78	5.37	34.14	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2314.94	43.77	74.00	-30.23	41.88	30.76	5.30	34.17	300	343 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2402.00	94.70	-----	-----	92.69	30.78	5.37	34.14	300	343 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-02-11  Frequency (MHz)					Level (dBuV/m) Date: 2025-02-11  Frequency (MHz)																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2344.76</td><td>35.72</td><td>54.00</td><td>-18.28</td><td>33.79</td><td>30.77</td><td>5.32</td><td>34.16</td><td>300</td><td>343 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2344.76	35.72	54.00	-18.28	33.79	30.77	5.32	34.16	300	343 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>93.90</td><td>-----</td><td>-----</td><td>91.89</td><td>30.78</td><td>5.37</td><td>34.14</td><td>300</td><td>343 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2402.00	93.90	-----	-----	91.89	30.78	5.37	34.14	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2344.76	35.72	54.00	-18.28	33.79	30.77	5.32	34.16	300	343 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2402.00	93.90	-----	-----	91.89	30.78	5.37	34.14	300	343 AVERAGE																																																																																	







Mode	60	
	Band Edge	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz+ Bluetooth LE_2Mbps_CH00_2402MHz+B48 LINK	
ANT	CDD 6+17+4	
Pol.	Vertical	Fundamental
Peak		







Mode	60																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz+ Bluetooth LE_2Mbps_CH00_2402MHz+B48 LINK																																																																																																																																	
ANT	CDD 6+17+4																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4804.00</td><td>42.04</td><td>74.00</td><td>-31.96</td><td>61.55</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>14190.00</td><td>47.66</td><td>88.20</td><td>-40.54</td><td>56.62</td><td>41.08</td><td>13.96</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4804.00	42.04	74.00	-31.96	61.55	36.39	8.94	64.84	---	---	Peak	2	14190.00	47.66	88.20	-40.54	56.62	41.08	13.96	64.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4804.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>60.52</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>14190.00</td><td>50.83</td><td>88.20</td><td>-37.37</td><td>59.79</td><td>41.08</td><td>13.96</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4804.00	41.01	74.00	-32.99	60.52	36.39	8.94	64.84	---	---	Peak	2	14190.00	50.83	88.20	-37.37	59.79	41.08	13.96	64.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4804.00	42.04	74.00	-31.96	61.55	36.39	8.94	64.84	---	---	Peak																																																																																																																							
2	14190.00	47.66	88.20	-40.54	56.62	41.08	13.96	64.00	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4804.00	41.01	74.00	-32.99	60.52	36.39	8.94	64.84	---	---	Peak																																																																																																																							
2	14190.00	50.83	88.20	-37.37	59.79	41.08	13.96	64.00	---	---	Peak																																																																																																																							





		61																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-8_6.875-7.125_802.11a_CH229_7095MHz+ B48 LINK+UBW CH9																																																																																																								
ANT		CDD 6+17																																																																																																								
Pol.		Horizontal					Fundamental																																																																																																			
Peak	 Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.08</td><td>60.16</td><td>88.20</td><td>-28.04</td><td>47.36</td><td>36.97</td><td>10.18</td><td>34.35</td><td>126</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>7321.52</td><td>52.15</td><td>74.00</td><td>-21.85</td><td>39.43</td><td>36.88</td><td>10.18</td><td>34.34</td><td>126</td><td>333</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7232.08	60.16	88.20	-28.04	47.36	36.97	10.18	34.35	126	333	PEAK	2	7321.52	52.15	74.00	-21.85	39.43	36.88	10.18	34.34	126	333	PEAK	 Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>86.34</td><td>-----</td><td>-----</td><td>73.42</td><td>37.10</td><td>10.20</td><td>34.38</td><td>126</td><td>333</td><td>Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	86.34	-----	-----	73.42	37.10	10.20	34.38	126	333	Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7232.08	60.16	88.20	-28.04	47.36	36.97	10.18	34.35	126	333	PEAK																																																																																															
2	7321.52	52.15	74.00	-21.85	39.43	36.88	10.18	34.34	126	333	PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7095.00	86.34	-----	-----	73.42	37.10	10.20	34.38	126	333	Peak																																																																																															
Avg	 Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.08</td><td>52.80</td><td>68.20</td><td>-15.40</td><td>40.00</td><td>36.97</td><td>10.18</td><td>34.35</td><td>126</td><td>333</td><td>AVERAGE</td></tr><tr><td>2</td><td>7255.66</td><td>42.41</td><td>54.00</td><td>-11.59</td><td>29.64</td><td>36.94</td><td>10.18</td><td>34.35</td><td>126</td><td>333</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7232.08	52.80	68.20	-15.40	40.00	36.97	10.18	34.35	126	333	AVERAGE	2	7255.66	42.41	54.00	-11.59	29.64	36.94	10.18	34.35	126	333	AVERAGE	 Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>79.24</td><td>-----</td><td>-----</td><td>66.32</td><td>37.10</td><td>10.20</td><td>34.38</td><td>126</td><td>333</td><td>Average</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	79.24	-----	-----	66.32	37.10	10.20	34.38	126	333	Average
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7232.08	52.80	68.20	-15.40	40.00	36.97	10.18	34.35	126	333	AVERAGE																																																																																															
2	7255.66	42.41	54.00	-11.59	29.64	36.94	10.18	34.35	126	333	AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7095.00	79.24	-----	-----	66.32	37.10	10.20	34.38	126	333	Average																																																																																															



Mode	61																																																																																																							
	Band Edge																																																																																																							
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz+ B48 LINK+UBW CH9																																																																																																							
ANT	CDD 6+17																																																																																																							
Pol.	Vertical					Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-11  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7166.22</td><td>52.31</td><td>88.20</td><td>-35.89</td><td>39.46</td><td>37.03</td><td>10.19</td><td>34.37</td><td>100</td><td>242 PEAK</td></tr><tr><td>2</td><td>7287.70</td><td>51.84</td><td>74.00</td><td>-22.16</td><td>39.09</td><td>36.91</td><td>10.18</td><td>34.34</td><td>100</td><td>242 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7166.22	52.31	88.20	-35.89	39.46	37.03	10.19	34.37	100	242 PEAK	2	7287.70	51.84	74.00	-22.16	39.09	36.91	10.18	34.34	100	242 PEAK	Level (dBuV/m) Date: 2025-02-11  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>84.12</td><td>-----</td><td>-----</td><td>71.20</td><td>37.10</td><td>10.20</td><td>34.38</td><td>100</td><td>242 Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	84.12	-----	-----	71.20	37.10	10.20	34.38	100	242 Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																															
1	7166.22	52.31	88.20	-35.89	39.46	37.03	10.19	34.37	100	242 PEAK																																																																																														
2	7287.70	51.84	74.00	-22.16	39.09	36.91	10.18	34.34	100	242 PEAK																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	84.12	-----	-----	71.20	37.10	10.20	34.38	100	242 Peak																																																																																														
Avg	Level (dBuV/m) Date: 2025-02-11  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.08</td><td>43.63</td><td>68.20</td><td>-24.57</td><td>30.83</td><td>36.97</td><td>10.18</td><td>34.35</td><td>100</td><td>242 AVERAGE</td></tr><tr><td>2</td><td>7277.91</td><td>42.46</td><td>54.00</td><td>-11.54</td><td>29.70</td><td>36.92</td><td>10.18</td><td>34.34</td><td>100</td><td>242 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7232.08	43.63	68.20	-24.57	30.83	36.97	10.18	34.35	100	242 AVERAGE	2	7277.91	42.46	54.00	-11.54	29.70	36.92	10.18	34.34	100	242 AVERAGE	Level (dBuV/m) Date: 2025-02-11  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>77.27</td><td>-----</td><td>-----</td><td>64.35</td><td>37.10</td><td>10.20</td><td>34.38</td><td>100</td><td>242 Average</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	77.27	-----	-----	64.35	37.10	10.20	34.38	100	242 Average
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																															
1	7232.08	43.63	68.20	-24.57	30.83	36.97	10.18	34.35	100	242 AVERAGE																																																																																														
2	7277.91	42.46	54.00	-11.54	29.70	36.92	10.18	34.34	100	242 AVERAGE																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	77.27	-----	-----	64.35	37.10	10.20	34.38	100	242 Average																																																																																														




Mode	61																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz+ B48 LINK+UBW CH9																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.30</td><td>88.20</td><td>-40.90</td><td>56.26</td><td>41.08</td><td>13.96</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14190.00	47.30	88.20	-40.90	56.26	41.08	13.96	64.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>49.07</td><td>88.20</td><td>-39.13</td><td>58.03</td><td>41.08</td><td>13.96</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14190.00	49.07	88.20	-39.13	58.03	41.08	13.96	64.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14190.00	47.30	88.20	-40.90	56.26	41.08	13.96	64.00	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14190.00	49.07	88.20	-39.13	58.03	41.08	13.96	64.00	---	---	Peak																																																																																	

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.


Appendix D. Duty Cycle Plots

Band	ANT	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	3	98.97	-	-	10Hz
802.11ax HE20	3	100	-	-	10Hz
802.11ax HE40	3	100	-	-	10Hz
802.11ax HE80	3	100	-	-	10Hz
802.11ax HE160	3	100	-	-	10Hz
802.11a	4	98.98	-	-	10Hz
802.11ax HE20	4	100	-	-	10Hz
802.11ax HE40	4	100	-	-	10Hz
802.11ax HE80	4	100	-	-	10Hz
802.11ax HE160	4	100	-	-	10Hz


802.11a_ANT3




802.11ax HE20_ANT3




802.11ax HE40_ANT3







802.11ax HE80_ANT3




802.11ax HE160_ANT3



802.11a_ANT4




802.11ax HE20_ANT4






802.11ax HE40_ANT4



802.11ax HE80_ANT4





802.11ax HE160_ANT4

