



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: a 5180
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 9:11:01



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5124.225	54.76	-15.55	39.21	74.00	-34.79	peak	150	234	P	
2 *	5150.000	58.28	-15.49	42.79	68.82	-26.03	peak	150	360	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: n20 5180
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 9:15:20



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5127.325	58.79	-15.54	43.25	74.00	-30.75	peak	150	74	P	
2	5150.000	70.67	-15.49	55.18	68.82	-13.64	peak	150	289	P	
3 *	5150.000	56.05	-15.49	40.56	54.00	-13.44	AVG	150	331	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: n20 5180
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 9:20:45



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5133.887	56.42	-15.52	40.90	74.00	-33.10	peak	150	72	P	
2 *	5150.000	55.34	-15.49	39.85	68.82	-28.97	peak	150	318	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: ac20 5180
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 9:26:57



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5120.575	61.21	-15.56	45.65	74.00	-28.35	peak	150	22	P	
2 *	5150.000	70.30	-15.49	54.81	68.82	-14.01	peak	150	135	P	
3	5150.000	53.65	-15.49	38.16	54.00	-15.84	AVG	150	290	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: ac20 5180
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 9:31:23



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5126.137	58.73	-15.54	43.19	74.00	-30.81	peak	150	334	P	
2 *	5150.000	76.53	-15.49	61.04	68.82	-7.78	peak	150	248	P	
3	5150.000	61.11	-15.49	45.62	54.00	-8.38	AVG	150	11	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: n40 5190
Test Voltage: DC 3.636V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 9:36:42



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5121.020	55.91	-15.56	40.35	74.00	-33.65	peak	150	232	P	
2 *	5150.000	78.10	-15.49	62.61	68.82	-6.21	peak	150	177	P	
3	5150.000	62.01	-15.49	46.52	54.00	-7.48	AVG	150	273	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: n40 5190
Test Voltage: DC 3.636V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 9:42:06



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5125.180	57.86	-15.55	42.31	74.00	-31.69	peak	150	243	P	
2 *	5150.000	75.61	-15.49	60.12	68.82	-8.70	peak	150	273	P	
3	5150.000	60.61	-15.49	45.12	54.00	-8.88	AVG	150	116	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: ac40 5190
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 9:47:38



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5119.720	55.44	-15.56	39.88	74.00	-34.12	peak	150	221	P	
2 *	5150.000	71.23	-15.49	55.74	68.82	-13.08	peak	150	67	P	
3 *	5150.000	71.23	-15.49	55.74	68.82	-13.08	peak	150	105	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: 5\Data :#9

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: ac40 5190
Test Voltage: DC 3.636V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 9:53:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5118.360	62.09	-15.56	46.53	74.00	-27.47	peak	150	23	P	
2	5150.000	75.18	-15.49	59.69	68.82	-9.13	peak	150	156	P	
3 *	5150.000	61.71	-15.49	46.22	54.00	-7.78	AVG	150	204	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: ac80 5210
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 9:58:11



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5150.000	72.08	-15.49	56.59	68.82	-12.23	peak	150	321	P	
2	5150.000	56.75	-15.49	41.26	54.00	-12.74	AVG	150	10	P	
3	5320.000	62.14	-15.13	47.01	68.82	-21.81	peak	150	75	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: ac80 5210
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 10:04:22



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5150.000	80.96	-15.49	65.47	68.82	-3.35	peak	150	132	P	
2	5150.000	61.81	-15.49	46.32	54.00	-7.68	AVG	150	0	P	
3	5350.000	60.85	-15.07	45.78	68.82	-23.04	peak	150	29	P	
4	5350.000	47.63	-15.07	32.56	54.00	-21.44	AVG	150	250	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 26 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 54 %RH
M/N: EinScan Scanner	Test Engineer: Felix Pang	
Test Mode: AX80 5210MHz		
Test Voltage: DC 3.636V		
Note:		

Radiated Emission Measurement

2026/07/01

10:21:47



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5150.140	70.10	-26.80	43.30	68.20	-24.90	peak			P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Horizontal	Temperature: 26 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 54 %RH
M/N: EinScan Scanner	Test Engineer: Felix Pang	
Test Mode: AX80 5210MHz		
Test Voltage: DC 3.636V		
Note:		

Radiated Emission Measurement

2026/07/01

10:11:54



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5150.180	68.54	-26.80	41.74	68.20	-26.46	peak			P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: a 5240
Test Voltage: DC 3.636V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 10:10:46



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5308.119	60.29	-15.16	45.13	68.82	-23.69	peak	150	334	P	
2	5350.000	55.20	-15.07	40.13	68.82	-28.69	peak	150	126	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: a 5240
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 10:16:06



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5312.900	62.14	-15.15	46.99	68.82	-21.83	peak	150	174	P	
2	5350.000	53.93	-15.07	38.86	68.82	-29.96	peak	150	71	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: n20 5240
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 10:23:11



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5325.069	60.39	-15.12	45.27	68.82	-23.55	peak	150	223	P	
2	5350.000	54.53	-15.07	39.46	68.82	-29.36	peak	150	28	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: n20 5240
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 10:29:32



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5308.831	58.66	-15.16	43.50	68.82	-25.32	peak	150	59	P	
2	5350.000	53.70	-15.07	38.63	68.82	-30.19	peak	150	34	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: ac20 5240
Test Voltage: DC 3.636V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 10:35:03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5320.231	63.43	-15.13	48.30	68.82	-20.52	peak	150	313	P	
2	5350.000	53.16	-15.07	38.09	68.82	-30.73	peak	150	158	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: ac20 5240
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 10:41:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5322.200	61.97	-15.13	46.84	68.82	-21.98	peak	150	119	P	
2	5350.000	53.37	-15.07	38.30	68.82	-30.52	peak	150	226	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: n40 5230
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 10:47:49



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5319.669	61.04	-15.13	45.91	68.82	-22.91	peak	150	231	P	
2	5350.000	54.64	-15.07	39.57	68.82	-29.25	peak	150	170	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: n40 5230
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 10:53:21



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5319.950	61.75	-15.13	46.62	68.82	-22.20	peak	150	14	P	
2	5350.000	54.73	-15.07	39.66	68.82	-29.16	peak	150	181	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: ac40 5230
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 10:58:44



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5325.462	62.37	-15.12	47.25	68.82	-21.57	peak	150	186	P	
2	5350.000	54.07	-15.07	39.00	68.82	-29.82	peak	150	269	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: ac40 5230
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 11:03:53



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5318.863	65.36	-15.13	50.23	68.82	-18.59	peak	150	4	P	
2	5350.000	56.59	-15.07	41.52	68.82	-27.30	peak	150	16	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

U-NII-3 Band




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: a 5745
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 11:10:10



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5639.150	55.35	-14.46	40.89	68.20	-27.31	peak	150	155	P	
2	5960.300	54.54	-13.77	40.77	68.20	-27.43	peak	150	269	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: a 5745
Test Voltage: DC 3.636V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 11:16:44



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5632.500	61.66	-14.46	47.20	68.20	-21.00	peak	150	301	P	
2	5950.600	54.12	-13.79	40.33	68.20	-27.87	peak	150	311	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: n20 5745
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 11:22:29



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5634.600	55.17	-14.46	40.71	68.20	-27.49	peak	150	34	P	
2 *	5967.300	55.07	-13.77	41.30	68.20	-26.90	peak	150	322	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: n20 5745
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 11:28:09



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5621.800	55.00	-14.50	40.50	68.20	-27.70	peak	150	258	P	
2 *	5966.700	55.49	-13.77	41.72	68.20	-26.48	peak	150	310	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: ac20 5745
Test Voltage: DC 3.636V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 11:34:45



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5639.150	54.91	-14.46	40.45	68.20	-27.75	peak	150	201	P	
2 *	5972.150	54.25	-13.74	40.51	68.20	-27.69	peak	150	324	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 26 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 54 %RH
M/N: EinScan Scanner	Test Engineer: Felix	
Test Mode: ac20 5745		
Test Voltage: DC 3.636V		
Note:		

Radiated Emission Measurement

Test Date: 2026/6/30 11:39:12



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5641.500	55.27	-14.45	40.82	68.20	-27.38	peak	150	35	P	
2 *	5958.000	54.61	-13.78	40.83	68.20	-27.37	peak	150	107	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: n40 5755
Test Voltage: DC 3.636V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 13:18:31



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5619.950	54.47	-14.50	39.97	68.20	-28.23	peak	150	33	P	
2 *	5957.800	54.97	-13.78	41.19	68.20	-27.01	peak	150	144	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: n40 5755
Test Voltage: DC 3.636V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 13:24:52



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5627.400	54.70	-14.48	40.22	68.20	-27.98	peak	150	64	P	
2 *	5967.350	54.33	-13.77	40.56	68.20	-27.64	peak	150	330	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber

Polarization: **Horizontal**

Temperature: 26 °C

EUT: 3D Scanner

Distance: 3m

Humidity: 54 %RH

M/N: EinScan Scanner

Test Engineer: Felix


Test Mode: ac40 5755

Test Voltage: DC 3.636V

Note:

Radiated Emission Measurement

Test Date: 2026/6/30 13:30:17



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5618.300	54.47	-14.50	39.97	68.20	-28.23	peak	150	9	P	
2 *	5967.350	54.89	-13.77	41.12	68.20	-27.08	peak	150	167	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: ac40 5755
Test Voltage: DC 3.636V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 13:35:31



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5630.700	54.38	-14.47	39.91	68.20	-28.29	peak	150	122	P	
2 *	5977.900	53.84	-13.73	40.11	68.20	-28.09	peak	150	215	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: AX40 5755MHz
Test Voltage: DC 3.636V
Note:


Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix Pang

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

2026/6/30

14:59:52



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5970.100	51.26	-16.94	34.32	68.20	-33.88	peak			P	
2 *	5639.600	52.81	-17.50	35.31	68.20	-32.89	peak			P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 26 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 54 %RH
M/N: EinScan Scanner	Test Engineer: Felix Pang	
Test Mode: AX40 5755MHz		
Test Voltage: DC 3.636V		
Note:		

Radiated Emission Measurement

2026/6/30

15:06:41



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5608.650	53.35	-17.55	35.80	68.20	-32.40	peak			P	
2	5973.400	51.70	-16.94	34.76	68.20	-33.44	peak			P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: a 5825
Test Voltage: DC 3.636V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 11:44:37



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5631.550	54.39	-14.47	39.92	68.20	-28.28	peak	150	360	P	
2 *	5956.900	54.43	-13.78	40.65	68.20	-27.55	peak	150	250	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: a 5825
Test Voltage: DC 3.636V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 11:50:07



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5619.500	55.82	-14.50	41.32	68.20	-26.88	peak	150	85	P	
2	5970.550	54.81	-13.75	41.06	68.20	-27.14	peak	150	137	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: n20 5825
Test Voltage: DC 3.636V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 11:55:28



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5642.300	55.51	-14.45	41.06	68.20	-27.14	peak	150	142	P	
2	5972.150	54.10	-13.74	40.36	68.20	-27.84	peak	150	343	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: n20 5825
Test Voltage: DC 3.636V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 13:00:54



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5648.950	55.70	-14.44	41.26	68.20	-26.94	peak	150	21	P	
2	5963.950	54.58	-13.77	40.81	68.20	-27.39	peak	150	183	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: 5\Data :#10

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: ac20 5825
Test Voltage: DC 3.636V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 13:06:06



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5634.650	54.69	-14.46	40.23	68.20	-27.97	peak	150	123	P	
2	5967.600	53.76	-13.77	39.99	68.20	-28.21	peak	150	157	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Horizontal	Temperature: 26 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 54 %RH
M/N: EinScan Scanner	Test Engineer: Felix	
Test Mode: ac20 5825		
Test Voltage: DC 3.636V		
Note:		

Radiated Emission Measurement

Test Date: 2026/6/30 13:12:24



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5622.600	54.08	-14.50	39.58	68.20	-28.62	peak	150	118	P	
2 *	5958.650	54.66	-13.78	40.88	68.20	-27.32	peak	150	216	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: 5\Data :#12

Page: 1

Engineer Signature:




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: ac80 5775
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 13:46:54



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5602.650	67.90	-14.54	53.36	68.20	-14.84	peak	150	181	P	
2	5992.800	55.98	-13.70	42.28	68.20	-25.92	peak	150	199	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: n40 5795
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 13:52:36



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5641.650	54.68	-14.45	40.23	68.20	-27.97	peak	150	56	P	
2 *	5953.200	54.43	-13.78	40.65	68.20	-27.55	peak	150	93	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: n40 5795
Test Voltage: DC 3.636V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 13:57:20



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5630.100	54.39	-14.47	39.92	68.20	-28.28	peak	150	17	P	
2 *	5971.050	54.31	-13.75	40.56	68.20	-27.64	peak	150	75	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: ac40 5795
Test Voltage: DC 3.636V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 14:03:46



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5632.050	54.74	-14.46	40.28	68.20	-27.92	peak	150	2	P	
2 *	5967.700	54.30	-13.77	40.53	68.20	-27.67	peak	150	19	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: ac40 5795
Test Voltage: DC 3.636V
Note:

Radiated Emission Measurement

Test Date: 2026/6/30 14:10:03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5623.350	55.88	-14.49	41.39	68.20	-26.81	peak	150	77	P	
2	5974.100	53.27	-13.74	39.53	68.20	-28.67	peak	150	86	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: ac80 5775
Test Voltage: DC 3.636V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2026/6/30 13:41:17



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5622.800	77.43	-14.49	62.94	68.20	-5.26	peak	150	41	P	
2	5984.900	68.00	-13.73	54.27	68.20	-13.93	peak	150	180	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Horizontal	Temperature: 26 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 54 %RH
M/N: EinScan Scanner	Test Engineer: Felix Pang	
Test Mode: AX80 5775MHz		
Test Voltage: DC 3.636V		
Note:		

Radiated Emission Measurement

2026/6/30

15:26:16



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5601.100	54.44	-17.56	36.88	68.20	-31.32	peak			P	
2	5971.900	52.22	-16.94	35.28	68.20	-32.92	peak			P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: EinScan Scanner
Test Mode: AX80 5775MHz
Test Voltage: DC 3.636V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix Pang

Temperature: 26 °C
Humidity: 54 %RH



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5663.450	71.95	-20.82	51.13	78.19	-27.06	peak			P	
2	5971.550	52.61	-17.23	35.38	68.20	-32.82	peak			P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

Appendix A.8: Test Results of Conducted Emission on AC Mains




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-Shielded Room Phase: **N** Temperature: 26 °C
EUT: 3D Scanner Humidity: 54 %RH
M/N: EinScan Scanner Test Engineer: Felix
Test Mode: 5G WiFi
Test Voltage: AC 120V/60Hz
Note:

Conducted Emission Measurement

Test Date: 2026/5/20 10:32:34



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F	Remark
1 *	0.5380	36.07	9.74	45.81	56.00	-10.19	QP	P	
2	0.5380	21.94	9.74	31.68	46.00	-14.32	AVG	P	
3	0.6940	35.15	9.89	45.04	56.00	-10.96	QP	P	
4	0.6940	20.69	9.89	30.58	46.00	-15.42	AVG	P	
5	0.8139	35.51	9.79	45.30	56.00	-10.70	QP	P	
6	0.8139	22.65	9.79	32.44	46.00	-13.56	AVG	P	
7	1.1980	34.80	9.56	44.36	56.00	-11.64	QP	P	
8	1.1980	23.91	9.56	33.47	46.00	-12.53	AVG	P	
9	4.7700	30.77	9.67	40.44	56.00	-15.56	QP	P	
10	4.7700	14.91	9.67	24.58	46.00	-21.42	AVG	P	
11	16.6340	33.27	9.43	42.70	60.00	-17.30	QP	P	
12	16.6340	23.49	9.43	32.92	50.00	-17.08	AVG	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-Shielded Room

Phase: **L1**

Temperature: 26 °C

EUT: 3D Scanner

Humidity: 54 %RH

M/N: EinScan Scanner

Test Engineer: Felix


Test Mode: 5G WiFi

Test Voltage: AC 120V/60Hz

Note:

Conducted Emission Measurement

Test Date: 2026/5/20 10:39:37



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F	Remark
1	0.2340	31.63	9.40	41.03	62.31	-21.28	QP	P	
2	0.2340	22.59	9.40	31.99	52.31	-20.32	AVG	P	
3	0.3100	31.33	9.40	40.73	59.97	-19.24	QP	P	
4	0.3100	23.19	9.40	32.59	49.97	-17.38	AVG	P	
5	0.5780	31.43	9.58	41.01	56.00	-14.99	QP	P	
6 *	0.5780	25.62	9.58	35.20	46.00	-10.80	AVG	P	
7	3.7780	28.95	9.82	38.77	56.00	-17.23	QP	P	
8	3.7780	16.59	9.82	26.41	46.00	-19.59	AVG	P	
9	6.5060	29.84	9.78	39.62	60.00	-20.38	QP	P	
10	6.5060	16.35	9.78	26.13	50.00	-23.87	AVG	P	
11	16.5580	33.67	9.74	43.41	60.00	-16.59	QP	P	
12	16.5580	22.97	9.74	32.71	50.00	-17.29	AVG	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: CE\Data :#12

Page: 1

Engineer Signature: