



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax20 5180MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2025/7/10 19:05:47



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3881.500	52.32	-13.52	38.80	74.00	-35.20	peak	150	247	P	
2	4712.375	51.52	-12.24	39.28	74.00	-34.72	peak	150	308	P	
3 *	5662.250	49.63	-10.26	39.37	74.00	-34.63	peak	150	220	P	
4	7239.000	45.74	-8.78	36.96	74.00	-37.04	peak	150	322	P	
5	8120.875	44.74	-8.40	36.34	74.00	-37.66	peak	150	248	P	
6	9215.250	42.64	-7.15	35.49	74.00	-38.51	peak	150	269	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: n40 5190MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 19:10:31



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3063.375	53.33	-14.84	38.49	74.00	-35.51	peak	150	93	P	
2	3717.875	52.60	-13.78	38.82	74.00	-35.18	peak	150	319	P	
3	4846.250	50.79	-12.04	38.75	74.00	-35.25	peak	150	351	P	
4 *	5660.125	49.11	-10.26	38.85	74.00	-35.15	peak	150	25	P	
5	6635.500	47.30	-9.09	38.21	74.00	-35.79	peak	150	240	P	
6	7088.125	46.52	-8.82	37.70	74.00	-36.30	peak	150	355	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: n40 5190MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 19:15:50



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	4026.000	51.98	-13.28	38.70	74.00	-35.30	peak	150	166	P	
2 *	4869.625	50.98	-12.01	38.97	74.00	-35.03	peak	150	111	P	
3	5490.125	49.24	-10.66	38.58	74.00	-35.42	peak	150	280	P	
4	6153.125	48.18	-9.37	38.81	74.00	-35.19	peak	150	349	P	
5	6467.625	47.64	-9.18	38.46	74.00	-35.54	peak	150	109	P	
6	7970.000	44.82	-8.54	36.28	74.00	-37.72	peak	150	19	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ac40 5190MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 19:20:08



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3715.750	52.54	-13.79	38.75	74.00	-35.25	peak	150	325	P	
2	4206.625	51.91	-13.02	38.89	74.00	-35.11	peak	150	135	P	
3 *	5660.125	50.13	-10.26	39.87	74.00	-34.13	peak	150	171	P	
4	6620.625	46.71	-9.09	37.62	74.00	-36.38	peak	150	164	P	
5	7251.750	46.29	-8.77	37.52	74.00	-36.48	peak	150	337	P	
6	9387.375	43.41	-6.93	36.48	74.00	-37.52	peak	150	194	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 1-18G 5\Data :#11

Page: 1

Engineer Signature:




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ac40 5190MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 19:25:30



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	4187.500	51.54	-13.04	38.50	74.00	-35.50	peak	150	282	P	
2	4659.250	50.86	-12.31	38.55	74.00	-35.45	peak	150	48	P	
3 *	5500.750	50.64	-10.64	40.00	74.00	-34.00	peak	150	323	P	
4	6463.375	46.98	-9.18	37.80	74.00	-36.20	peak	150	297	P	
5	6860.750	46.41	-8.94	37.47	74.00	-36.53	peak	150	264	P	
6	8137.875	44.84	-8.38	36.46	74.00	-37.54	peak	150	61	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ax40 5190MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 19:30:31



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	4023.875	51.98	-13.29	38.69	74.00	-35.31	peak	150	240	P	
2 *	5031.125	50.60	-11.73	38.87	74.00	-35.13	peak	150	142	P	
3	5660.125	49.02	-10.26	38.76	74.00	-35.24	peak	150	237	P	
4	6306.125	47.79	-9.29	38.50	74.00	-35.50	peak	150	144	P	
5	7283.625	46.35	-8.76	37.59	74.00	-36.41	peak	150	106	P	
6	8142.125	44.20	-8.37	35.83	74.00	-38.17	peak	150	199	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ax40 5190MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 19:35:09



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3864.500	52.01	-13.54	38.47	74.00	-35.53	peak	150	345	P	
2	4835.625	51.01	-12.05	38.96	74.00	-35.04	peak	150	79	P	
3 *	5679.250	49.76	-10.22	39.54	74.00	-34.46	peak	150	313	P	
4	6627.000	47.20	-9.09	38.11	74.00	-35.89	peak	150	263	P	
5	8316.375	44.71	-8.17	36.54	74.00	-37.46	peak	150	143	P	
6	9253.500	43.73	-7.09	36.64	74.00	-37.36	peak	150	319	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ac80 5210MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 19:40:54



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	3860.250	53.07	-13.55	39.52	74.00	-34.48	peak	150	148	P	
2	4680.500	51.10	-12.29	38.81	74.00	-35.19	peak	150	149	P	
3	5830.125	48.69	-9.87	38.82	74.00	-35.18	peak	150	86	P	
4	6599.375	47.23	-9.10	38.13	74.00	-35.87	peak	150	91	P	
5	7965.750	45.15	-8.54	36.61	74.00	-37.39	peak	150	276	P	
6	9194.000	43.08	-7.16	35.92	74.00	-38.08	peak	150	44	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 1-18G 5\Data :#15

Page: 1

Engineer Signature:




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ac80 5210MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 19:45:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	3868.750	52.36	-13.54	38.82	74.00	-35.18	peak	150	141	P	
2	5022.625	50.55	-11.74	38.81	74.00	-35.19	peak	150	28	P	
3	5403.000	49.37	-10.87	38.50	74.00	-35.50	peak	150	267	P	
4	6442.125	47.37	-9.21	38.16	74.00	-35.84	peak	150	348	P	
5	6865.000	47.26	-8.93	38.33	74.00	-35.67	peak	150	183	P	
6	8312.125	44.48	-8.17	36.31	74.00	-37.69	peak	150	75	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ax80 5210MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 19:50:41



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	4217.250	51.79	-12.99	38.80	74.00	-35.20	peak	150	339	P	
2	4691.125	50.50	-12.27	38.23	74.00	-35.77	peak	150	280	P	
3	5524.125	49.34	-10.58	38.76	74.00	-35.24	peak	150	56	P	
4	6769.375	47.38	-8.99	38.39	74.00	-35.61	peak	150	358	P	
5	8594.750	44.15	-7.86	36.29	74.00	-37.71	peak	150	88	P	
6	9291.750	42.53	-7.05	35.48	74.00	-38.52	peak	150	123	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ax80 5210MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 19:55:02



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	4327.750	51.67	-12.82	38.85	74.00	-35.15	peak	150	31	P	
2	5309.500	49.63	-11.08	38.55	74.00	-35.45	peak	150	214	P	
3	5813.125	48.50	-9.91	38.59	74.00	-35.41	peak	150	317	P	
4	6756.625	46.32	-9.00	37.32	74.00	-36.68	peak	150	267	P	
5	8256.875	44.43	-8.24	36.19	74.00	-37.81	peak	150	92	P	
6	9111.125	43.45	-7.28	36.17	74.00	-37.83	peak	150	12	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

Appendix A.6: Test Results of Radiated Emissions in Restricted Bands



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 24 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 56 %RH
M/N: FreeScan Omni	Test Engineer: Felix	
Test Mode: a 5180MHz		
Test Voltage: DC 7.2V		
Note:		

Radiated Emission Measurement

Test Date: 2025/7/12 9:00:53



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5143.438	63.60	-17.47	46.13	54.00	-7.87	AVG	150	129	P	
2	5150.000	66.17	-17.45	48.72	68.82	-20.10	peak	150	29	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: a 5180MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 9:05:03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5146.688	68.07	-17.47	50.60	74.00	-23.40	peak	150	306	P	
2 *	5150.000	67.69	-17.45	50.24	68.82	-18.58	peak	150	210	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#2

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: a 5240MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 9:10:32



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	53.42	-16.99	36.43	68.82	-32.39	peak	150	232	P	
2	5357.938	54.10	-16.97	37.13	74.00	-36.87	peak	150	314	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#3

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: a 5240MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 9:15:46



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.78	-16.99	35.79	68.82	-33.03	peak	150	187	P	
2	5353.887	54.51	-16.98	37.53	74.00	-36.47	peak	150	206	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#4

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n20 5180MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 9:20:57



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5148.050	63.16	-17.47	45.69	54.00	-8.31	AVG	150	229	P	
2	5150.000	67.13	-17.45	49.68	68.82	-19.14	peak	150	346	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n20 5180MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 9:25:18



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5149.450	65.06	-17.47	47.59	54.00	-6.41	AVG	150	203	P	
2	5150.000	64.98	-17.45	47.53	68.82	-21.29	peak	150	320	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#6

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n20 5240MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 9:30:23



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.45	-16.99	35.46	68.82	-33.36	peak	150	222	P	
2	5359.212	54.40	-16.97	37.43	74.00	-36.57	peak	150	15	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#7

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: n20 5240MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/12 9:35:55



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.99	-16.99	36.00	68.82	-32.82	peak	150	118	P	
2	5354.637	55.82	-16.98	38.84	74.00	-35.16	peak	150	350	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#8

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac20 5180MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 9:40:41



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5148.200	66.69	-17.47	49.22	74.00	-24.78	peak	150	173	P	
2 *	5150.000	66.90	-17.45	49.45	68.82	-19.37	peak	150	162	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#9

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac20 5180MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 9:45:55



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5148.875	65.20	-17.47	47.73	74.00	-26.27	peak	150	194	P	
2 *	5150.000	66.08	-17.45	48.63	68.82	-20.19	peak	150	80	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#10

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac20 5240MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 9:50:46



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	53.19	-16.99	36.20	68.82	-32.62	peak	150	192	P	
2	5352.350	54.18	-16.98	37.20	74.00	-36.80	peak	150	20	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac20 5240MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 9:55:00



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	51.87	-16.99	34.88	68.82	-33.94	peak	150	136	P	
2	5354.694	55.11	-16.98	38.13	74.00	-35.87	peak	150	294	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax20 5180MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 10:00:27



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5149.425	64.68	-17.47	47.21	54.00	-6.79	AVG	150	132	P	
2	5150.000	67.97	-17.45	50.52	68.82	-18.30	peak	150	267	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax20 5180MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 10:05:48



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5141.500	65.91	-17.48	48.43	54.00	-5.57	AVG	150	312	P	
2	5150.000	66.88	-17.45	49.43	68.82	-19.39	peak	150	247	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#14

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ax20 5240MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/12 10:10:40



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.92	-16.99	35.93	68.82	-32.89	peak	150	93	P	
2	5355.931	54.43	-16.98	37.45	74.00	-36.55	peak	150	125	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#15

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax20 5240MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 10:15:46



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.02	-16.99	35.03	68.82	-33.79	peak	150	59	P	
2	5357.019	54.82	-16.98	37.84	74.00	-36.16	peak	150	129	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n40 5190MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 10:20:21



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5143.860	65.15	-17.47	47.68	74.00	-26.32	peak	150	304	P	
2 *	5150.000	63.14	-17.45	45.69	54.00	-8.31	AVG	150	197	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#17

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n40 5190MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 10:25:46



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5147.140	66.96	-17.47	49.49	74.00	-24.51	peak	150	125	P	
2 *	5150.000	68.06	-17.45	50.61	68.82	-18.21	peak	150	319	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#18

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n40 5230MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 10:30:56



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	53.69	-16.99	36.70	68.82	-32.12	peak	150	109	P	
2	5350.660	55.41	-16.98	38.43	74.00	-35.57	peak	150	252	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: n40 5230MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/12 10:35:26



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	51.36	-16.99	34.37	68.82	-34.45	peak	150	337	P	
2	5352.620	55.25	-16.98	38.27	74.00	-35.73	peak	150	133	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 24 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 56 %RH
M/N: FreeScan Omni	Test Engineer: Felix	
Test Mode: ac40 5190MHz		
Test Voltage: DC 7.2V		
Note:		

Radiated Emission Measurement

Test Date: 2025/7/12 10:40:10



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5145.220	65.16	-17.47	47.69	54.00	-6.31	AVG	150	121	P	
2	5150.000	62.03	-17.45	44.58	54.00	-9.42	AVG	150	228	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#21

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac40 5190MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 10:45:30



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5146.780	65.42	-17.47	47.95	74.00	-26.05	peak	150	209	P	
2 *	5150.000	64.01	-17.45	46.56	68.82	-22.26	peak	150	194	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac40 5230MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 10:50:50



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.61	-16.99	35.62	68.82	-33.20	peak	150	283	P	
2	5352.220	53.28	-16.98	36.30	74.00	-37.70	peak	150	210	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#23

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 24 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 56 %RH
M/N: FreeScan Omni	Test Engineer: Felix	
Test Mode: ac40 5230MHz		
Test Voltage: DC 7.2V		
Note:		

Radiated Emission Measurement

Test Date: 2025/7/12 10:55:03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	53.58	-16.99	36.59	68.82	-32.23	peak	150	183	P	
2	5355.440	54.06	-16.98	37.08	74.00	-36.92	peak	150	226	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#24

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax40 5190MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 11:00:03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5145.500	65.81	-17.47	48.34	54.00	-5.66	AVG	150	28	P	
2	5150.000	64.86	-17.45	47.41	54.00	-6.59	AVG	150	272	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#25

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax40 5190MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 11:05:02



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5144.040	67.10	-17.47	49.63	74.00	-24.37	peak	150	199	P	
2 *	5150.000	62.84	-17.45	45.39	54.00	-8.61	AVG	150	158	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#26

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax40 5230MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 11:10:54



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	53.88	-16.99	36.89	68.82	-31.93	peak	150	111	P	
2	5358.820	54.23	-16.97	37.26	74.00	-36.74	peak	150	265	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#27

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax40 5230MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 11:15:10



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	53.02	-16.99	36.03	68.82	-32.79	peak	150	306	P	
2	5357.400	54.18	-16.98	37.20	74.00	-36.80	peak	150	38	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac80 5210MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 11:20:03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5140.900	58.23	-17.48	40.75	74.00	-33.25	peak	150	252	P	
2 *	5150.000	60.74	-17.45	43.29	68.82	-25.53	peak	150	15	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac80 5210MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 11:25:38



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5143.760	56.27	-17.47	38.80	74.00	-35.20	peak	150	72	P	
2 *	5150.000	53.51	-17.45	36.06	68.82	-32.76	peak	150	50	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ax80 5210MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/12 11:30:41



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5144.760	56.99	-17.47	39.52	74.00	-34.48	peak	150	293	P	
2 *	5150.000	53.61	-17.45	36.16	68.82	-32.66	peak	150	63	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#31

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax80 5210MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 11:35:29



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5141.320	63.02	-17.48	45.54	74.00	-28.46	peak	150	314	P	
2	5150.000	56.71	-17.45	39.26	68.82	-29.56	peak	150	301	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5Data :#32

Page: 1

Engineer Signature:

Appendix A.7: Test Results of Conducted Emission on AC Mains




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-Shielded Room Phase: **N** Temperature: 26 °C
EUT: 3D Scanner Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: WIFI Link(Part15E)
Test Voltage: AC 120V/60Hz
Note:

Conducted Emission Measurement

Test Date: 2025/6/17 19:50:34



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F	Remark
1	0.2660	34.54	9.98	44.52	61.24	-16.72	QP	P	
2	0.2660	20.36	9.98	30.34	51.24	-20.90	AVG	P	
3	0.4020	35.21	9.63	44.84	57.81	-12.97	QP	P	
4	0.4020	18.98	9.63	28.61	47.81	-19.20	AVG	P	
5	0.5220	35.82	9.86	45.68	56.00	-10.32	QP	P	
6	0.5220	19.55	9.86	29.41	46.00	-16.59	AVG	P	
7	0.9540	36.13	9.41	45.54	56.00	-10.46	QP	P	
8	0.9540	19.34	9.41	28.75	46.00	-17.25	AVG	P	
9 *	1.3300	36.56	9.40	45.96	56.00	-10.04	QP	P	
10	1.3300	18.86	9.40	28.26	46.00	-17.74	AVG	P	
11	12.5980	33.27	9.55	42.82	60.00	-17.18	QP	P	
12	12.5980	22.61	9.55	32.16	50.00	-17.84	AVG	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: CE\Data :#13

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-Shielded Room

Phase: **L1**

Temperature: 26 °C

EUT: 3D Scanner

Humidity: 54 %RH

M/N: FreeScan Omni

Test Engineer: Felix


Test Mode: WIFI Link(Part15E)

Test Voltage: AC 120V/60Hz

Note:

Conducted Emission Measurement

Test Date: 2025/6/17 19:52:59



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F	Remark
1	0.3700	33.92	9.73	43.65	58.50	-14.85	QP	P	
2 *	0.3700	28.64	9.73	38.37	48.50	-10.13	AVG	P	
3	0.4500	31.26	9.76	41.02	56.88	-15.86	QP	P	
4	0.4500	25.30	9.76	35.06	46.88	-11.82	AVG	P	
5	0.8220	33.75	9.42	43.17	56.00	-12.83	QP	P	
6	0.8220	24.02	9.42	33.44	46.00	-12.56	AVG	P	
7	1.2700	32.44	9.40	41.84	56.00	-14.16	QP	P	
8	1.2700	19.87	9.40	29.27	46.00	-16.73	AVG	P	
9	2.3179	26.49	9.39	35.88	56.00	-20.12	QP	P	
10	2.3179	13.07	9.39	22.46	46.00	-23.54	AVG	P	
11	11.8820	31.67	9.55	41.22	60.00	-18.78	QP	P	
12	11.8820	21.45	9.55	31.00	50.00	-19.00	AVG	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: CE\Data :#14

Page: 1

Engineer Signature: