




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: n40 5755MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 20:40:57



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3873.000	51.84	-13.53	38.31	74.00	-35.69	peak	150	188	P	
2	4523.250	50.81	-12.53	38.28	74.00	-35.72	peak	150	253	P	
3 *	5519.875	49.44	-10.59	38.85	74.00	-35.15	peak	150	178	P	
4	6301.875	47.42	-9.29	38.13	74.00	-35.87	peak	150	193	P	
5	7111.500	46.28	-8.82	37.46	74.00	-36.54	peak	150	65	P	
6	8256.875	44.37	-8.24	36.13	74.00	-37.87	peak	150	258	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n40 5755MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2025/7/10 20:45:14



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	4323.500	51.18	-12.83	38.35	74.00	-35.65	peak	150	37	P	
2 *	4878.125	51.39	-11.99	39.40	74.00	-34.60	peak	150	167	P	
3	5349.875	50.37	-11.00	39.37	74.00	-34.63	peak	150	49	P	
4	5987.375	47.67	-9.51	38.16	74.00	-35.84	peak	150	10	P	
5	6752.375	46.59	-9.00	37.59	74.00	-36.41	peak	150	182	P	
6	8144.250	44.76	-8.37	36.39	74.00	-37.61	peak	150	334	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 1-18G 5\Data :#10

Page: 1

Engineer Signature:




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ac40 5755MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 20:50:27



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3700.875	52.19	-13.81	38.38	74.00	-35.62	peak	150	172	P	
2 *	4697.500	51.11	-12.26	38.85	74.00	-35.15	peak	150	324	P	
3	5974.625	47.86	-9.54	38.32	74.00	-35.68	peak	150	139	P	
4	6646.125	46.91	-9.08	37.83	74.00	-36.17	peak	150	163	P	
5	8235.625	44.48	-8.27	36.21	74.00	-37.79	peak	150	245	P	
6	9194.000	42.84	-7.16	35.68	74.00	-38.32	peak	150	272	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 1-18G 5\Data :#11

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac40 5755MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2025/7/10 20:55:43



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3074.000	53.22	-14.83	38.39	74.00	-35.61	peak	150	164	P	
2	4032.375	52.50	-13.27	39.23	74.00	-34.77	peak	150	236	P	
3 *	5488.000	50.28	-10.67	39.61	74.00	-34.39	peak	150	215	P	
4	6637.625	47.35	-9.08	38.27	74.00	-35.73	peak	150	194	P	
5	7309.125	46.35	-8.76	37.59	74.00	-36.41	peak	150	124	P	
6	9432.000	41.84	-6.88	34.96	74.00	-39.04	peak	150	303	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax40 5755MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 26 °C
Humidity: 54 %RH

Radiated Emission Measurement

Test Date: 2025/7/10 21:00:59



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3233.375	52.56	-14.57	37.99	74.00	-36.01	peak	150	20	P	
2	4179.000	51.16	-13.05	38.11	74.00	-35.89	peak	150	144	P	
3 *	4842.000	50.63	-12.04	38.59	74.00	-35.41	peak	150	192	P	
4	5320.125	49.39	-11.05	38.34	74.00	-35.66	peak	150	151	P	
5	6767.250	47.06	-8.99	38.07	74.00	-35.93	peak	150	169	P	
6	8301.500	45.83	-8.19	37.64	74.00	-36.36	peak	150	255	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ax40 5755MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 21:05:18



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3562.750	52.18	-14.03	38.15	74.00	-35.85	peak	150	301	P	
2 *	4854.750	51.01	-12.02	38.99	74.00	-35.01	peak	150	165	P	
3	5513.500	48.97	-10.61	38.36	74.00	-35.64	peak	150	60	P	
4	5825.875	48.35	-9.88	38.47	74.00	-35.53	peak	150	258	P	
5	7989.125	44.75	-8.53	36.22	74.00	-37.78	peak	150	264	P	
6	9247.125	42.88	-7.11	35.77	74.00	-38.23	peak	150	110	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ax80 5775MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 21:10:32



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3851.750	51.53	-13.56	37.97	74.00	-36.03	peak	150	354	P	
2 *	4527.500	51.81	-12.52	39.29	74.00	-34.71	peak	150	48	P	
3	5647.375	48.73	-10.31	38.42	74.00	-35.58	peak	150	300	P	
4	6293.375	46.92	-9.29	37.63	74.00	-36.37	peak	150	169	P	
5	7298.500	46.31	-8.76	37.55	74.00	-36.45	peak	150	75	P	
6	9591.375	43.42	-6.68	36.74	74.00	-37.26	peak	150	339	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 1-18G 5\Data :#15

Page: 1

Engineer Signature:




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ax80 5775MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 21:15:50



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	4323.500	51.41	-12.83	38.58	74.00	-35.42	peak	150	36	P	
2 *	5343.500	50.35	-11.00	39.35	74.00	-34.65	peak	150	254	P	
3	5991.625	47.97	-9.50	38.47	74.00	-35.53	peak	150	347	P	
4	6469.750	46.94	-9.18	37.76	74.00	-36.24	peak	150	313	P	
5	8333.375	45.91	-8.15	37.76	74.00	-36.24	peak	150	82	P	
6	9130.250	42.91	-7.24	35.67	74.00	-38.33	peak	150	251	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ac80 5775MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 21:20:07



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	4208.750	52.04	-13.01	39.03	74.00	-34.97	peak	150	22	P	
2	5515.625	49.61	-10.61	39.00	74.00	-35.00	peak	150	69	P	
3	6299.750	47.77	-9.29	38.48	74.00	-35.52	peak	150	5	P	
4	6627.000	47.40	-9.09	38.31	74.00	-35.69	peak	150	320	P	
5	8329.125	44.29	-8.16	36.13	74.00	-37.87	peak	150	309	P	
6	10639.000	40.69	-5.28	35.41	74.00	-38.59	peak	150	237	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ac80 5775MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/10 21:25:26



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	3715.750	53.36	-13.79	39.57	74.00	-34.43	peak	150	345	P	
2	5165.000	50.16	-11.42	38.74	74.00	-35.26	peak	150	152	P	
3	5496.500	49.47	-10.64	38.83	74.00	-35.17	peak	150	26	P	
4	6616.375	47.23	-9.09	38.14	74.00	-35.86	peak	150	333	P	
5	8125.125	45.03	-8.40	36.63	74.00	-37.37	peak	150	284	P	
6	10641.125	38.83	-5.28	33.55	74.00	-40.45	peak	150	187	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

Appendix B.7: Test Results of Radiated Emissions in Restricted Bands



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber

Polarization: **Horizontal**

Temperature: 24 °C

EUT: 3D Scanner

Distance: 3m

Humidity: 56 %RH

M/N: FreeScan Omni

Test Engineer: Felix


Test Mode: a 5745MHz

Test Voltage: DC 7.2V

Note:

Radiated Emission Measurement

Test Date: 2025/7/12 11:40:41



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5640.700	50.35	-16.33	34.02	68.20	-34.18	peak	150	147	P	
2	5975.550	46.02	-15.56	30.46	68.20	-37.74	peak	150	10	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: a 5745MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 11:45:40



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5651.900	52.41	-16.29	36.12	69.61	-33.49	peak	150	261	P	
2	5991.950	45.82	-15.52	30.30	68.20	-37.90	peak	150	183	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5/Data :#2

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: a 5825MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 11:50:12



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5648.400	47.43	-16.32	31.11	68.20	-37.09	peak	150	272	P	
2 *	5978.250	46.70	-15.56	31.14	68.20	-37.06	peak	150	169	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#3

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: a 5825MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 11:55:21



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5618.550	47.83	-16.38	31.45	68.20	-36.75	peak	150	81	P	
2	5976.500	46.81	-15.56	31.25	68.20	-36.95	peak	150	258	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5/Data :#4

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n20 5745MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 12:00:23



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5649.400	51.57	-16.32	35.25	68.20	-32.95	peak	150	109	P	
2	5983.100	46.00	-15.54	30.46	68.20	-37.74	peak	150	71	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#5

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n20 5745MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 12:05:39



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5651.150	51.84	-16.29	35.55	69.05	-33.50	peak	150	305	P	
2	5981.550	47.60	-15.54	32.06	68.20	-36.14	peak	150	191	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#6

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n20 5825MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 12:10:55



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5609.450	56.26	-16.40	39.86	68.20	-28.34	peak	150	107	P	
2	5991.100	47.68	-15.52	32.16	68.20	-36.04	peak	150	178	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#7

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n20 5825MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 12:15:06



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5619.100	47.81	-16.38	31.43	68.20	-36.77	peak	150	172	P	
2 *	5979.900	47.31	-15.55	31.76	68.20	-36.44	peak	150	190	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#8

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac20 5745MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 12:20:41



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5639.800	50.44	-16.33	34.11	68.20	-34.09	peak	150	25	P	
2	5989.700	46.23	-15.52	30.71	68.20	-37.49	peak	150	103	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#9

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac20 5745MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 12:25:45



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5640.000	50.60	-16.33	34.27	68.20	-33.93	peak	150	181	P	
2	5975.000	47.36	-15.56	31.80	68.20	-36.40	peak	150	162	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#10

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac20 5825MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 12:30:21



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5610.800	48.22	-16.40	31.82	68.20	-36.38	peak	150	318	P	
2 *	5997.600	47.83	-15.50	32.33	68.20	-35.87	peak	150	156	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5/Data :#11

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac20 5825MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 12:35:46



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5620.000	49.99	-16.37	33.62	68.20	-34.58	peak	150	150	P	
2	5978.200	47.27	-15.56	31.71	68.20	-36.49	peak	150	97	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax20 5745MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 12:40:04



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5645.450	55.12	-16.32	38.80	68.20	-29.40	peak	150	337	P	
2	5974.200	47.47	-15.56	31.91	68.20	-36.29	peak	150	60	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax20 5745MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 12:45:13



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5642.050	55.49	-16.33	39.16	68.20	-29.04	peak	150	152	P	
2	6000.000	54.16	-15.50	38.66	68.20	-29.54	peak	150	271	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#14

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax20 5825MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 12:50:54



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5618.300	49.18	-16.38	32.80	68.20	-35.40	peak	150	93	P	
2 *	5956.500	56.14	-15.60	40.54	68.20	-27.66	peak	150	69	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax20 5825MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 12:55:30



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5617.150	47.66	-16.38	31.28	68.20	-36.92	peak	150	251	P	
2	5965.650	46.34	-15.57	30.77	68.20	-37.43	peak	150	134	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n40 5755MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 13:00:50



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5648.800	67.33	-16.32	51.01	68.20	-17.19	peak	150	107	P	
2	5979.000	54.53	-15.55	38.98	68.20	-29.22	peak	150	140	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#17

Page: 1

Engineer Signature:




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: n40 5755MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/12 13:05:00



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5625.250	62.54	-16.36	46.18	68.20	-22.02	peak	150	150	P	
2	5998.550	47.75	-15.50	32.25	68.20	-35.95	peak	150	120	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n40 5795MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 13:10:38



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5639.850	53.72	-16.33	37.39	68.20	-30.81	peak	150	82	P	
2	5962.750	51.68	-15.59	36.09	68.20	-32.11	peak	150	90	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#19

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: n40 5795MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 13:15:53



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5647.500	59.72	-16.32	43.40	68.20	-24.80	peak	150	172	P	
2	5960.900	53.77	-15.59	38.18	68.20	-30.02	peak	150	50	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac40 5755MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 13:20:48



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5646.600	66.73	-16.32	50.41	68.20	-17.79	peak	150	338	P	
2	5955.200	51.86	-15.60	36.26	68.20	-31.94	peak	150	187	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#21

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac40 5755MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 13:25:37



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5650.150	61.57	-16.29	45.28	68.31	-23.03	peak	150	295	P	
2	5986.850	47.09	-15.53	31.56	68.20	-36.64	peak	150	80	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#22

Page: 1

Engineer Signature:




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ac40 5795MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/12 13:30:06



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5640.400	56.46	-16.33	40.13	68.20	-28.07	peak	150	110	P	
2	5958.100	50.34	-15.59	34.75	68.20	-33.45	peak	150	248	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5/Data :#23

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac40 5795MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 13:35:35



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5625.450	58.71	-16.36	42.35	68.20	-25.85	peak	150	10	P	
2	5959.500	56.01	-15.59	40.42	68.20	-27.78	peak	150	153	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax40 5755MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 13:40:38



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5649.950	70.60	-16.31	54.29	68.20	-13.91	peak	150	231	P	
2	5960.750	53.70	-15.59	38.11	68.20	-30.09	peak	150	194	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax40 5755MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 13:45:01



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5638.350	63.60	-16.33	47.27	68.20	-20.93	peak	150	170	P	
2	5985.000	48.07	-15.53	32.54	68.20	-35.66	peak	150	198	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#26

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax40 5795MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Vertical**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 13:50:23



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5650.600	58.73	-16.29	42.44	68.65	-26.21	peak	150	311	P	
2	5955.800	51.67	-15.60	36.07	68.20	-32.13	peak	150	19	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax40 5795MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 13:55:38



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5650.600	64.28	-16.29	47.99	68.65	-20.66	peak	150	207	P	
2	5961.200	51.85	-15.59	36.26	68.20	-31.94	peak	150	66	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#28

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ac80 5775MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 14:00:01



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5642.250	78.62	-16.33	62.29	68.20	-5.91	peak	150	80	P	
2	5964.750	70.74	-15.58	55.16	68.20	-13.04	peak	150	43	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#29

Page: 1

Engineer Signature:




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ac80 5775MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/12 14:05:12



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5650.350	75.33	-16.29	59.04	68.46	-9.42	peak	150	323	P	
2	5955.550	70.40	-15.60	54.80	68.20	-13.40	peak	150	135	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: FCC 5\Data :#30

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: ax80 5775MHz
Test Voltage: DC 7.2V
Note:

Radiated Emission Measurement

Test Date: 2025/7/12 14:10:22



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5650.000	76.42	-16.30	60.12	68.20	-8.08	peak	150	71	P	
2	5956.550	67.27	-15.60	51.67	68.20	-16.53	peak	150	262	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104


Test Site: PSI EMC Lab-3m Chamber
EUT: 3D Scanner
M/N: FreeScan Omni
Test Mode: ax80 5775MHz
Test Voltage: DC 7.2V
Note:

Polarization: **Horizontal**
Distance: 3m
Test Engineer: Felix

Temperature: 24 °C
Humidity: 56 %RH

Radiated Emission Measurement

Test Date: 2025/7/12 14:15:31



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5644.250	80.79	-16.32	64.47	68.20	-3.73	peak	150	55	P	
2	5970.050	71.61	-15.57	56.04	68.20	-12.16	peak	150	15	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

Appendix B.8: Test Results of Conducted Emission on AC Mains




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-Shielded Room Phase: **N** Temperature: 26 °C
EUT: 3D Scanner Humidity: 54 %RH
M/N: FreeScan Omni Test Engineer: Felix
Test Mode: WIFI Link(Part15E)
Test Voltage: AC 120V/60Hz
Note:

Conducted Emission Measurement

Test Date: 2025/6/17 19:50:34



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F	Remark
1	0.2660	34.54	9.98	44.52	61.24	-16.72	QP	P	
2	0.2660	20.36	9.98	30.34	51.24	-20.90	AVG	P	
3	0.4020	35.21	9.63	44.84	57.81	-12.97	QP	P	
4	0.4020	18.98	9.63	28.61	47.81	-19.20	AVG	P	
5	0.5220	35.82	9.86	45.68	56.00	-10.32	QP	P	
6	0.5220	19.55	9.86	29.41	46.00	-16.59	AVG	P	
7	0.9540	36.13	9.41	45.54	56.00	-10.46	QP	P	
8	0.9540	19.34	9.41	28.75	46.00	-17.25	AVG	P	
9 *	1.3300	36.56	9.40	45.96	56.00	-10.04	QP	P	
10	1.3300	18.86	9.40	28.26	46.00	-17.74	AVG	P	
11	12.5980	33.27	9.55	42.82	60.00	-17.18	QP	P	
12	12.5980	22.61	9.55	32.16	50.00	-17.84	AVG	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: CE\Data :#13

Page: 1

Engineer Signature:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-Shielded Room

Phase: **L1**

Temperature: 26 °C

EUT: 3D Scanner

Humidity: 54 %RH

M/N: FreeScan Omni

Test Engineer: Felix


Test Mode: WIFI Link(Part15E)

Test Voltage: AC 120V/60Hz

Note:

Conducted Emission Measurement

Test Date: 2025/6/17 19:52:59



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F	Remark
1	0.3700	33.92	9.73	43.65	58.50	-14.85	QP	P	
2 *	0.3700	28.64	9.73	38.37	48.50	-10.13	AVG	P	
3	0.4500	31.26	9.76	41.02	56.88	-15.86	QP	P	
4	0.4500	25.30	9.76	35.06	46.88	-11.82	AVG	P	
5	0.8220	33.75	9.42	43.17	56.00	-12.83	QP	P	
6	0.8220	24.02	9.42	33.44	46.00	-12.56	AVG	P	
7	1.2700	32.44	9.40	41.84	56.00	-14.16	QP	P	
8	1.2700	19.87	9.40	29.27	46.00	-16.73	AVG	P	
9	2.3179	26.49	9.39	35.88	56.00	-20.12	QP	P	
10	2.3179	13.07	9.39	22.46	46.00	-23.54	AVG	P	
11	11.8820	31.67	9.55	41.22	60.00	-18.78	QP	P	
12	11.8820	21.45	9.55	31.00	50.00	-19.00	AVG	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

File: CE\Data :#14

Page: 1

Engineer Signature: