




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n20 5200MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/13 14:24:55



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	8346.125	55.65	-10.57	45.08	74.00	-28.92	peak	150	44	P	
2 *	14013.500	53.84	-6.91	46.93	74.00	-27.07	peak	150	245	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n20 5200MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/13 14:30:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	7604.500	56.70	-10.94	45.76	74.00	-28.24	peak	150	144	P	
2 *	12870.250	54.83	-7.75	47.08	74.00	-26.92	peak	150	325	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n20 5240MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/13 14:36:54



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10180.000	55.78	-9.76	46.02	74.00	-27.98	peak	150	145	P	
2 *	13356.875	54.26	-7.36	46.90	74.00	-27.10	peak	150	124	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Horizontal	Temperature: 26 °C
EUT: Laser 3D Scanner	Distance: 3m	Humidity: 54 %RH
M/N: FreeTrak WT	Test Engineer: Felix	
Test Mode: n20 5240MHz		
Test Voltage: AC 120V/60Hz		
Note:		

Radiated Emission Measurement

Test Date: 2026/3/13 14:40:20



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	9347.000	55.94	-10.24	45.70	74.00	-28.30	peak	150	123	P	
2 *	12870.250	54.99	-7.75	47.24	74.00	-26.76	peak	150	151	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Horizontal	Temperature: 26 °C
EUT: Laser 3D Scanner	Distance: 3m	Humidity: 54 %RH
M/N: FreeTrak WT	Test Engineer: Felix	
Test Mode: n40 5190MHz		
Test Voltage: AC 120V/60Hz		
Note:		

Radiated Emission Measurement

Test Date: 2026/3/13 15:57:12



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	8303.625	55.98	-10.58	45.40	74.00	-28.60	peak	150	141	P	
2 *	11986.250	55.42	-8.63	46.79	74.00	-27.21	peak	150	23	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n40 5190MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/13 16:03:38



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	7128.500	59.05	-11.26	47.79	74.00	-26.21	peak	150	144	P	
2	12685.375	54.63	-7.93	46.70	74.00	-27.30	peak	150	142	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n40 5230MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/13 16:09:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	7126.375	57.29	-11.27	46.02	74.00	-27.98	peak	150	145	P	
2 *	12630.125	54.65	-7.99	46.66	74.00	-27.34	peak	150	133	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Horizontal	Temperature: 26 °C
EUT: Laser 3D Scanner	Distance: 3m	Humidity: 54 %RH
M/N: FreeTrak WT	Test Engineer: Felix	
Test Mode: n40 5230MHz		
Test Voltage: AC 120V/60Hz		
Note:		

Radiated Emission Measurement

Test Date: 2026/3/13 16:15:56



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	8288.750	56.67	-10.58	46.09	74.00	-27.91	peak	150	146	P	
2 *	13690.500	54.80	-7.12	47.68	74.00	-26.32	peak	150	113	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ax40 5190MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/13 16:21:31



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	9276.875	56.20	-10.27	45.93	74.00	-28.07	peak	150	255	P	
2 *	12742.750	55.17	-7.89	47.28	74.00	-26.72	peak	150	24	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ax40 5190MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/13 16:27:29



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	7602.375	57.25	-10.94	46.31	74.00	-27.69	peak	150	145	P	
2 *	13656.500	55.50	-7.15	48.35	74.00	-25.65	peak	150	24	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ax40 5230MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/13 16:33:58



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	7602.375	56.27	-10.94	45.33	74.00	-28.67	peak	150	1	P	
2 *	12827.750	55.70	-7.79	47.91	74.00	-26.09	peak	150	153	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ax40 5230MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/13 16:39:29



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	8312.125	56.31	-10.58	45.73	74.00	-28.27	peak	150	114	P	
2 *	13688.375	55.43	-7.12	48.31	74.00	-25.69	peak	150	154	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ax80 5210MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/13 16:45:21



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	8165.500	56.23	-10.62	45.61	74.00	-28.39	peak	150	124	P	
2 *	12832.000	55.07	-7.79	47.28	74.00	-26.72	peak	150	245	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ax80 5210MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/13 16:50:41



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	8299.375	56.83	-10.58	46.25	74.00	-27.75	peak	150	334	P	
2 *	12568.500	55.83	-8.06	47.77	74.00	-26.23	peak	150	123	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: a 5180MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 10:02:20



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5115.488	57.66	-15.56	42.10	74.00	-31.90	peak	150	116	P	
2 *	5150.000	62.39	-15.49	46.90	68.82	-21.92	peak	150	156	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: a 5180MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 10:08:29



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5124.688	57.87	-15.55	42.32	74.00	-31.68	peak	150	145	P	
2	5150.000	71.51	-15.49	56.02	68.82	-12.80	peak	150	243	P	
3 *	5150.000	62.01	-15.49	46.52	54.00	-7.48	AVG	150	243	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: a 5240MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 10:14:36



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	56.77	-15.07	41.70	68.82	-27.12	peak	150	114	P	
2	5356.438	55.50	-15.05	40.45	74.00	-33.55	peak	150	153	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: a 5240MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 10:20:26



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.82	-15.07	37.75	68.82	-31.07	peak	150	146	P	
2	5357.094	56.55	-15.05	41.50	74.00	-32.50	peak	150	24	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n 5180MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 10:26:24



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5118.775	58.72	-15.56	43.16	74.00	-30.84	peak	150	114	P	
2	5150.000	70.79	-15.49	55.30	68.82	-13.52	peak	150	143	P	
3 *	5150.000	60.23	-15.49	44.74	54.00	-9.26	AVG	150	174	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n 5180MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 10:32:28



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5116.962	59.39	-15.56	43.83	74.00	-30.17	peak	150	144	P	
2 *	5150.000	57.87	-15.49	42.38	68.82	-26.44	peak	150	178	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 24 °C
EUT: Laser 3D Scanner	Distance: 3m	Humidity: 56 %RH
M/N: FreeTrak WT	Test Engineer: Felix	
Test Mode: n 5240MHz		
Test Voltage: AC 120V/60Hz		
Note:		

Radiated Emission Measurement

Test Date: 2026/3/12 10:38:11



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	55.70	-15.07	40.63	68.82	-28.19	peak	150	114	P	
2	5352.725	57.51	-15.06	42.45	74.00	-31.55	peak	150	56	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n 5240MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 10:44:08



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	55.50	-15.07	40.43	68.82	-28.39	peak	150	116	P	
2	5355.688	57.74	-15.06	42.68	74.00	-31.32	peak	150	117	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ac20 5180MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 10:50:57



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5105.738	58.57	-15.59	42.98	74.00	-31.02	peak	150	245	P	
2	5150.000	69.42	-15.49	53.93	68.82	-14.89	peak	150	113	P	
3 *	5150.000	58.61	-15.49	43.12	54.00	-10.88	AVG	150	118	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ac20 5180MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 10:56:52



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5130.700	57.51	-15.53	41.98	74.00	-32.02	peak	150	145	P	
2 *	5150.000	56.61	-15.49	41.12	68.82	-27.70	peak	150	12	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ac20 5240MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 11:02:44



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	55.47	-15.07	40.40	68.82	-28.42	peak	150	114	P	
2	5355.931	57.72	-15.06	42.66	74.00	-31.34	peak	150	15	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit