




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n40 5795MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 11:46:09



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11637.750	55.49	-8.75	46.74	74.00	-27.26	peak	150	112	P	
2 *	13679.875	54.84	-7.12	47.72	74.00	-26.28	peak	150	44	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ax40 5755MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 11:52:48



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	8284.500	56.54	-10.59	45.95	74.00	-28.05	peak	150	119	P	
2 *	13981.625	54.92	-6.91	48.01	74.00	-25.99	peak	150	278	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ax40 5755MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 11:58:17



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	7602.375	57.17	-10.94	46.23	74.00	-27.77	peak	150	115	P	
2 *	12838.375	55.04	-7.79	47.25	74.00	-26.75	peak	150	189	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ax40 5795MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 12:04:02



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	12863.875	55.28	-7.77	47.51	74.00	-26.49	peak	150	43	P	
2 *	13686.250	55.58	-7.12	48.46	74.00	-25.54	peak	150	256	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ax40 5795MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 12:09:30



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	7602.375	57.78	-10.94	46.84	74.00	-27.16	peak	150	1	P	
2 *	12840.500	55.35	-7.79	47.56	74.00	-26.44	peak	150	225	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ax80 5775MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 12:15:09



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	8048.625	55.98	-10.65	45.33	74.00	-28.67	peak	150	143	P	
2 *	13694.750	54.38	-7.12	47.26	74.00	-26.74	peak	150	245	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
 1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
 Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Horizontal	Temperature: 26 °C
EUT: Laser 3D Scanner	Distance: 3m	Humidity: 54 %RH
M/N: FreeTrak WT	Test Engineer: Felix	
Test Mode: ax80 5775MHz		
Test Voltage: AC 120V/60Hz		
Note:		

Radiated Emission Measurement

Test Date: 2026/3/14 12:21:08



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	7602.375	57.79	-10.94	46.85	74.00	-27.15	peak	150	13	P	
2 *	13671.375	55.35	-7.14	48.21	74.00	-25.79	peak	150	146	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: a 5745MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 12:40:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5644.000	60.13	-14.45	45.68	68.20	-22.52	peak	150	228	P	
2	5974.950	59.02	-13.74	45.28	68.20	-22.92	peak	150	215	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: a 5745MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 12:46:07



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5643.150	60.47	-14.45	46.02	68.20	-22.18	peak	150	154	P	
2	5974.200	59.39	-13.74	45.65	68.20	-22.55	peak	150	213	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: a 5825MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 12:51:08



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5646.700	58.41	-14.44	43.97	68.20	-24.23	peak	150	134	P	
2 *	5973.800	59.53	-13.74	45.79	68.20	-22.41	peak	150	117	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: a 5825MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 12:57:02



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5645.600	59.95	-14.44	45.51	68.20	-22.69	peak	150	147	P	
2 *	5971.900	59.68	-13.74	45.94	68.20	-22.26	peak	150	55	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n20 5745MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 13:02:19



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5640.350	59.67	-14.46	45.21	68.20	-22.99	peak	150	190	P	
2 *	5968.600	59.72	-13.76	45.96	68.20	-22.24	peak	150	242	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n20 5745MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 13:07:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5640.200	61.90	-14.46	47.44	68.20	-20.76	peak	150	115	P	
2	5962.650	59.17	-13.77	45.40	68.20	-22.80	peak	150	245	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n20 5825MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 13:13:47



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5643.950	57.48	-14.45	43.03	68.20	-25.17	peak	150	155	P	
2 *	5960.000	58.71	-13.77	44.94	68.20	-23.26	peak	150	134	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: n20 5825MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 13:19:02



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5631.000	60.18	-14.47	45.71	68.20	-22.49	peak	150	134	P	
2	5963.950	58.74	-13.77	44.97	68.20	-23.23	peak	150	165	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ac20 5745MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 13:24:12



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5629.850	59.68	-14.47	45.21	68.20	-22.99	peak	150	22	P	
2	5967.600	58.94	-13.77	45.17	68.20	-23.03	peak	150	196	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ac20 5745MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 13:29:23



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5650.600	61.79	-14.42	47.37	68.65	-21.28	peak	150	145	P	
2	5968.050	59.72	-13.77	45.95	68.20	-22.25	peak	150	155	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ac20 5825MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/14 13:34:41



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5642.250	59.23	-14.45	44.78	68.20	-23.42	peak	150	119	P	
2 *	5966.750	59.67	-13.77	45.90	68.20	-22.30	peak	150	135	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: Laser 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: FreeTrak WT Test Engineer: Felix
Test Mode: ac20 5825MHz
Test Voltage: AC 120V/60Hz
Note:

Radiated Emission Measurement

Test Date: 2026/3/12 13:39:54



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5630.750	60.50	-14.47	46.03	68.20	-22.17	peak	150	235	P	
2	5964.800	59.09	-13.77	45.32	68.20	-22.88	peak	150	289	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 24 °C
EUT: Laser 3D Scanner	Distance: 3m	Humidity: 56 %RH
M/N: FreeTrak WT	Test Engineer: Felix	
Test Mode: ax20 5745MHz		
Test Voltage: AC 120V/60Hz		
Note:		

Radiated Emission Measurement

Test Date: 2026/3/14 13:44:40



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5633.550	60.07	-14.46	45.61	68.20	-22.59	peak	150	309	P	
2	5969.800	58.96	-13.75	45.21	68.20	-22.99	peak	150	232	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit