



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ac20 5180MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 19:10:22



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5144.637	68.31	-17.47	50.84	74.00	-23.16	peak	150	249	P	
2	5150.000	62.85	-17.45	45.40	68.82	-23.42	peak	150	44	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ac20 5180MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 19:15:27



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5148.262	67.03	-17.47	49.56	74.00	-24.44	peak	150	18	P	
2 *	5150.000	62.34	-17.45	44.89	68.82	-23.93	peak	150	154	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
 1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
 Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 24 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 56 %RH
M/N: Einstar Rockit	Test Engineer: Felix	
Test Mode: ac20 5240MHz		
Test Voltage: DC 3.6V		
Note:		

Radiated Emission Measurement

Test Date: 2025/7/18 19:20:08



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.43	-16.99	35.44	68.82	-33.38	peak	150	287	P	
2	5351.300	54.58	-16.98	37.60	74.00	-36.40	peak	150	346	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ac20 5240MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 19:25:18



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	53.76	-16.99	36.77	68.82	-32.05	peak	150	109	P	
2	5354.994	53.92	-16.98	36.94	74.00	-37.06	peak	150	270	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ax20 5180MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 19:30:44



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5146.163	64.32	-17.47	46.85	54.00	-7.15	AVG	150	220	P	
2	5150.000	62.97	-17.45	45.52	54.00	-8.48	AVG	150	43	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ax20 5180MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 19:35:10



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5149.462	63.67	-17.47	46.20	54.00	-7.80	AVG	150	107	P	
2	5150.000	62.60	-17.45	45.15	54.00	-8.85	AVG	150	181	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ax20 5240MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 19:40:55



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	53.00	-16.99	36.01	68.82	-32.81	peak	150	219	P	
2	5358.369	55.28	-16.97	38.31	74.00	-35.69	peak	150	182	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ax20 5240MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 19:45:09



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.66	-16.99	35.67	68.82	-33.15	peak	150	116	P	
2	5354.619	54.79	-16.98	37.81	74.00	-36.19	peak	150	346	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: n40 5190MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 19:50:20



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5145.220	66.85	-17.47	49.38	74.00	-24.62	peak	150	287	P	
2 *	5150.000	64.77	-17.45	47.32	68.82	-21.50	peak	150	138	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: n40 5190MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 19:55:06



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5149.180	65.02	-17.47	47.55	54.00	-6.45	AVG	150	309	P	
2	5150.000	63.00	-17.45	45.55	54.00	-8.45	AVG	150	24	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: n40 5230MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 20:00:40



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.00	-16.99	35.01	68.82	-33.81	peak	150	282	P	
2	5359.020	54.74	-16.97	37.77	74.00	-36.23	peak	150	111	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: n40 5230MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 20:05:44



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.21	-16.99	35.22	68.82	-33.60	peak	150	344	P	
2	5354.460	53.68	-16.98	36.70	74.00	-37.30	peak	150	127	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ac40 5190MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 20:10:20



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5146.800	66.84	-17.47	49.37	74.00	-24.63	peak	150	156	P	
2 *	5150.000	65.40	-17.45	47.95	68.82	-20.87	peak	150	297	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

Appendix B

CN25M6MM 001



Prüfbericht - Produkte
Test Report - Products

Page 126 of 224



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ac40 5190MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 20:15:28



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5146.040	66.36	-17.47	48.89	74.00	-25.11	peak	150	178	P	
2 *	5150.000	64.73	-17.45	47.28	68.82	-21.54	peak	150	300	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
 1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
 Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 24 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 56 %RH
M/N: Einstar Rockit	Test Engineer: Felix	
Test Mode: ac40 5230MHz		
Test Voltage: DC 3.6V		
Note:		

Radiated Emission Measurement

Test Date: 2025/7/18 20:20:14



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	53.33	-16.99	36.34	68.82	-32.48	peak	150	118	P	
2	5354.520	54.46	-16.98	37.48	74.00	-36.52	peak	150	134	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ac40 5230MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 20:25:48



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.89	-16.99	35.90	68.82	-32.92	peak	150	233	P	
2	5352.640	53.97	-16.98	36.99	74.00	-37.01	peak	150	161	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ax40 5190MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 20:30:36



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5143.520	64.72	-17.47	47.25	54.00	-6.75	AVG	150	266	P	
2	5150.000	64.25	-17.45	46.80	54.00	-7.20	AVG	150	81	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ax40 5190MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 20:35:12



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5145.440	63.15	-17.47	45.68	54.00	-8.32	AVG	150	103	P	
2	5150.000	61.14	-17.45	43.69	54.00	-10.31	AVG	150	190	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ax40 5230MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 20:40:30



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	53.41	-16.99	36.42	68.82	-32.40	peak	150	271	P	
2	5356.360	54.78	-16.98	37.80	74.00	-36.20	peak	150	226	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ax40 5230MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 20:45:51



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.25	-16.99	35.26	68.82	-33.56	peak	150	10	P	
2	5357.900	55.45	-16.97	38.48	74.00	-35.52	peak	150	316	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ac80 5210MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 20:50:15



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5147.420	63.62	-17.47	46.15	54.00	-7.85	AVG	150	220	P	
2	5150.000	62.58	-17.45	45.13	54.00	-8.87	AVG	150	312	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 24 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 56 %RH
M/N: Einstar Rockit	Test Engineer: Felix	
Test Mode: ac80 5210MHz		
Test Voltage: DC 3.6V		
Note:		

Radiated Emission Measurement

Test Date: 2025/7/18 20:55:55



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5143.320	62.73	-17.47	45.26	54.00	-8.74	AVG	150	259	P	
2	5150.000	60.93	-17.45	43.48	54.00	-10.52	AVG	150	171	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 24 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 56 %RH
M/N: Einstar Rockit	Test Engineer: Felix	
Test Mode: ax80 5210MHz		
Test Voltage: DC 3.6V		
Note:		

Radiated Emission Measurement

Test Date: 2025/7/18 21:00:02



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5145.740	61.73	-17.47	44.26	54.00	-9.74	AVG	150	156	P	
2 *	5150.000	62.61	-17.45	45.16	54.00	-8.84	AVG	150	290	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: ax80 5210MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 21:05:37



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5142.800	63.99	-17.47	46.52	54.00	-7.48	AVG	150	117	P	
2	5150.000	62.71	-17.45	45.26	54.00	-8.74	AVG	150	286	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: a 5180MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 18:30:10



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5145.225	62.46	-17.47	44.99	74.00	-29.01	peak	150	242	P	
2 *	5150.000	65.30	-17.45	47.85	68.82	-20.97	peak	150	351	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: a 5180MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 18:35:30



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5147.300	63.73	-17.47	46.26	74.00	-27.74	peak	150	208	P	
2 *	5150.000	64.61	-17.45	47.16	68.82	-21.66	peak	150	80	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: a 5240MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 18:40:02



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	52.89	-16.99	35.90	68.82	-32.92	peak	150	298	P	
2	5356.475	53.76	-16.98	36.78	74.00	-37.22	peak	150	116	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 24 °C
EUT: 3D Scanner Distance: 3m Humidity: 56 %RH
M/N: Einstar Rockit Test Engineer: Felix
Test Mode: a 5240MHz
Test Voltage: DC 3.6V
Note:

Radiated Emission Measurement

Test Date: 2025/7/18 18:45:41



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5350.000	51.81	-16.99	34.82	68.82	-34.00	peak	150	211	P	
2	5353.269	53.81	-16.98	36.83	74.00	-37.17	peak	150	223	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit