

2019年-2020年数据对比表	
	年份
2019-0.1.1	2019-0.1.1
2019-1.1.1	2019-1.1.1
2019-1.1.1	2019-1.1.1
2019-1.1.1	2019-1.1.1
2019-1.1.1	2019-1.1.1




主集区配: C17/C40 4K/℃空调
R09 1.5kW电暖 (G002) /R04 2.0kW电暖
(G002)
C1A/对站8.1kW电暖 (G002)
开失区配:
R01 C06 对站6.1kW电暖 (G002)
R02 C06 对站3.5kW电暖 (G002)
R03 C06 对站3.5kW电暖 (G002)
R04 C09 对站4.2kW电暖 (G002)
R06 4K/℃空调

2: 天线测试

[illegible]

无源网络



主集

[illegible]

分集



Parameter	Value	Parameter	Value	Parameter	Value
α_{11}	0.12	α_{12}	0.000	α_{13}	0.000
α_{21}	0.000	α_{22}	0.000	α_{23}	0.000
α_{31}	0.000	α_{32}	0.000	α_{33}	0.000
α_{41}	0.000	α_{42}	0.000	α_{43}	0.000
α_{51}	0.000	α_{52}	0.000	α_{53}	0.000
α_{61}	0.000	α_{62}	0.000	α_{63}	0.000
α_{71}	0.000	α_{72}	0.000	α_{73}	0.000
α_{81}	0.000	α_{82}	0.000	α_{83}	0.000
α_{91}	0.000	α_{92}	0.000	α_{93}	0.000
α_{101}	0.000	α_{102}	0.000	α_{103}	0.000
α_{111}	0.000	α_{112}	0.000	α_{113}	0.000
α_{121}	0.000	α_{122}	0.000	α_{123}	0.000
α_{131}	0.000	α_{132}	0.000	α_{133}	0.000
α_{141}	0.000	α_{142}	0.000	α_{143}	0.000
α_{151}	0.000	α_{152}	0.000	α_{153}	0.000
α_{161}	0.000	α_{162}	0.000	α_{163}	0.000
α_{171}	0.000	α_{172}	0.000	α_{173}	0.000
α_{181}	0.000	α_{182}	0.000	α_{183}	0.000
α_{191}	0.000	α_{192}	0.000	α_{193}	0.000
α_{201}	0.000	α_{202}	0.000	α_{203}	0.000
α_{211}	0.000	α_{212}	0.000	α_{213}	0.000
α_{221}	0.000	α_{222}	0.000	α_{223}	0.000
α_{231}	0.000	α_{232}	0.000	α_{233}	0.000
α_{241}	0.000	α_{242}	0.000	α_{243}	0.000
α_{251}	0.000	α_{252}	0.000	α_{253}	0.000
α_{261}	0.000	α_{262}	0.000	α_{263}	0.000
α_{271}	0.000	α_{272}	0.000	α_{273}	0.000
α_{281}	0.000	α_{282}	0.000	α_{283}	0.000
α_{291}	0.000	α_{292}	0.000	α_{293}	0.000
α_{301}	0.000	α_{302}	0.000	α_{303}	0.000
α_{311}	0.000	α_{312}	0.000	α_{313}	0.000
α_{321}	0.000	α_{322}	0.000	α_{323}	0.000
α_{331}	0.000	α_{332}	0.000	α_{333}	0.000
α_{341}	0.000	α_{342}	0.000	α_{343}	0.000
α_{351}	0.000	α_{352}	0.000	α_{353}	0.000
α_{361}	0.000	α_{362}	0.000	α_{363}	0.000
α_{371}	0.000	α_{372}	0.000	α_{373}	0.000
α_{381}	0.000	α_{382}	0.000	α_{383}	0.000
α_{391}	0.000	α_{392}	0.000	α_{393}	0.000
α_{401}	0.000	α_{402}	0.000	α_{403}	0.000
α_{411}	0.000	α_{412}	0.000	α_{413}	0.000
α_{421}	0.000	α_{422}	0.000	α_{423}	0.000
α_{431}	0.000	α_{432}	0.000	α_{433}	0.000
α_{441}	0.000	α_{442}	0.000	α_{443}	0.000
α_{451}	0.000	α_{452}	0.000	α_{453}	0.000
α_{461}	0.000	α_{462}	0.000	α_{463}	0.000
α_{471}	0.000	α_{472}	0.000	α_{473}	0.000
α_{481}	0.000	α_{482}	0.000	α_{483	

TIFI



1. Comparing 30.00	2. Offsetting 1.75	3. 40.00 / 20.00
30.00	30.75	0.75
30.25	30.11	0.2
30.50	30.27	0.49
30.75	30.0	0.83
31.00	30.24	1.00
31.25	40.81	1.31
31.50	37.27	0.97
31.75	36.58	0.64
32.00	35.74	0.58
32.25	34.14	0.40
32.50	33.00	0.51