


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-33.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.53	-13	Pass	2986
30	500	0.1	Peak	445.1	-43.35	-13	Pass	4701
500	1000	0.1	Peak	824.1	31.84	-13	N/A	5001
1000	10000	1	Peak	9555	-20.01	-13	Pass	9001




1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.52	-13	Pass	2986
30	500	0.1	Peak	450.6	-42.92	-13	Pass	4701
500	1000	0.1	Peak	836.5	32.15	-13	N/A	5001
1000	10000	1	Peak	7734	-19.36	-13	Pass	9001



1.4. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.2	-13	Pass	2986
30	500	0.1	Peak	106.9	-43.03	-13	Pass	4701
500	1000	0.1	Peak	848.8	32.22	-13	N/A	5001
1000	10000	1	Peak	7741	-19.8	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.71	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.77	-13	Pass	2986
30	1000	0.1	Peak	803.3	-46.97	-13	Pass	9701
1000	3000	1	Peak	1850	29.67	-13	N/A	2001
3000	20000	1	Peak	19736	-38.83	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.6	-13	Pass	2986
30	1000	0.1	Peak	915.1	-46.68	-13	Pass	9701
1000	3000	1	Peak	1880	29.72	-13	N/A	2001
3000	20000	1	Peak	19803	-38.66	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.26	-13	Pass	2986
30	1000	0.1	Peak	893	-45.65	-13	Pass	9701
1000	3000	1	Peak	1910	29.84	-13	N/A	2001
3000	20000	1	Peak	19952	-38.55	-13	Pass	17001



3. LTE_Band2


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.97	-13	Pass	2986
30	1000	0.1	RMS	994.7	-62.09	-13	Pass	9701
1000	1840	1	RMS	1839	-50.36	-13	Pass	841
1840	1920	1	RMS	1850.2	21.94	60	Pass	401
1920	3000	1	RMS	2656	-46.22	-13	Pass	1081
3000	12000	1	RMS	3701	-32.73	-13	Pass	9001
12000	20000	1	RMS	20000	-27.36	-13	Pass	8001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.55	-13	Pass	2986
30	1000	0.1	RMS	931.9	-62.25	-13	Pass	9701
1000	1840	1	RMS	1840	-50.44	-13	Pass	841
1840	1920	1	RMS	1850.2	21.09	60	Pass	401
1920	3000	1	RMS	2650	-46.12	-13	Pass	1081
3000	12000	1	RMS	3701	-33.42	-13	Pass	9001
12000	20000	1	RMS	19995	-27.31	-13	Pass	8001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.49	-13	Pass	2986
30	1000	0.1	RMS	927.6	-62.27	-13	Pass	9701
1000	1840	1	RMS	1839	-50.53	-13	Pass	841
1840	1920	1	RMS	1879.6	22.23	60	Pass	401
1920	3000	1	RMS	2643	-46.18	-13	Pass	1081
3000	12000	1	RMS	3759	-30.06	-13	Pass	9001
12000	20000	1	RMS	19999	-27.42	-13	Pass	8001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.3	-13	Pass	2986
30	1000	0.1	RMS	917.4	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	Pass	841
1840	1920	1	RMS	1879.6	21.29	60	Pass	401
1920	3000	1	RMS	2649	-46.14	-13	Pass	1081
3000	12000	1	RMS	3759	-31.48	-13	Pass	9001
12000	20000	1	RMS	19997	-27.46	-13	Pass	8001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.75	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.09	-13	Pass	9701
1000	1840	1	RMS	1838	-50.47	-13	Pass	841
1840	1920	1	RMS	1908.8	21.88	60	Pass	401
1920	3000	1	RMS	2655	-46.14	-13	Pass	1081
3000	12000	1	RMS	3818	-24.48	-13	Pass	9001
12000	20000	1	RMS	19999	-27.37	-13	Pass	8001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-13	Pass	2986
30	1000	0.1	RMS	931.6	-62.1	-13	Pass	9701
1000	1840	1	RMS	1838	-50.53	-13	Pass	841
1840	1920	1	RMS	1908.8	21.11	60	Pass	401
1920	3000	1	RMS	2650	-46.14	-13	Pass	1081
3000	12000	1	RMS	3818	-26.18	-13	Pass	9001
12000	20000	1	RMS	19999	-27.33	-13	Pass	8001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.25	-13	Pass	2986
30	1000	0.1	RMS	909.4	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.08	-13	Pass	841
1840	1920	1	RMS	1850.2	21.51	60	Pass	401
1920	3000	1	RMS	2653	-46.18	-13	Pass	1081
3000	12000	1	RMS	3700	-33.68	-13	Pass	9001
12000	20000	1	RMS	19996	-27.44	-13	Pass	8001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.86	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.25	-13	Pass	841
1840	1920	1	RMS	1850.2	20.86	60	Pass	401
1920	3000	1	RMS	2652	-46.12	-13	Pass	1081
3000	12000	1	RMS	3701	-33.93	-13	Pass	9001
12000	20000	1	RMS	19998	-27.36	-13	Pass	8001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.54	-13	Pass	2986
30	1000	0.1	RMS	948.9	-62.25	-13	Pass	9701
1000	1840	1	RMS	1837	-50.54	-13	Pass	841
1840	1920	1	RMS	1878.8	21.76	60	Pass	401
1920	3000	1	RMS	2655	-46.1	-13	Pass	1081
3000	12000	1	RMS	3757	-32.4	-13	Pass	9001
12000	20000	1	RMS	20000	-27.31	-13	Pass	8001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.73	-13	Pass	2986
30	1000	0.1	RMS	935.8	-62.12	-13	Pass	9701
1000	1840	1	RMS	1839	-50.56	-13	Pass	841
1840	1920	1	RMS	1878.8	20.88	60	Pass	401
1920	3000	1	RMS	2659	-46.15	-13	Pass	1081
3000	12000	1	RMS	3758	-33.34	-13	Pass	9001
12000	20000	1	RMS	20000	-27.33	-13	Pass	8001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.54	-13	Pass	2986
30	1000	0.1	RMS	919.4	-62.27	-13	Pass	9701
1000	1840	1	RMS	1834	-50.56	-13	Pass	841
1840	1920	1	RMS	1907.2	21.48	60	Pass	401
1920	3000	1	RMS	2656	-46.18	-13	Pass	1081
3000	12000	1	RMS	3815	-28.15	-13	Pass	9001
12000	20000	1	RMS	19998	-27.39	-13	Pass	8001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.6	-13	Pass	2986
30	1000	0.1	RMS	923.3	-62.22	-13	Pass	9701
1000	1840	1	RMS	1838	-50.48	-13	Pass	841
1840	1920	1	RMS	1907.2	20.77	60	Pass	401
1920	3000	1	RMS	2651	-46.21	-13	Pass	1081
3000	12000	1	RMS	3814	-29.19	-13	Pass	9001
12000	20000	1	RMS	19997	-27.43	-13	Pass	8001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.98	-13	Pass	2986
30	1000	0.1	RMS	934.1	-61.94	-13	Pass	9701
1000	1840	1	RMS	1840	-50	-13	Pass	841
1840	1920	1	RMS	1850.4	21.64	60	Pass	401
1920	3000	1	RMS	2654	-46.17	-13	Pass	1081
3000	12000	1	RMS	3701	-32.08	-13	Pass	9001
12000	20000	1	RMS	19999	-27.37	-13	Pass	8001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.42	-13	Pass	2986
30	1000	0.1	RMS	936.3	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.25	-13	Pass	841
1840	1920	1	RMS	1850.4	20.86	60	Pass	401
1920	3000	1	RMS	2644	-46.19	-13	Pass	1081
3000	12000	1	RMS	3701	-33.37	-13	Pass	9001
12000	20000	1	RMS	19991	-27.44	-13	Pass	8001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.86	-13	Pass	2986
30	1000	0.1	RMS	937.1	-62.23	-13	Pass	9701
1000	1840	1	RMS	1834	-50.51	-13	Pass	841
1840	1920	1	RMS	1877.8	21.93	60	Pass	401
1920	3000	1	RMS	2654	-46.2	-13	Pass	1081
3000	12000	1	RMS	3756	-31.13	-13	Pass	9001
12000	20000	1	RMS	20000	-27.33	-13	Pass	8001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.18	-13	Pass	2986
30	1000	0.1	RMS	928.6	-62.19	-13	Pass	9701
1000	1840	1	RMS	1839	-50.5	-13	Pass	841
1840	1920	1	RMS	1877.8	21.11	60	Pass	401
1920	3000	1	RMS	2653	-46.11	-13	Pass	1081
3000	12000	1	RMS	3756	-32.05	-13	Pass	9001
12000	20000	1	RMS	20000	-27.29	-13	Pass	8001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-13	Pass	2986
30	1000	0.1	RMS	955.5	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.48	-13	Pass	841
1840	1920	1	RMS	1905.4	21.59	60	Pass	401
1920	3000	1	RMS	2642	-46.17	-13	Pass	1081
3000	12000	1	RMS	3811	-27.73	-13	Pass	9001
12000	20000	1	RMS	20000	-27.31	-13	Pass	8001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.41	-13	Pass	2986
30	1000	0.1	RMS	923.7	-62.22	-13	Pass	9701
1000	1840	1	RMS	1837	-50.59	-13	Pass	841
1840	1920	1	RMS	1905.4	21.05	60	Pass	401
1920	3000	1	RMS	2654	-46.18	-13	Pass	1081
3000	12000	1	RMS	3811	-29	-13	Pass	9001
12000	20000	1	RMS	20000	-27.33	-13	Pass	8001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.58	-13	Pass	2986
30	1000	0.1	RMS	922.2	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-49.58	-13	Pass	841
1840	1920	1	RMS	1850.6	21.68	60	Pass	401
1920	3000	1	RMS	2651	-46.16	-13	Pass	1081
3000	12000	1	RMS	3701	-29.06	-13	Pass	9001
12000	20000	1	RMS	20000	-27.38	-13	Pass	8001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.83	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-49.88	-13	Pass	841
1840	1920	1	RMS	1850.6	21	60	Pass	401
1920	3000	1	RMS	2659	-46.18	-13	Pass	1081
3000	12000	1	RMS	3701	-31.55	-13	Pass	9001
12000	20000	1	RMS	20000	-27.44	-13	Pass	8001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.41	-13	Pass	2986
30	1000	0.1	RMS	920.9	-62.14	-13	Pass	9701
1000	1840	1	RMS	1839	-50.55	-13	Pass	841
1840	1920	1	RMS	1875.6	22.15	60	Pass	401
1920	3000	1	RMS	2650	-46.1	-13	Pass	1081
3000	12000	1	RMS	3751	-30.17	-13	Pass	9001
12000	20000	1	RMS	19997	-27.26	-13	Pass	8001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.86	-13	Pass	2986
30	1000	0.1	RMS	937.1	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1920	1	RMS	1875.6	21.23	60	Pass	401
1920	3000	1	RMS	2658	-46.17	-13	Pass	1081
3000	12000	1	RMS	3751	-31.16	-13	Pass	9001
12000	20000	1	RMS	20000	-27.31	-13	Pass	8001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.49	-13	Pass	2986
30	1000	0.1	RMS	950.2	-62.21	-13	Pass	9701
1000	1840	1	RMS	1839	-50.45	-13	Pass	841
1840	1920	1	RMS	1900.6	21.86	60	Pass	401
1920	3000	1	RMS	2654	-46.17	-13	Pass	1081
3000	12000	1	RMS	3801	-30.06	-13	Pass	9001
12000	20000	1	RMS	19998	-27.41	-13	Pass	8001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.19	-13	Pass	2986
30	1000	0.1	RMS	919.1	-62.27	-13	Pass	9701
1000	1840	1	RMS	1837	-50.53	-13	Pass	841
1840	1920	1	RMS	1900.6	21.14	60	Pass	401
1920	3000	1	RMS	2656	-46.16	-13	Pass	1081
3000	12000	1	RMS	3801	-30.9	-13	Pass	9001
12000	20000	1	RMS	19994	-27.43	-13	Pass	8001



3.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.77	-13	Pass	2986
30	1000	0.1	RMS	921.1	-62.12	-13	Pass	9701
1000	1840	1	RMS	1838	-40.05	-13	Pass	841
1840	1920	1	RMS	1850.8	22.33	60	Pass	401
1920	3000	1	RMS	2652	-46.19	-13	Pass	1081
3000	12000	1	RMS	3702	-26.78	-13	Pass	9001
12000	20000	1	RMS	19998	-27.26	-13	Pass	8001



3.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.41	-13	Pass	2986
30	1000	0.1	RMS	932.6	-62.26	-13	Pass	9701
1000	1840	1	RMS	1838	-42.4	-13	Pass	841
1840	1920	1	RMS	1850.8	21.61	60	Pass	401
1920	3000	1	RMS	2647	-46.19	-13	Pass	1081
3000	12000	1	RMS	3702	-28.48	-13	Pass	9001
12000	20000	1	RMS	20000	-27.37	-13	Pass	8001



3.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.18	-13	Pass	2986
30	1000	0.1	RMS	927	-62.31	-13	Pass	9701
1000	1840	1	RMS	1840	-50.26	-13	Pass	841
1840	1920	1	RMS	1873.4	22.91	60	Pass	401
1920	3000	1	RMS	2999	-46.14	-13	Pass	1081
3000	12000	1	RMS	3747	-28.95	-13	Pass	9001
12000	20000	1	RMS	19996	-27.44	-13	Pass	8001



3.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.39	-13	Pass	2986
30	1000	0.1	RMS	918.6	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-50.39	-13	Pass	841
1840	1920	1	RMS	1873.4	21.89	60	Pass	401
1920	3000	1	RMS	2656	-46.14	-13	Pass	1081
3000	12000	1	RMS	3747	-30.6	-13	Pass	9001
12000	20000	1	RMS	19997	-27.43	-13	Pass	8001



3.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.48	-13	Pass	2986
30	1000	0.1	RMS	998.4	-62.13	-13	Pass	9701
1000	1840	1	RMS	1836	-50.5	-13	Pass	841
1840	1920	1	RMS	1895.8	22.64	60	Pass	401
1920	3000	1	RMS	2655	-46.13	-13	Pass	1081
3000	12000	1	RMS	3792	-29.85	-13	Pass	9001
12000	20000	1	RMS	19998	-27.35	-13	Pass	8001



3.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.27	-13	Pass	2986
30	1000	0.1	RMS	919.2	-62.21	-13	Pass	9701
1000	1840	1	RMS	1839	-50.53	-13	Pass	841
1840	1920	1	RMS	1895.8	21.95	60	Pass	401
1920	3000	1	RMS	2652	-46.13	-13	Pass	1081
3000	12000	1	RMS	3792	-30.44	-13	Pass	9001
12000	20000	1	RMS	19993	-27.42	-13	Pass	8001



3.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.57	-13	Pass	2986
30	1000	0.1	RMS	906.4	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-48.57	-13	Pass	841
1840	1920	1	RMS	1851	22.13	60	Pass	401
1920	3000	1	RMS	2653	-46.17	-13	Pass	1081
3000	12000	1	RMS	3702	-26.54	-13	Pass	9001
12000	20000	1	RMS	20000	-27.38	-13	Pass	8001



3.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.96	-13	Pass	2986
30	1000	0.1	RMS	890.2	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-48.66	-13	Pass	841
1840	1920	1	RMS	1851	21.3	60	Pass	401
1920	3000	1	RMS	2657	-46.18	-13	Pass	1081
3000	12000	1	RMS	3702	-28.34	-13	Pass	9001
12000	20000	1	RMS	19994	-27.46	-13	Pass	8001



3.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.93	-13	Pass	2986
30	1000	0.1	RMS	946.7	-62.17	-13	Pass	9701
1000	1840	1	RMS	1835	-46.99	-13	Pass	841
1840	1920	1	RMS	1871	22.63	60	Pass	401
1920	3000	1	RMS	2648	-46.18	-13	Pass	1081
3000	12000	1	RMS	3742	-28.61	-13	Pass	9001
12000	20000	1	RMS	20000	-27.43	-13	Pass	8001



3.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.89	-13	Pass	2986
30	1000	0.1	RMS	924.2	-62.23	-13	Pass	9701
1000	1840	1	RMS	1835	-48.74	-13	Pass	841
1840	1920	1	RMS	1871	21.78	60	Pass	401
1920	3000	1	RMS	2645	-46.15	-13	Pass	1081
3000	12000	1	RMS	3742	-30.27	-13	Pass	9001
12000	20000	1	RMS	19997	-27.42	-13	Pass	8001



3.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.49	-13	Pass	2986
30	1000	0.1	RMS	911.3	-62.32	-13	Pass	9701
1000	1840	1	RMS	1839	-50.33	-13	Pass	841
1840	1920	1	RMS	1891	22.49	60	Pass	401
1920	3000	1	RMS	2647	-46.16	-13	Pass	1081
3000	12000	1	RMS	3782	-29.26	-13	Pass	9001
12000	20000	1	RMS	19998	-27.41	-13	Pass	8001



3.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.21	-13	Pass	2986
30	1000	0.1	RMS	906.1	-62.24	-13	Pass	9701
1000	1840	1	RMS	1838	-50.03	-13	Pass	841
1840	1920	1	RMS	1891.2	21.64	60	Pass	401
1920	3000	1	RMS	2648	-46.14	-13	Pass	1081
3000	12000	1	RMS	3782	-30.43	-13	Pass	9001
12000	20000	1	RMS	20000	-27.37	-13	Pass	8001



4. LTE_Band4


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.9	-13	Pass	2986
30	1000	0.1	RMS	914	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	Pass	701
1700	1765	1	RMS	1710.238	22.04	60	Pass	401
1765	3000	1	RMS	2651	-46.15	-13	Pass	1236
3000	12000	1	RMS	11938	-39.82	-13	Pass	9001
12000	20000	1	RMS	19996	-27.45	-13	Pass	8001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.53	-13	Pass	2986
30	1000	0.1	RMS	905.3	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-50.95	-13	Pass	701
1700	1765	1	RMS	1710.238	20.89	60	Pass	401
1765	3000	1	RMS	2655	-46.1	-13	Pass	1236
3000	12000	1	RMS	11856	-39.81	-13	Pass	9001
12000	20000	1	RMS	19998	-27.41	-13	Pass	8001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.46	-13	Pass	2986
30	1000	0.1	RMS	938.4	-62.18	-13	Pass	9701
1000	1700	1	RMS	1699	-51.05	-13	Pass	701
1700	1765	1	RMS	1732.013	22.36	60	Pass	401
1765	3000	1	RMS	2648	-46.13	-13	Pass	1236
3000	12000	1	RMS	11932	-39.77	-13	Pass	9001
12000	20000	1	RMS	20000	-27.47	-13	Pass	8001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.04	-13	Pass	2986
30	1000	0.1	RMS	933.2	-62.16	-13	Pass	9701
1000	1700	1	RMS	1699	-51.05	-13	Pass	701
1700	1765	1	RMS	1732.013	21.42	60	Pass	401
1765	3000	1	RMS	2657	-46.08	-13	Pass	1236
3000	12000	1	RMS	11839	-39.79	-13	Pass	9001
12000	20000	1	RMS	19999	-27.4	-13	Pass	8001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.04	-13	Pass	2986
30	1000	0.1	RMS	898.1	-62.18	-13	Pass	9701
1000	1700	1	RMS	1699	-51.07	-13	Pass	701
1700	1765	1	RMS	1753.788	22.35	60	Pass	401
1765	3000	1	RMS	2653	-46.08	-13	Pass	1236
3000	12000	1	RMS	11942	-39.82	-13	Pass	9001
12000	20000	1	RMS	19995	-27.4	-13	Pass	8001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.49	-13	Pass	2986
30	1000	0.1	RMS	939.8	-62.11	-13	Pass	9701
1000	1700	1	RMS	1693	-51.11	-13	Pass	701
1700	1765	1	RMS	1753.95	21.21	60	Pass	401
1765	3000	1	RMS	2657	-46.13	-13	Pass	1236
3000	12000	1	RMS	11927	-39.73	-13	Pass	9001
12000	20000	1	RMS	19999	-27.31	-13	Pass	8001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.72	-13	Pass	2986
30	1000	0.1	RMS	936.6	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-50.66	-13	Pass	701
1700	1765	1	RMS	1710.238	21.74	60	Pass	401
1765	3000	1	RMS	2650	-46.12	-13	Pass	1236
3000	12000	1	RMS	11950	-39.81	-13	Pass	9001
12000	20000	1	RMS	19993	-27.43	-13	Pass	8001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.88	-13	Pass	2986
30	1000	0.1	RMS	922.2	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1765	1	RMS	1710.238	20.88	60	Pass	401
1765	3000	1	RMS	3000	-46.12	-13	Pass	1236
3000	12000	1	RMS	11961	-39.79	-13	Pass	9001
12000	20000	1	RMS	19997	-27.4	-13	Pass	8001




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.82	-13	Pass	2986
30	1000	0.1	RMS	987.3	-62.15	-13	Pass	9701
1000	1700	1	RMS	1699	-51.08	-13	Pass	701
1700	1765	1	RMS	1731.2	21.89	60	Pass	401
1765	3000	1	RMS	2648	-46.12	-13	Pass	1236
3000	12000	1	RMS	11945	-39.81	-13	Pass	9001
12000	20000	1	RMS	19999	-27.39	-13	Pass	8001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.14	-13	Pass	2986
30	1000	0.1	RMS	974.2	-62.17	-13	Pass	9701
1000	1700	1	RMS	1696	-51.12	-13	Pass	701
1700	1765	1	RMS	1731.2	20.85	60	Pass	401
1765	3000	1	RMS	2653	-46.13	-13	Pass	1236
3000	12000	1	RMS	11871	-39.75	-13	Pass	9001
12000	20000	1	RMS	19999	-27.34	-13	Pass	8001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.87	-13	Pass	2986
30	1000	0.1	RMS	913.8	-62.14	-13	Pass	9701
1000	1700	1	RMS	1693	-51.1	-13	Pass	701
1700	1765	1	RMS	1752.325	21.84	60	Pass	401
1765	3000	1	RMS	3000	-46.11	-13	Pass	1236
3000	12000	1	RMS	11955	-39.79	-13	Pass	9001
12000	20000	1	RMS	19995	-27.48	-13	Pass	8001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.36	-13	Pass	2986
30	1000	0.1	RMS	923.3	-62.14	-13	Pass	9701
1000	1700	1	RMS	1699	-51.12	-13	Pass	701
1700	1765	1	RMS	1752.163	20.75	60	Pass	401
1765	3000	1	RMS	2657	-46.15	-13	Pass	1236
3000	12000	1	RMS	11950	-39.84	-13	Pass	9001
12000	20000	1	RMS	19997	-27.36	-13	Pass	8001




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.51	-13	Pass	2986
30	1000	0.1	RMS	919.7	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-50.5	-13	Pass	701
1700	1765	1	RMS	1710.4	21.91	60	Pass	401
1765	3000	1	RMS	3000	-46.1	-13	Pass	1236
3000	12000	1	RMS	11941	-39.81	-13	Pass	9001
12000	20000	1	RMS	20000	-27.37	-13	Pass	8001




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.61	-13	Pass	2986
30	1000	0.1	RMS	947.2	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	Pass	701
1700	1765	1	RMS	1710.4	20.93	60	Pass	401
1765	3000	1	RMS	2651	-46.11	-13	Pass	1236
3000	12000	1	RMS	11950	-39.8	-13	Pass	9001
12000	20000	1	RMS	19999	-27.38	-13	Pass	8001




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.79	-13	Pass	2986
30	1000	0.1	RMS	913.1	-62.18	-13	Pass	9701
1000	1700	1	RMS	1699	-51.08	-13	Pass	701
1700	1765	1	RMS	1730.388	21.88	60	Pass	401
1765	3000	1	RMS	2659	-46.14	-13	Pass	1236
3000	12000	1	RMS	11947	-39.79	-13	Pass	9001
12000	20000	1	RMS	19996	-27.35	-13	Pass	8001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.48	-13	Pass	2986
30	1000	0.1	RMS	912.7	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.11	-13	Pass	701
1700	1765	1	RMS	1730.388	21.01	60	Pass	401
1765	3000	1	RMS	2654	-46.13	-13	Pass	1236
3000	12000	1	RMS	11938	-39.79	-13	Pass	9001
12000	20000	1	RMS	20000	-27.43	-13	Pass	8001




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.72	-13	Pass	2986
30	1000	0.1	RMS	898.1	-62.16	-13	Pass	9701
1000	1700	1	RMS	1698	-51.13	-13	Pass	701
1700	1765	1	RMS	1750.375	22.04	60	Pass	401
1765	3000	1	RMS	2650	-46.09	-13	Pass	1236
3000	12000	1	RMS	11939	-39.81	-13	Pass	9001
12000	20000	1	RMS	19998	-27.35	-13	Pass	8001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.45	-13	Pass	2986
30	1000	0.1	RMS	917.2	-62.2	-13	Pass	9701
1000	1700	1	RMS	1585	-51.09	-13	Pass	701
1700	1765	1	RMS	1750.375	21.09	60	Pass	401
1765	3000	1	RMS	2647	-46.12	-13	Pass	1236
3000	12000	1	RMS	11981	-39.78	-13	Pass	9001
12000	20000	1	RMS	20000	-27.38	-13	Pass	8001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.04	-13	Pass	2986
30	1000	0.1	RMS	929.1	-62.26	-13	Pass	9701
1000	1700	1	RMS	1693	-47.82	-13	Pass	701
1700	1765	1	RMS	1710.563	22.05	60	Pass	401
1765	3000	1	RMS	2653	-46.07	-13	Pass	1236
3000	12000	1	RMS	11947	-39.79	-13	Pass	9001
12000	20000	1	RMS	19996	-27.34	-13	Pass	8001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.88	-13	Pass	2986
30	1000	0.1	RMS	920.9	-62.18	-13	Pass	9701
1000	1700	1	RMS	1693	-48.42	-13	Pass	701
1700	1765	1	RMS	1710.563	21.21	60	Pass	401
1765	3000	1	RMS	2648	-46.11	-13	Pass	1236
3000	12000	1	RMS	11953	-39.81	-13	Pass	9001
12000	20000	1	RMS	19995	-27.44	-13	Pass	8001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.66	-13	Pass	2986
30	1000	0.1	RMS	915.8	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-50.98	-13	Pass	701
1700	1765	1	RMS	1728.113	22.12	60	Pass	401
1765	3000	1	RMS	2650	-46.12	-13	Pass	1236
3000	12000	1	RMS	11839	-39.81	-13	Pass	9001
12000	20000	1	RMS	20000	-27.3	-13	Pass	8001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.23	-13	Pass	2986
30	1000	0.1	RMS	930.7	-62.16	-13	Pass	9701
1000	1700	1	RMS	1698	-51.04	-13	Pass	701
1700	1765	1	RMS	1728.113	21.1	60	Pass	401
1765	3000	1	RMS	2645	-46.15	-13	Pass	1236
3000	12000	1	RMS	11948	-39.78	-13	Pass	9001
12000	20000	1	RMS	19998	-27.38	-13	Pass	8001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.95	-13	Pass	2986
30	1000	0.1	RMS	950.2	-62.15	-13	Pass	9701
1000	1700	1	RMS	1699	-51.06	-13	Pass	701
1700	1765	1	RMS	1745.663	22.06	60	Pass	401
1765	3000	1	RMS	2654	-46.13	-13	Pass	1236
3000	12000	1	RMS	11939	-39.72	-13	Pass	9001
12000	20000	1	RMS	19996	-27.4	-13	Pass	8001




4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.38	-13	Pass	2986
30	1000	0.1	RMS	935.4	-62.12	-13	Pass	9701
1000	1700	1	RMS	1697	-51.15	-13	Pass	701
1700	1765	1	RMS	1745.663	20.96	60	Pass	401
1765	3000	1	RMS	2656	-46.17	-13	Pass	1236
3000	12000	1	RMS	11956	-39.78	-13	Pass	9001
12000	20000	1	RMS	19999	-27.36	-13	Pass	8001




4.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.28	-13	Pass	2986
30	1000	0.1	RMS	933.4	-62.22	-13	Pass	9701
1000	1700	1	RMS	1698	-36.71	-13	Pass	701
1700	1765	1	RMS	1710.888	22.76	60	Pass	401
1765	3000	1	RMS	2649	-46.13	-13	Pass	1236
3000	12000	1	RMS	11949	-39.8	-13	Pass	9001
12000	20000	1	RMS	20000	-27.35	-13	Pass	8001




4.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.67	-13	Pass	2986
30	1000	0.1	RMS	950.8	-62.13	-13	Pass	9701
1000	1700	1	RMS	1698	-36.95	-13	Pass	701
1700	1765	1	RMS	1710.888	22	60	Pass	401
1765	3000	1	RMS	2652	-46.1	-13	Pass	1236
3000	12000	1	RMS	11946	-39.82	-13	Pass	9001
12000	20000	1	RMS	20000	-27.34	-13	Pass	8001




4.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.1	-13	Pass	2986
30	1000	0.1	RMS	947.5	-62.12	-13	Pass	9701
1000	1700	1	RMS	1699	-48.39	-13	Pass	701
1700	1765	1	RMS	1725.838	22.81	60	Pass	401
1765	3000	1	RMS	2652	-46.08	-13	Pass	1236
3000	12000	1	RMS	11957	-39.77	-13	Pass	9001
12000	20000	1	RMS	19998	-27.31	-13	Pass	8001




4.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.97	-13	Pass	2986
30	1000	0.1	RMS	945.1	-62.21	-13	Pass	9701
1000	1700	1	RMS	1699	-48.81	-13	Pass	701
1700	1765	1	RMS	1725.838	21.78	60	Pass	401
1765	3000	1	RMS	2656	-46.11	-13	Pass	1236
3000	12000	1	RMS	11952	-39.71	-13	Pass	9001
12000	20000	1	RMS	19997	-27.35	-13	Pass	8001




4.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.67	-13	Pass	2986
30	1000	0.1	RMS	916.9	-62.19	-13	Pass	9701
1000	1700	1	RMS	1698	-50.97	-13	Pass	701
1700	1765	1	RMS	1740.788	22.66	60	Pass	401
1765	3000	1	RMS	1767	-39.54	-13	Pass	1236
3000	12000	1	RMS	11848	-39.8	-13	Pass	9001
12000	20000	1	RMS	19998	-27.42	-13	Pass	8001




4.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.77	-13	Pass	2986
30	1000	0.1	RMS	921.1	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-51.04	-13	Pass	701
1700	1765	1	RMS	1740.788	21.55	60	Pass	401
1765	3000	1	RMS	1767	-42.44	-13	Pass	1236
3000	12000	1	RMS	11947	-39.73	-13	Pass	9001
12000	20000	1	RMS	20000	-27.36	-13	Pass	8001




4.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.94	-13	Pass	2986
30	1000	0.1	RMS	923.1	-62.08	-13	Pass	9701
1000	1700	1	RMS	1693	-36.75	-13	Pass	701
1700	1765	1	RMS	1711.05	22.7	60	Pass	401
1765	3000	1	RMS	2649	-46.04	-13	Pass	1236
3000	12000	1	RMS	11958	-39.83	-13	Pass	9001
12000	20000	1	RMS	19997	-27.32	-13	Pass	8001




4.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.49	-13	Pass	2986
30	1000	0.1	RMS	940.8	-62.24	-13	Pass	9701
1000	1700	1	RMS	1693	-37.63	-13	Pass	701
1700	1765	1	RMS	1711.05	21.85	60	Pass	401
1765	3000	1	RMS	2650	-46.13	-13	Pass	1236
3000	12000	1	RMS	11854	-39.76	-13	Pass	9001
12000	20000	1	RMS	20000	-27.37	-13	Pass	8001




4.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.54	-13	Pass	2986
30	1000	0.1	RMS	992.1	-62.23	-13	Pass	9701
1000	1700	1	RMS	1688	-48.51	-13	Pass	701
1700	1765	1	RMS	1723.563	22.58	60	Pass	401
1765	3000	1	RMS	2654	-46.11	-13	Pass	1236
3000	12000	1	RMS	11957	-39.79	-13	Pass	9001
12000	20000	1	RMS	19996	-27.38	-13	Pass	8001




4.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.88	-13	Pass	2986
30	1000	0.1	RMS	905.7	-62.14	-13	Pass	9701
1000	1700	1	RMS	1688	-49.16	-13	Pass	701
1700	1765	1	RMS	1723.563	21.59	60	Pass	401
1765	3000	1	RMS	2650	-46.12	-13	Pass	1236
3000	12000	1	RMS	11955	-39.78	-13	Pass	9001
12000	20000	1	RMS	20000	-27.44	-13	Pass	8001




4.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.75	-13	Pass	2986
30	1000	0.1	RMS	930.2	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-48.98	-13	Pass	701
1700	1765	1	RMS	1736.075	22.39	60	Pass	401
1765	3000	1	RMS	1772	-35.87	-13	Pass	1236
3000	12000	1	RMS	11866	-39.84	-13	Pass	9001
12000	20000	1	RMS	19999	-27.4	-13	Pass	8001



4.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.47	-13	Pass	2986
30	1000	0.1	RMS	943.8	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-49.4	-13	Pass	701
1700	1765	1	RMS	1736.075	21.47	60	Pass	401
1765	3000	1	RMS	1772	-37.38	-13	Pass	1236
3000	12000	1	RMS	11956	-39.78	-13	Pass	9001
12000	20000	1	RMS	19997	-27.32	-13	Pass	8001



5. LTE_Band5


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.23	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.93	-13	Pass	7841
814	860	0.1	RMS	824.3	20.62	60	Pass	461
860	1000	0.1	RMS	922.1	-62.38	-13	Pass	1401
1000	3000	1	RMS	2647	-46.11	-13	Pass	2001
3000	10000	1	RMS	7767	-41.56	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.67	-13	Pass	2986
30	814	0.1	RMS	812.9	-61.88	-13	Pass	7841
814	860	0.1	RMS	824.3	19.82	60	Pass	461
860	1000	0.1	RMS	947.9	-62.49	-13	Pass	1401
1000	3000	1	RMS	2650	-46.15	-13	Pass	2001
3000	10000	1	RMS	7734	-41.54	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.91	-13	Pass	2986
30	814	0.1	RMS	812	-62.39	-13	Pass	7841
814	860	0.1	RMS	836.1	19.52	60	Pass	461
860	1000	0.1	RMS	992.5	-62.54	-13	Pass	1401
1000	3000	1	RMS	2648	-46.18	-13	Pass	2001
3000	10000	1	RMS	7750	-41.56	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.67	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.23	-13	Pass	7841
814	860	0.1	RMS	836.1	18.47	60	Pass	461
860	1000	0.1	RMS	930.2	-62.57	-13	Pass	1401
1000	3000	1	RMS	2649	-46.15	-13	Pass	2001
3000	10000	1	RMS	7735	-41.5	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.73	-13	Pass	2986
30	814	0.1	RMS	813	-62.46	-13	Pass	7841
814	860	0.1	RMS	847.9	18.2	60	Pass	461
860	1000	0.1	RMS	939.9	-62.4	-13	Pass	1401
1000	3000	1	RMS	2544	-44.9	-13	Pass	2001
3000	10000	1	RMS	9549	-41.54	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.27	-13	Pass	2986
30	814	0.1	RMS	811.3	-62.41	-13	Pass	7841
814	860	0.1	RMS	847.9	17.37	60	Pass	461
860	1000	0.1	RMS	940.5	-62.58	-13	Pass	1401
1000	3000	1	RMS	2544	-45.63	-13	Pass	2001
3000	10000	1	RMS	7735	-41.54	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.67	-13	Pass	2986
30	814	0.1	RMS	812.9	-61.57	-13	Pass	7841
814	860	0.1	RMS	824.2	20.58	60	Pass	461
860	1000	0.1	RMS	988.8	-62.54	-13	Pass	1401
1000	3000	1	RMS	2649	-46.12	-13	Pass	2001
3000	10000	1	RMS	7729	-41.49	-13	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.71	-13	Pass	2986
30	814	0.1	RMS	812.4	-61.76	-13	Pass	7841
814	860	0.1	RMS	824.2	19.7	60	Pass	461
860	1000	0.1	RMS	927.9	-62.42	-13	Pass	1401
1000	3000	1	RMS	2653	-46.17	-13	Pass	2001
3000	10000	1	RMS	7740	-41.52	-13	Pass	7001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.7	-13	Pass	2986
30	814	0.1	RMS	786.8	-62.24	-13	Pass	7841
814	860	0.1	RMS	835.2	19.26	60	Pass	461
860	1000	0.1	RMS	942.4	-62.52	-13	Pass	1401
1000	3000	1	RMS	2651	-46.12	-13	Pass	2001
3000	10000	1	RMS	7726	-41.55	-13	Pass	7001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.87	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.31	-13	Pass	7841
814	860	0.1	RMS	835.2	18.38	60	Pass	461
860	1000	0.1	RMS	891.4	-62.54	-13	Pass	1401
1000	3000	1	RMS	2649	-46.17	-13	Pass	2001
3000	10000	1	RMS	9549	-41.58	-13	Pass	7001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.54	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.45	-13	Pass	7841
814	860	0.1	RMS	846.2	18.14	60	Pass	461
860	1000	0.1	RMS	934.4	-62.54	-13	Pass	1401
1000	3000	1	RMS	2644	-46.18	-13	Pass	2001
3000	10000	1	RMS	7739	-41.55	-13	Pass	7001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.95	-13	Pass	2986
30	814	0.1	RMS	812.3	-62.37	-13	Pass	7841
814	860	0.1	RMS	846.2	17.15	60	Pass	461
860	1000	0.1	RMS	905.6	-62.52	-13	Pass	1401
1000	3000	1	RMS	2648	-46.15	-13	Pass	2001
3000	10000	1	RMS	7732	-41.53	-13	Pass	7001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.35	-13	Pass	2986
30	814	0.1	RMS	812.9	-61.7	-13	Pass	7841
814	860	0.1	RMS	824.3	20.44	60	Pass	461
860	1000	0.1	RMS	885.8	-62.51	-13	Pass	1401
1000	3000	1	RMS	2652	-46.06	-13	Pass	2001
3000	10000	1	RMS	7721	-41.56	-13	Pass	7001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.87	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.63	-13	Pass	7841
814	860	0.1	RMS	824.3	19.48	60	Pass	461
860	1000	0.1	RMS	914	-62.45	-13	Pass	1401
1000	3000	1	RMS	2659	-46.16	-13	Pass	2001
3000	10000	1	RMS	9539	-41.59	-13	Pass	7001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.84	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.32	-13	Pass	7841
814	860	0.1	RMS	834.3	18.81	60	Pass	461
860	1000	0.1	RMS	925.4	-62.47	-13	Pass	1401
1000	3000	1	RMS	2655	-46.13	-13	Pass	2001
3000	10000	1	RMS	7741	-41.54	-13	Pass	7001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.55	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.28	-13	Pass	7841
814	860	0.1	RMS	834.3	18.01	60	Pass	461
860	1000	0.1	RMS	942.2	-62.47	-13	Pass	1401
1000	3000	1	RMS	2645	-46.17	-13	Pass	2001
3000	10000	1	RMS	7742	-41.56	-13	Pass	7001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-13	Pass	2986
30	814	0.1	RMS	771.3	-62.38	-13	Pass	7841
814	860	0.1	RMS	844.3	18.57	60	Pass	461
860	1000	0.1	RMS	938.5	-62.46	-13	Pass	1401
1000	3000	1	RMS	2651	-46.14	-13	Pass	2001
3000	10000	1	RMS	7736	-41.54	-13	Pass	7001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.92	-13	Pass	2986
30	814	0.1	RMS	782	-62.52	-13	Pass	7841
814	860	0.1	RMS	844.3	17.81	60	Pass	461
860	1000	0.1	RMS	918.8	-62.52	-13	Pass	1401
1000	3000	1	RMS	2649	-46.17	-13	Pass	2001
3000	10000	1	RMS	7731	-41.56	-13	Pass	7001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50	-13	Pass	2986
30	814	0.1	RMS	813.3	-60.94	-13	Pass	7841
814	860	0.1	RMS	824.6	21.28	60	Pass	461
860	1000	0.1	RMS	913.5	-62.34	-13	Pass	1401
1000	3000	1	RMS	2650	-46.14	-13	Pass	2001
3000	10000	1	RMS	7732	-41.58	-13	Pass	7001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.03	-13	Pass	2986
30	814	0.1	RMS	813.7	-60.97	-13	Pass	7841
814	860	0.1	RMS	824.6	20.62	60	Pass	461
860	1000	0.1	RMS	932.6	-62.48	-13	Pass	1401
1000	3000	1	RMS	2658	-46.14	-13	Pass	2001
3000	10000	1	RMS	7731	-41.5	-13	Pass	7001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.15	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.14	-13	Pass	7841
814	860	0.1	RMS	832.1	19.18	60	Pass	461
860	1000	0.1	RMS	928.6	-62.53	-13	Pass	1401
1000	3000	1	RMS	2650	-46.17	-13	Pass	2001
3000	10000	1	RMS	7741	-41.58	-13	Pass	7001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.27	-13	Pass	2986
30	814	0.1	RMS	810	-62.28	-13	Pass	7841
814	860	0.1	RMS	832.1	18.27	60	Pass	461
860	1000	0.1	RMS	905	-62.57	-13	Pass	1401
1000	3000	1	RMS	2655	-46.2	-13	Pass	2001
3000	10000	1	RMS	7727	-41.56	-13	Pass	7001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.84	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.28	-13	Pass	7841
814	860	0.1	RMS	839.6	19.32	60	Pass	461
860	1000	0.1	RMS	919.7	-62.48	-13	Pass	1401
1000	3000	1	RMS	2519	-45.76	-13	Pass	2001
3000	10000	1	RMS	9552	-41.5	-13	Pass	7001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.91	-13	Pass	2986
30	814	0.1	RMS	801.4	-62.42	-13	Pass	7841
814	860	0.1	RMS	839.6	18.41	60	Pass	461
860	1000	0.1	RMS	962.4	-62.49	-13	Pass	1401
1000	3000	1	RMS	2659	-46.11	-13	Pass	2001
3000	10000	1	RMS	7734	-41.53	-13	Pass	7001



6. LTE_Band7


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.25	-25	Pass	2986
30	1000	0.1	RMS	913.8	-62.15	-25	Pass	9701
1000	2490	1	RMS	2490	-47.12	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.02	60	Pass	401
2580	3000	1	RMS	2655	-46.16	-25	Pass	421
3000	12000	1	RMS	5001	-37.46	-25	Pass	9001
12000	26000	1	RMS	25012	-45.24	-25	Pass	14001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.72	-25	Pass	2986
30	1000	0.1	RMS	912	-62.21	-25	Pass	9701
1000	2490	1	RMS	2490	-47.14	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.13	60	Pass	401
2580	3000	1	RMS	2655	-46.18	-25	Pass	421
3000	12000	1	RMS	5001	-39.9	-25	Pass	9001
12000	26000	1	RMS	25013	-40.61	-25	Pass	14001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.22	-25	Pass	2986
30	1000	0.1	RMS	951.2	-62.13	-25	Pass	9701
1000	2490	1	RMS	2489	-47.42	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.8	60	Pass	401
2580	3000	1	RMS	2656	-46.15	-25	Pass	421
3000	12000	1	RMS	5066	-38.33	-25	Pass	9001
12000	26000	1	RMS	25014	-40.58	-25	Pass	14001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.8	-25	Pass	2986
30	1000	0.1	RMS	940	-62.25	-25	Pass	9701
1000	2490	1	RMS	2489	-47.48	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.94	60	Pass	401
2580	3000	1	RMS	2656	-46.15	-25	Pass	421
3000	12000	1	RMS	5066	-38.67	-25	Pass	9001
12000	26000	1	RMS	25019	-40.57	-25	Pass	14001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-49.92	-25	Pass	2986
30	1000	0.1	RMS	927.9	-62.14	-25	Pass	9701
1000	2490	1	RMS	2489	-47.5	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.8	60	Pass	401
2580	3000	1	RMS	2653	-46.19	-25	Pass	421
3000	12000	1	RMS	5131	-32.52	-25	Pass	9001
12000	26000	1	RMS	25007	-40.53	-25	Pass	14001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.14	-25	Pass	2986
30	1000	0.1	RMS	930.3	-62.24	-25	Pass	9701
1000	2490	1	RMS	2488	-47.5	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.06	60	Pass	401
2580	3000	1	RMS	2650	-46.17	-25	Pass	421
3000	12000	1	RMS	5131	-34.2	-25	Pass	9001
12000	26000	1	RMS	25009	-40.54	-25	Pass	14001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.74	-25	Pass	2986
30	1000	0.1	RMS	934.6	-62.11	-25	Pass	9701
1000	2490	1	RMS	2483	-43.14	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.97	60	Pass	401
2580	3000	1	RMS	2652	-46.16	-25	Pass	421
3000	12000	1	RMS	5001	-36.16	-25	Pass	9001
12000	26000	1	RMS	25010	-40.44	-25	Pass	14001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.75	-25	Pass	2986
30	1000	0.1	RMS	932	-62.2	-25	Pass	9701
1000	2490	1	RMS	2483	-43.86	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.29	60	Pass	401
2580	3000	1	RMS	2650	-46.13	-25	Pass	421
3000	12000	1	RMS	5001	-37.93	-25	Pass	9001
12000	26000	1	RMS	25013	-40.48	-25	Pass	14001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.13	-25	Pass	2986
30	1000	0.1	RMS	953.1	-62.24	-25	Pass	9701
1000	2490	1	RMS	2490	-47.36	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.51	60	Pass	401
2580	3000	1	RMS	2654	-46.14	-25	Pass	421
3000	12000	1	RMS	5061	-38.97	-25	Pass	9001
12000	26000	1	RMS	25010	-40.52	-25	Pass	14001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.47	-25	Pass	2986
30	1000	0.1	RMS	934.5	-62.25	-25	Pass	9701
1000	2490	1	RMS	2490	-47.44	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.23	60	Pass	401
2580	3000	1	RMS	2658	-46.21	-25	Pass	421
3000	12000	1	RMS	5061	-40.34	-25	Pass	9001
12000	26000	1	RMS	25012	-40.53	-25	Pass	14001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.04	-25	Pass	2986
30	1000	0.1	RMS	893.9	-62.31	-25	Pass	9701
1000	2490	1	RMS	2489	-47.47	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.4	60	Pass	401
2580	3000	1	RMS	2654	-46.16	-25	Pass	421
3000	12000	1	RMS	5121	-34.22	-25	Pass	9001
12000	26000	1	RMS	25012	-40.45	-25	Pass	14001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.05	-25	Pass	2986
30	1000	0.1	RMS	922.2	-62.13	-25	Pass	9701
1000	2490	1	RMS	2485	-47.51	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.29	60	Pass	401
2580	3000	1	RMS	2650	-46.18	-25	Pass	421
3000	12000	1	RMS	5121	-35.93	-25	Pass	9001
12000	26000	1	RMS	25012	-40.6	-25	Pass	14001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.79	-25	Pass	2986
30	1000	0.1	RMS	915.6	-62.16	-25	Pass	9701
1000	2490	1	RMS	2488	-32.63	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.2	60	Pass	401
2580	3000	1	RMS	2655	-46.2	-25	Pass	421
3000	12000	1	RMS	5002	-35.21	-25	Pass	9001
12000	26000	1	RMS	25021	-40.63	-25	Pass	14001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.26	-25	Pass	2986
30	1000	0.1	RMS	935.6	-62.15	-25	Pass	9701
1000	2490	1	RMS	2488	-33.86	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.33	60	Pass	401
2580	3000	1	RMS	2651	-46.17	-25	Pass	421
3000	12000	1	RMS	5002	-36.71	-25	Pass	9001
12000	26000	1	RMS	25019	-40.62	-25	Pass	14001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.25	-25	Pass	2986
30	1000	0.1	RMS	934	-62.25	-25	Pass	9701
1000	2490	1	RMS	2490	-47.42	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.22	60	Pass	401
2580	3000	1	RMS	2651	-46.12	-25	Pass	421
3000	12000	1	RMS	5057	-38.46	-25	Pass	9001
12000	26000	1	RMS	25011	-40.44	-25	Pass	14001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.94	-25	Pass	2986
30	1000	0.1	RMS	916.1	-62.14	-25	Pass	9701
1000	2490	1	RMS	2487	-47.48	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.14	60	Pass	401
2580	3000	1	RMS	2656	-46.15	-25	Pass	421
3000	12000	1	RMS	5057	-41.33	-25	Pass	9001
12000	26000	1	RMS	25017	-40.63	-25	Pass	14001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.5	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.14	-25	Pass	2986
30	1000	0.1	RMS	915.1	-62.26	-25	Pass	9701
1000	2490	1	RMS	2489	-47.44	-25	Pass	1491
2490	2580	1	RMS	2555.925	22.35	60	Pass	401
2580	3000	1	RMS	2582	-36.77	-25	Pass	421
3000	12000	1	RMS	5112	-35.38	-25	Pass	9001
12000	26000	1	RMS	25012	-40.55	-25	Pass	14001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.65	-25	Pass	2986
30	1000	0.1	RMS	915.6	-62.26	-25	Pass	9701
1000	2490	1	RMS	2485	-47.54	-25	Pass	1491
2490	2580	1	RMS	2555.925	21.41	60	Pass	401
2580	3000	1	RMS	2582	-37.57	-25	Pass	421
3000	12000	1	RMS	5112	-36.54	-25	Pass	9001
12000	26000	1	RMS	25010	-40.55	-25	Pass	14001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.71	-25	Pass	2986
30	1000	0.1	RMS	937.7	-62.21	-25	Pass	9701
1000	2490	1	RMS	2483	-37.51	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.8	60	Pass	401
2580	3000	1	RMS	2652	-46.19	-25	Pass	421
3000	12000	1	RMS	5002	-35.6	-25	Pass	9001
12000	26000	1	RMS	25009	-40.49	-25	Pass	14001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.61	-25	Pass	2986
30	1000	0.1	RMS	927.6	-62.15	-25	Pass	9701
1000	2490	1	RMS	2483	-38.45	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.11	60	Pass	401
2580	3000	1	RMS	2651	-46.2	-25	Pass	421
3000	12000	1	RMS	5002	-36.95	-25	Pass	9001
12000	26000	1	RMS	25010	-40.56	-25	Pass	14001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.18	-25	Pass	2986
30	1000	0.1	RMS	914.6	-62.21	-25	Pass	9701
1000	2490	1	RMS	2490	-37.81	-25	Pass	1491
2490	2580	1	RMS	2526	22.01	60	Pass	401
2580	3000	1	RMS	2651	-46.16	-25	Pass	421
3000	12000	1	RMS	5052	-38.18	-25	Pass	9001
12000	26000	1	RMS	25012	-40.55	-25	Pass	14001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.11	-25	Pass	2986
30	1000	0.1	RMS	900.7	-62.24	-25	Pass	9701
1000	2490	1	RMS	2490	-39.64	-25	Pass	1491
2490	2580	1	RMS	2526	21.31	60	Pass	401
2580	3000	1	RMS	2648	-46.15	-25	Pass	421
3000	12000	1	RMS	5052	-39.3	-25	Pass	9001
12000	26000	1	RMS	25010	-40.53	-25	Pass	14001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.95	-25	Pass	2986
30	1000	0.1	RMS	923.5	-62.25	-25	Pass	9701
1000	2490	1	RMS	2489	-47.32	-25	Pass	1491
2490	2580	1	RMS	2550.975	23.15	60	Pass	401
2580	3000	1	RMS	2587	-38.49	-25	Pass	421
3000	12000	1	RMS	5102	-34.57	-25	Pass	9001
12000	26000	1	RMS	25013	-40.57	-25	Pass	14001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.52	-25	Pass	2986
30	1000	0.1	RMS	938.3	-62.07	-25	Pass	9701
1000	2490	1	RMS	2488	-47.38	-25	Pass	1491
2490	2580	1	RMS	2551.2	22.05	60	Pass	401
2580	3000	1	RMS	2587	-39.01	-25	Pass	421
3000	12000	1	RMS	5102	-35.63	-25	Pass	9001
12000	26000	1	RMS	25007	-40.58	-25	Pass	14001



7. LTE_Band12


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.94	-13	Pass	2986
30	689	0.1	RMS	688.2	-63.31	-13	Pass	6591
689	726	0.1	RMS	699.268	19.19	60	Pass	401
726	1000	0.1	RMS	923.4	-61.95	-13	Pass	2741
1000	3000	1	RMS	2652	-46.14	-13	Pass	2001
3000	10000	1	RMS	7726	-41.55	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.7	-13	Pass	2986
30	689	0.1	RMS	680.9	-63.48	-13	Pass	6591
689	726	0.1	RMS	699.268	18.18	60	Pass	401
726	1000	0.1	RMS	914.2	-62.36	-13	Pass	2741
1000	3000	1	RMS	2649	-46.17	-13	Pass	2001
3000	10000	1	RMS	7731	-41.5	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.97	-13	Pass	2986
30	689	0.1	RMS	683.6	-63.47	-13	Pass	6591
689	726	0.1	RMS	707.038	19.17	60	Pass	401
726	1000	0.1	RMS	918.7	-62.32	-13	Pass	2741
1000	3000	1	RMS	1414	-46.15	-13	Pass	2001
3000	10000	1	RMS	7740	-41.5	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.84	-13	Pass	2986
30	689	0.1	RMS	686.3	-63.3	-13	Pass	6591
689	726	0.1	RMS	707.038	18.1	60	Pass	401
726	1000	0.1	RMS	950.4	-62.26	-13	Pass	2741
1000	3000	1	RMS	2646	-46.19	-13	Pass	2001
3000	10000	1	RMS	7739	-41.56	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.64	-13	Pass	2986
30	689	0.1	RMS	669.6	-63.5	-13	Pass	6591
689	726	0.1	RMS	714.9	18.36	60	Pass	401
726	1000	0.1	RMS	921.9	-62.22	-13	Pass	2741
1000	3000	1	RMS	2655	-46.15	-13	Pass	2001
3000	10000	1	RMS	7727	-41.52	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-13	Pass	2986
30	689	0.1	RMS	689	-63.47	-13	Pass	6591
689	726	0.1	RMS	714.9	17.36	60	Pass	401
726	1000	0.1	RMS	904.4	-62.14	-13	Pass	2741
1000	3000	1	RMS	2653	-46.15	-13	Pass	2001
3000	10000	1	RMS	7735	-41.53	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.54	-13	Pass	2986
30	689	0.1	RMS	688.8	-63.3	-13	Pass	6591
689	726	0.1	RMS	699.268	18.54	60	Pass	401
726	1000	0.1	RMS	938.3	-62.24	-13	Pass	2741
1000	3000	1	RMS	2650	-46.17	-13	Pass	2001
3000	10000	1	RMS	7735	-41.49	-13	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.71	-13	Pass	2986
30	689	0.1	RMS	688.7	-63.54	-13	Pass	6591
689	726	0.1	RMS	699.268	17.68	60	Pass	401
726	1000	0.1	RMS	943.9	-62.34	-13	Pass	2741
1000	3000	1	RMS	2651	-46.17	-13	Pass	2001
3000	10000	1	RMS	7731	-41.56	-13	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.5	-13	Pass	2986
30	689	0.1	RMS	689	-63.25	-13	Pass	6591
689	726	0.1	RMS	706.205	18.11	60	Pass	401
726	1000	0.1	RMS	931.4	-62.34	-13	Pass	2741
1000	3000	1	RMS	2655	-46.15	-13	Pass	2001
3000	10000	1	RMS	9542	-41.53	-13	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.15	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.47	-13	Pass	6591
689	726	0.1	RMS	706.205	17.14	60	Pass	401
726	1000	0.1	RMS	929.7	-62.24	-13	Pass	2741
1000	3000	1	RMS	2653	-46.17	-13	Pass	2001
3000	10000	1	RMS	7728	-41.47	-13	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.15	-13	Pass	2986
30	689	0.1	RMS	669.4	-63.56	-13	Pass	6591
689	726	0.1	RMS	713.235	18.51	60	Pass	401
726	1000	0.1	RMS	937.8	-62.36	-13	Pass	2741
1000	3000	1	RMS	2650	-46.13	-13	Pass	2001
3000	10000	1	RMS	7740	-41.61	-13	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.21	-13	Pass	2986
30	689	0.1	RMS	688.1	-63.57	-13	Pass	6591
689	726	0.1	RMS	713.235	17.7	60	Pass	401
726	1000	0.1	RMS	921.6	-62.19	-13	Pass	2741
1000	3000	1	RMS	2655	-46.18	-13	Pass	2001
3000	10000	1	RMS	7739	-41.55	-13	Pass	7001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.81	-13	Pass	2986
30	689	0.1	RMS	688.8	-63.22	-13	Pass	6591
689	726	0.1	RMS	699.36	18.72	60	Pass	401
726	1000	0.1	RMS	934.2	-62.12	-13	Pass	2741
1000	3000	1	RMS	2649	-46.15	-13	Pass	2001
3000	10000	1	RMS	7739	-41.53	-13	Pass	7001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.9	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.38	-13	Pass	6591
689	726	0.1	RMS	699.36	17.87	60	Pass	401
726	1000	0.1	RMS	902.8	-62.23	-13	Pass	2741
1000	3000	1	RMS	2657	-46.16	-13	Pass	2001
3000	10000	1	RMS	7740	-41.55	-13	Pass	7001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49	-13	Pass	2986
30	689	0.1	RMS	688.5	-63.43	-13	Pass	6591
689	726	0.1	RMS	705.373	18.46	60	Pass	401
726	1000	0.1	RMS	934.2	-62.08	-13	Pass	2741
1000	3000	1	RMS	2656	-46.13	-13	Pass	2001
3000	10000	1	RMS	7740	-41.46	-13	Pass	7001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.19	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.53	-13	Pass	6591
689	726	0.1	RMS	705.373	17.74	60	Pass	401
726	1000	0.1	RMS	909.7	-62.3	-13	Pass	2741
1000	3000	1	RMS	2649	-46.17	-13	Pass	2001
3000	10000	1	RMS	7734	-41.53	-13	Pass	7001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.24	-13	Pass	2986
30	689	0.1	RMS	519	-63.46	-13	Pass	6591
689	726	0.1	RMS	711.385	18.36	60	Pass	401
726	1000	0.1	RMS	925.4	-62.2	-13	Pass	2741
1000	3000	1	RMS	2653	-46.11	-13	Pass	2001
3000	10000	1	RMS	7732	-41.55	-13	Pass	7001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.76	-13	Pass	2986
30	689	0.1	RMS	688.8	-63.48	-13	Pass	6591
689	726	0.1	RMS	711.385	17.72	60	Pass	401
726	1000	0.1	RMS	920.3	-62.29	-13	Pass	2741
1000	3000	1	RMS	2656	-46.18	-13	Pass	2001
3000	10000	1	RMS	7729	-41.54	-13	Pass	7001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.57	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.19	-13	Pass	6591
689	726	0.1	RMS	699.638	18.49	60	Pass	401
726	1000	0.1	RMS	901.3	-62.28	-13	Pass	2741
1000	3000	1	RMS	2653	-46.16	-13	Pass	2001
3000	10000	1	RMS	7748	-41.59	-13	Pass	7001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.78	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.23	-13	Pass	6591
689	726	0.1	RMS	699.638	17.6	60	Pass	401
726	1000	0.1	RMS	901.5	-62.21	-13	Pass	2741
1000	3000	1	RMS	2651	-46.15	-13	Pass	2001
3000	10000	1	RMS	7748	-41.58	-13	Pass	7001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.35	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.44	-13	Pass	6591
689	726	0.1	RMS	703.06	18.16	60	Pass	401
726	1000	0.1	RMS	897.2	-62.24	-13	Pass	2741
1000	3000	1	RMS	2655	-46.18	-13	Pass	2001
3000	10000	1	RMS	7733	-41.56	-13	Pass	7001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.88	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.39	-13	Pass	6591
689	726	0.1	RMS	703.06	17.18	60	Pass	401
726	1000	0.1	RMS	908.2	-62.36	-13	Pass	2741
1000	3000	1	RMS	2653	-46.19	-13	Pass	2001
3000	10000	1	RMS	7739	-41.55	-13	Pass	7001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.89	-13	Pass	2986
30	689	0.1	RMS	689	-50.16	-13	Pass	6591
689	726	0.1	RMS	706.575	18.29	60	Pass	401
726	1000	0.1	RMS	910.1	-62.34	-13	Pass	2741
1000	3000	1	RMS	2651	-46.16	-13	Pass	2001
3000	10000	1	RMS	7743	-41.55	-13	Pass	7001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.8	-13	Pass	2986
30	689	0.1	RMS	689	-51.77	-13	Pass	6591
689	726	0.1	RMS	706.575	17.33	60	Pass	401
726	1000	0.1	RMS	912.6	-62.3	-13	Pass	2741
1000	3000	1	RMS	2652	-46.16	-13	Pass	2001
3000	10000	1	RMS	7736	-41.52	-13	Pass	7001



8. LTE_Band17


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.42	-13	Pass	2986
30	694	0.1	RMS	692.9	-63.19	-13	Pass	6641
694	726	0.1	RMS	704.32	18.26	60	Pass	401
726	1000	0.1	RMS	898	-62.27	-13	Pass	2741
1000	3000	1	RMS	2648	-46.19	-13	Pass	2001
3000	10000	1	RMS	7736	-41.51	-13	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.96	-13	Pass	2986
30	694	0.1	RMS	692	-63.25	-13	Pass	6641
694	726	0.1	RMS	704.32	17.37	60	Pass	401
726	1000	0.1	RMS	925.7	-62.27	-13	Pass	2741
1000	3000	1	RMS	2656	-46.18	-13	Pass	2001
3000	10000	1	RMS	7725	-41.56	-13	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.36	-13	Pass	2986
30	694	0.1	RMS	692.8	-63.17	-13	Pass	6641
694	726	0.1	RMS	707.84	18.51	60	Pass	401
726	1000	0.1	RMS	889.5	-62.23	-13	Pass	2741
1000	3000	1	RMS	2650	-46.18	-13	Pass	2001
3000	10000	1	RMS	7730	-41.54	-13	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.14	-13	Pass	2986
30	694	0.1	RMS	693.2	-63.4	-13	Pass	6641
694	726	0.1	RMS	707.84	17.77	60	Pass	401
726	1000	0.1	RMS	933.2	-62.4	-13	Pass	2741
1000	3000	1	RMS	2654	-46.18	-13	Pass	2001
3000	10000	1	RMS	7741	-41.45	-13	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.16	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.29	-13	Pass	6641
694	726	0.1	RMS	711.36	18.85	60	Pass	401
726	1000	0.1	RMS	936.7	-62.1	-13	Pass	2741
1000	3000	1	RMS	2654	-46.16	-13	Pass	2001
3000	10000	1	RMS	7738	-41.56	-13	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.31	-13	Pass	2986
30	694	0.1	RMS	689.2	-63.27	-13	Pass	6641
694	726	0.1	RMS	711.36	18.25	60	Pass	401
726	1000	0.1	RMS	831.7	-62.16	-13	Pass	2741
1000	3000	1	RMS	2656	-46.17	-13	Pass	2001
3000	10000	1	RMS	7723	-41.59	-13	Pass	7001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.5	-13	Pass	2986
30	694	0.1	RMS	687	-60.79	-13	Pass	6641
694	726	0.1	RMS	704.56	18.15	60	Pass	401
726	1000	0.1	RMS	933.1	-62.16	-13	Pass	2741
1000	3000	1	RMS	2650	-46.13	-13	Pass	2001
3000	10000	1	RMS	7734	-41.5	-13	Pass	7001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.2	-13	Pass	2986
30	694	0.1	RMS	687	-61.59	-13	Pass	6641
694	726	0.1	RMS	704.56	17.22	60	Pass	401
726	1000	0.1	RMS	929.7	-62.36	-13	Pass	2741
1000	3000	1	RMS	2651	-46.19	-13	Pass	2001
3000	10000	1	RMS	7729	-41.59	-13	Pass	7001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.4	-13	Pass	2986
30	694	0.1	RMS	688	-54.91	-13	Pass	6641
694	726	0.1	RMS	705.6	18.62	60	Pass	401
726	1000	0.1	RMS	920.4	-62.3	-13	Pass	2741
1000	3000	1	RMS	2652	-46.16	-13	Pass	2001
3000	10000	1	RMS	7735	-41.53	-13	Pass	7001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.5	-13	Pass	2986
30	694	0.1	RMS	688	-56.29	-13	Pass	6641
694	726	0.1	RMS	705.6	17.56	60	Pass	401
726	1000	0.1	RMS	887	-62.44	-13	Pass	2741
1000	3000	1	RMS	2653	-46.2	-13	Pass	2001
3000	10000	1	RMS	7733	-41.56	-13	Pass	7001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.94	-13	Pass	2986
30	694	0.1	RMS	689	-50.14	-13	Pass	6641
694	726	0.1	RMS	706.64	18.12	60	Pass	401
726	1000	0.1	RMS	964.4	-62.4	-13	Pass	2741
1000	3000	1	RMS	2648	-46.19	-13	Pass	2001
3000	10000	1	RMS	7732	-41.56	-13	Pass	7001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.18	-13	Pass	2986
30	694	0.1	RMS	689	-51.96	-13	Pass	6641
694	726	0.1	RMS	706.56	17.18	60	Pass	401
726	1000	0.1	RMS	934.9	-62.35	-13	Pass	2741
1000	3000	1	RMS	2652	-46.19	-13	Pass	2001
3000	10000	1	RMS	7736	-41.5	-13	Pass	7001



9. LTE_Band25


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.68	-13	Pass	2986
30	1000	0.1	RMS	943.3	-62.2	-13	Pass	9701
1000	1840	1	RMS	1839	-50.34	-13	Pass	841
1840	1925	1	RMS	1850.2	22	60	Pass	401
1925	3000	1	RMS	2649	-46.18	-13	Pass	1076
3000	12000	1	RMS	3701	-31.52	-13	Pass	9001
12000	20000	1	RMS	19990	-27.47	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.82	-13	Pass	2986
30	1000	0.1	RMS	931.5	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.35	-13	Pass	841
1840	1925	1	RMS	1850.2	21.18	60	Pass	401
1925	3000	1	RMS	2655	-46.14	-13	Pass	1076
3000	12000	1	RMS	3700	-33.66	-13	Pass	9001
12000	20000	1	RMS	19994	-27.44	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.02	-13	Pass	2986
30	1000	0.1	RMS	937.9	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-50.57	-13	Pass	841
1840	1925	1	RMS	1882.075	22.3	60	Pass	401
1925	3000	1	RMS	2651	-46.08	-13	Pass	1076
3000	12000	1	RMS	3764	-29.18	-13	Pass	9001
12000	20000	1	RMS	20000	-27.38	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.92	-13	Pass	2986
30	1000	0.1	RMS	840.5	-62.3	-13	Pass	9701
1000	1840	1	RMS	1838	-50.54	-13	Pass	841
1840	1925	1	RMS	1882.075	21.22	60	Pass	401
1925	3000	1	RMS	2645	-46.15	-13	Pass	1076
3000	12000	1	RMS	3764	-30.71	-13	Pass	9001
12000	20000	1	RMS	19999	-27.5	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.12	-13	Pass	2986
30	1000	0.1	RMS	898.6	-62.26	-13	Pass	9701
1000	1840	1	RMS	1837	-50.53	-13	Pass	841
1840	1925	1	RMS	1913.95	21.15	60	Pass	401
1925	3000	1	RMS	2647	-46.21	-13	Pass	1076
3000	12000	1	RMS	3828	-21.85	-13	Pass	9001
12000	20000	1	RMS	19998	-27.45	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.96	-13	Pass	2986
30	1000	0.1	RMS	939.3	-62.2	-13	Pass	9701
1000	1840	1	RMS	1836	-50.57	-13	Pass	841
1840	1925	1	RMS	1913.738	20.2	60	Pass	401
1925	3000	1	RMS	2661	-46.17	-13	Pass	1076
3000	12000	1	RMS	3828	-23.18	-13	Pass	9001
12000	20000	1	RMS	19998	-27.41	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.45	-13	Pass	2986
30	1000	0.1	RMS	941	-62.23	-13	Pass	9701
1000	1840	1	RMS	1839	-50.09	-13	Pass	841
1840	1925	1	RMS	1850.2	21.61	60	Pass	401
1925	3000	1	RMS	2650	-46.17	-13	Pass	1076
3000	12000	1	RMS	3701	-32.58	-13	Pass	9001
12000	20000	1	RMS	19997	-27.32	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.96	-13	Pass	2986
30	1000	0.1	RMS	929.3	-62.14	-13	Pass	9701
1000	1840	1	RMS	1839	-50.26	-13	Pass	841
1840	1925	1	RMS	1850.2	20.82	60	Pass	401
1925	3000	1	RMS	2658	-46.17	-13	Pass	1076
3000	12000	1	RMS	3700	-34.51	-13	Pass	9001
12000	20000	1	RMS	19999	-27.35	-13	Pass	8001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.88	-13	Pass	2986
30	1000	0.1	RMS	930.1	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1925	1	RMS	1881.225	21.73	60	Pass	401
1925	3000	1	RMS	2645	-46.15	-13	Pass	1076
3000	12000	1	RMS	3762	-32.14	-13	Pass	9001
12000	20000	1	RMS	19991	-27.39	-13	Pass	8001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.94	-13	Pass	2986
30	1000	0.1	RMS	923.5	-62.3	-13	Pass	9701
1000	1840	1	RMS	1834	-50.58	-13	Pass	841
1840	1925	1	RMS	1881.225	20.8	60	Pass	401
1925	3000	1	RMS	2653	-46.21	-13	Pass	1076
3000	12000	1	RMS	3763	-33.28	-13	Pass	9001
12000	20000	1	RMS	19999	-27.43	-13	Pass	8001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.61	-13	Pass	2986
30	1000	0.1	RMS	930	-62.3	-13	Pass	9701
1000	1840	1	RMS	1837	-50.51	-13	Pass	841
1840	1925	1	RMS	1912.25	21.28	60	Pass	401
1925	3000	1	RMS	2653	-46.16	-13	Pass	1076
3000	12000	1	RMS	3825	-24.56	-13	Pass	9001
12000	20000	1	RMS	19991	-27.42	-13	Pass	8001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.96	-13	Pass	2986
30	1000	0.1	RMS	940.8	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	Pass	841
1840	1925	1	RMS	1912.25	20.46	60	Pass	401
1925	3000	1	RMS	2647	-46.14	-13	Pass	1076
3000	12000	1	RMS	3825	-25.88	-13	Pass	9001
12000	20000	1	RMS	19995	-27.39	-13	Pass	8001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.48	-13	Pass	2986
30	1000	0.1	RMS	951.4	-62.12	-13	Pass	9701
1000	1840	1	RMS	1840	-50.07	-13	Pass	841
1840	1925	1	RMS	1850.413	21.75	60	Pass	401
1925	3000	1	RMS	2650	-46.19	-13	Pass	1076
3000	12000	1	RMS	3701	-30.13	-13	Pass	9001
12000	20000	1	RMS	20000	-27.28	-13	Pass	8001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.16	-13	Pass	2986
30	1000	0.1	RMS	954.8	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.34	-13	Pass	841
1840	1925	1	RMS	1850.413	20.88	60	Pass	401
1925	3000	1	RMS	2653	-46.21	-13	Pass	1076
3000	12000	1	RMS	3701	-33.4	-13	Pass	9001
12000	20000	1	RMS	19998	-27.46	-13	Pass	8001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.94	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.29	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1925	1	RMS	1880.375	21.83	60	Pass	401
1925	3000	1	RMS	2652	-46.12	-13	Pass	1076
3000	12000	1	RMS	3761	-30.54	-13	Pass	9001
12000	20000	1	RMS	19996	-27.43	-13	Pass	8001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.13	-13	Pass	2986
30	1000	0.1	RMS	926.1	-62.26	-13	Pass	9701
1000	1840	1	RMS	1839	-50.55	-13	Pass	841
1840	1925	1	RMS	1880.375	21.06	60	Pass	401
1925	3000	1	RMS	2650	-46.18	-13	Pass	1076
3000	12000	1	RMS	3761	-31.88	-13	Pass	9001
12000	20000	1	RMS	19993	-27.44	-13	Pass	8001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.87	-13	Pass	2986
30	1000	0.1	RMS	921.8	-62.18	-13	Pass	9701
1000	1840	1	RMS	1838	-50.54	-13	Pass	841
1840	1925	1	RMS	1910.338	21.78	60	Pass	401
1925	3000	1	RMS	2650	-46.13	-13	Pass	1076
3000	12000	1	RMS	3821	-23.67	-13	Pass	9001
12000	20000	1	RMS	20000	-27.41	-13	Pass	8001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.73	-13	Pass	2986
30	1000	0.1	RMS	912	-62.11	-13	Pass	9701
1000	1840	1	RMS	1838	-50.55	-13	Pass	841
1840	1925	1	RMS	1910.338	20.92	60	Pass	401
1925	3000	1	RMS	2652	-46.16	-13	Pass	1076
3000	12000	1	RMS	3821	-24.99	-13	Pass	9001
12000	20000	1	RMS	19999	-27.4	-13	Pass	8001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.97	-13	Pass	2986
30	1000	0.1	RMS	918.4	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-49.55	-13	Pass	841
1840	1925	1	RMS	1850.625	21.81	60	Pass	401
1925	3000	1	RMS	2654	-46.22	-13	Pass	1076
3000	12000	1	RMS	3701	-28.25	-13	Pass	9001
12000	20000	1	RMS	19996	-27.43	-13	Pass	8001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.12	-13	Pass	2986
30	1000	0.1	RMS	935.8	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-49.9	-13	Pass	841
1840	1925	1	RMS	1850.625	21.05	60	Pass	401
1925	3000	1	RMS	2653	-46.15	-13	Pass	1076
3000	12000	1	RMS	3701	-30.04	-13	Pass	9001
12000	20000	1	RMS	19996	-27.36	-13	Pass	8001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.12	-13	Pass	2986
30	1000	0.1	RMS	935	-62.14	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1925	1	RMS	1878.038	22.16	60	Pass	401
1925	3000	1	RMS	2648	-46.13	-13	Pass	1076
3000	12000	1	RMS	3756	-30.45	-13	Pass	9001
12000	20000	1	RMS	19999	-27.4	-13	Pass	8001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.73	-13	Pass	2986
30	1000	0.1	RMS	927.3	-62.15	-13	Pass	9701
1000	1840	1	RMS	1839	-50.48	-13	Pass	841
1840	1925	1	RMS	1878.038	21.08	60	Pass	401
1925	3000	1	RMS	2656	-46.19	-13	Pass	1076
3000	12000	1	RMS	3756	-32.31	-13	Pass	9001
12000	20000	1	RMS	19994	-27.36	-13	Pass	8001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.18	-13	Pass	2986
30	1000	0.1	RMS	924.2	-62.19	-13	Pass	9701
1000	1840	1	RMS	1837	-50.55	-13	Pass	841
1840	1925	1	RMS	1905.663	21.68	60	Pass	401
1925	3000	1	RMS	2653	-46.13	-13	Pass	1076
3000	12000	1	RMS	3811	-26.67	-13	Pass	9001
12000	20000	1	RMS	19991	-27.39	-13	Pass	8001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2986
30	1000	0.1	RMS	930.3	-62.18	-13	Pass	9701
1000	1840	1	RMS	1839	-50.55	-13	Pass	841
1840	1925	1	RMS	1905.663	20.97	60	Pass	401
1925	3000	1	RMS	2648	-46.18	-13	Pass	1076
3000	12000	1	RMS	3811	-28.32	-13	Pass	9001
12000	20000	1	RMS	19999	-27.33	-13	Pass	8001



9.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.06	-13	Pass	2986
30	1000	0.1	RMS	915.7	-62.25	-13	Pass	9701
1000	1840	1	RMS	1838	-40.26	-13	Pass	841
1840	1925	1	RMS	1850.838	22.32	60	Pass	401
1925	3000	1	RMS	2650	-46.14	-13	Pass	1076
3000	12000	1	RMS	3702	-26.93	-13	Pass	9001
12000	20000	1	RMS	19998	-27.42	-13	Pass	8001



9.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.07	-13	Pass	2986
30	1000	0.1	RMS	914	-62.27	-13	Pass	9701
1000	1840	1	RMS	1838	-42.33	-13	Pass	841
1840	1925	1	RMS	1850.838	21.46	60	Pass	401
1925	3000	1	RMS	2659	-46.16	-13	Pass	1076
3000	12000	1	RMS	3702	-28.31	-13	Pass	9001
12000	20000	1	RMS	19999	-27.41	-13	Pass	8001



9.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.82	-13	Pass	2986
30	1000	0.1	RMS	914.5	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	Pass	841
1840	1925	1	RMS	1875.913	22.83	60	Pass	401
1925	3000	1	RMS	2650	-46.17	-13	Pass	1076
3000	12000	1	RMS	3752	-29.43	-13	Pass	9001
12000	20000	1	RMS	19998	-27.34	-13	Pass	8001



9.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.98	-13	Pass	2986
30	1000	0.1	RMS	920.2	-62.02	-13	Pass	9701
1000	1840	1	RMS	1837	-50.48	-13	Pass	841
1840	1925	1	RMS	1875.913	21.87	60	Pass	401
1925	3000	1	RMS	2659	-46.2	-13	Pass	1076
3000	12000	1	RMS	3752	-31.11	-13	Pass	9001
12000	20000	1	RMS	19996	-27.38	-13	Pass	8001



9.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.11	-13	Pass	2986
30	1000	0.1	RMS	917.8	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.4	-13	Pass	841
1840	1925	1	RMS	1900.775	22.75	60	Pass	401
1925	3000	1	RMS	2650	-46.17	-13	Pass	1076
3000	12000	1	RMS	3802	-28.08	-13	Pass	9001
12000	20000	1	RMS	20000	-27.28	-13	Pass	8001



9.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.32	-13	Pass	2986
30	1000	0.1	RMS	962.7	-62.1	-13	Pass	9701
1000	1840	1	RMS	1837	-50.54	-13	Pass	841
1840	1925	1	RMS	1900.775	22.04	60	Pass	401
1925	3000	1	RMS	2646	-46.15	-13	Pass	1076
3000	12000	1	RMS	3802	-29.33	-13	Pass	9001
12000	20000	1	RMS	19999	-27.46	-13	Pass	8001



9.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.17	-13	Pass	2986
30	1000	0.1	RMS	873.3	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-45.22	-13	Pass	841
1840	1925	1	RMS	1851.05	22.14	60	Pass	401
1925	3000	1	RMS	2650	-46.19	-13	Pass	1076
3000	12000	1	RMS	3702	-26.7	-13	Pass	9001
12000	20000	1	RMS	19999	-27.38	-13	Pass	8001



9.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.51	-13	Pass	2986
30	1000	0.1	RMS	923.5	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-48.68	-13	Pass	841
1840	1925	1	RMS	1851.05	21.33	60	Pass	401
1925	3000	1	RMS	2654	-46.13	-13	Pass	1076
3000	12000	1	RMS	3702	-27.59	-13	Pass	9001
12000	20000	1	RMS	19999	-27.36	-13	Pass	8001



9.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.7	-13	Pass	2986
30	1000	0.1	RMS	945.3	-62.17	-13	Pass	9701
1000	1840	1	RMS	1838	-40.36	-13	Pass	841
1840	1925	1	RMS	1873.575	22.78	60	Pass	401
1925	3000	1	RMS	2652	-46.15	-13	Pass	1076
3000	12000	1	RMS	3747	-28.31	-13	Pass	9001
12000	20000	1	RMS	20000	-27.41	-13	Pass	8001



9.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.01	-13	Pass	2986
30	1000	0.1	RMS	935.7	-62.27	-13	Pass	9701
1000	1840	1	RMS	1838	-42.43	-13	Pass	841
1840	1925	1	RMS	1873.575	21.84	60	Pass	401
1925	3000	1	RMS	2651	-46.17	-13	Pass	1076
3000	12000	1	RMS	3747	-30.24	-13	Pass	9001
12000	20000	1	RMS	19998	-27.42	-13	Pass	8001



9.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.27	-13	Pass	2986
30	1000	0.1	RMS	939	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.34	-13	Pass	841
1840	1925	1	RMS	1896.1	22.83	60	Pass	401
1925	3000	1	RMS	2647	-46.15	-13	Pass	1076
3000	12000	1	RMS	3792	-28.79	-13	Pass	9001
12000	20000	1	RMS	19999	-27.37	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.99	-13	Pass	2986
30	1000	0.1	RMS	957.1	-62.2	-13	Pass	9701
1000	1840	1	RMS	1834	-50.5	-13	Pass	841
1840	1925	1	RMS	1896.1	21.91	60	Pass	401
1925	3000	1	RMS	2648	-46.18	-13	Pass	1076
3000	12000	1	RMS	3792	-30.03	-13	Pass	9001
12000	20000	1	RMS	19997	-27.34	-13	Pass	8001



10. LTE_Band26(part22)


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.07	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.22	-13	Pass	7841
814	860	0.1	RMS	824.3	19.01	60	Pass	461
860	1000	0.1	RMS	969.3	-62.58	-13	Pass	1401
1000	3000	1	RMS	2650	-46.21	-13	Pass	2001
3000	10000	1	RMS	7751	-41.57	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.89	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.21	-13	Pass	7841
814	860	0.1	RMS	824.3	17.95	60	Pass	461
860	1000	0.1	RMS	937.7	-62.59	-13	Pass	1401
1000	3000	1	RMS	2649	-46.27	-13	Pass	2001
3000	10000	1	RMS	7739	-41.56	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.94	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.37	-13	Pass	7841
814	860	0.1	RMS	836.1	19.27	60	Pass	461
860	1000	0.1	RMS	990.8	-62.55	-13	Pass	1401
1000	3000	1	RMS	2656	-46.22	-13	Pass	2001
3000	10000	1	RMS	7728	-41.53	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.66	-13	Pass	2986
30	814	0.1	RMS	813	-62.31	-13	Pass	7841
814	860	0.1	RMS	836.1	18.38	60	Pass	461
860	1000	0.1	RMS	951.4	-62.44	-13	Pass	1401
1000	3000	1	RMS	2649	-46.26	-13	Pass	2001
3000	10000	1	RMS	9545	-41.56	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.63	-13	Pass	2986
30	814	0.1	RMS	812	-62.37	-13	Pass	7841
814	860	0.1	RMS	847.9	18.56	60	Pass	461
860	1000	0.1	RMS	898.3	-62.53	-13	Pass	1401
1000	3000	1	RMS	2544	-44.72	-13	Pass	2001
3000	10000	1	RMS	7720	-41.52	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.28	-13	Pass	2986
30	814	0.1	RMS	811.6	-62.53	-13	Pass	7841
814	860	0.1	RMS	847.9	17.64	60	Pass	461
860	1000	0.1	RMS	944.5	-62.62	-13	Pass	1401
1000	3000	1	RMS	2544	-45.24	-13	Pass	2001
3000	10000	1	RMS	7736	-41.54	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.47	-13	Pass	2986
30	814	0.1	RMS	812.8	-61.87	-13	Pass	7841
814	860	0.1	RMS	824.2	18.31	60	Pass	461
860	1000	0.1	RMS	953.4	-62.53	-13	Pass	1401
1000	3000	1	RMS	2653	-46.28	-13	Pass	2001
3000	10000	1	RMS	7735	-41.51	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.55	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.31	-13	Pass	7841
814	860	0.1	RMS	824.3	17.39	60	Pass	461
860	1000	0.1	RMS	915.2	-62.44	-13	Pass	1401
1000	3000	1	RMS	2659	-46.29	-13	Pass	2001
3000	10000	1	RMS	7722	-41.55	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.51	-13	Pass	2986
30	814	0.1	RMS	814	-62.41	-13	Pass	7841
814	860	0.1	RMS	835.2	18.64	60	Pass	461
860	1000	0.1	RMS	917.9	-62.57	-13	Pass	1401
1000	3000	1	RMS	2654	-46.28	-13	Pass	2001
3000	10000	1	RMS	7746	-41.55	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.89	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.4	-13	Pass	7841
814	860	0.1	RMS	835.2	17.7	60	Pass	461
860	1000	0.1	RMS	921.3	-62.48	-13	Pass	1401
1000	3000	1	RMS	2651	-46.23	-13	Pass	2001
3000	10000	1	RMS	7741	-41.53	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.56	-13	Pass	2986
30	814	0.1	RMS	804.2	-62.47	-13	Pass	7841
814	860	0.1	RMS	846.2	18.57	60	Pass	461
860	1000	0.1	RMS	931.7	-62.38	-13	Pass	1401
1000	3000	1	RMS	2650	-46.25	-13	Pass	2001
3000	10000	1	RMS	7736	-41.54	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.93	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.34	-13	Pass	7841
814	860	0.1	RMS	846.2	17.63	60	Pass	461
860	1000	0.1	RMS	924.8	-62.49	-13	Pass	1401
1000	3000	1	RMS	2650	-46.2	-13	Pass	2001
3000	10000	1	RMS	7733	-41.5	-13	Pass	7001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.37	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.86	-13	Pass	7841
814	860	0.1	RMS	824.3	18.51	60	Pass	461
860	1000	0.1	RMS	923	-62.37	-13	Pass	1401
1000	3000	1	RMS	2657	-46.27	-13	Pass	2001
3000	10000	1	RMS	9543	-41.55	-13	Pass	7001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-13	Pass	2986
30	814	0.1	RMS	812.8	-61.94	-13	Pass	7841
814	860	0.1	RMS	824.4	17.6	60	Pass	461
860	1000	0.1	RMS	932.7	-62.47	-13	Pass	1401
1000	3000	1	RMS	2653	-46.28	-13	Pass	2001
3000	10000	1	RMS	7748	-41.54	-13	Pass	7001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.64	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.3	-13	Pass	7841
814	860	0.1	RMS	834.3	18.44	60	Pass	461
860	1000	0.1	RMS	918.2	-62.51	-13	Pass	1401
1000	3000	1	RMS	2650	-46.26	-13	Pass	2001
3000	10000	1	RMS	9545	-41.53	-13	Pass	7001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.33	-13	Pass	2986
30	814	0.1	RMS	811.6	-62.41	-13	Pass	7841
814	860	0.1	RMS	834.3	17.66	60	Pass	461
860	1000	0.1	RMS	933	-62.55	-13	Pass	1401
1000	3000	1	RMS	2649	-46.27	-13	Pass	2001
3000	10000	1	RMS	7733	-41.58	-13	Pass	7001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.31	-13	Pass	2986
30	814	0.1	RMS	780.1	-62.41	-13	Pass	7841
814	860	0.1	RMS	844.3	18.97	60	Pass	461
860	1000	0.1	RMS	932.9	-62.58	-13	Pass	1401
1000	3000	1	RMS	2661	-46.25	-13	Pass	2001
3000	10000	1	RMS	7733	-41.48	-13	Pass	7001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.83	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.32	-13	Pass	7841
814	860	0.1	RMS	844.3	18.17	60	Pass	461
860	1000	0.1	RMS	941.5	-62.57	-13	Pass	1401
1000	3000	1	RMS	2649	-46.26	-13	Pass	2001
3000	10000	1	RMS	7730	-41.53	-13	Pass	7001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.51	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.21	-13	Pass	7841
814	860	0.1	RMS	824.6	19.12	60	Pass	461
860	1000	0.1	RMS	921.2	-62.48	-13	Pass	1401
1000	3000	1	RMS	2656	-46.26	-13	Pass	2001
3000	10000	1	RMS	9544	-41.5	-13	Pass	7001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.67	-13	Pass	2986
30	814	0.1	RMS	811.5	-61.56	-13	Pass	7841
814	860	0.1	RMS	824.6	18.35	60	Pass	461
860	1000	0.1	RMS	891	-62.44	-13	Pass	1401
1000	3000	1	RMS	2646	-46.27	-13	Pass	2001
3000	10000	1	RMS	7733	-41.52	-13	Pass	7001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.71	-13	Pass	2986
30	814	0.1	RMS	814	-62.1	-13	Pass	7841
814	860	0.1	RMS	832.1	19.43	60	Pass	461
860	1000	0.1	RMS	925.6	-62.53	-13	Pass	1401
1000	3000	1	RMS	2652	-46.24	-13	Pass	2001
3000	10000	1	RMS	7744	-41.58	-13	Pass	7001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.54	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.18	-13	Pass	7841
814	860	0.1	RMS	832.1	18.44	60	Pass	461
860	1000	0.1	RMS	931.3	-62.58	-13	Pass	1401
1000	3000	1	RMS	2651	-46.25	-13	Pass	2001
3000	10000	1	RMS	7730	-41.58	-13	Pass	7001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.4	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.36	-13	Pass	7841
814	860	0.1	RMS	839.6	19.66	60	Pass	461
860	1000	0.1	RMS	921.4	-62.55	-13	Pass	1401
1000	3000	1	RMS	2519	-45.4	-13	Pass	2001
3000	10000	1	RMS	7735	-41.56	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.22	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.41	-13	Pass	7841
814	860	0.1	RMS	839.6	18.94	60	Pass	461
860	1000	0.1	RMS	884.8	-62.59	-13	Pass	1401
1000	3000	1	RMS	2519	-45.97	-13	Pass	2001
3000	10000	1	RMS	7730	-41.5	-13	Pass	7001



10.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.39	-13	Pass	2986
30	814	0.1	RMS	811.5	-56.41	-13	Pass	7841
814	860	0.1	RMS	824.8	19.06	60	Pass	461
860	1000	0.1	RMS	894.1	-62.49	-13	Pass	1401
1000	3000	1	RMS	2650	-46.25	-13	Pass	2001
3000	10000	1	RMS	7750	-41.48	-13	Pass	7001



10.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.82	-13	Pass	2986
30	814	0.1	RMS	811.5	-57.27	-13	Pass	7841
814	860	0.1	RMS	824.8	18.17	60	Pass	461
860	1000	0.1	RMS	946.1	-62.59	-13	Pass	1401
1000	3000	1	RMS	2650	-46.23	-13	Pass	2001
3000	10000	1	RMS	7740	-41.56	-13	Pass	7001



10.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.7	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.32	-13	Pass	7841
814	860	0.1	RMS	829.8	19.34	60	Pass	461
860	1000	0.1	RMS	939.7	-62.51	-13	Pass	1401
1000	3000	1	RMS	2652	-46.25	-13	Pass	2001
3000	10000	1	RMS	7735	-41.59	-13	Pass	7001



10.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.65	-13	Pass	2986
30	814	0.1	RMS	813.4	-61.33	-13	Pass	7841
814	860	0.1	RMS	829.8	18.28	60	Pass	461
860	1000	0.1	RMS	884.4	-62.58	-13	Pass	1401
1000	3000	1	RMS	2653	-46.24	-13	Pass	2001
3000	10000	1	RMS	7729	-41.58	-13	Pass	7001



10.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.53	-13	Pass	2986
30	814	0.1	RMS	808.2	-59.28	-13	Pass	7841
814	860	0.1	RMS	834.8	19.83	60	Pass	461
860	1000	0.1	RMS	911.6	-62.4	-13	Pass	1401
1000	3000	1	RMS	2654	-46.25	-13	Pass	2001
3000	10000	1	RMS	7750	-41.55	-13	Pass	7001



10.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.59	-13	Pass	2986
30	814	0.1	RMS	808.3	-60.12	-13	Pass	7841
814	860	0.1	RMS	834.8	18.91	60	Pass	461
860	1000	0.1	RMS	929.5	-62.51	-13	Pass	1401
1000	3000	1	RMS	2653	-46.22	-13	Pass	2001
3000	10000	1	RMS	7726	-41.53	-13	Pass	7001



11. LTE_Band26(part90)


11.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-41.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.76	-13	Pass	2986
30	809	0.1	Peak	768.6	-52	-13	Pass	7791
809	829	0.1	Peak	814.3	24.79	60	Pass	401
829	1000	0.1	Peak	881.2	-50.88	-13	Pass	1711
1000	3000	1	Peak	2654	-34.27	-13	Pass	2001
3000	10000	1	Peak	7735	-30.15	-13	Pass	7001




11.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.77	-13	Pass	2986
30	809	0.1	Peak	704.1	-52.08	-13	Pass	7791
809	829	0.1	Peak	814.3	24.93	60	Pass	401
829	1000	0.1	Peak	963.7	-51.83	-13	Pass	1711
1000	3000	1	Peak	2679	-33.87	-13	Pass	2001
3000	10000	1	Peak	7723	-29.24	-13	Pass	7001




11.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.44	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.86	-13	Pass	2986
30	809	0.1	Peak	766.6	-51.52	-13	Pass	7791
809	829	0.1	Peak	818.6	25.38	60	Pass	401
829	1000	0.1	Peak	842.3	-51.66	-13	Pass	1711
1000	3000	1	Peak	3000	-34.71	-13	Pass	2001
3000	10000	1	Peak	7788	-29.64	-13	Pass	7001




11.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.2	-13	Pass	2986
30	809	0.1	Peak	803.3	-51.86	-13	Pass	7791
809	829	0.1	Peak	818.55	25.52	60	Pass	401
829	1000	0.1	Peak	873.8	-51.21	-13	Pass	1711
1000	3000	1	Peak	2966	-34.51	-13	Pass	2001
3000	10000	1	Peak	7702	-29.62	-13	Pass	7001




11.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.71	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.8	-13	Pass	2986
30	809	0.1	Peak	800	-51.27	-13	Pass	7791
809	829	0.1	Peak	822.9	24.78	60	Pass	401
829	1000	0.1	Peak	830.6	-50.31	-13	Pass	1711
1000	3000	1	Peak	2639	-34.35	-13	Pass	2001
3000	10000	1	Peak	7368	-29.54	-13	Pass	7001




11.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.69	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.6	-13	Pass	2986
30	809	0.1	Peak	802.1	-51.44	-13	Pass	7791
809	829	0.1	Peak	822.85	24.67	60	Pass	401
829	1000	0.1	Peak	952.3	-51.5	-13	Pass	1711
1000	3000	1	Peak	2777	-34.26	-13	Pass	2001
3000	10000	1	Peak	7731	-29.56	-13	Pass	7001




11.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.06	-13	Pass	401
0.15	30	0.01	Peak	0.16	-41.68	-13	Pass	2986
30	809	0.1	Peak	809	-50.68	-13	Pass	7791
809	829	0.1	Peak	814.3	24.53	60	Pass	401
829	1000	0.1	Peak	943.1	-51.21	-13	Pass	1711
1000	3000	1	Peak	2636	-34.31	-13	Pass	2001
3000	10000	1	Peak	7728	-28.87	-13	Pass	7001




11.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.9	-13	Pass	2986
30	809	0.1	Peak	809	-50.22	-13	Pass	7791
809	829	0.1	Peak	814.25	24.56	60	Pass	401
829	1000	0.1	Peak	980.1	-50.53	-13	Pass	1711
1000	3000	1	Peak	2744	-34.67	-13	Pass	2001
3000	10000	1	Peak	8169	-29.77	-13	Pass	7001




11.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.76	-13	Pass	2986
30	809	0.1	Peak	801.6	-51.57	-13	Pass	7791
809	829	0.1	Peak	817.8	24.7	60	Pass	401
829	1000	0.1	Peak	831.6	-50.95	-13	Pass	1711
1000	3000	1	Peak	2907	-34.69	-13	Pass	2001
3000	10000	1	Peak	7718	-29.75	-13	Pass	7001



11.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.64	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.2	-13	Pass	2986
30	809	0.1	Peak	806.5	-51.66	-13	Pass	7791
809	829	0.1	Peak	817.75	25.05	60	Pass	401
829	1000	0.1	Peak	844.2	-51.59	-13	Pass	1711
1000	3000	1	Peak	2641	-34.34	-13	Pass	2001
3000	10000	1	Peak	8059	-29.86	-13	Pass	7001



11.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.51	-13	Pass	401
0.15	30	0.01	Peak	0.16	-42.1	-13	Pass	2986
30	809	0.1	Peak	787.9	-51.32	-13	Pass	7791
809	829	0.1	Peak	821.3	24.35	60	Pass	401
829	1000	0.1	Peak	829	-49.28	-13	Pass	1711
1000	3000	1	Peak	2663	-34.45	-13	Pass	2001
3000	10000	1	Peak	7671	-29.81	-13	Pass	7001

