

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B5_1.4MHz_ERP

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	22.23	-0.98	19.10	<=38.45	Pass
			2	22.56	-0.98	19.43	<=38.45	Pass
			5	22.26	-0.98	19.13	<=38.45	Pass
		3	0	22.42	-0.98	19.29	<=38.45	Pass
			2	22.57	-0.98	19.44	<=38.45	Pass
			3	22.46	-0.98	19.33	<=38.45	Pass
		6	0	21.46	-0.98	18.33	<=38.45	Pass
	836.5	1	0	22.08	-0.98	18.95	<=38.45	Pass
			2	22.39	-0.98	19.26	<=38.45	Pass
			5	21.98	-0.98	18.85	<=38.45	Pass
		3	0	22.27	-0.98	19.14	<=38.45	Pass
			2	22.30	-0.98	19.17	<=38.45	Pass
			3	22.19	-0.98	19.06	<=38.45	Pass
		6	0	21.31	-0.98	18.18	<=38.45	Pass
	848.3	1	0	22.78	-0.98	19.65	<=38.45	Pass
			2	22.94	-0.98	19.81	<=38.45	Pass
			5	22.45	-0.98	19.32	<=38.45	Pass
		3	0	22.88	-0.98	19.75	<=38.45	Pass
			2	22.87	-0.98	19.74	<=38.45	Pass
			3	22.68	-0.98	19.55	<=38.45	Pass
		6	0	21.64	-0.98	18.51	<=38.45	Pass
16QAM	824.7	1	0	21.39	-0.98	18.26	<=38.45	Pass
			2	21.80	-0.98	18.67	<=38.45	Pass
			5	21.43	-0.98	18.30	<=38.45	Pass
		3	0	21.40	-0.98	18.27	<=38.45	Pass
			2	21.57	-0.98	18.44	<=38.45	Pass
			3	21.50	-0.98	18.37	<=38.45	Pass
		6	0	20.55	-0.98	17.42	<=38.45	Pass
	836.5	1	0	21.03	-0.98	17.90	<=38.45	Pass
			2	21.31	-0.98	18.18	<=38.45	Pass
			5	21.07	-0.98	17.94	<=38.45	Pass
		3	0	21.38	-0.98	18.25	<=38.45	Pass
			2	21.41	-0.98	18.28	<=38.45	Pass
			3	21.40	-0.98	18.27	<=38.45	Pass
		6	0	20.43	-0.98	17.30	<=38.45	Pass
	848.3	1	0	21.66	-0.98	18.53	<=38.45	Pass
			2	21.94	-0.98	18.81	<=38.45	Pass
			5	21.51	-0.98	18.38	<=38.45	Pass
		3	0	21.91	-0.98	18.78	<=38.45	Pass
			2	21.98	-0.98	18.85	<=38.45	Pass
			3	21.80	-0.98	18.67	<=38.45	Pass
		6	0	20.80	-0.98	17.67	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B5_3MHz_ERP

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	22.37	-0.98	19.24	<=38.45	Pass
			7	22.72	-0.98	19.59	<=38.45	Pass
			14	22.36	-0.98	19.23	<=38.45	Pass
		8	0	21.64	-0.98	18.51	<=38.45	Pass
			4	21.74	-0.98	18.61	<=38.45	Pass
			7	21.70	-0.98	18.57	<=38.45	Pass
		15	0	21.72	-0.98	18.59	<=38.45	Pass
	836.5	1	0	22.43	-0.98	19.30	<=38.45	Pass
			7	22.51	-0.98	19.38	<=38.45	Pass
			14	22.13	-0.98	19.00	<=38.45	Pass
		8	0	21.55	-0.98	18.42	<=38.45	Pass
			4	21.54	-0.98	18.41	<=38.45	Pass
			7	21.46	-0.98	18.33	<=38.45	Pass
		15	0	21.54	-0.98	18.41	<=38.45	Pass
	847.5	1	0	23.01	-0.98	19.88	<=38.45	Pass
			7	23.25	-0.98	20.12	<=38.45	Pass
			14	22.57	-0.98	19.44	<=38.45	Pass
		8	0	22.05	-0.98	18.92	<=38.45	Pass
			4	22.02	-0.98	18.89	<=38.45	Pass
			7	21.87	-0.98	18.74	<=38.45	Pass
		15	0	21.89	-0.98	18.76	<=38.45	Pass
16QAM	825.5	1	0	22.00	-0.98	18.87	<=38.45	Pass
			7	22.38	-0.98	19.25	<=38.45	Pass
			14	21.95	-0.98	18.82	<=38.45	Pass
		8	0	20.90	-0.98	17.77	<=38.45	Pass
			4	21.02	-0.98	17.89	<=38.45	Pass
			7	20.98	-0.98	17.85	<=38.45	Pass
		15	0	20.91	-0.98	17.78	<=38.45	Pass
	836.5	1	0	21.65	-0.98	18.52	<=38.45	Pass
			7	21.67	-0.98	18.54	<=38.45	Pass
			14	21.34	-0.98	18.21	<=38.45	Pass
		8	0	20.74	-0.98	17.61	<=38.45	Pass
			4	20.68	-0.98	17.55	<=38.45	Pass
			7	20.61	-0.98	17.48	<=38.45	Pass
		15	0	20.64	-0.98	17.51	<=38.45	Pass
	847.5	1	0	21.78	-0.98	18.65	<=38.45	Pass
			7	22.04	-0.98	18.91	<=38.45	Pass
			14	21.41	-0.98	18.28	<=38.45	Pass
		8	0	21.15	-0.98	18.02	<=38.45	Pass
			4	21.16	-0.98	18.03	<=38.45	Pass
			7	21.02	-0.98	17.89	<=38.45	Pass
		15	0	21.06	-0.98	17.93	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B5_5MHz_ERP

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	826.5	1	0	22.32	-0.98	19.19	<=38.45	Pass
			13	22.70	-0.98	19.57	<=38.45	Pass
			24	22.49	-0.98	19.36	<=38.45	Pass
		12	0	21.50	-0.98	18.37	<=38.45	Pass
			6	21.58	-0.98	18.45	<=38.45	Pass
			13	21.62	-0.98	18.49	<=38.45	Pass
		25	0	21.55	-0.98	18.42	<=38.45	Pass
	836.5	1	0	22.54	-0.98	19.41	<=38.45	Pass
			13	22.33	-0.98	19.20	<=38.45	Pass
			24	21.88	-0.98	18.75	<=38.45	Pass
		12	0	21.55	-0.98	18.42	<=38.45	Pass
			6	21.42	-0.98	18.29	<=38.45	Pass
			13	21.29	-0.98	18.16	<=38.45	Pass
		25	0	21.35	-0.98	18.22	<=38.45	Pass
	846.5	1	0	22.91	-0.98	19.78	<=38.45	Pass
			13	23.14	-0.98	20.01	<=38.45	Pass
			24	22.52	-0.98	19.39	<=38.45	Pass
		12	0	21.93	-0.98	18.80	<=38.45	Pass
			6	21.97	-0.98	18.84	<=38.45	Pass
			13	21.75	-0.98	18.62	<=38.45	Pass
		25	0	21.82	-0.98	18.69	<=38.45	Pass
16QAM	826.5	1	0	21.29	-0.98	18.16	<=38.45	Pass
			13	21.62	-0.98	18.49	<=38.45	Pass
			24	21.55	-0.98	18.42	<=38.45	Pass
		12	0	20.64	-0.98	17.51	<=38.45	Pass
			6	20.74	-0.98	17.61	<=38.45	Pass
			13	20.79	-0.98	17.66	<=38.45	Pass
		25	0	20.72	-0.98	17.59	<=38.45	Pass
	836.5	1	0	21.76	-0.98	18.63	<=38.45	Pass
			13	21.62	-0.98	18.49	<=38.45	Pass
			24	21.22	-0.98	18.09	<=38.45	Pass
		12	0	20.72	-0.98	17.59	<=38.45	Pass
			6	20.57	-0.98	17.44	<=38.45	Pass
			13	20.45	-0.98	17.32	<=38.45	Pass
		25	0	20.48	-0.98	17.35	<=38.45	Pass
	846.5	1	0	21.74	-0.98	18.61	<=38.45	Pass
			13	22.09	-0.98	18.96	<=38.45	Pass
			24	21.41	-0.98	18.28	<=38.45	Pass
		12	0	20.97	-0.98	17.84	<=38.45	Pass
			6	21.06	-0.98	17.93	<=38.45	Pass
			13	20.87	-0.98	17.74	<=38.45	Pass
		25	0	20.99	-0.98	17.86	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B5_10MHz_ERP

Band: 5 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.36	-0.98	19.23	<=38.45	Pass
			25	22.99	-0.98	19.86	<=38.45	Pass
			49	22.34	-0.98	19.21	<=38.45	Pass
		25	0	21.62	-0.98	18.49	<=38.45	Pass
			13	21.92	-0.98	18.79	<=38.45	Pass

			25	22.00	-0.98	18.87	<=38.45	Pass	
		50	0	21.78	-0.98	18.65	<=38.45	Pass	
	836.5	1	0	22.86	-0.98	19.73	<=38.45	Pass	
			25	22.36	-0.98	19.23	<=38.45	Pass	
			49	22.15	-0.98	19.02	<=38.45	Pass	
		25	0	21.76	-0.98	18.63	<=38.45	Pass	
			13	21.46	-0.98	18.33	<=38.45	Pass	
			25	21.33	-0.98	18.20	<=38.45	Pass	
		50	0	21.43	-0.98	18.30	<=38.45	Pass	
	844	1	0	22.32	-0.98	19.19	<=38.45	Pass	
			25	23.06	-0.98	19.93	<=38.45	Pass	
			49	22.47	-0.98	19.34	<=38.45	Pass	
		25	0	21.78	-0.98	18.65	<=38.45	Pass	
			13	21.93	-0.98	18.80	<=38.45	Pass	
			25	21.82	-0.98	18.69	<=38.45	Pass	
		50	0	21.77	-0.98	18.64	<=38.45	Pass	
	16QAM	829	1	0	21.97	-0.98	18.84	<=38.45	Pass
				25	22.50	-0.98	19.37	<=38.45	Pass
				49	21.88	-0.98	18.75	<=38.45	Pass
12			0	21.72	-0.98	18.59	<=38.45	Pass	
			19	22.10	-0.98	18.97	<=38.45	Pass	
			38	21.82	-0.98	18.69	<=38.45	Pass	
27			0	20.90	-0.98	17.77	<=38.45	Pass	
836.5		1	0	22.06	-0.98	18.93	<=38.45	Pass	
			25	21.59	-0.98	18.46	<=38.45	Pass	
			49	21.36	-0.98	18.23	<=38.45	Pass	
		12	0	21.95	-0.98	18.82	<=38.45	Pass	
			19	21.49	-0.98	18.36	<=38.45	Pass	
			38	21.19	-0.98	18.06	<=38.45	Pass	
27		0	20.99	-0.98	17.86	<=38.45	Pass		
844		1	0	21.09	-0.98	17.96	<=38.45	Pass	
			25	21.92	-0.98	18.79	<=38.45	Pass	
			49	21.25	-0.98	18.12	<=38.45	Pass	
		12	0	21.54	-0.98	18.41	<=38.45	Pass	
			19	22.01	-0.98	18.88	<=38.45	Pass	
			38	21.70	-0.98	18.57	<=38.45	Pass	
		27	23	20.95	-0.98	17.82	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	LV	-5.448	-0.0065	-2.5 to 2.5	Pass
					NV	6.219	0.0074	-2.5 to 2.5	Pass
					HV	-1.723	-0.0021	-2.5 to 2.5	Pass
				-20	NV	4.200	0.0050	-2.5 to 2.5	Pass
				-10	NV	9.149	0.0109	-2.5 to 2.5	Pass

				0	NV	-2.468	-0.0030	-2.5 to 2.5	Pass
				10	NV	8.325	0.0100	-2.5 to 2.5	Pass
				30	NV	5.436	0.0065	-2.5 to 2.5	Pass
				40	NV	0.222	0.0003	-2.5 to 2.5	Pass
				50	NV	3.169	0.0038	-2.5 to 2.5	Pass
				60	NV	-4.883	-0.0058	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band5_OBW


Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.100	/	Pass
	16QAM	836.5	6	0	1.114	/	Pass
3	QPSK	836.5	15	0	2.713	/	Pass
	16QAM	836.5	15	0	2.716	/	Pass
5	QPSK	836.5	25	0	4.548	/	Pass
	16QAM	836.5	25	0	4.545	/	Pass
10	QPSK	836.5	50	0	9.048	/	Pass
	16QAM	836.5	27	0	4.931	/	Pass

3.1.2 Band5_XDB


Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.257	/	Pass
	16QAM	836.5	6	0	1.266	/	Pass
3	QPSK	836.5	15	0	2.960	/	Pass
	16QAM	836.5	15	0	2.965	/	Pass
5	QPSK	836.5	25	0	4.969	/	Pass
	16QAM	836.5	25	0	4.996	/	Pass
10	QPSK	836.5	50	0	9.876	/	Pass
	16QAM	836.5	27	0	5.677	/	Pass

3.2 Test Graph


3.2.1 Band5_OBW




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_MCH_836.5MHz_RB_27_0_NTNV




3.2.2 Band5_XDB




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_27_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	5.49	<=13	Pass
16QAM	836.5	27	0	5.94	<=13	Pass

4.2 Test Graph

4.2.1 B5_10MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B5_5MHz

Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B5_10MHz


Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass




	836.5	1	0	Refer To Test Graph	Pass
	844	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

5.2 Test Graph


5.2.1 B5_1.4MHz




Band5_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Band5_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.015	-37.35	-13	Pass
850	852	0.1	CHP	2	850.615	-38.72	-13	Pass

Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.030	-29.52	-13	Pass
850	852	0.1	CHP	2	850.110	-40.17	-13	Pass


5.2.2 B5_3MHz




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-36.65	-13	Pass
850	852	0.1	CHP	2	850.052	-46.05	-13	Pass

Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	/	/	/	/	/	/
849	850	0.03	/	1	849.180	-27.18	-13	Pass
850	852	0.1	CHP	2	850.158	-28.53	-13	Pass


5.2.3 B5_5MHz




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-36.99	-13	Pass
850	854	0.1	CHP	2	850.139	-47.51	-13	Pass

Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05	CHP	/	/	/	/	/
849	850	0.05	CHP	1	849.010	-30.21	-13	Pass
850	854	0.1	CHP	2	850.130	-29.96	-13	Pass

5.2.4 B5_10MHz




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	822.702	-39.12	-13	Pass
823	824	0.099	CHP	2	823.992	-37.19	-13	Pass
824	834	0.099	CHP	/	/	/	/	/


Band5_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.002	-43.84	-13	Pass
850	859	0.1	CHP	2	852.796	-46.88	-13	Pass

Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.099	CHP	/	/	/	/	/
849	850	0.099	CHP	1	849.023	-31.58	-13	Pass
850	859	0.1	CHP	2	850.163	-33.05	-13	Pass