

1. Effective (Isotropic) Radiated Power Output Data

1.1 B7_5MHz_EIRP

1.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	22.47	6.00	28.47	<=33.01	Pass
			13	22.36	6.00	28.36	<=33.01	Pass
			24	22.32	6.00	28.32	<=33.01	Pass
		12	0	21.29	6.00	27.29	<=33.01	Pass
			6	21.37	6.00	27.37	<=33.01	Pass
			13	21.33	6.00	27.33	<=33.01	Pass
		25	0	21.32	6.00	27.32	<=33.01	Pass
	2535	1	0	21.80	6.00	27.80	<=33.01	Pass
			13	21.66	6.00	27.66	<=33.01	Pass
			24	21.57	6.00	27.57	<=33.01	Pass
		12	0	20.72	6.00	26.72	<=33.01	Pass
			6	20.73	6.00	26.73	<=33.01	Pass
			13	20.60	6.00	26.60	<=33.01	Pass
	25	0	20.63	6.00	26.63	<=33.01	Pass	
	2567.5	1	0	21.83	6.00	27.83	<=33.01	Pass
			13	21.20	6.00	27.20	<=33.01	Pass
			24	20.59	6.00	26.59	<=33.01	Pass
		12	0	20.48	6.00	26.48	<=33.01	Pass
			6	20.30	6.00	26.30	<=33.01	Pass
			13	19.90	6.00	25.90	<=33.01	Pass
		25	0	20.24	6.00	26.24	<=33.01	Pass
16QAM		2502.5	1	0	21.30	6.00	27.30	<=33.01
	13			21.29	6.00	27.29	<=33.01	Pass
	24			21.27	6.00	27.27	<=33.01	Pass
	12		0	20.49	6.00	26.49	<=33.01	Pass
			6	20.49	6.00	26.49	<=33.01	Pass
			13	20.42	6.00	26.42	<=33.01	Pass
	25		0	20.46	6.00	26.46	<=33.01	Pass
	2535	1	0	21.06	6.00	27.06	<=33.01	Pass
			13	21.01	6.00	27.01	<=33.01	Pass
			24	20.94	6.00	26.94	<=33.01	Pass
		12	0	20.01	6.00	26.01	<=33.01	Pass
			6	20.03	6.00	26.03	<=33.01	Pass
			13	19.90	6.00	25.90	<=33.01	Pass
	25	0	19.93	6.00	25.93	<=33.01	Pass	
	2567.5	1	0	20.88	6.00	26.88	<=33.01	Pass
			13	20.35	6.00	26.35	<=33.01	Pass
			24	19.80	6.00	25.80	<=33.01	Pass
		12	0	19.75	6.00	25.75	<=33.01	Pass
			6	19.65	6.00	25.65	<=33.01	Pass
			13	19.18	6.00	25.18	<=33.01	Pass
		25	0	19.58	6.00	25.58	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.2 B7_10MHz_EIRP

1.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	22.38	6.00	28.38	<=33.01	Pass
			25	22.03	6.00	28.03	<=33.01	Pass
			49	22.38	6.00	28.38	<=33.01	Pass
		25	0	20.97	6.00	26.97	<=33.01	Pass
			13	21.13	6.00	27.13	<=33.01	Pass
			25	21.04	6.00	27.04	<=33.01	Pass
		50	0	21.04	6.00	27.04	<=33.01	Pass
	2535	1	0	21.93	6.00	27.93	<=33.01	Pass
			25	21.50	6.00	27.50	<=33.01	Pass
			49	21.15	6.00	27.15	<=33.01	Pass
		25	0	20.53	6.00	26.53	<=33.01	Pass
			13	20.49	6.00	26.49	<=33.01	Pass
			25	20.28	6.00	26.28	<=33.01	Pass
		50	0	20.44	6.00	26.44	<=33.01	Pass
	2565	1	0	22.81	6.00	28.81	<=33.01	Pass
			25	21.74	6.00	27.74	<=33.01	Pass
			49	20.44	6.00	26.44	<=33.01	Pass
		25	0	21.07	6.00	27.07	<=33.01	Pass
			13	20.70	6.00	26.70	<=33.01	Pass
			25	20.09	6.00	26.09	<=33.01	Pass
		50	0	20.55	6.00	26.55	<=33.01	Pass
16QAM	2505	1	0	21.79	6.00	27.79	<=33.01	Pass
			25	21.70	6.00	27.70	<=33.01	Pass
			49	21.97	6.00	27.97	<=33.01	Pass
		12	0	21.19	6.00	27.19	<=33.01	Pass
			19	21.25	6.00	27.25	<=33.01	Pass
			38	21.30	6.00	27.30	<=33.01	Pass
		27	0	20.11	6.00	26.11	<=33.01	Pass
	2535	1	0	21.26	6.00	27.26	<=33.01	Pass
			25	20.75	6.00	26.75	<=33.01	Pass
			49	20.59	6.00	26.59	<=33.01	Pass
		12	0	20.91	6.00	26.91	<=33.01	Pass
			19	20.62	6.00	26.62	<=33.01	Pass
			38	20.47	6.00	26.47	<=33.01	Pass
		27	0	19.92	6.00	25.92	<=33.01	Pass
	2565	1	0	21.98	6.00	27.98	<=33.01	Pass
			25	20.84	6.00	26.84	<=33.01	Pass
			49	19.67	6.00	25.67	<=33.01	Pass
		12	0	21.69	6.00	27.69	<=33.01	Pass
			19	20.81	6.00	26.81	<=33.01	Pass
			38	19.96	6.00	25.96	<=33.01	Pass
		27	23	19.50	6.00	25.50	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.3 B7_15MHz_EIRP

1.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	22.61	6.00	28.61	<=33.01	Pass
			38	22.16	6.00	28.16	<=33.01	Pass
			74	22.24	6.00	28.24	<=33.01	Pass
		36	0	21.56	6.00	27.56	<=33.01	Pass
			18	21.28	6.00	27.28	<=33.01	Pass
			39	21.11	6.00	27.11	<=33.01	Pass
		75	0	21.32	6.00	27.32	<=33.01	Pass
	2535	1	0	22.94	6.00	28.94	<=33.01	Pass
			38	22.11	6.00	28.11	<=33.01	Pass
			74	21.70	6.00	27.70	<=33.01	Pass
		36	0	21.45	6.00	27.45	<=33.01	Pass
			18	21.16	6.00	27.16	<=33.01	Pass
			39	20.88	6.00	26.88	<=33.01	Pass
		75	0	21.07	6.00	27.07	<=33.01	Pass
	2562.5	1	0	22.30	6.00	28.30	<=33.01	Pass
			38	22.90	6.00	28.90	<=33.01	Pass
			74	22.27	6.00	28.27	<=33.01	Pass
		36	0	21.63	6.00	27.63	<=33.01	Pass
			18	21.75	6.00	27.75	<=33.01	Pass
			39	21.52	6.00	27.52	<=33.01	Pass
		75	0	21.41	6.00	27.41	<=33.01	Pass
16QAM	2507.5	1	0	21.67	6.00	27.67	<=33.01	Pass
			38	21.48	6.00	27.48	<=33.01	Pass
			74	21.55	6.00	27.55	<=33.01	Pass
		12	0	21.31	6.00	27.31	<=33.01	Pass
			31	21.33	6.00	27.33	<=33.01	Pass
			63	21.30	6.00	27.30	<=33.01	Pass
		27	0	20.36	6.00	26.36	<=33.01	Pass
	2535	1	0	22.09	6.00	28.09	<=33.01	Pass
			38	21.21	6.00	27.21	<=33.01	Pass
			74	20.91	6.00	26.91	<=33.01	Pass
		12	0	21.53	6.00	27.53	<=33.01	Pass
			31	21.06	6.00	27.06	<=33.01	Pass
			63	20.63	6.00	26.63	<=33.01	Pass
		27	0	20.64	6.00	26.64	<=33.01	Pass
	2562.5	1	0	22.03	6.00	28.03	<=33.01	Pass
			38	22.25	6.00	28.25	<=33.01	Pass
			74	21.00	6.00	27.00	<=33.01	Pass
		12	0	21.57	6.00	27.57	<=33.01	Pass
			31	21.84	6.00	27.84	<=33.01	Pass
			63	20.62	6.00	26.62	<=33.01	Pass
		27	48	20.25	6.00	26.25	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.4 B7_20MHz_EIRP

1.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	22.49	6.00	28.49	<=33.01	Pass
			50	22.16	6.00	28.16	<=33.01	Pass
			99	22.43	6.00	28.43	<=33.01	Pass
		50	0	21.44	6.00	27.44	<=33.01	Pass
			25	21.23	6.00	27.23	<=33.01	Pass
			50	21.13	6.00	27.13	<=33.01	Pass
		100	0	21.52	6.00	27.52	<=33.01	Pass
	2535	1	0	23.04	6.00	29.04	<=33.01	Pass
			50	22.24	6.00	28.24	<=33.01	Pass
			99	21.54	6.00	27.54	<=33.01	Pass
		50	0	21.37	6.00	27.37	<=33.01	Pass
			25	21.19	6.00	27.19	<=33.01	Pass
			50	20.83	6.00	26.83	<=33.01	Pass
		100	0	21.04	6.00	27.04	<=33.01	Pass
	2560	1	0	22.01	6.00	28.01	<=33.01	Pass
			50	22.75	6.00	28.75	<=33.01	Pass
			99	21.79	6.00	27.79	<=33.01	Pass
		50	0	21.45	6.00	27.45	<=33.01	Pass
			25	21.85	6.00	27.85	<=33.01	Pass
			50	21.38	6.00	27.38	<=33.01	Pass
		100	0	21.49	6.00	27.49	<=33.01	Pass
16QAM	2510	1	0	21.68	6.00	27.68	<=33.01	Pass
			50	21.47	6.00	27.47	<=33.01	Pass
			99	21.72	6.00	27.72	<=33.01	Pass
		12	0	21.21	6.00	27.21	<=33.01	Pass
			44	21.34	6.00	27.34	<=33.01	Pass
			88	21.46	6.00	27.46	<=33.01	Pass
		27	0	20.24	6.00	26.24	<=33.01	Pass
	2535	1	0	22.09	6.00	28.09	<=33.01	Pass
			50	21.34	6.00	27.34	<=33.01	Pass
			99	20.80	6.00	26.80	<=33.01	Pass
		12	0	21.70	6.00	27.70	<=33.01	Pass
			44	21.01	6.00	27.01	<=33.01	Pass
			88	20.41	6.00	26.41	<=33.01	Pass
		27	0	20.71	6.00	26.71	<=33.01	Pass
	2560	1	0	21.76	6.00	27.76	<=33.01	Pass
			50	22.69	6.00	28.69	<=33.01	Pass
			99	20.92	6.00	26.92	<=33.01	Pass
		12	0	21.18	6.00	27.18	<=33.01	Pass
44			22.14	6.00	28.14	<=33.01	Pass	
88			20.54	6.00	26.54	<=33.01	Pass	
27		73	20.13	6.00	26.13	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 B7_5MHz

2.1.1 Test Result

Band: 7 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2502.5	25	0	20	3.27	19.381	0.0077	-2.5 to 2.5	Pass
					3.85	18.209	0.0073	-2.5 to 2.5	Pass
					4.43	18.302	0.0073	-2.5 to 2.5	Pass
				-30	3.85	13.059	0.0052	-2.5 to 2.5	Pass
				-20	3.85	14.878	0.0059	-2.5 to 2.5	Pass
				-10	3.85	12.335	0.0049	-2.5 to 2.5	Pass
				0	3.85	-9.311	-0.0037	-2.5 to 2.5	Pass
				10	3.85	13.974	0.0056	-2.5 to 2.5	Pass
				30	3.85	1.346	0.0005	-2.5 to 2.5	Pass
				40	3.85	15.786	0.0063	-2.5 to 2.5	Pass
				50	3.85	12.171	0.0049	-2.5 to 2.5	Pass
	2535	25	0	20	3.27	-11.880	-0.0047	-2.5 to 2.5	Pass
					3.85	-13.213	-0.0052	-2.5 to 2.5	Pass
					4.43	-15.791	-0.0062	-2.5 to 2.5	Pass
				-30	3.85	-22.385	-0.0088	-2.5 to 2.5	Pass
				-20	3.85	7.092	0.0028	-2.5 to 2.5	Pass
				-10	3.85	18.028	0.0071	-2.5 to 2.5	Pass
				0	3.85	-12.906	-0.0051	-2.5 to 2.5	Pass
				10	3.85	17.932	0.0071	-2.5 to 2.5	Pass
				30	3.85	22.511	0.0089	-2.5 to 2.5	Pass
				40	3.85	-20.099	-0.0079	-2.5 to 2.5	Pass
				50	3.85	-23.557	-0.0093	-2.5 to 2.5	Pass
	2567.5	25	0	20	3.27	20.964	0.0082	-2.5 to 2.5	Pass
					3.85	14.249	0.0055	-2.5 to 2.5	Pass
					4.43	17.690	0.0069	-2.5 to 2.5	Pass
				-30	3.85	12.249	0.0048	-2.5 to 2.5	Pass
				-20	3.85	21.116	0.0082	-2.5 to 2.5	Pass
				-10	3.85	6.015	0.0023	-2.5 to 2.5	Pass
				0	3.85	17.632	0.0069	-2.5 to 2.5	Pass
				10	3.85	-21.126	-0.0082	-2.5 to 2.5	Pass
				30	3.85	17.034	0.0066	-2.5 to 2.5	Pass
				40	3.85	12.051	0.0047	-2.5 to 2.5	Pass
				50	3.85	23.280	0.0091	-2.5 to 2.5	Pass
16QAM	2502.5	25	0	20	3.27	24.003	0.0096	-2.5 to 2.5	Pass
					3.85	8.071	0.0032	-2.5 to 2.5	Pass
					4.43	17.610	0.0070	-2.5 to 2.5	Pass
				-30	3.85	11.489	0.0046	-2.5 to 2.5	Pass
				-20	3.85	10.502	0.0042	-2.5 to 2.5	Pass
				-10	3.85	-1.199	-0.0005	-2.5 to 2.5	Pass
				0	3.85	4.584	0.0018	-2.5 to 2.5	Pass
				10	3.85	17.467	0.0070	-2.5 to 2.5	Pass
				30	3.85	-3.110	-0.0012	-2.5 to 2.5	Pass
				40	3.85	20.280	0.0081	-2.5 to 2.5	Pass
				50	3.85	16.371	0.0065	-2.5 to 2.5	Pass
	2535	25	0	20	3.27	-15.829	-0.0062	-2.5 to 2.5	Pass
					3.85	-13.204	-0.0052	-2.5 to 2.5	Pass

					4.43	-16.466	-0.0065	-2.5 to 2.5	Pass
				-30	3.85	-20.053	-0.0079	-2.5 to 2.5	Pass
				-20	3.85	8.429	0.0033	-2.5 to 2.5	Pass
				-10	3.85	5.111	0.0020	-2.5 to 2.5	Pass
				0	3.85	-13.657	-0.0054	-2.5 to 2.5	Pass
				10	3.85	9.060	0.0036	-2.5 to 2.5	Pass
				30	3.85	-20.920	-0.0083	-2.5 to 2.5	Pass
				40	3.85	-21.228	-0.0084	-2.5 to 2.5	Pass
				50	3.85	-17.533	-0.0069	-2.5 to 2.5	Pass
	2567.5	25	0	20	3.27	14.757	0.0057	-2.5 to 2.5	Pass
					3.85	-21.862	-0.0085	-2.5 to 2.5	Pass
					4.43	-18.453	-0.0072	-2.5 to 2.5	Pass
				-30	3.85	-13.181	-0.0051	-2.5 to 2.5	Pass
				-20	3.85	11.010	0.0043	-2.5 to 2.5	Pass
				-10	3.85	16.858	0.0066	-2.5 to 2.5	Pass
				0	3.85	20.442	0.0080	-2.5 to 2.5	Pass
				10	3.85	-16.903	-0.0066	-2.5 to 2.5	Pass
				30	3.85	-22.963	-0.0089	-2.5 to 2.5	Pass
				40	3.85	8.673	0.0034	-2.5 to 2.5	Pass
				50	3.85	12.101	0.0047	-2.5 to 2.5	Pass

2.2 B7_10MHz

2.2.1 Test Result

Band: 7 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2505	50	0	20	3.27	20.805	0.0083	-2.5 to 2.5	Pass
					3.85	16.334	0.0065	-2.5 to 2.5	Pass
					4.43	17.559	0.0070	-2.5 to 2.5	Pass
				-30	3.85	15.011	0.0060	-2.5 to 2.5	Pass
				-20	3.85	11.908	0.0048	-2.5 to 2.5	Pass
				-10	3.85	18.120	0.0072	-2.5 to 2.5	Pass
				0	3.85	23.124	0.0092	-2.5 to 2.5	Pass
				10	3.85	20.732	0.0083	-2.5 to 2.5	Pass
				30	3.85	6.097	0.0024	-2.5 to 2.5	Pass
				40	3.85	15.042	0.0060	-2.5 to 2.5	Pass
				50	3.85	-12.366	-0.0049	-2.5 to 2.5	Pass
	2535	50	0	20	3.27	-20.187	-0.0080	-2.5 to 2.5	Pass
					3.85	-17.405	-0.0069	-2.5 to 2.5	Pass
					4.43	21.902	0.0086	-2.5 to 2.5	Pass
				-30	3.85	-12.425	-0.0049	-2.5 to 2.5	Pass
				-20	3.85	11.625	0.0046	-2.5 to 2.5	Pass
				-10	3.85	-18.565	-0.0073	-2.5 to 2.5	Pass
				0	3.85	-20.466	-0.0081	-2.5 to 2.5	Pass
				10	3.85	10.664	0.0042	-2.5 to 2.5	Pass
				30	3.85	-16.728	-0.0066	-2.5 to 2.5	Pass
				40	3.85	20.180	0.0080	-2.5 to 2.5	Pass
				50	3.85	-20.412	-0.0081	-2.5 to 2.5	Pass
	2565	50	0	20	3.27	19.314	0.0075	-2.5 to 2.5	Pass
					3.85	15.082	0.0059	-2.5 to 2.5	Pass
					4.43	8.224	0.0032	-2.5 to 2.5	Pass
				-30	3.85	4.319	0.0017	-2.5 to 2.5	Pass
				-20	3.85	14.940	0.0058	-2.5 to 2.5	Pass
				-10	3.85	-22.646	-0.0088	-2.5 to 2.5	Pass
				0	3.85	-18.032	-0.0070	-2.5 to 2.5	Pass
				10	3.85	9.822	0.0038	-2.5 to 2.5	Pass
				30	3.85	21.341	0.0083	-2.5 to 2.5	Pass
				40	3.85	-21.107	-0.0082	-2.5 to 2.5	Pass
				50	3.85	-22.934	-0.0089	-2.5 to 2.5	Pass
16QAM	2505	27	0	20	3.27	-9.645	-0.0039	-2.5 to 2.5	Pass
					3.85	13.498	0.0054	-2.5 to 2.5	Pass
					4.43	-12.900	-0.0051	-2.5 to 2.5	Pass
				-30	3.85	-18.819	-0.0075	-2.5 to 2.5	Pass
				-20	3.85	-18.977	-0.0076	-2.5 to 2.5	Pass
				-10	3.85	18.789	0.0075	-2.5 to 2.5	Pass
				0	3.85	17.083	0.0068	-2.5 to 2.5	Pass
				10	3.85	-13.752	-0.0055	-2.5 to 2.5	Pass
				30	3.85	19.284	0.0077	-2.5 to 2.5	Pass
				40	3.85	-20.587	-0.0082	-2.5 to 2.5	Pass
				50	3.85	-20.373	-0.0081	-2.5 to 2.5	Pass
	2535	27	0	20	3.27	-15.842	-0.0062	-2.5 to 2.5	Pass
					3.85	-18.188	-0.0072	-2.5 to 2.5	Pass
					4.43	-3.580	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	-18.242	-0.0072	-2.5 to 2.5	Pass
				-20	3.85	-20.877	-0.0082	-2.5 to 2.5	Pass

				-10	3.85	-24.043	-0.0095	-2.5 to 2.5	Pass
				0	3.85	-6.531	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-13.680	-0.0054	-2.5 to 2.5	Pass
				30	3.85	-19.156	-0.0076	-2.5 to 2.5	Pass
				40	3.85	-10.200	-0.0040	-2.5 to 2.5	Pass
				50	3.85	-24.445	-0.0096	-2.5 to 2.5	Pass
	2565	27	23	20	3.27	-21.074	-0.0082	-2.5 to 2.5	Pass
					3.85	12.538	0.0049	-2.5 to 2.5	Pass
					4.43	-14.651	-0.0057	-2.5 to 2.5	Pass
				-30	3.85	-6.804	-0.0027	-2.5 to 2.5	Pass
				-20	3.85	-19.544	-0.0076	-2.5 to 2.5	Pass
				-10	3.85	-10.753	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-20.542	-0.0080	-2.5 to 2.5	Pass
				10	3.85	-0.882	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-7.730	-0.0030	-2.5 to 2.5	Pass
				40	3.85	-21.402	-0.0083	-2.5 to 2.5	Pass
				50	3.85	-16.504	-0.0064	-2.5 to 2.5	Pass

2.3 B7_15MHz

2.3.1 Test Result

Band: 7 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2507.5	75	0	20	3.27	-13.498	-0.0054	-2.5 to 2.5	Pass
					3.85	18.506	0.0074	-2.5 to 2.5	Pass
					4.43	16.547	0.0066	-2.5 to 2.5	Pass
				-30	3.85	19.994	0.0080	-2.5 to 2.5	Pass
				-20	3.85	12.667	0.0051	-2.5 to 2.5	Pass
				-10	3.85	22.267	0.0089	-2.5 to 2.5	Pass
				0	3.85	18.013	0.0072	-2.5 to 2.5	Pass
				10	3.85	15.861	0.0063	-2.5 to 2.5	Pass
				30	3.85	11.015	0.0044	-2.5 to 2.5	Pass
				40	3.85	13.854	0.0055	-2.5 to 2.5	Pass
				50	3.85	11.789	0.0047	-2.5 to 2.5	Pass
	2535	75	0	20	3.27	17.544	0.0069	-2.5 to 2.5	Pass
					3.85	16.796	0.0066	-2.5 to 2.5	Pass
					4.43	19.878	0.0078	-2.5 to 2.5	Pass
				-30	3.85	8.991	0.0035	-2.5 to 2.5	Pass
				-20	3.85	20.768	0.0082	-2.5 to 2.5	Pass
				-10	3.85	15.892	0.0063	-2.5 to 2.5	Pass
				0	3.85	21.099	0.0083	-2.5 to 2.5	Pass
				10	3.85	16.614	0.0066	-2.5 to 2.5	Pass
				30	3.85	-2.588	-0.0010	-2.5 to 2.5	Pass
				40	3.85	11.439	0.0045	-2.5 to 2.5	Pass
				50	3.85	18.215	0.0072	-2.5 to 2.5	Pass
	2562.5	75	0	20	3.27	-15.012	-0.0059	-2.5 to 2.5	Pass
					3.85	-16.820	-0.0066	-2.5 to 2.5	Pass
					4.43	15.099	0.0059	-2.5 to 2.5	Pass
				-30	3.85	17.391	0.0068	-2.5 to 2.5	Pass
				-20	3.85	18.742	0.0073	-2.5 to 2.5	Pass
				-10	3.85	17.339	0.0068	-2.5 to 2.5	Pass
				0	3.85	20.384	0.0080	-2.5 to 2.5	Pass
				10	3.85	12.413	0.0048	-2.5 to 2.5	Pass
				30	3.85	6.906	0.0027	-2.5 to 2.5	Pass
				40	3.85	4.480	0.0017	-2.5 to 2.5	Pass
				50	3.85	21.689	0.0085	-2.5 to 2.5	Pass
16QAM	2507.5	27	0	20	3.27	22.808	0.0091	-2.5 to 2.5	Pass
					3.85	-7.552	-0.0030	-2.5 to 2.5	Pass
					4.43	19.044	0.0076	-2.5 to 2.5	Pass
				-30	3.85	-21.655	-0.0086	-2.5 to 2.5	Pass
				-20	3.85	19.283	0.0077	-2.5 to 2.5	Pass
				-10	3.85	8.375	0.0033	-2.5 to 2.5	Pass
				0	3.85	8.408	0.0034	-2.5 to 2.5	Pass
				10	3.85	-16.957	-0.0068	-2.5 to 2.5	Pass
				30	3.85	12.942	0.0052	-2.5 to 2.5	Pass
				40	3.85	-12.413	-0.0050	-2.5 to 2.5	Pass
				50	3.85	18.928	0.0075	-2.5 to 2.5	Pass
	2535	27	0	20	3.27	-17.331	-0.0068	-2.5 to 2.5	Pass
					3.85	21.377	0.0084	-2.5 to 2.5	Pass
					4.43	-17.531	-0.0069	-2.5 to 2.5	Pass
				-30	3.85	-15.945	-0.0063	-2.5 to 2.5	Pass
				-20	3.85	20.819	0.0082	-2.5 to 2.5	Pass

				-10	3.85	-17.053	-0.0067	-2.5 to 2.5	Pass
				0	3.85	3.154	0.0012	-2.5 to 2.5	Pass
				10	3.85	5.738	0.0023	-2.5 to 2.5	Pass
				30	3.85	-20.296	-0.0080	-2.5 to 2.5	Pass
				40	3.85	-11.162	-0.0044	-2.5 to 2.5	Pass
				50	3.85	-9.783	-0.0039	-2.5 to 2.5	Pass
	2562.5	27	48	20	3.27	4.408	0.0017	-2.5 to 2.5	Pass
					3.85	-16.028	-0.0063	-2.5 to 2.5	Pass
					4.43	7.669	0.0030	-2.5 to 2.5	Pass
				-30	3.85	16.345	0.0064	-2.5 to 2.5	Pass
				-20	3.85	-2.695	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	-7.610	-0.0030	-2.5 to 2.5	Pass
				0	3.85	24.043	0.0094	-2.5 to 2.5	Pass
				10	3.85	9.989	0.0039	-2.5 to 2.5	Pass
				30	3.85	10.557	0.0041	-2.5 to 2.5	Pass
				40	3.85	10.703	0.0042	-2.5 to 2.5	Pass
				50	3.85	19.741	0.0077	-2.5 to 2.5	Pass

2.4 B7_20MHz

2.4.1 Test Result

Band: 7 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2510	100	0	20	3.27	-21.114	-0.0084	-2.5 to 2.5	Pass
					3.85	-17.122	-0.0068	-2.5 to 2.5	Pass
					4.43	-17.332	-0.0069	-2.5 to 2.5	Pass
				-30	3.85	14.285	0.0057	-2.5 to 2.5	Pass
				-20	3.85	20.746	0.0083	-2.5 to 2.5	Pass
				-10	3.85	19.262	0.0077	-2.5 to 2.5	Pass
				0	3.85	16.125	0.0064	-2.5 to 2.5	Pass
				10	3.85	17.628	0.0070	-2.5 to 2.5	Pass
				30	3.85	18.608	0.0074	-2.5 to 2.5	Pass
				40	3.85	20.331	0.0081	-2.5 to 2.5	Pass
				50	3.85	17.459	0.0070	-2.5 to 2.5	Pass
	2535	100	0	20	3.27	17.670	0.0070	-2.5 to 2.5	Pass
					3.85	16.976	0.0067	-2.5 to 2.5	Pass
					4.43	24.296	0.0096	-2.5 to 2.5	Pass
				-30	3.85	6.062	0.0024	-2.5 to 2.5	Pass
				-20	3.85	18.931	0.0075	-2.5 to 2.5	Pass
				-10	3.85	20.321	0.0080	-2.5 to 2.5	Pass
				0	3.85	12.099	0.0048	-2.5 to 2.5	Pass
				10	3.85	11.875	0.0047	-2.5 to 2.5	Pass
				30	3.85	19.997	0.0079	-2.5 to 2.5	Pass
				40	3.85	12.994	0.0051	-2.5 to 2.5	Pass
				50	3.85	11.703	0.0046	-2.5 to 2.5	Pass
	2560	100	0	20	3.27	-20.080	-0.0078	-2.5 to 2.5	Pass
					3.85	-15.518	-0.0061	-2.5 to 2.5	Pass
					4.43	-5.811	-0.0023	-2.5 to 2.5	Pass
				-30	3.85	15.521	0.0061	-2.5 to 2.5	Pass
				-20	3.85	23.126	0.0090	-2.5 to 2.5	Pass
				-10	3.85	15.037	0.0059	-2.5 to 2.5	Pass
				0	3.85	15.803	0.0062	-2.5 to 2.5	Pass
				10	3.85	24.893	0.0097	-2.5 to 2.5	Pass
				30	3.85	11.830	0.0046	-2.5 to 2.5	Pass
				40	3.85	18.974	0.0074	-2.5 to 2.5	Pass
				50	3.85	4.714	0.0018	-2.5 to 2.5	Pass
16QAM	2510	27	0	20	3.27	-12.253	-0.0049	-2.5 to 2.5	Pass
					3.85	18.619	0.0074	-2.5 to 2.5	Pass
					4.43	6.914	0.0028	-2.5 to 2.5	Pass
				-30	3.85	10.604	0.0042	-2.5 to 2.5	Pass
				-20	3.85	10.943	0.0044	-2.5 to 2.5	Pass
				-10	3.85	22.713	0.0090	-2.5 to 2.5	Pass
				0	3.85	5.948	0.0024	-2.5 to 2.5	Pass
				10	3.85	11.334	0.0045	-2.5 to 2.5	Pass
				30	3.85	-18.471	-0.0074	-2.5 to 2.5	Pass
				40	3.85	22.625	0.0090	-2.5 to 2.5	Pass
				50	3.85	-4.778	-0.0019	-2.5 to 2.5	Pass
	2535	27	0	20	3.27	-12.903	-0.0051	-2.5 to 2.5	Pass
					3.85	-13.211	-0.0052	-2.5 to 2.5	Pass
					4.43	14.074	0.0056	-2.5 to 2.5	Pass
				-30	3.85	-19.301	-0.0076	-2.5 to 2.5	Pass
				-20	3.85	-10.838	-0.0043	-2.5 to 2.5	Pass

				-10	3.85	-22.681	-0.0089	-2.5 to 2.5	Pass
				0	3.85	-11.050	-0.0044	-2.5 to 2.5	Pass
				10	3.85	-10.513	-0.0041	-2.5 to 2.5	Pass
				30	3.85	24.083	0.0095	-2.5 to 2.5	Pass
				40	3.85	5.245	0.0021	-2.5 to 2.5	Pass
				50	3.85	12.776	0.0050	-2.5 to 2.5	Pass
	2560	27	73	20	3.27	17.866	0.0070	-2.5 to 2.5	Pass
					3.85	-4.174	-0.0016	-2.5 to 2.5	Pass
					4.43	-16.986	-0.0066	-2.5 to 2.5	Pass
				-30	3.85	17.995	0.0070	-2.5 to 2.5	Pass
				-20	3.85	7.403	0.0029	-2.5 to 2.5	Pass
				-10	3.85	19.063	0.0074	-2.5 to 2.5	Pass
				0	3.85	18.350	0.0072	-2.5 to 2.5	Pass
				10	3.85	23.751	0.0093	-2.5 to 2.5	Pass
				30	3.85	-20.226	-0.0079	-2.5 to 2.5	Pass
				40	3.85	23.466	0.0092	-2.5 to 2.5	Pass
				50	3.85	19.556	0.0076	-2.5 to 2.5	Pass


3. 99% & 26dB Bandwidth

3.1 Band7_OBW


3.1.1 Test Result

Band: 7 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2502.5	25	0	4.541	/	Pass
		2535	25	0	4.545	/	Pass
		2567.5	25	0	4.562	/	Pass
	16QAM	2502.5	25	0	4.547	/	Pass
		2535	25	0	4.550	/	Pass
		2567.5	25	0	4.531	/	Pass
10	QPSK	2505	50	0	9.022	/	Pass
		2535	50	0	9.061	/	Pass
		2565	50	0	9.008	/	Pass
	16QAM	2505	27	0	5.042	/	Pass
		2535	27	0	5.053	/	Pass
		2565	27	23	5.056	/	Pass
15	QPSK	2507.5	75	0	13.571	/	Pass
		2535	75	0	13.525	/	Pass
		2562.5	75	0	13.509	/	Pass
	16QAM	2507.5	27	0	5.256	/	Pass
		2535	27	0	5.284	/	Pass
		2562.5	27	48	5.244	/	Pass
20	QPSK	2510	100	0	18.060	/	Pass
		2535	100	0	17.993	/	Pass
		2560	100	0	17.995	/	Pass
	16QAM	2510	27	0	5.420	/	Pass
		2535	27	0	5.451	/	Pass
		2560	27	73	5.389	/	Pass


3.1.2 Test Graph




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




Band7 10MHz QPSK LCH 2505MHz RB 50 0 NTNV




Band7 10MHz QPSK MCH 2535MHz RB 50 0 NTNV




Band7 10MHz QPSK HCH 2565MHz RB 50 0 NTN




Band7 10MHz 16QAM LCH 2505MHz RB 27 0 NTN




Band7_10MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Band7_10MHz_16QAM_HCH_2565MHz_RB_27_23_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_27_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Band7_15MHz_16QAM_HCH_2562.5MHz_RB_27_48_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_27_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV



Band7_20MHz_16QAM_HCH_2560MHz_RB_27_73_NTNV




3.2 Band7_XDB


3.2.1 Test Result

Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2502.5	25	0	5.042	/	Pass
		2535	25	0	5.024	/	Pass
		2567.5	25	0	4.998	/	Pass
	16QAM	2502.5	25	0	5.032	/	Pass
		2535	25	0	5.051	/	Pass
		2567.5	25	0	5.015	/	Pass
10	QPSK	2505	50	0	9.862	/	Pass
		2535	50	0	9.893	/	Pass
		2565	50	0	9.887	/	Pass
	16QAM	2505	27	0	5.804	/	Pass
		2535	27	0	5.835	/	Pass
		2565	27	23	5.831	/	Pass
15	QPSK	2507.5	75	0	14.757	/	Pass
		2535	75	0	14.719	/	Pass
		2562.5	75	0	14.729	/	Pass
	16QAM	2507.5	27	0	6.214	/	Pass
		2535	27	0	6.292	/	Pass
		2562.5	27	48	6.221	/	Pass
20	QPSK	2510	100	0	19.539	/	Pass
		2535	100	0	19.474	/	Pass
		2560	100	0	19.388	/	Pass
	16QAM	2510	27	0	6.438	/	Pass
		2535	27	0	6.540	/	Pass
		2560	27	73	6.469	/	Pass


3.2.2 Test Graph




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




Band7 10MHz QPSK LCH 2505MHz RB 50 0 NTNV




Band7 10MHz QPSK MCH 2535MHz RB 50 0 NTNV




Band7 10MHz QPSK HCH 2565MHz RB 50 0 NTN




Band7 10MHz 16QAM LCH 2505MHz RB 27 0 NTN




Band7_10MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Band7_10MHz_16QAM_HCH_2565MHz_RB_27_23_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_27_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Band7_15MHz_16QAM_HCH_2562.5MHz_RB_27_48_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_27_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV



Band7_20MHz_16QAM_HCH_2560MHz_RB_27_73_NTNV




4. Peak-Average Ratio

4.1 B7_5MHz


4.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	25	0	5.54	<=13	Pass
	2535	25	0	5.63	<=13	Pass
	2567.5	25	0	5.66	<=13	Pass
16QAM	2502.5	25	0	6.25	<=13	Pass
	2535	25	0	6.36	<=13	Pass
	2567.5	25	0	6.30	<=13	Pass


4.1.2 Test Graph




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV



Band7 5MHz 16QAM MCH 2535.000MHz RB 25 0 NTN



Band7 5MHz 16QAM HCH 2567.500MHz RB 25 0 NTN




4.2 B7_10MHz


4.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	50	0	5.56	<=13	Pass
	2535	50	0	5.58	<=13	Pass
	2565	50	0	5.59	<=13	Pass
16QAM	2505	27	0	6.18	<=13	Pass
	2535	27	0	6.31	<=13	Pass
	2565	27	23	6.28	<=13	Pass


4.2.2 Test Graph




Band7 10MHz QPSK HCH 2565MHz RB 50 0 NTN




Band7 10MHz 16QAM LCH 2505MHz RB 27 0 NTN



Band7_10MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV



Band7_10MHz_16QAM_HCH_2565MHz_RB_27_23_NTNV




4.3 B7_15MHz


4.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2507.5	75	0	5.86	<=13	Pass
	2535	75	0	5.83	<=13	Pass
	2562.5	75	0	5.91	<=13	Pass
16QAM	2507.5	27	0	6.21	<=13	Pass
	2535	27	0	6.27	<=13	Pass
	2562.5	27	48	6.37	<=13	Pass


4.3.2 Test Graph




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_27_0_NTNV



Band7_15MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV



Band7_15MHz_16QAM_HCH_2562.5MHz_RB_27_48_NTNV




4.4 B7_20MHz


4.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2510	100	0	5.69	<=13	Pass
	2535	100	0	5.57	<=13	Pass
	2560	100	0	5.59	<=13	Pass
16QAM	2510	27	0	6.27	<=13	Pass
	2535	27	0	6.42	<=13	Pass
	2560	27	73	6.43	<=13	Pass


4.4.2 Test Graph




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_27_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV



Band7_20MHz_16QAM_HCH_2560MHz_RB_27_73_NTNV




5. Spurious Emission

5.1 B7_5MHz


5.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2502.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2567.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	2502.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2567.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass


5.1.2 Test Graph




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV



Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2490.445	-37.59	-25	Pass
2499	2500	0.11	/	2	2499.872	-32.30	-10	Pass
2500	2507.5	0.11	/	/	/	/	/	/


Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7 5MHz QPSK HCH 2567.5MHz RB 1 0 NTN




Band7 5MHz QPSK HCH 2567.5MHz RB 1 0 NTN




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV



Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_24_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2562.5	2570	0.1	/	/	/	/	/	/
2570	2571	0.1	/	1	2570.025	-29.40	-10	Pass
2571	2587.5	1	CHP	2	2576.525	-34.69	-25	Pass

Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2490.490	-42.31	-25	Pass
2499	2500	0.1	/	2	2499.985	-16.52	-10	Pass
2500	2507.5	0.1	/	/	/	/	/	/


Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV




Band7 5MHz 16QAM LCH 2502.5MHz RB 1 0 NTNV




Band7 5MHz 16QAM LCH 2502.5MHz RB 25 0 NTNV




Band7 5MHz 16QAM MCH 2535MHz RB 1 0 NTN



Band7 5MHz 16QAM MCH 2535MHz RB 1 0 NTN



Band7 5MHz 16QAM MCH 2535MHz RB 1 0 NTNV



Band7 5MHz 16QAM HCH 2567.5MHz RB 1 0 NTNV

