


Site :HC-CB02  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :ax20\_TX\_2412MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 2386.400  | 56.12  | 74.00  | -17.88 | 44.21 | 11.91  | Peak   |
| 2   | 2412.800  | 107.59 | -----  | -----  | 95.54 | 12.05  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :ax20\_TX\_2412MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 2390.000  | 43.77  | 54.00  | -10.23 | 31.84 | 11.93  | Average |
| 2   | 2413.100  | 94.98  | -----  | -----  | 82.93 | 12.05  | Average |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :ax20\_TX\_2412MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read   | Factor | Remark |
|-----|-----------|--------|--------|--------|--------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV   | dB     |        |
| 1   | 2390.000  | 63.44  | 74.00  | -10.56 | 51.51  | 11.93  | Peak   |
| 2   | 2411.200  | 118.98 | -----  | -----  | 106.95 | 12.03  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :ax20\_TX\_2412MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 2390.000  | 52.20  | 54.00  | -1.80 | 40.27 | 11.93  | Average |
| 2   | 2411.300  | 107.26 | -----  | ----- | 95.23 | 12.03  | Average |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
Mode :ax20\_TX\_2412MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 4824.000  | 43.73  | 74.00  | -30.27 | 58.41 | -14.68 | Peak   |
| 2   | 7236.000  | 48.05  | 74.00  | -25.95 | 56.00 | -7.95  | Peak   |
| 3   | 9648.000  | 49.53  | 74.00  | -24.47 | 54.01 | -4.48  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
Mode :ax20\_TX\_2412MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 4824.000  | 44.37  | 74.00  | -29.63 | 59.05 | -14.68 | Peak   |
| 2   | 7236.000  | 49.86  | 74.00  | -24.14 | 57.81 | -7.95  | Peak   |
| 3   | 9648.000  | 49.79  | 74.00  | -24.21 | 54.27 | -4.48  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :ax20\_TX\_2437MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 2389.200  | 56.30  | 74.00  | -17.70 | 44.37 | 11.93  | Peak   |
| 2   | 2437.900  | 111.40 | -----  | -----  | 99.23 | 12.17  | Peak   |
| 3   | 2489.900  | 56.34  | 74.00  | -17.66 | 43.91 | 12.43  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :ax20\_TX\_2437MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 2388.800  | 43.62  | 54.00  | -10.38 | 31.69 | 11.93  | Average |
| 2   | 2437.700  | 97.49  | -----  | -----  | 85.32 | 12.17  | Average |
| 3   | 2498.400  | 43.20  | 54.00  | -10.80 | 30.72 | 12.48  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :ax20\_TX\_2437MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read   | Factor | Remark |
|-----|-----------|--------|--------|--------|--------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV   | dB     |        |
| 1   | 2389.600  | 63.83  | 74.00  | -10.17 | 51.90  | 11.93  | Peak   |
| 2   | 2438.800  | 122.18 | -----  | -----  | 110.01 | 12.17  | Peak   |
| 3   | 2485.500  | 60.30  | 74.00  | -13.70 | 47.90  | 12.40  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :ax20\_TX\_2437MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 2389.500  | 51.07  | 54.00  | -2.93 | 39.14 | 11.93  | Average |
| 2   | 2438.000  | 110.42 | -----  | ----- | 98.25 | 12.17  | Average |
| 3   | 2486.800  | 47.31  | 54.00  | -6.69 | 34.89 | 12.42  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
Mode :ax20\_TX\_2437MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 4874.000  | 43.20  | 74.00  | -30.80 | 57.68 | -14.48 | Peak   |
| 2   | 7311.000  | 48.39  | 74.00  | -25.61 | 56.27 | -7.88  | Peak   |
| 3   | 9748.000  | 51.71  | 74.00  | -22.29 | 55.99 | -4.28  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
Mode :ax20\_TX\_2437MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 4874.000  | 42.89  | 74.00  | -31.11 | 57.37 | -14.48 | Peak   |
| 2   | 7311.000  | 48.59  | 74.00  | -25.41 | 56.47 | -7.88  | Peak   |
| 3   | 9748.000  | 49.22  | 74.00  | -24.78 | 53.50 | -4.28  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :ax20\_TX\_2462MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark |
|-----|-----------|--------|-------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB     |        |
| 1   | 2462.100  | 106.40 | ----- | -----  | 94.10 | 12.30  | Peak   |
| 2   | 2499.000  | 56.51  | 74.00 | -17.49 | 44.03 | 12.48  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :ax20\_TX\_2462MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|-------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB     |         |
| 1   | 2462.900  | 94.39  | ----- | -----  | 82.09 | 12.30  | Average |
| 2   | 2483.600  | 43.95  | 54.00 | -10.05 | 31.55 | 12.40  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :ax20\_TX\_2462MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit | Over  | Read   | Factor | Remark |
|-----|-----------|--------|-------|-------|--------|--------|--------|
|     | MHz       | dBuV/m | Line  | Limit | Level  | dB     |        |
| 1   | 2462.700  | 118.38 | ----- | ----- | 106.08 | 12.30  | Peak   |
| 2   | 2483.900  | 64.48  | 74.00 | -9.52 | 52.08  | 12.40  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :ax20\_TX\_2462MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|-------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | Line  | Limit | Level | dB     |         |
| 1   | 2462.800  | 106.55 | ----- | ----- | 94.25 | 12.30  | Average |
| 2   | 2483.600  | 51.08  | 54.00 | -2.92 | 38.68 | 12.40  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
Mode :ax20\_TX\_2462MHz  
Test by :Scott Chang




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 4924.000         | 43.99           | 74.00                   | -30.01              | 58.27                 | -14.28       | Peak   |
| 2   | 7386.000         | 48.87           | 74.00                   | -25.13              | 56.66                 | -7.79        | Peak   |
| 3   | 9848.000         | 49.99           | 74.00                   | -24.01              | 54.07                 | -4.08        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
Mode :ax20\_TX\_2462MHz  
Test by :Scott Chang




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 4924.000         | 43.28           | 74.00                   | -30.72              | 57.56                 | -14.28       | Peak   |
| 2   | 7386.000         | 48.57           | 74.00                   | -25.43              | 56.36                 | -7.79        | Peak   |
| 3   | 9848.000         | 49.62           | 74.00                   | -24.38              | 53.70                 | -4.08        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :ax40\_TX\_2422MHz  
Test by :Scott Chang




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 2384.400         | 55.78           | 74.00                   | -18.22              | 43.88                 | 11.90        | Peak   |
| 2   | 2423.100         | 104.78          | -----                   | -----               | 92.68                 | 12.10        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :ax40\_TX\_2422MHz  
Test by :Scott Chang




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark  |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|---------|
| 1   | 2383.700         | 43.12           | 54.00                   | -10.88              | 31.22                 | 11.90        | Average |
| 2   | 2423.600         | 92.22           | -----                   | -----               | 80.12                 | 12.10        | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :ax40\_TX\_2422MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over  | Read   | Factor | Remark |
|-----|-----------|--------|--------|-------|--------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV   | dB     |        |
| 1   | 2382.300  | 65.58  | 74.00  | -8.42 | 53.69  | 11.89  | Peak   |
| 2   | 2423.400  | 115.57 | -----  | ----- | 103.47 | 12.10  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :ax40\_TX\_2422MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 2382.000  | 52.26  | 54.00  | -1.74 | 40.37 | 11.89  | Average |
| 2   | 2422.900  | 103.95 | -----  | ----- | 91.85 | 12.10  | Average |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
Mode :ax40\_TX\_2422MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 4844.000  | 43.32  | 74.00  | -30.68 | 57.92 | -14.60 | Peak   |
| 2   | 7266.000  | 48.12  | 74.00  | -25.88 | 56.05 | -7.93  | Peak   |
| 3   | 9688.000  | 49.49  | 74.00  | -24.51 | 53.89 | -4.40  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
Mode :ax40\_TX\_2422MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 4844.000  | 43.49  | 74.00  | -30.51 | 58.09 | -14.60 | Peak   |
| 2   | 7266.000  | 50.91  | 74.00  | -23.09 | 58.84 | -7.93  | Peak   |
| 3   | 9688.000  | 49.88  | 74.00  | -24.12 | 54.28 | -4.40  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :ax40\_TX\_2437MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 2387.000  | 55.26  | 74.00  | -18.74 | 43.35 | 11.91  | Peak   |
| 2   | 2438.600  | 104.83 | -----  | -----  | 92.66 | 12.17  | Peak   |
| 3   | 2498.600  | 57.45  | 74.00  | -16.55 | 44.97 | 12.48  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :ax40\_TX\_2437MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 2389.900  | 43.05  | 54.00  | -10.95 | 31.12 | 11.93  | Average |
| 2   | 2437.800  | 92.09  | -----  | -----  | 79.92 | 12.17  | Average |
| 3   | 2495.800  | 43.29  | 54.00  | -10.71 | 30.83 | 12.46  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :ax40\_TX\_2437MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read   | Factor | Remark |
|-----|-----------|--------|--------|--------|--------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV   | dB     |        |
| 1   | 2387.600  | 62.47  | 74.00  | -11.53 | 50.55  | 11.92  | Peak   |
| 2   | 2436.100  | 115.52 | -----  | -----  | 103.36 | 12.16  | Peak   |
| 3   | 2486.100  | 62.45  | 74.00  | -11.55 | 50.05  | 12.40  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :ax40\_TX\_2437MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 2388.100  | 49.09  | 54.00  | -4.91 | 37.17 | 11.92  | Average |
| 2   | 2437.900  | 104.01 | -----  | ----- | 91.84 | 12.17  | Average |
| 3   | 2487.000  | 50.09  | 54.00  | -3.91 | 37.67 | 12.42  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
Mode :ax40\_TX\_2437MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 4874.000  | 43.84  | 74.00  | -30.16 | 58.32 | -14.48 | Peak   |
| 2   | 7311.000  | 47.23  | 74.00  | -26.77 | 55.11 | -7.88  | Peak   |
| 3   | 9748.000  | 49.25  | 74.00  | -24.75 | 53.53 | -4.28  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
Mode :ax40\_TX\_2437MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 4874.000  | 43.88  | 74.00  | -30.12 | 58.36 | -14.48 | Peak   |
| 2   | 7311.000  | 49.18  | 74.00  | -24.82 | 57.06 | -7.88  | Peak   |
| 3   | 9748.000  | 49.65  | 74.00  | -24.35 | 53.93 | -4.28  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :ax40\_TX\_2452MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 2453.500  | 103.34 | -----  | -----  | 91.09 | 12.25  | Peak   |
| 2   | 2493.400  | 57.66  | 74.00  | -16.34 | 45.21 | 12.45  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :ax40\_TX\_2452MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 2453.300  | 91.45  | -----  | -----  | 79.20 | 12.25  | Average |
| 2   | 2492.600  | 43.76  | 54.00  | -10.24 | 31.31 | 12.45  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :ax40\_TX\_2452MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over  | Read   | Factor | Remark |
|-----|-----------|--------|--------|-------|--------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV   | dB     |        |
| 1   | 2451.200  | 114.95 | 74.00  | -8.86 | 102.71 | 12.24  | Peak   |
| 2   | 2492.000  | 65.14  | 74.00  | -8.86 | 52.71  | 12.43  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :ax40\_TX\_2452MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 2451.100  | 103.57 | 74.00  | -2.81 | 91.33 | 12.24  | Average |
| 2   | 2491.900  | 51.19  | 74.00  | -2.81 | 38.76 | 12.43  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Horizontal  
Mode :ax40\_TX\_2452MHz  
Test by :Scott Chang




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 4904.000  | 43.64  | 74.00  | -30.36 | 58.00 | -14.36 | Peak   |
| 2   | 7356.000  | 47.87  | 74.00  | -26.13 | 55.70 | -7.83  | Peak   |
| 3   | 9808.000  | 49.46  | 74.00  | -24.54 | 53.62 | -4.16  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02  
Condition :3m ,Vertical  
Mode :ax40\_TX\_2452MHz  
Test by :Scott Chang



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 4904.000  | 44.06  | 74.00  | -29.94 | 58.42 | -14.36 | Peak   |
| 2   | 7356.000  | 49.44  | 74.00  | -24.56 | 57.27 | -7.83  | Peak   |
| 3   | 9808.000  | 49.68  | 74.00  | -24.32 | 53.84 | -4.16  | Peak   |


Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

## Appendix G. Test Result of Radiated Emissions Co-location

### 30 MHz ~ 1 GHz: Bluetooth + WiFi 2.4 GHz


Site :HC-C802  
Condition :3m Horizontal  
Mode :LF\_WiFi2.4G+BT  
Test by :Brook Cheng



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 199.944   | 25.27  | 43.50  | -18.23 | 31.28 | -6.01  | QP     |
| 2   | 301.018   | 29.66  | 46.00  | -16.34 | 31.70 | -2.04  | QP     |
| 3   | 399.958   | 29.81  | 46.00  | -16.19 | 29.20 | 0.61   | QP     |
| 4   | 544.488   | 26.08  | 46.00  | -19.92 | 22.21 | 3.87   | QP     |
| 5   | 599.972   | 30.01  | 46.00  | -15.99 | 24.66 | 5.35   | QP     |
| 6   | 699.979   | 32.19  | 46.00  | -13.81 | 25.22 | 6.97   | QP     |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission under 30MHz was not included since the emission levels are very low against the limit.  
5. The other emission levels were very low against the limit.

Site :HC-C802  
Condition :3m Vertical  
Mode :LF\_WiFi2.4G+BT  
Test by :Brook Cheng




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 244.370   | 22.32  | 46.00  | -23.68 | 27.57 | -5.25  | QP     |
| 2   | 332.543   | 29.14  | 46.00  | -16.86 | 31.88 | -2.74  | QP     |
| 3   | 399.958   | 28.34  | 46.00  | -17.66 | 29.60 | -1.26  | QP     |
| 4   | 534.109   | 25.03  | 46.00  | -20.97 | 23.64 | 1.39   | QP     |
| 5   | 600.069   | 27.44  | 46.00  | -18.56 | 24.39 | 3.05   | QP     |
| 6   | 717.439   | 31.52  | 46.00  | -14.48 | 26.75 | 4.77   | QP     |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission under 30MHz was not included since the emission levels are very low against the limit.  
5. The other emission levels were very low against the limit.

### Bluetooth + WiFi 5 GHz


Site :HC-C802  
Condition :3m Horizontal  
Mode :LF\_WiFi5G+BT  
Test by :Brook Cheng



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 234.088   | 22.63  | 46.00  | -23.37 | 28.67 | -6.04  | QP     |
| 2   | 306.644   | 25.04  | 46.00  | -20.96 | 28.54 | -3.50  | QP     |
| 3   | 399.958   | 28.45  | 46.00  | -17.55 | 29.71 | -1.26  | QP     |
| 4   | 555.643   | 23.31  | 46.00  | -22.69 | 21.50 | 1.81   | QP     |
| 5   | 650.315   | 24.67  | 46.00  | -21.33 | 20.84 | 3.83   | QP     |
| 6   | 749.934   | 28.58  | 46.00  | -17.42 | 23.21 | 5.37   | QP     |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission under 30MHz was not included since the emission levels are very low against the limit.  
5. The other emission levels were very low against the limit.

Site :HC-C802  
Condition :3m Vertical  
Mode :LF\_WiFi5G+BT  
Test by :Brook Cheng




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 232.730   | 20.16  | 46.00  | -25.84 | 26.39 | -6.23  | QP     |
| 2   | 333.319   | 28.42  | 46.00  | -17.58 | 31.16 | -2.74  | QP     |
| 3   | 449.234   | 27.36  | 46.00  | -18.64 | 27.18 | 0.18   | QP     |
| 4   | 600.069   | 26.71  | 46.00  | -19.29 | 23.66 | 3.05   | QP     |
| 5   | 667.484   | 29.39  | 46.00  | -16.61 | 25.35 | 4.04   | QP     |
| 6   | 749.934   | 28.07  | 46.00  | -17.13 | 23.50 | 5.37   | QP     |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission under 30MHz was not included since the emission levels are very low against the limit.  
5. The other emission levels were very low against the limit.


**Bluetooth + WiFi 6 GHz**

Site :HC-C802  
Condition :3m Horizontal  
Mode :LF\_WiFi6G+BT  
Test by :Brook Cheng



Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission under 30MHz was not included since the emission levels are very low against the limit.  
5. The other emission levels were very low against the limit.



Site :HC-C802  
Condition :3m Vertical  
Mode :LF\_WiFi6G+BT  
Test by :Brook Cheng





Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission under 30MHz was not included since the emission levels are very low against the limit.  
5. The other emission levels were very low against the limit.

## Above 1 GHz:

## Bluetooth + WiFi 2.4 GHz




## Bluetooth + WiFi 5 GHz



Bluetooth + WiFi 6 GHz


Site :HC-C802  
Condition :3m ,Horizontal  
Mode :Wifi6G+BT  
Test by :Brook Cheng



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 4880.000  | 43.20  | 74.00  | -30.80 | 57.66 | -14.46 | Peak   |
| 2   | 7320.000  | 45.33  | 74.00  | -28.67 | 53.19 | -7.86  | Peak   |
| 3   | 9760.000  | 48.14  | 88.22  | -40.08 | 52.39 | -4.25  | Peak   |
| 4   | 13330.000 | 51.86  | 74.00  | -22.14 | 50.93 | 0.93   | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.

Site :HC-C802  
Condition :3m ,Vertical  
Mode :Wifi6G+BT  
Test by :Brook Cheng



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 4880.000  | 43.41  | 74.00  | -30.59 | 57.87 | -14.46 | Peak   |
| 2   | 7320.000  | 44.20  | 74.00  | -29.80 | 52.06 | -7.86  | Peak   |
| 3   | 9760.000  | 48.08  | 88.22  | -40.14 | 52.33 | -4.25  | Peak   |
| 4   | 13330.000 | 51.21  | 74.00  | -22.79 | 50.28 | 0.93   | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.