



Antenna design and data report

Customer name: Dongguan Liesheng Electronic Co., Ltd.

Project name: LS19

Required frequency band: BT

Research and development project: Yang Zongyu

Completion date: August 4, 2023

Manufacture: Shenzhen Kingwear Technology Development Co., Ltd.

Address: 501, building A2, Silicon valley power intelligent terminal Industrial Park, 20 Dafu Industrial Zone, Dafu community, Guanlan street, Longhua District, Shenzhen



catalogue

CONTENTS

01

basic information

Test equipment, complete machine data,
antenna match

02

test data

Illustration of antenna assembly for
passive / active test data
Environmental treatment diagram

03

Planning summary

Project overview



basic


information

on





basic Basic information information

【SATIMO】



【广屏】



test macro

➤ SATIMO Dark room equipped:
Anritsu MT8820C /Agilent
E5071C/StarPoint SP9500

➤ The ETS darkroom is equipped with:
CMW500/Agilent 8960

➤ network analyzer:
Agilent E5071C



basic
Basic information
information

S19





test data

Planning to summarize





Passive data (loss / Smith / map)






Passive data (efficiency / gain / direction chart)


Frequency	Efficiency()	Gain .dB()
2400MHz	9%	-3.95
2405MHz	9%	-3.64
2410MHz	9%	-3.62
2415MHz	10%	-3.57
2420MHz	10%	-3.48
2425MHz	10%	-3.45
2430MHz	11%	-3.77
2435MHz	11%	-3.74
2440MHz	11%	-3.37
2445MHz	12%	-3.46
2450MHz	12%	-3.53
2455MHz	12%	-3.47
2460MHz	12%	-3.48
2465MHz	11%	-3.53
2470MHz	11%	-3.58
2475MHz	13%	-3.48
2480MHz	12%	-3.24
2485MHz	13%	-2.77
2490MHz	13%	-3.18
2495MHz	13%	-2.88
2500MHz	12%	-2.71








Antenna position / assembly





Antenna specifications

Length: 19.5mm
material quality:FPC





Planning summary

Planning to summarize

Note: Original machine state test, the motherboard has no changes.



THANK YOU

May you have a calm heart in the
complicated and noisy world

– –Tv

