



Date: August 10, 2017

UL Verification Services, Inc.
Certification Division
47173 Benicia Street
Fremont, CA 94538, USA

To whom it may concern:

The FCC and ISED regulatory user notices as shown below acc. to FCC parts §15.19, §15.21, §15.105 and ISED RSS-GEN issue 4 as well as the RF exposure compliance information will be presented on a dedicated location on our homepage for which the link is provided in the user manual.

Typical users can reasonably be expected to have internet access capability.

Sincerely Yours,

A handwritten signature in black ink, appearing to read 'Harvey Ho', with a stylized flourish at the end.

Harvey Ho
Chief Financial Officer
Gate Labs, Inc.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Important: Changes or modifications to this product not authorized by Gate Labs could void the electromagnetic compatibility (EMC) and wireless compliance of the device and negate your authority to operate the product.

This product has demonstrated EMC compliance under conditions that included the use of compliant peripheral devices and shielded cables between system components. It is important that you use compliant peripheral devices and shielded cables between system components to reduce the possibility of causing interference to radios, televisions, and other electronic devices.

FCC-ID : 2AMVI-G1

The party responsible for FCC compliance is:

Gate Labs, Inc.
San Francisco, CA

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation."

The product may be subject to the Declaration of Conformity (DoC) requirements. If so, the product must contain the appropriate DoC FCC logo on the product packaging or in the instruction manual.

This device meets the FCC requirements for RF exposure in public or uncontrolled environments. The transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be collocated or operating in conjunction with any other antenna or transmitter.

This device meets the IC requirements for RF exposure in public or uncontrolled environments.

Cet appareil est conforme aux conditions de la IC en matière de RF dans des environnements publics ou incontrôlée.

IC Notice to Users in accordance with current issue of RSS GEN:

This device complies with Industry Canada license exempt RSS standard(s). Operation is subject to the following two conditions:

1. this device may not cause interference, and
2. this device must accept any interference, including interference that may cause undesired operation of the device.

Cet appareil est conforme avec Industrie Canada RSS standard exempts de licence (s). Son utilisation est soumise à Les deux conditions suivantes:

1. cet appareil ne peut pas provoquer d'interférences et
2. cet appareil doit accepter Toute interférence, y compris les interférences qui peuvent causer un mauvais fonctionnement du dispositif.

IC: 22940-G1