

Antenna report

2: 测试步骤程序 Test method and standard

Name	Parameter	Method	Standard no.
Antenna performance	Radiation efficiency	IEEE Standard Test Procedures for Antennas	ANSVIEEE Std 149-2021

测试地点 test location	Dongguan South Star Technology Co., Ltd
	No. 3, Nanfang 1st Road, Chigang, Humen Town, Dongguan City
测试人员 test person	Wangdongyang
测试日期test date	2026-03-12


3: 测试设置照片test set up



4: 设备清单 test equipment list

序号	Equipment	Module No.	Manufacturer	Production number	Calibration date	valid date
1	Fully anechoic chamber	AMS-8923	ETS -Lindgren	5421	2025/4/13	2026/4/12
2	Turntable puller	EMCO2090	ETS -Lindgren	125967	/	/
3	switch unit	OSP120	Rohde & Schwarz	100939	/	/
4	network analyzer	Agilent E5071C	Agilent	101539	2025/4/13	2026/4/12
5	Comprehensive instruments	R&S CMW500	Rohde & Schwarz	130259	2025/4/13	2026/4/12


5:测试配置图 Test configuration diagram




6: 天线增益测试图及数据antenna gain test graph and datas

Freq (MHz)	Effi (%)	Gain (dBi)
2400	42.36	1.99
2410	44.21	1.83
2420	43.00	2
2430	42.30	1.82
2440	43.28	1.9
2450	46.41	1.93
2460	42.29	2.11
2470	43.69	2.03
2480	43.38	2.09
2490	43.69	2.07
2500	44.14	2.05


2400.000MHz




2400.000MHz H




2400.000MHz E1




2400.000MHz E2




2450.000MHz




2450.000MHz H




2450.000MHz E1




2450.000MHz E2




2500.000MHz




2500.000MHz H



2500.000MHz E1



2500.000MHz E2



7：测试步骤 Test Procedure

Test Step Flow

1. Maintain the test ambient temperature of 23 ± 2 C, the instrument is powered on and preheated for more than 30 minutes
2. Turn on the darkroom power supply, connect the test cable, and set up the sample according to the standard
3. Outline sets the test content objectives and conducts calibration tests
4. Run the EMQuest OTA software, the test is complete, export the corresponding test diagram and test data, and save to the corresponding directory

Test Principle

The test principle can be seen in accordance with the standard ANSI/IEEE std 149-2021

Test Conditions

1. The analyte, the network analyzer for testing, the test equipment and the test cable connector should have good reliability, stability, dynamic range and measurement accuracy to ensure the correctness of the measurement accuracy
2. The measuring instrument should have a certificate of conformity and be within the effective calibration period
3. The analyte should be complete and undamaged, and the test environment should be kept clean

8：测试软件 Test Software

Test software being used: EMT-OTA
Software Version: V2.0