







11G_Ant1_2437_0~Reference



11G_Ant1_2437_30~1000




11G_Ant1_2437_1000~26500



11G_Ant1_2462_0~Reference



11G_Ant1_2462_30~1000




11G_Ant1_2462_1000~26500




11N20SISO_Ant1_2412_0~Reference



11N20SISO_Ant1_2412_30~1000




11N20SISO_Ant1_2412_1000~26500



11N20SISO_Ant1_2437_0~Reference




11N20SISO_Ant1_2437_30~1000




11N20SISO_Ant1_2437_1000~26500



11N20SISO_Ant1_2462_0~Reference




11N20SISO_Ant1_2462_30~1000




11N20SISO_Ant1_2462_1000~26500




11N40SISO_Ant1_2422_0~Reference




11N40SISO_Ant1_2422_30~1000




11N40SISO_Ant1_2422_1000~26500



11N40SISO_Ant1_2437_0~Reference




11N40SISO_Ant1_2437_30~1000




11N40SISO_Ant1_2437_1000~26500



11N40SISO_Ant1_2452_0~Reference



11N40SISO_Ant1_2452_30~1000




11N40SISO_Ant1_2452_1000~26500



11AX20SISO_Ant1_2412_0~Reference



11AX20SISO_Ant1_2412_30~1000



11AX20SISO_Ant1_2412_1000~26500



11AX20SISO_Ant1_2437_0~Reference



11AX20SISO_Ant1_2437_30~1000




11AX20SISO_Ant1_2437_1000~26500




11AX20SISO_Ant1_2462_0~Reference



11AX20SISO_Ant1_2462_30~1000




11AX20SISO_Ant1_2462_1000~26500




11AX40SISO_Ant1_2422_0~Reference



11AX40SISO_Ant1_2422_30~1000



11AX40SISO_Ant1_2422_1000~26500



11AX40SISO_Ant1_2437_0~Reference



11AX40SISO_Ant1_2437_30~1000




11AX40SISO_Ant1_2437_1000~26500



11AX40SISO_Ant1_2452_0~Reference



11AX40SISO_Ant1_2452_30~1000



11AX40SISO_Ant1_2452_1000~26500



Appendix B.6: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30MHz - 1GHz

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
45.930385	14.03	40.00	25.97	100.0	H	303.0	-18.8
100.101154	11.06	43.50	32.44	100.0	H	14.0	-19.1
175.388077	13.85	43.50	29.65	100.0	H	67.0	-21.0
219.485769	17.41	46.00	28.59	100.0	H	67.0	-18.7
299.995769	18.88	46.00	27.12	100.0	H	145.0	-16.3
450.010000	20.38	46.00	25.62	100.0	H	242.0	-12.8
952.843077	25.27	46.00	20.73	100.0	H	22.0	-4.2

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0VES
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168580092/A004126573-001
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
34.850000	14.04	40.00	25.96	100.0	V	26.0	-22.0
50.034231	13.68	40.00	26.32	100.0	V	295.0	-18.4
103.981154	10.96	43.50	32.54	100.0	V	356.0	-18.9
247.242692	12.45	46.00	33.55	100.0	V	69.0	-17.5
450.010000	18.96	46.00	27.04	100.0	V	243.0	-12.8
936.950000	25.88	46.00	20.12	100.0	V	356.0	-4.4

Final_Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Wi-Fi Fundamental.

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4824.000000	55.65	---	74.00	18.35	150.0	H	329.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4823.927778	---	51.57	54.00	2.43	150.0	H	329.0	13.3

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4824.000000	---	48.77	54.00	5.23	150.0	V	274.0	13.3
4824.500000	53.94	---	74.00	20.06	150.0	V	338.0	13.3


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7217.750000	---	36.28	54.00	17.72	150.0	V	12.0	8.7
7221.191667	44.86	---	74.00	29.14	150.0	V	232.0	8.7
12138.350000	---	43.68	54.00	10.32	150.0	V	0.0	16.4
12147.691667	51.74	---	74.00	22.26	150.0	V	44.0	16.7

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4873.500000	53.72	---	74.00	20.28	150.0	H	204.0	13.3
4874.000000	---	48.14	54.00	5.86	150.0	H	228.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4874.000000	55.23	---	74.00	18.77	150.0	V	280.0	13.3
4874.000000	---	50.31	54.00	3.69	150.0	V	280.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Information


EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11b_Ch11
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
90.00	-68.75	-68.75	-68.75	31.25	100.00	V	0.00	0.00

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.352941	---	45.01	54.00	8.99	150.0	V	247.0	8.5
2387.941177	51.94	---	74.00	22.06	150.0	V	247.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11g_Ch1
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11g_Ch1
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11g_Ch11
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.529412	---	51.75	54.00	2.25	150.0	V	244.0	9.0
2484.117647	63.58	---	74.00	10.42	150.0	V	244.0	9.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11n20_Ch1
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.411765	64.72	---	74.00	9.28	150.0	H	61.0	8.5
2389.705882	---	49.96	54.00	4.04	150.0	H	71.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11n20_Ch1
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.117647	64.69	---	74.00	9.31	150.0	V	43.0	8.5
2390.000000	---	50.88	54.00	3.12	150.0	V	355.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11n20_Ch11
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.529412	---	46.71	54.00	7.29	150.0	H	83.0	9.0
2485.294118	60.78	---	74.00	13.23	150.0	H	83.0	9.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11n20_Ch11
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.529412	56.74	---	74.00	17.26	150.0	V	133.0	9.0
2483.529412	---	44.41	54.00	9.59	150.0	V	133.0	9.0


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11n40_Ch3
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2385.882353	61.82	---	74.00	12.18	150.0	V	42.0	8.5
2385.882353	---	48.76	54.00	5.24	150.0	V	42.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0VES
Test Mode: WIFI 2.4G_11n40_Ch9
Order No/Sample No: 168580092/A004126573-001
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.529412	65.64	---	74.00	8.36	150.0	H	65.0	9.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.529412	---	51.80	54.00	2.20	150.0	H	65.0	9.0

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0VES
Test Mode:	WIFI 2.4G_11n40_Ch9
Order No/Sample No:	168580092/A004126573-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.764706	58.58	---	74.00	15.42	150.0	V	154.0	9.0
2487.058824	---	45.42	54.00	8.58	150.0	V	154.0	9.0


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

Appendix B.8: Test Results of Conducted Emission on AC Mains

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Order Number:	P02094262
Model:	RRE0VES
Test Mode:	Charging + working
Test Voltage:	AC 120V/ 60Hz
Test Standard:	FCC PART 15
Test By:/Review By:	Simon Feng / Murphy Chen
Tem./Hum./Pressure:	24.0°C/52.1%/101kPa
Remark:	SR 3



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.152	50.7	---	65.86	15.20	L1	9.5
0.177	---	33.8	54.61	20.76	L1	9.7
0.264	---	29.8	51.29	21.45	L1	9.7
0.269	44.3	---	61.14	16.82	L1	9.6
0.528	38.3	---	56.00	17.68	L1	9.5
0.533	---	23.6	46.00	22.39	L1	9.5
0.794	37.9	---	56.00	18.10	L1	9.7
0.797	---	31.1	46.00	14.91	L1	9.7
1.593	38.4	---	56.00	17.64	L1	9.6
1.593	---	31.1	46.00	14.86	L1	9.6
2.391	---	28.1	46.00	17.94	L1	9.6
2.391	36.5	---	56.00	19.51	L1	9.6

Final Result

[illegible]

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Order Number:	P02094262
Model:	RRE0VES
Test Mode:	Charging + working
Test Voltage:	AC 120V/ 60Hz
Test Standard:	FCC PART 15
Test By:/Review By:	Simon Feng / Murphy Chen
Tem./Hum./Pressure:	24.0°C/52.1%/101kPa
Remark:	SR 3



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.165	50.5	---	65.21	14.70	N	9.8
0.175	---	35.3	54.73	19.38	N	9.8
0.215	48.2	---	63.02	14.82	N	9.9
0.217	---	32.3	52.93	20.68	N	9.9
0.424	40.2	---	57.38	17.22	N	9.9
0.431	---	25.8	47.23	21.47	N	9.9
0.797	38.7	---	56.00	17.31	N	9.8
0.799	---	29.3	46.00	16.75	N	9.8
1.593	---	31.6	46.00	14.37	N	9.9
1.593	38.7	---	56.00	17.26	N	9.9
2.391	---	28.9	46.00	17.09	N	9.9
2.391	36.9	---	56.00	19.12	N	9.9

Final_Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
----	----	----	----	----	-----	----		-----