


EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: S81USP
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168397766/A003376067-008
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4874.000000	---	48.86	54.00	5.14	100.0	H	227.0	11.8
4874.000000	53.78	---	74.00	20.22	100.0	H	227.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4873.500000	---	48.05	54.00	5.95	100.0	V	120.0	11.8
4874.000000	54.29	---	74.00	19.71	100.0	V	127.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: S81USP
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168397766/A003376067-008
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7308.708333	41.57	---	74.00	32.43	100.0	H	18.0	8.2
7311.658333	---	33.57	54.00	20.43	100.0	H	275.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7310.183333	41.96	---	74.00	32.04	100.0	V	0.0	8.2
7310.183333	---	34.98	54.00	19.02	100.0	V	0.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11b_Ch11
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4923.500000	54.52	---	74.00	19.48	100.0	H	289.0	11.8
4923.500000	---	48.36	54.00	5.64	100.0	H	289.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11b_Ch11
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4923.500000	---	48.09	54.00	5.91	100.0	V	120.0	11.8
4924.000000	53.78	---	74.00	20.22	100.0	V	120.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11b_Ch11
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7388.358333	41.61	---	74.00	32.39	100.0	H	23.0	8.2
7410.483333	---	33.83	54.00	20.17	100.0	H	95.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11b_Ch11
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7384.916667	---	34.93	54.00	19.07	100.0	V	341.0	8.2
7386.883333	42.85	---	74.00	31.15	100.0	V	0.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11g_Ch6
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4873.500000	---	43.48	54.00	10.52	100.0	H	225.0	11.8
4875.000000	54.46	---	74.00	19.54	100.0	H	225.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11g_Ch6
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4870.500000	---	44.29	54.00	9.71	100.0	V	122.0	11.8
4875.000000	54.78	---	74.00	19.22	100.0	V	122.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11g_Ch6
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7302.808333	---	34.08	54.00	19.92	100.0	H	4.0	8.3
7309.200000	41.67	---	74.00	32.33	100.0	H	4.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11g_Ch6
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7307.233333	---	34.80	54.00	19.20	100.0	V	0.0	8.3
7317.066667	44.39	---	74.00	29.61	100.0	V	359.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11n20_Ch6
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4872.000000	---	42.94	54.00	11.06	100.0	H	228.0	11.8
4874.000000	53.82	---	74.00	20.18	100.0	H	228.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: S81USP
Test Mode: WIFI 2.4G_11n20_Ch6
Order No/Sample No: 168397766/A003376067-008
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4874.000000	---	44.13	54.00	9.87	100.0	V	125.0	11.8
4876.500000	54.97	---	74.00	19.03	100.0	V	125.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: S81USP
Test Mode: WIFI 2.4G_11n20_Ch6
Order No/Sample No: 168397766/A003376067-008
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7306.741667	---	33.53	54.00	20.47	100.0	H	90.0	8.3
7325.425000	41.74	---	74.00	32.26	100.0	H	341.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11n20_Ch6
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7308.216667	45.81	---	74.00	28.19	100.0	V	357.0	8.2
7315.591667	---	35.24	54.00	18.76	100.0	V	0.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: S81USP
Test Mode: WIFI 2.4G_11n40_Ch6
Order No/Sample No: 168397766/A003376067-008
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4869.500000	52.69	---	74.00	21.31	100.0	H	305.0	11.8
4872.500000	---	41.19	54.00	12.81	100.0	H	113.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: S81USP
Test Mode: WIFI 2.4G_11n40_Ch6
Order No/Sample No: 168397766/A003376067-008
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4863.000000	51.85	---	74.00	22.15	100.0	V	123.0	11.8
4868.000000	---	41.75	54.00	12.25	100.0	V	123.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: S81USP
Test Mode: WIFI 2.4G_11n40_Ch6
Order No/Sample No: 168397766/A003376067-008
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7317.066667	---	33.18	54.00	20.82	100.0	H	358.0	8.2
7324.441667	42.35	---	74.00	31.65	100.0	H	117.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11n40_Ch6
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7297.891667	---	34.03	54.00	19.97	100.0	V	0.0	8.3
7323.458333	43.33	---	74.00	30.67	100.0	V	0.0	8.2

Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.6: Test Results of Radiated Emissions in Restricted Bands

Wi-Fi 802.11 b mode, 1 Mbps

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2313.000000	49.61	---	74.00	24.39	100.0	H	320.0	6.5
2331.700000	---	40.55	54.00	13.46	100.0	H	120.0	6.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2316.800000	48.92	---	74.00	25.08	100.0	V	7.0	6.6
2339.100000	---	40.23	54.00	13.77	100.0	V	205.0	6.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: S81USP
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168397766/A003376067-008
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.400000	---	44.42	54.00	9.58	100.0	H	289.0	7.4
2486.200000	53.28	---	74.00	20.72	100.0	H	162.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: S81USP
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168397766/A003376067-008
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.200000	---	41.90	54.00	12.10	100.0	V	149.0	7.4
2487.300000	50.81	---	74.00	23.19	100.0	V	157.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

Wi-Fi 802.11 g mode, 6 Mbps

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11g_Ch1
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.500000	68.67	---	74.00	5.33	100.0	H	162.0	7.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.874400	44.66	54.00	9.34	100.0	H	160.0	7.0

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11g_Ch1
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.100000	---	43.57	54.00	10.43	100.0	V	324.0	7.0
2389.600000	56.89	---	74.00	17.11	100.0	V	324.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11g_Ch11
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.100000	67.82	---	74.00	6.18	100.0	H	293.0	7.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.718250	46.49	54.00	7.51	100.0	H	162.0	7.4

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11g_Ch11
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.500000	---	47.03	54.00	6.97	100.0	V	158.0	7.4
2486.500000	62.01	---	74.00	11.99	100.0	V	158.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

Wi-Fi 802.11 n(HT20) mode, MCS0

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11n20_Ch1
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.700000	67.36	---	74.00	6.64	100.0	H	309.0	7.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.896350	48.05	54.00	5.95	105.0	H	119.0	7.0

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11n20_Ch1
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.900000	62.37	---	74.00	11.63	100.0	V	57.0	7.0
2390.000000	---	45.48	54.00	8.52	100.0	V	323.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: S81USP
Test Mode: WIFI 2.4G_11n20_Ch11
Order No/Sample No: 168397766/A003376067-008
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.800000	65.76	---	74.00	8.24	100.0	H	140.0	7.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.721900	45.75	54.00	8.25	100.0	H	125.0	7.4

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11n20_Ch11
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.500000	---	45.70	54.00	8.30	100.0	V	114.0	7.4
2484.400000	62.55	---	74.00	11.45	100.0	V	150.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

Wi-Fi 802.11 n(HT40) mode, MCS0

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11n40_Ch3
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.500000	66.17	---	74.00	7.83	100.0	H	159.0	7.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2385.589450	48.11	54.00	5.89	100.0	H	164.0	7.0

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11n40_Ch3
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.800000	59.66	---	74.00	14.34	100.0	V	53.0	7.0
2389.500000	---	47.57	54.00	6.43	100.0	V	324.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: S81USP
Test Mode: WIFI 2.4G_11n40_Ch9
Order No/Sample No: 168397766/A003376067-008
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2490.300000	67.75	---	74.00	6.25	100.0	H	159.0	7.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.036350	48.86	54.00	5.14	100.0	H	157.0	7.4

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI 2.4G_11n40_Ch9
Order No/Sample No:	168397766/A003376067-008
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2488.500000	60.68	---	74.00	13.32	100.0	V	151.0	7.4


Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.948450	43.02	54.00	10.98	100.0	V	160.0	7.4

Appendix B.7: Test Results of Conducted Emission

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	S81USP
Test Mode:	WIFI Link+Charging
Order No/Sample No:	168397766/A003376067-003
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.202000	---	24.90	53.53	28.63	L1	9.9
0.202000	39.46	---	63.53	24.07	L1	9.9
0.318000	---	27.93	49.76	21.83	L1	9.9
0.318000	34.45	---	59.76	25.31	L1	9.9
0.370000	42.52	---	58.50	15.99	L1	9.9
0.374000	---	38.29	48.41	10.12	L1	9.9
0.394000	37.71	---	57.98	20.27	L1	9.9
0.398000	---	29.46	47.90	18.44	L1	9.9
0.630000	---	20.79	46.00	25.21	L1	10.0
0.630000	28.95	---	56.00	27.05	L1	10.0
25.286000	33.19	---	60.00	26.81	L1	10.4
25.990000	---	21.59	50.00	28.41	L1	10.4

Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
90.0000	-86.0000	-86.0000	-86.0000	0.0000	0.0000	0.0000		

