






Chain 0


802.11ax20, Low Channel, 5500MHz, Horizontal



802.11ax20, Low Channel, 5500MHz, Vertical












Chain 1

802.11ax20, Low Channel, 5500MHz, Horizontal




802.11ax20, Low Channel, 5500MHz, Vertical








802.11ax20, High Channel, 5700MHz, Horizontal




802.11ax20, High Channel, 5700MHz, Vertical







Chain 0

802.11ax40, Low Channel, 5510MHz, Horizontal




802.11ax40, Low Channel, 5510MHz, Vertical








802.11ax40, High Channel, 5670MHz, Horizontal



802.11ax40, High Channel, 5670MHz, Vertical



Chain 1

Project No.: 2502U62651E-RF

Polarization: Horizontal

Test Mode: Transmitting

Note: 802.11ax40_U-NII-2C_low channel 5510MHz Chain1

Peak:RBW:1MHz,VBW:30Hz


Serial No.: 3482-2

Tester: Alan Xie

Level (dBuV/m)

Date: 2025-09-03

Fundamental test with Filter Switch Unit



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1596.20	59.25	-8.38	50.87	74.00	23.13	Peak

Project No.: 2502U62651E-RF

Polarization: Vertical

Test Mode: Transmitting

Note: 802.11ax40_U-NII-2C_low channel 5510MHz Chain1

Peak:RBW:1MHz,VBW:30Hz


Serial No.: 3482-2

Tester: Alan Xie

Level (dBuV/m)

Date: 2025-09-03

Fundamental test with Filter Switch Unit



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1598.40	60.87	-8.38	52.49	74.00	21.51	Peak

Project No.: 2502U62651E-RF

Polarization: Horizontal

Test Mode: Transmitting

Note: 802.11ax40_U-NII-2C_low channel 5510MHz Chain1


Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3482-2

Tester: Alan Xie

Level (dBuV/m)

Date: 2025-09-03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11020.00	47.44	2.53	49.97	74.00	24.03	Peak
2	16530.00	46.72	4.56	51.28	68.20	16.92	Peak
3	17947.10	47.69	10.93	58.62	74.00	15.38	Peak
4	17947.10	36.17	10.93	47.10	54.00	6.90	Average

Project No.: 2502U62651E-RF

Polarization: Vertical

Test Mode: Transmitting

Note: 802.11ax40_U-NII-2C_low channel 5510MHz Chain1


Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3482-2


Tester: Alan Xie

Level (dBuV/m)


Date: 2025-09-03






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11020.00	46.80	2.53	49.33	74.00	24.67	Peak
2	16530.00	46.22	4.56	50.78	68.20	17.42	Peak
3	17937.90	47.99	10.85	58.84	74.00	15.16	Peak
4	17937.90	36.30	10.85	47.15	54.00	6.85	Average



802.11ax40, High Channel, 5670MHz, Horizontal




802.11ax40, High Channel, 5670MHz, Vertical






Chain 0


802.11ax80, Low Channel, 5530MHz, Horizontal






802.11ax80, Low Channel, 5530MHz, Vertical



802.11ax80, High Channel, 5610MHz, Horizontal




802.11ax80, High Channel, 5610MHz, Vertical






Chain 1


802.11ax80, Low Channel, 5530MHz, Horizontal






802.11ax80, Low Channel, 5530MHz, Vertical




802.11ax80, High Channel, 5610MHz, Horizontal



802.11ax80, High Channel, 5610MHz, Vertical



5725-5850MHz:Chain 0



802.11a, Middle Channel, 5785MHz, Horizontal

Project No.: 2502U62651E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3_middle channel 5785MHz Chain0
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3482-2
Tester: Leo Xiao

Level (dBuV/m)
Fundamental test with Filter Switch Unit
Date: 2025-09-02

100021003200430054006500

2030405060708090100

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1595.10	59.03	-8.37	50.66	74.00	23.34	Peak

802.11a, Middle Channel, 5785MHz, Vertical

Project No.: 2502U62651E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3_middle channel 5785MHz Chain0
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3482-2
Tester: Leo Xiao

Level (dBuV/m)
Fundamental test with Filter Switch Unit
Date: 2025-09-02

100021003200430054006500

2030405060708090100

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	2123.10	59.57	-10.94	48.63	68.20	19.57	Peak

802.11a, Middle Channel, 5785MHz, Horizontal

Project No.: 2502U62651E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3_middle channel 5785MHz Chain0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3482-2
Tester: Leo Xiao

Level (dBuV/m)
Date: 2025-09-02

6500880011100134001570018000

2030405060708090100

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11570.00	46.15	3.31	49.46	74.00	24.54	Peak
2	17355.00	48.62	7.10	55.72	68.20	12.48	Peak
3	17993.10	48.30	11.25	59.55	74.00	14.45	Peak
4	17993.10	36.34	11.25	47.59	54.00	6.41	Average

802.11a, Middle Channel, 5785MHz, Vertical

Project No.: 2502U62651E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3_middle channel 5785MHz Chain0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3482-2
Tester: Leo Xiao


Level (dBuV/m)
Date: 2025-09-02

6500880011100134001570018000




2030405060708090100

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11570.00	46.04	3.31	49.35	74.00	24.65	Peak
2	17355.00	47.31	7.10	54.41	68.20	13.79	Peak
3	17990.80	48.81	11.23	60.04	74.00	13.96	Peak
4	17990.80	36.38	11.23	47.61	54.00	6.39	Average


802.11a, High Channel, 5825MHz, Horizontal



802.11a, High Channel, 5825MHz, Vertical



Chain 1



802.11a, Middle Channel, 5785MHz, Horizontal

Project No.: 2502U62651E-RF

Serial No.: 3482-2

Polarization: Horizontal

Tester: Leo Xiao

Test Mode: Transmitting

Note: 802.11a_U-NII-3_middle channel 5785MHz Chain1

Peak:RBW:1MHz,VBW:3MHz

Level (dBuV/m)

Fundamental test with Filter Switch Unit

Date: 2025-09-02

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1592.90	58.73	-8.38	50.35	74.00	23.65	Peak

802.11a, Middle Channel, 5785MHz, Vertical

Project No.: 2502U62651E-RF

Serial No.: 3482-2

Polarization: Vertical

Tester: Leo Xiao

Test Mode: Transmitting

Note: 802.11a_U-NII-3_middle channel 5785MHz Chain1

Peak:RBW:1MHz,VBW:3MHz

Level (dBuV/m)

Fundamental test with Filter Switch Unit

Date: 2025-09-02

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1596.20	62.21	-8.38	53.83	74.00	20.17	Peak

802.11a, Middle Channel, 5785MHz, Horizontal

Project No.: 2502U62651E-RF

Serial No.: 3482-2

Polarization: Horizontal

Tester: Leo Xiao

Test Mode: Transmitting

Note: 802.11a_U-NII-3_middle channel 5785MHz Chain1

Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Level (dBuV/m)

Date: 2025-09-02

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11570.00	46.54	3.31	49.85	74.00	24.15	Peak
2	17355.00	48.11	7.10	55.21	68.20	12.99	Peak
3	17983.90	48.15	11.18	59.33	74.00	14.67	Peak
4	17983.90	36.29	11.18	47.47	54.00	6.53	Average

802.11a, Middle Channel, 5785MHz, Vertical

Project No.: 2502U62651E-RF

Serial No.: 3482-2

Polarization: Vertical

Tester: Leo Xiao

Test Mode: Transmitting

Note: 802.11a_U-NII-3_middle channel 5785MHz Chain1


Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Level (dBuV/m)




Date: 2025-09-02

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11570.00	46.39	3.31	49.70	74.00	24.30	Peak
2	17355.00	47.44	7.10	54.54	68.20	13.66	Peak
3	17981.60	47.95	11.17	59.12	74.00	14.88	Peak
4	17981.60	36.21	11.17	47.38	54.00	6.62	Average

802.11a, High Channel, 5825MHz, Horizontal



802.11a, High Channel, 5825MHz, Vertical



Chain 0

Project No.: 2502U62651E-RF

Serial No.: 3482-2

Polarization: Horizontal

Tester: Leo Xiao

Test Mode: Transmitting

Note: 802.11n20_U-NII-3_low channel 5745MHz Chain0

Peak: RBW:1MHz,VBW:3MHz

Fundamental test with Filter Switch Unit

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1597.30	61.16	-8.38	52.78	74.00	21.22	Peak

Project No.: 2502U62651E-RF

Serial No.: 3482-2

Polarization: Vertical

Tester: Leo Xiao

Test Mode: Transmitting

Note: 802.11n20_U-NII-3_low channel 5745MHz Chain0

Peak: RBW:1MHz,VBW:3MHz

Fundamental test with Filter Switch Unit

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1591.80	60.32	-8.37	51.95	74.00	22.05	Peak

Project No.: 2502U62651E-RF

Serial No.: 3482-2

Polarization: Horizontal

Tester: Leo Xiao

Test Mode: Transmitting

Note: 802.11n20_U-NII-3_low channel 5745MHz Chain0

Peak: RBW:1MHz,VBW:3MHz Ave: RBW:1MHz,VBW:5kHz

Fundamental test with Filter Switch Unit

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11490.00	47.15	3.33	50.48	74.00	23.52	Peak
2	17235.00	48.46	6.93	55.39	68.20	12.81	Peak
3	17972.40	48.84	11.09	59.93	74.00	14.07	Peak
4	17972.40	36.40	11.09	47.49	54.00	6.51	Average

Project No.: 2502U62651E-RF

Serial No.: 3482-2

Polarization: Vertical

Tester: Leo Xiao


Test Mode: Transmitting


Note: 802.11n20_U-NII-3_low channel 5745MHz Chain0

Peak: RBW:1MHz,VBW:3MHz Ave: RBW:1MHz,VBW:5kHz

Fundamental test with Filter Switch Unit

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11490.00	47.32	3.33	50.65	74.00	23.35	Peak
2	17235.00	48.12	6.93	55.05	68.20	13.15	Peak
3	17981.60	48.42	11.17	59.59	74.00	14.41	Peak
4	17981.60	36.44	11.17	47.61	54.00	6.39	Average






Chain 1

802.11n20, Low Channel, 5745MHz, Horizontal				802.11n20, Low Channel, 5745MHz, Vertical			
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n20_U-NII-3_low channel 5745MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-09-02 Fundamental test with Filter Switch Unit				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n20_U-NII-3_low channel 5745MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-09-02 Fundamental test with Filter Switch Unit			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1598.40	58.32	-8.38	49.94	74.00	24.06	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1596.20	59.69	-8.38	51.31	74.00	22.69	Peak




Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n20_U-NII-3_low channel 5745MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-09-02				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n20_U-NII-3_low channel 5745MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-09-02			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11490.00	46.16	3.33	49.49	74.00	24.51	Peak
2	17325.00	47.29	6.94	54.23	68.20	13.97	Peak
3	17997.70	47.58	11.28	58.86	74.00	15.14	Peak
4	17997.70	36.48	11.28	47.76	54.00	6.24	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11490.00	45.21	3.33	48.54	74.00	25.46	Peak
2	17325.00	46.69	6.94	53.63	68.20	14.57	Peak
3	17993.10	48.25	11.25	59.50	74.00	14.50	Peak
4	17993.10	36.32	11.25	47.57	54.00	6.43	Average

802.11n20, Middle Channel, 5785MHz, Horizontal				802.11n20, Middle Channel, 5785MHz, Vertical																																																																																			
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n20_U-NII-3_middle channel 5785MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-09-02 Fundamental test with Filter Switch Unit <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>1680.90</td><td>58.68</td><td>-8.67</td><td>50.01</td><td>74.00</td><td>23.99</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	1680.90	58.68	-8.67	50.01	74.00	23.99	Peak	Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n20_U-NII-3_middle channel 5785MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-09-02 Fundamental test with Filter Switch Unit <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>1596.20</td><td>58.95</td><td>-8.38</td><td>50.57</td><td>74.00</td><td>23.43</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	1596.20	58.95	-8.38	50.57	74.00	23.43	Peak																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	1680.90	58.68	-8.67	50.01	74.00	23.99	Peak																																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	1596.20	58.95	-8.38	50.57	74.00	23.43	Peak																																																																																
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n20_U-NII-3_middle channel 5785MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-09-02 Fundamental test with Filter Switch Unit <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>11570.00</td><td>45.85</td><td>3.31</td><td>49.16</td><td>74.00</td><td>24.84</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>47.88</td><td>7.10</td><td>54.98</td><td>68.20</td><td>13.22</td><td>Peak</td></tr><tr><td>3</td><td>17956.30</td><td>47.16</td><td>10.99</td><td>58.15</td><td>74.00</td><td>15.85</td><td>Peak</td></tr><tr><td>4</td><td>17956.30</td><td>36.37</td><td>10.99</td><td>47.36</td><td>54.00</td><td>6.64</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	11570.00	45.85	3.31	49.16	74.00	24.84	Peak	2	17355.00	47.88	7.10	54.98	68.20	13.22	Peak	3	17956.30	47.16	10.99	58.15	74.00	15.85	Peak	4	17956.30	36.37	10.99	47.36	54.00	6.64	Average	Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n20_U-NII-3_middle channel 5785MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-09-02 Fundamental test with Filter Switch Unit <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>11570.00</td><td>46.81</td><td>3.31</td><td>50.12</td><td>74.00</td><td>23.88</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>47.41</td><td>7.10</td><td>54.51</td><td>68.20</td><td>13.69</td><td>Peak</td></tr><tr><td>3</td><td>17993.10</td><td>47.78</td><td>11.25</td><td>59.03</td><td>74.00</td><td>14.97</td><td>Peak</td></tr><tr><td>4</td><td>17993.10</td><td>36.44</td><td>11.25</td><td>47.69</td><td>54.00</td><td>6.31</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	11570.00	46.81	3.31	50.12	74.00	23.88	Peak	2	17355.00	47.41	7.10	54.51	68.20	13.69	Peak	3	17993.10	47.78	11.25	59.03	74.00	14.97	Peak	4	17993.10	36.44	11.25	47.69	54.00	6.31	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	11570.00	45.85	3.31	49.16	74.00	24.84	Peak																																																																																
2	17355.00	47.88	7.10	54.98	68.20	13.22	Peak																																																																																
3	17956.30	47.16	10.99	58.15	74.00	15.85	Peak																																																																																
4	17956.30	36.37	10.99	47.36	54.00	6.64	Average																																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	11570.00	46.81	3.31	50.12	74.00	23.88	Peak																																																																																
2	17355.00	47.41	7.10	54.51	68.20	13.69	Peak																																																																																
3	17993.10	47.78	11.25	59.03	74.00	14.97	Peak																																																																																
4	17993.10	36.44	11.25	47.69	54.00	6.31	Average																																																																																

802.11n20, High Channel, 5825MHz, Horizontal



802.11n20, High Channel, 5825MHz, Vertical



Chain 0

Project No.: 2502U62651E-RF

Polarization: Horizontal

Test Mode: Transmitting


Note: 802.11n40_U-NII-3_low channel 5755MHz Chain0

Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3482-2

Tester: Leo Xiao

Fundamental test with Filter Switch Unit



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1688.60	59.35	-8.74	50.61	74.00	23.39	Peak

Project No.: 2502U62651E-RF

Polarization: Vertical

Test Mode: Transmitting


Note: 802.11n40_U-NII-3_low channel 5755MHz Chain0

Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3482-2

Tester: Leo Xiao

Fundamental test with Filter Switch Unit



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1598.40	58.78	-8.38	50.40	74.00	23.60	Peak

Project No.: 2502U62651E-RF

Polarization: Horizontal


Test Mode: Transmitting

Note: 802.11n40_U-NII-3_low channel 5755MHz Chain0

Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3482-2

Tester: Leo Xiao



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11510.00	46.01	3.33	49.34	74.00	24.66	Peak
2	17265.00	46.49	6.96	53.45	68.20	14.75	Peak
3	17990.80	47.91	11.23	59.14	74.00	14.86	Peak
4	17990.80	36.47	11.23	47.70	54.00	6.30	Average

Project No.: 2502U62651E-RF

Polarization: Vertical


Test Mode: Transmitting

Note: 802.11n40_U-NII-3_low channel 5755MHz Chain0

Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3482-2

Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11510.00	46.19	3.33	49.52	74.00	24.48	Peak
2	17265.00	47.08	6.96	54.04	68.20	14.16	Peak
3	17983.90	47.54	11.18	58.72	74.00	15.28	Peak
4	17983.90	36.28	11.18	47.46	54.00	6.54	Average


802.11n40, High Channel, 5795MHz, Horizontal							802.11n40, High Channel, 5795MHz, Vertical								
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n40 U-NII-3_high channel 5795MHz Chain0 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3482-2 Tester: Leo Xiao			Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n40 U-NII-3_high channel 5795MHz Chain0 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3482-2 Tester: Leo Xiao				
Level (dBuV/m) Fundamental test with Filter Switch Unit Date: 2025-09-02							Level (dBuV/m) Fundamental test with Filter Switch Unit Date: 2025-09-02								
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1597.30	62.23	-8.38	53.85	74.00	20.15	Peak	1	1598.40	57.75	-8.38	49.37	74.00	24.63	Peak

Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n40 U-NII-3_high channel 5795MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz				Serial No.: 3482-2 Tester: Leo Xiao			Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n40 U-NII-3_high channel 5795MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz				Serial No.: 3482-2 Tester: Leo Xiao				
Level (dBuV/m) Date: 2025-09-02							Level (dBuV/m) Date: 2025-09-02								
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11590.00	46.35	3.28	49.63	74.00	24.37	Peak	1	11590.00	47.13	3.28	50.41	74.00	23.59	Peak
2	17385.00	47.29	7.25	54.54	68.20	13.66	Peak	2	17385.00	48.31	7.25	55.56	68.20	12.64	Peak
3	17983.90	47.79	11.18	58.97	74.00	15.03	Peak	3	17995.40	47.70	11.26	58.96	74.00	15.04	Peak
4	17983.90	36.25	11.18	47.43	54.00	6.57	Average	4	17995.40	36.45	11.26	47.71	54.00	6.29	Average




Chain 1




802.11n40, High Channel, 5795MHz, Horizontal




802.11n40, High Channel, 5795MHz, Vertical



Chain 0




Chain 1







Chain 0

802.11ax20, Low Channel, 5745MHz, Horizontal




802.11ax20, Low Channel, 5745MHz, Vertical






802.11ax20, High Channel, 5825MHz, Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1597.30	58.84	-8.38	50.46	74.00	23.54	Peak


802.11ax20, High Channel, 5825MHz, Vertical



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1396.00	56.23	-8.14	48.09	74.00	25.91	Peak
2	1996.60	59.87	-11.32	48.55	68.20	19.65	Peak




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11650.00	47.37	3.38	50.75	74.00	23.25	Peak
2	17475.00	47.35	7.80	55.15	68.20	13.05	Peak
3	17981.60	47.82	11.17	58.99	74.00	15.01	Peak
4	17981.60	35.44	11.17	46.61	54.00	7.39	Average






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11650.00	46.90	3.38	50.28	74.00	23.72	Peak
2	17475.00	48.22	7.80	56.02	68.20	12.18	Peak
3	17836.70	48.56	10.01	58.57	74.00	15.43	Peak
4	17836.70	36.42	10.01	46.43	54.00	7.57	Average


Chain 1

802.11ax20, Low Channel, 5745MHz, Horizontal




802.11ax20, Low Channel, 5745MHz, Vertical








802.11ax20, High Channel, 5825MHz, Horizontal




802.11ax20, High Channel, 5825MHz, Vertical




Chain 0

802.11ax40, Low Channel, 5755MHz, Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1592.90	58.76	-8.38	50.38	74.00	23.62	Peak
2	2129.70	64.28	-10.92	53.36	68.20	14.84	Peak


802.11ax40, Low Channel, 5755MHz, Vertical



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	1595.10	59.70	-8.37	51.33	74.00	22.67	Peak




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11510.00	46.16	3.33	49.49	74.00	24.51	Peak
2	17265.00	46.61	6.96	53.57	68.20	14.63	Peak
3	17542.30	49.93	8.40	58.33	68.20	9.87	Peak
4	17979.30	47.13	11.14	58.27	74.00	15.73	Peak
5	17979.30	35.58	11.14	46.72	54.00	7.28	Average






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	11510.00	45.80	3.33	49.13	74.00	24.87	Peak
2	17265.00	46.42	6.96	53.38	68.20	14.82	Peak
3	17993.10	48.09	11.25	59.34	74.00	14.66	Peak
4	17993.10	35.38	11.25	46.63	54.00	7.37	Average

802.11ax40, High Channel, 5795MHz, Horizontal




802.11ax40, High Channel, 5795MHz, Vertical






Chain 1


802.11ax40, Low Channel, 5755MHz, Horizontal






802.11ax40, Low Channel, 5755MHz, Vertical




802.11ax40, High Channel, 5795MHz, Horizontal




802.11ax40, High Channel, 5795MHz, Vertical



Chain 0







Chain 1




18-40GHz:

No Emission was detected in the range 18-40GHz, test was performed on the mode and channel which with the maximum power.


802.11n40 5230MHz Chain 1, Horizontal**802.11n40 5230MHz Chain 1, Vertical**

Bandedge:
5150-5250MHz:Chain 0


802.11a, 5180MHz, Bandedge, Horizontal




802.11a, 5180MHz, Bandedge, Vertical



802.11a, 5240MHz, Bandedge, Horizontal




802.11a, 5240MHz, Bandedge, Vertical




Chain 1


802.11a, 5180MHz, Bandedge, Horizontal




802.11a, 5180MHz, Bandedge, Vertical



802.11a, 5240MHz, Bandedge, Horizontal



802.11a, 5240MHz, Bandedge, Vertical



Chain 0

Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Horizontal Tester: Leo Xiao Test Mode: Transmitting Note: 802.11n20_U-NII-1_low channel 5180MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5100 5120 5140 5160 5180 5200 Frequency (MHz) Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5150.00</td><td>50.14</td><td>7.47</td><td>57.61</td><td>74.00</td><td>16.39</td><td>Peak</td></tr><tr><td>2</td><td>5150.00</td><td>38.80</td><td>7.47</td><td>46.27</td><td>54.00</td><td>7.73</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5150.00	50.14	7.47	57.61	74.00	16.39	Peak	2	5150.00	38.80	7.47	46.27	54.00	7.73	Average	Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Vertical Tester: Leo Xiao Test Mode: Transmitting Note: 802.11n20_U-NII-1_low channel 5180MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5100 5120 5140 5160 5180 5200 Frequency (MHz) Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5150.00</td><td>49.86</td><td>7.47</td><td>57.33</td><td>74.00</td><td>16.67</td><td>Peak</td></tr><tr><td>2</td><td>5150.00</td><td>37.79</td><td>7.47</td><td>45.26</td><td>54.00</td><td>8.74</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5150.00	49.86	7.47	57.33	74.00	16.67	Peak	2	5150.00	37.79	7.47	45.26	54.00	8.74	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5150.00	50.14	7.47	57.61	74.00	16.39	Peak																																										
2	5150.00	38.80	7.47	46.27	54.00	7.73	Average																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5150.00	49.86	7.47	57.33	74.00	16.67	Peak																																										
2	5150.00	37.79	7.47	45.26	54.00	8.74	Average																																										
Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Horizontal Tester: Leo Xiao Test Mode: Transmitting Note: 802.11n20_U-NII-1_high channel 5240MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5220 5256 5292 5328 5364 5400 Frequency (MHz) Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>50.43</td><td>8.01</td><td>58.44</td><td>74.00</td><td>15.56</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>38.24</td><td>8.01</td><td>46.25</td><td>54.00</td><td>7.75</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	50.43	8.01	58.44	74.00	15.56	Peak	2	5350.00	38.24	8.01	46.25	54.00	7.75	Average	Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Vertical Tester: Leo Xiao Test Mode: Transmitting Note: 802.11n20_U-NII-1_high channel 5240MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5220 5256 5292 5328 5364 5400 Frequency (MHz) Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>50.80</td><td>8.01</td><td>58.81</td><td>74.00</td><td>15.19</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>37.67</td><td>8.01</td><td>45.68</td><td>54.00</td><td>8.32</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	50.80	8.01	58.81	74.00	15.19	Peak	2	5350.00	37.67	8.01	45.68	54.00	8.32	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5350.00	50.43	8.01	58.44	74.00	15.56	Peak																																										
2	5350.00	38.24	8.01	46.25	54.00	7.75	Average																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5350.00	50.80	8.01	58.81	74.00	15.19	Peak																																										
2	5350.00	37.67	8.01	45.68	54.00	8.32	Average																																										

Chain 1

802.11n20, 5180MHz, Bandedge, Horizontal	802.11n20, 5180MHz, Bandedge, Vertical																																																
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n20_U-NII-1_low channel 5180MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5150.00</td><td>51.30</td><td>7.47</td><td>58.77</td><td>74.00</td><td>15.23</td><td>Peak</td></tr><tr><td>2</td><td>5150.00</td><td>39.77</td><td>7.47</td><td>47.24</td><td>54.00</td><td>6.76</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5150.00	51.30	7.47	58.77	74.00	15.23	Peak	2	5150.00	39.77	7.47	47.24	54.00	6.76	Average	Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n20_U-NII-1_low channel 5180MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5150.00</td><td>49.79</td><td>7.47</td><td>57.26</td><td>74.00</td><td>16.74</td><td>Peak</td></tr><tr><td>2</td><td>5150.00</td><td>37.82</td><td>7.47</td><td>45.29</td><td>54.00</td><td>8.71</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5150.00	49.79	7.47	57.26	74.00	16.74	Peak	2	5150.00	37.82	7.47	45.29	54.00	8.71	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5150.00	51.30	7.47	58.77	74.00	15.23	Peak																																										
2	5150.00	39.77	7.47	47.24	54.00	6.76	Average																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5150.00	49.79	7.47	57.26	74.00	16.74	Peak																																										
2	5150.00	37.82	7.47	45.29	54.00	8.71	Average																																										
802.11n20, 5240MHz, Bandedge, Horizontal	802.11n20, 5240MHz, Bandedge, Vertical																																																
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n20_U-NII-1_high channel 5240MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>51.34</td><td>8.01</td><td>59.35</td><td>74.00</td><td>14.65</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>38.33</td><td>8.01</td><td>46.34</td><td>54.00</td><td>7.66</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	51.34	8.01	59.35	74.00	14.65	Peak	2	5350.00	38.33	8.01	46.34	54.00	7.66	Average	Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n20_U-NII-1_high channel 5240MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>49.73</td><td>8.01</td><td>57.74</td><td>74.00</td><td>16.26</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>37.44</td><td>8.01</td><td>45.45</td><td>54.00</td><td>8.55</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	49.73	8.01	57.74	74.00	16.26	Peak	2	5350.00	37.44	8.01	45.45	54.00	8.55	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5350.00	51.34	8.01	59.35	74.00	14.65	Peak																																										
2	5350.00	38.33	8.01	46.34	54.00	7.66	Average																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5350.00	49.73	8.01	57.74	74.00	16.26	Peak																																										
2	5350.00	37.44	8.01	45.45	54.00	8.55	Average																																										


Chain 0

802.11n40, 5190MHz, Bandedge, Horizontal	802.11n40, 5190MHz, Bandedge, Vertical																																																
Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Horizontal Test Mode: Transmitting Note: 802.11n40_U-NII-1_low channel 5190MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5100 5124 5148 5172 5196 5220 Frequency (MHz) Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5150.00</td><td>52.88</td><td>7.47</td><td>60.35</td><td>74.00</td><td>13.65</td><td>Peak</td></tr><tr><td>2</td><td>5150.00</td><td>39.70</td><td>7.47</td><td>47.17</td><td>54.00</td><td>6.83</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5150.00	52.88	7.47	60.35	74.00	13.65	Peak	2	5150.00	39.70	7.47	47.17	54.00	6.83	Average	Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Vertical Test Mode: Transmitting Note: 802.11n40_U-NII-1_low channel 5190MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5100 5124 5148 5172 5196 5220 Frequency (MHz) Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5150.00</td><td>49.27</td><td>7.47</td><td>56.74</td><td>74.00</td><td>17.26</td><td>Peak</td></tr><tr><td>2</td><td>5150.00</td><td>37.87</td><td>7.47</td><td>45.34</td><td>54.00</td><td>8.66</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5150.00	49.27	7.47	56.74	74.00	17.26	Peak	2	5150.00	37.87	7.47	45.34	54.00	8.66	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5150.00	52.88	7.47	60.35	74.00	13.65	Peak																																										
2	5150.00	39.70	7.47	47.17	54.00	6.83	Average																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5150.00	49.27	7.47	56.74	74.00	17.26	Peak																																										
2	5150.00	37.87	7.47	45.34	54.00	8.66	Average																																										
802.11n40, 5230MHz, Bandedge, Horizontal	802.11n40, 5230MHz, Bandedge, Vertical																																																
Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Horizontal Test Mode: Transmitting Note: 802.11n40_U-NII-1_high channel 5230MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5200 5240 5280 5320 5360 5400 Frequency (MHz) Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>49.86</td><td>8.01</td><td>57.87</td><td>74.00</td><td>16.13</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>38.39</td><td>8.01</td><td>46.40</td><td>54.00</td><td>7.60</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	49.86	8.01	57.87	74.00	16.13	Peak	2	5350.00	38.39	8.01	46.40	54.00	7.60	Average	Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Vertical Test Mode: Transmitting Note: 802.11n40_U-NII-1_high channel 5230MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5200 5240 5280 5320 5360 5400 Frequency (MHz) Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>49.90</td><td>8.01</td><td>57.91</td><td>74.00</td><td>16.09</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>37.20</td><td>8.01</td><td>45.21</td><td>54.00</td><td>8.79</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	49.90	8.01	57.91	74.00	16.09	Peak	2	5350.00	37.20	8.01	45.21	54.00	8.79	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5350.00	49.86	8.01	57.87	74.00	16.13	Peak																																										
2	5350.00	38.39	8.01	46.40	54.00	7.60	Average																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5350.00	49.90	8.01	57.91	74.00	16.09	Peak																																										
2	5350.00	37.20	8.01	45.21	54.00	8.79	Average																																										


Chain 1

802.11n40, 5190MHz, Bandedge, Horizontal	802.11n40, 5190MHz, Bandedge, Vertical																																																
Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Horizontal Test Mode: Transmitting Note: 802.11n40_U-NII-1_low channel 5190MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5100 5124 5148 5172 5196 5220 Frequency (MHz) Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5150.00</td><td>57.63</td><td>7.47</td><td>65.10</td><td>74.00</td><td>8.90</td><td>Peak</td></tr><tr><td>2</td><td>5150.00</td><td>42.06</td><td>7.47</td><td>49.53</td><td>54.00</td><td>4.47</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5150.00	57.63	7.47	65.10	74.00	8.90	Peak	2	5150.00	42.06	7.47	49.53	54.00	4.47	Average	Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Vertical Test Mode: Transmitting Note: 802.11n40_U-NII-1_low channel 5190MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5100 5124 5148 5172 5196 5220 Frequency (MHz) Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5150.00</td><td>51.41</td><td>7.47</td><td>58.88</td><td>74.00</td><td>15.12</td><td>Peak</td></tr><tr><td>2</td><td>5150.00</td><td>38.86</td><td>7.47</td><td>46.33</td><td>54.00</td><td>7.67</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5150.00	51.41	7.47	58.88	74.00	15.12	Peak	2	5150.00	38.86	7.47	46.33	54.00	7.67	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5150.00	57.63	7.47	65.10	74.00	8.90	Peak																																										
2	5150.00	42.06	7.47	49.53	54.00	4.47	Average																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5150.00	51.41	7.47	58.88	74.00	15.12	Peak																																										
2	5150.00	38.86	7.47	46.33	54.00	7.67	Average																																										
802.11n40, 5230MHz, Bandedge, Horizontal	802.11n40, 5230MHz, Bandedge, Vertical																																																
Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Horizontal Test Mode: Transmitting Note: 802.11n40_U-NII-1_high channel 5230MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5200 5240 5280 5320 5360 5400 Frequency (MHz) Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>50.75</td><td>8.01</td><td>58.76</td><td>74.00</td><td>15.24</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>38.49</td><td>8.01</td><td>46.50</td><td>54.00</td><td>7.50</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	50.75	8.01	58.76	74.00	15.24	Peak	2	5350.00	38.49	8.01	46.50	54.00	7.50	Average	Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Vertical Test Mode: Transmitting Note: 802.11n40_U-NII-1_high channel 5230MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5200 5240 5280 5320 5360 5400 Frequency (MHz) Date: 2025-08-30 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>49.24</td><td>8.01</td><td>57.25</td><td>74.00</td><td>16.75</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>37.63</td><td>8.01</td><td>45.64</td><td>54.00</td><td>8.36</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	49.24	8.01	57.25	74.00	16.75	Peak	2	5350.00	37.63	8.01	45.64	54.00	8.36	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5350.00	50.75	8.01	58.76	74.00	15.24	Peak																																										
2	5350.00	38.49	8.01	46.50	54.00	7.50	Average																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5350.00	49.24	8.01	57.25	74.00	16.75	Peak																																										
2	5350.00	37.63	8.01	45.64	54.00	8.36	Average																																										

Chain 0




Chain 1




Chain 0


802.11ax20, 5180MHz, Bandedge, Horizontal




802.11ax20, 5180MHz, Bandedge, Vertical



802.11ax20, 5240MHz, Bandedge, Horizontal




802.11ax20, 5240MHz, Bandedge, Vertical




Chain 1


802.11ax20, 5180MHz, Bandedge, Horizontal




802.11ax20, 5180MHz, Bandedge, Vertical



802.11ax20, 5240MHz, Bandedge, Horizontal




802.11ax20, 5240MHz, Bandedge, Vertical




Chain 0


802.11ax40, 5190MHz, Bandedge, Horizontal




802.11ax40, 5190MHz, Bandedge, Vertical



802.11ax40, 5230MHz, Bandedge, Horizontal




802.11ax40, 5230MHz, Bandedge, Vertical




Chain 1


802.11ax40, 5190MHz, Bandedge, Horizontal




802.11ax40, 5190MHz, Bandedge, Vertical




802.11ax40, 5230MHz, Bandedge, Horizontal




802.11ax40, 5230MHz, Bandedge, Vertical



Chain 0




Chain 1




5250-5350MHz: Chain 0


802.11a, 5260MHz, Bandedge, Horizontal




802.11a, 5260MHz, Bandedge, Vertical



802.11a, 5320MHz, Bandedge, Horizontal



802.11a, 5320MHz, Bandedge, Vertical




Chain 1

802.11a, 5260MHz, Bandedge, Horizontal

Project No.: 2502U62651E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-2A_low channel 5260MHz Chain1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3482-2
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5127.14	52.45	7.29	59.74	74.00	14.26	Peak
2	5127.14	38.84	7.29	46.13	54.00	7.87	Average
3	5150.00	49.64	7.47	57.11	74.00	16.89	Peak
4	5150.00	38.94	7.47	46.41	54.00	7.59	Average

802.11a, 5260MHz, Bandedge, Vertical

Project No.: 2502U62651E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-2A_low channel 5260MHz Chain1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3482-2
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5140.43	52.14	7.40	59.54	74.00	14.46	Peak
2	5140.43	38.72	7.40	46.12	54.00	7.88	Average
3	5150.00	49.39	7.47	56.86	74.00	17.14	Peak
4	5150.00	38.78	7.47	46.25	54.00	7.75	Average

802.11a, 5320MHz, Bandedge, Horizontal

Project No.: 2502U62651E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-2A_high channel 5320MHz Chain1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3482-2
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	51.93	8.01	59.94	74.00	14.06	Peak
2	5350.00	40.64	8.01	48.65	54.00	5.35	Average
3	5352.82	55.11	7.99	63.10	74.00	10.90	Peak
4	5352.82	40.70	7.99	48.69	54.00	5.31	Average

802.11a, 5320MHz, Bandedge, Vertical

Project No.: 2502U62651E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-2A_high channel 5320MHz Chain1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz


Serial No.: 3482-2
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	49.82	8.01	57.83	74.00	16.17	Peak
2	5350.00	39.03	8.01	47.04	54.00	6.96	Average
3	5352.44	52.07	7.97	60.04	74.00	13.96	Peak
4	5352.44	38.79	7.97	46.76	54.00	7.24	Average

Chain 0


802.11n20, 5260MHz, Bandedge, Horizontal




802.11n20, 5260MHz, Bandedge, Vertical



802.11n20, 5320MHz, Bandedge, Horizontal




802.11n20, 5320MHz, Bandedge, Vertical




Chain 1


802.11n20, 5260MHz, Bandedge, Horizontal




802.11n20, 5260MHz, Bandedge, Vertical



802.11n20, 5320MHz, Bandedge, Horizontal




802.11n20, 5320MHz, Bandedge, Vertical




Chain 0


802.11n40, 5270MHz, Bandedge, Horizontal




802.11n40, 5270MHz, Bandedge, Vertical



802.11n40, 5310MHz, Bandedge, Horizontal




802.11n40, 5310MHz, Bandedge, Vertical




Chain 1


802.11n40, 5270MHz, Bandedge, Horizontal




802.11n40, 5270MHz, Bandedge, Vertical




802.11n40, 5310MHz, Bandedge, Horizontal




802.11n40, 5310MHz, Bandedge, Vertical







Chain 0





Chain 1





Chain 0

802.11ax20, 5260MHz, Bandedge, Horizontal				802.11ax20, 5260MHz, Bandedge, Vertical																																																																																			
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax20_U-NII-2A_low channel 5260MHz Chain0 Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-04 				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax20_U-NII-2A_low channel 5260MHz Chain0 Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-04 																																																																																			
<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5136.54</td><td>52.14</td><td>7.36</td><td>59.50</td><td>74.00</td><td>14.50</td><td>Peak</td></tr><tr><td>2</td><td>5136.54</td><td>38.42</td><td>7.36</td><td>45.78</td><td>54.00</td><td>8.22</td><td>Average</td></tr><tr><td>3</td><td>5150.00</td><td>50.28</td><td>7.47</td><td>57.75</td><td>74.00</td><td>16.25</td><td>Peak</td></tr><tr><td>4</td><td>5150.00</td><td>38.82</td><td>7.47</td><td>46.29</td><td>54.00</td><td>7.71</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5136.54	52.14	7.36	59.50	74.00	14.50	Peak	2	5136.54	38.42	7.36	45.78	54.00	8.22	Average	3	5150.00	50.28	7.47	57.75	74.00	16.25	Peak	4	5150.00	38.82	7.47	46.29	54.00	7.71	Average	<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5133.70</td><td>50.49</td><td>7.35</td><td>57.84</td><td>74.00</td><td>16.16</td><td>Peak</td></tr><tr><td>2</td><td>5133.70</td><td>38.15</td><td>7.35</td><td>45.50</td><td>54.00</td><td>8.50</td><td>Average</td></tr><tr><td>3</td><td>5150.00</td><td>48.99</td><td>7.47</td><td>56.46</td><td>74.00</td><td>17.54</td><td>Peak</td></tr><tr><td>4</td><td>5150.00</td><td>38.81</td><td>7.47</td><td>46.28</td><td>54.00</td><td>7.72</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5133.70	50.49	7.35	57.84	74.00	16.16	Peak	2	5133.70	38.15	7.35	45.50	54.00	8.50	Average	3	5150.00	48.99	7.47	56.46	74.00	17.54	Peak	4	5150.00	38.81	7.47	46.28	54.00	7.72	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	5136.54	52.14	7.36	59.50	74.00	14.50	Peak																																																																																
2	5136.54	38.42	7.36	45.78	54.00	8.22	Average																																																																																
3	5150.00	50.28	7.47	57.75	74.00	16.25	Peak																																																																																
4	5150.00	38.82	7.47	46.29	54.00	7.71	Average																																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	5133.70	50.49	7.35	57.84	74.00	16.16	Peak																																																																																
2	5133.70	38.15	7.35	45.50	54.00	8.50	Average																																																																																
3	5150.00	48.99	7.47	56.46	74.00	17.54	Peak																																																																																
4	5150.00	38.81	7.47	46.28	54.00	7.72	Average																																																																																
802.11ax20, 5320MHz, Bandedge, Horizontal				802.11ax20, 5320MHz, Bandedge, Vertical																																																																																			
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax20_U-NII-2A_high channel 5320MHz Chain0 Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-04 				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax20_U-NII-2A_high channel 5320MHz Chain0 Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-04 																																																																																			
<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>51.14</td><td>8.01</td><td>59.15</td><td>74.00</td><td>14.85</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>40.34</td><td>8.01</td><td>48.35</td><td>54.00</td><td>5.65</td><td>Average</td></tr><tr><td>3</td><td>5353.68</td><td>53.91</td><td>8.00</td><td>61.91</td><td>74.00</td><td>12.09</td><td>Peak</td></tr><tr><td>4</td><td>5353.68</td><td>40.10</td><td>8.00</td><td>48.10</td><td>54.00</td><td>5.90</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	51.14	8.01	59.15	74.00	14.85	Peak	2	5350.00	40.34	8.01	48.35	54.00	5.65	Average	3	5353.68	53.91	8.00	61.91	74.00	12.09	Peak	4	5353.68	40.10	8.00	48.10	54.00	5.90	Average	<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>49.38</td><td>8.01</td><td>57.39</td><td>74.00</td><td>16.61</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>38.52</td><td>8.01</td><td>46.53</td><td>54.00</td><td>7.47</td><td>Average</td></tr><tr><td>3</td><td>5370.04</td><td>52.09</td><td>7.99</td><td>60.08</td><td>74.00</td><td>13.92</td><td>Peak</td></tr><tr><td>4</td><td>5370.04</td><td>38.49</td><td>7.99</td><td>46.48</td><td>54.00</td><td>7.52</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	49.38	8.01	57.39	74.00	16.61	Peak	2	5350.00	38.52	8.01	46.53	54.00	7.47	Average	3	5370.04	52.09	7.99	60.08	74.00	13.92	Peak	4	5370.04	38.49	7.99	46.48	54.00	7.52	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	5350.00	51.14	8.01	59.15	74.00	14.85	Peak																																																																																
2	5350.00	40.34	8.01	48.35	54.00	5.65	Average																																																																																
3	5353.68	53.91	8.00	61.91	74.00	12.09	Peak																																																																																
4	5353.68	40.10	8.00	48.10	54.00	5.90	Average																																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	5350.00	49.38	8.01	57.39	74.00	16.61	Peak																																																																																
2	5350.00	38.52	8.01	46.53	54.00	7.47	Average																																																																																
3	5370.04	52.09	7.99	60.08	74.00	13.92	Peak																																																																																
4	5370.04	38.49	7.99	46.48	54.00	7.52	Average																																																																																

Chain 1





802.11ax20, 5260MHz, Bandedge, Horizontal							802.11ax20, 5260MHz, Bandedge, Vertical								
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax20_U-NII-2A_low channel 5260MHz Chain1 Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-04 							Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax20_U-NII-2A_low channel 5260MHz Chain1 Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-04 								
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5144.53	51.21	7.43	58.64	74.00	15.36	Peak	1	5119.55	51.35	7.22	58.57	74.00	15.43	Peak
2	5144.53	38.72	7.43	46.15	54.00	7.85	Average	2	5119.55	38.62	7.22	45.84	54.00	8.16	Average
3	5150.00	49.33	7.47	56.80	74.00	17.20	Peak	3	5150.00	49.70	7.47	57.17	74.00	16.83	Peak
4	5150.00	38.92	7.47	46.39	54.00	7.61	Average	4	5150.00	38.64	7.47	46.11	54.00	7.89	Average

802.11ax20, 5320MHz, Bandedge, Horizontal							802.11ax20, 5320MHz, Bandedge, Vertical								
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax20_U-NII-2A_high channel 5320MHz Chain1 Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-04 							Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax20_U-NII-2A_high channel 5320MHz Chain1 Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-04 								
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	51.17	8.01	59.18	74.00	14.82	Peak	1	5350.00	49.83	8.01	57.84	74.00	16.16	Peak
2	5350.00	39.24	8.01	47.25	54.00	6.75	Average	2	5350.00	39.03	8.01	47.04	54.00	6.96	Average
3	5352.10	54.26	8.00	62.26	74.00	11.74	Peak	3	5353.18	53.00	7.99	60.99	74.00	13.01	Peak
4	5352.10	40.16	8.00	48.16	54.00	5.84	Average	4	5353.18	38.90	7.99	46.89	54.00	7.11	Average


Chain 0

802.11ax40, 5270MHz, Bandedge, Horizontal																																																																																															
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax40_U-NII-2A_low channel 5270MHz Chain0 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Willem Qiu Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 510051405180522052605300 Frequency (MHz) Date: 2025-09-04 <table><thead><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr></thead><tbody><tr><td>1</td><td>5142.40</td><td>52.18</td><td>7.42</td><td>59.60</td><td>74.00</td><td>14.40</td><td>Peak</td></tr><tr><td>2</td><td>5142.40</td><td>39.43</td><td>7.42</td><td>46.85</td><td>54.00</td><td>7.15</td><td>Average</td></tr><tr><td>3</td><td>5150.00</td><td>49.98</td><td>7.47</td><td>57.45</td><td>74.00</td><td>16.55</td><td>Peak</td></tr><tr><td>4</td><td>5150.00</td><td>38.95</td><td>7.47</td><td>46.42</td><td>54.00</td><td>7.58</td><td>Average</td></tr></tbody></table>								No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5142.40	52.18	7.42	59.60	74.00	14.40	Peak	2	5142.40	39.43	7.42	46.85	54.00	7.15	Average	3	5150.00	49.98	7.47	57.45	74.00	16.55	Peak	4	5150.00	38.95	7.47	46.42	54.00	7.58	Average	Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax40_U-NII-2A_low channel 5270MHz Chain0 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Willem Qiu Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 510051405180522052605300 Frequency (MHz) Date: 2025-09-04 <table><thead><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr></thead><tbody><tr><td>1</td><td>5131.60</td><td>51.56</td><td>7.32</td><td>58.88</td><td>74.00</td><td>15.12</td><td>Peak</td></tr><tr><td>2</td><td>5131.60</td><td>38.00</td><td>7.32</td><td>45.32</td><td>54.00</td><td>8.68</td><td>Average</td></tr><tr><td>3</td><td>5150.00</td><td>49.17</td><td>7.47</td><td>56.64</td><td>74.00</td><td>17.36</td><td>Peak</td></tr><tr><td>4</td><td>5150.00</td><td>38.38</td><td>7.47</td><td>45.85</td><td>54.00</td><td>8.15</td><td>Average</td></tr></tbody></table>								No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5131.60	51.56	7.32	58.88	74.00	15.12	Peak	2	5131.60	38.00	7.32	45.32	54.00	8.68	Average	3	5150.00	49.17	7.47	56.64	74.00	17.36	Peak	4	5150.00	38.38	7.47	45.85	54.00	8.15	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																								
1	5142.40	52.18	7.42	59.60	74.00	14.40	Peak																																																																																								
2	5142.40	39.43	7.42	46.85	54.00	7.15	Average																																																																																								
3	5150.00	49.98	7.47	57.45	74.00	16.55	Peak																																																																																								
4	5150.00	38.95	7.47	46.42	54.00	7.58	Average																																																																																								
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																								
1	5131.60	51.56	7.32	58.88	74.00	15.12	Peak																																																																																								
2	5131.60	38.00	7.32	45.32	54.00	8.68	Average																																																																																								
3	5150.00	49.17	7.47	56.64	74.00	17.36	Peak																																																																																								
4	5150.00	38.38	7.47	45.85	54.00	8.15	Average																																																																																								
802.11ax40, 5310MHz, Bandedge, Horizontal																																																																																															
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax40_U-NII-2A_high channel 5310MHz Chain0 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Willem Qiu Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 528053045328535253765400 Frequency (MHz) Date: 2025-09-04 <table><thead><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>52.34</td><td>8.01</td><td>60.35</td><td>74.00</td><td>13.65</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>41.68</td><td>8.01</td><td>49.69</td><td>54.00</td><td>4.31</td><td>Average</td></tr><tr><td>3</td><td>5351.71</td><td>55.43</td><td>8.00</td><td>63.43</td><td>74.00</td><td>10.57</td><td>Peak</td></tr><tr><td>4</td><td>5351.71</td><td>41.68</td><td>8.00</td><td>49.68</td><td>54.00</td><td>4.32</td><td>Average</td></tr></tbody></table>								No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	52.34	8.01	60.35	74.00	13.65	Peak	2	5350.00	41.68	8.01	49.69	54.00	4.31	Average	3	5351.71	55.43	8.00	63.43	74.00	10.57	Peak	4	5351.71	41.68	8.00	49.68	54.00	4.32	Average	Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax40_U-NII-2A_high channel 5310MHz Chain0 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Willem Qiu Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 528053045328535253765400 Frequency (MHz) Date: 2025-09-04 <table><thead><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>49.65</td><td>8.01</td><td>57.66</td><td>74.00</td><td>16.34</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>39.03</td><td>8.01</td><td>47.04</td><td>54.00</td><td>6.96</td><td>Average</td></tr><tr><td>3</td><td>5355.38</td><td>52.22</td><td>8.01</td><td>60.23</td><td>74.00</td><td>13.77</td><td>Peak</td></tr><tr><td>4</td><td>5355.38</td><td>38.87</td><td>8.01</td><td>46.88</td><td>54.00</td><td>7.12</td><td>Average</td></tr></tbody></table>								No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	49.65	8.01	57.66	74.00	16.34	Peak	2	5350.00	39.03	8.01	47.04	54.00	6.96	Average	3	5355.38	52.22	8.01	60.23	74.00	13.77	Peak	4	5355.38	38.87	8.01	46.88	54.00	7.12	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																								
1	5350.00	52.34	8.01	60.35	74.00	13.65	Peak																																																																																								
2	5350.00	41.68	8.01	49.69	54.00	4.31	Average																																																																																								
3	5351.71	55.43	8.00	63.43	74.00	10.57	Peak																																																																																								
4	5351.71	41.68	8.00	49.68	54.00	4.32	Average																																																																																								
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																								
1	5350.00	49.65	8.01	57.66	74.00	16.34	Peak																																																																																								
2	5350.00	39.03	8.01	47.04	54.00	6.96	Average																																																																																								
3	5355.38	52.22	8.01	60.23	74.00	13.77	Peak																																																																																								
4	5355.38	38.87	8.01	46.88	54.00	7.12	Average																																																																																								


Chain 1

802.11ax40, 5270MHz, Bandedge, Horizontal				802.11ax40, 5270MHz, Bandedge, Vertical																																																			
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax40_U-NII-2A_low channel 5270MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-09-04 				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax40_U-NII-2A_low channel 5270MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-09-04 																																																			
<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5150.00</td><td>50.93</td><td>7.47</td><td>58.40</td><td>74.00</td><td>15.60</td><td>Peak</td></tr><tr><td>2</td><td>5150.00</td><td>37.71</td><td>7.47</td><td>45.18</td><td>54.00</td><td>8.82</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5150.00	50.93	7.47	58.40	74.00	15.60	Peak	2	5150.00	37.71	7.47	45.18	54.00	8.82	Average	<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5150.00</td><td>50.90</td><td>7.47</td><td>58.37</td><td>74.00</td><td>15.63</td><td>Peak</td></tr><tr><td>2</td><td>5150.00</td><td>37.33</td><td>7.47</td><td>44.80</td><td>54.00</td><td>9.20</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5150.00	50.90	7.47	58.37	74.00	15.63	Peak	2	5150.00	37.33	7.47	44.80	54.00	9.20	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																
1	5150.00	50.93	7.47	58.40	74.00	15.60	Peak																																																
2	5150.00	37.71	7.47	45.18	54.00	8.82	Average																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																
1	5150.00	50.90	7.47	58.37	74.00	15.63	Peak																																																
2	5150.00	37.33	7.47	44.80	54.00	9.20	Average																																																
802.11ax40, 5310MHz, Bandedge, Horizontal				802.11ax40, 5310MHz, Bandedge, Vertical																																																			
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax40_U-NII-2A_high channel 5310MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-09-04 				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax40_U-NII-2A_high channel 5310MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3482-2 Tester: Leo Xiao Date: 2025-09-04 																																																			
<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>59.03</td><td>8.01</td><td>67.04</td><td>74.00</td><td>6.96</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>42.56</td><td>8.01</td><td>50.57</td><td>54.00</td><td>3.43</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	59.03	8.01	67.04	74.00	6.96	Peak	2	5350.00	42.56	8.01	50.57	54.00	3.43	Average	<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>50.56</td><td>8.01</td><td>58.57</td><td>74.00</td><td>15.43</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>37.69</td><td>8.01</td><td>45.70</td><td>54.00</td><td>8.30</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	50.56	8.01	58.57	74.00	15.43	Peak	2	5350.00	37.69	8.01	45.70	54.00	8.30	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																
1	5350.00	59.03	8.01	67.04	74.00	6.96	Peak																																																
2	5350.00	42.56	8.01	50.57	54.00	3.43	Average																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																
1	5350.00	50.56	8.01	58.57	74.00	15.43	Peak																																																
2	5350.00	37.69	8.01	45.70	54.00	8.30	Average																																																

Chain 0




Chain 1




5470-5725MHz:Chain 0


802.11a, 5500MHz, Bandedge, Horizontal




802.11a, 5500MHz, Bandedge, Vertical



802.11a, 5700MHz, Bandedge, Horizontal




802.11a, 5700MHz, Bandedge, Vertical




Chain 1


802.11a, 5500MHz, Bandedge, Horizontal




802.11a, 5500MHz, Bandedge, Vertical



802.11a, 5700MHz, Bandedge, Horizontal




802.11a, 5700MHz, Bandedge, Vertical




Chain 0


802.11n20, 5500MHz, Bandedge, Horizontal




802.11n20, 5500MHz, Bandedge, Vertical



802.11n20, 5700MHz, Bandedge, Horizontal




802.11n20, 5700MHz, Bandedge, Vertical




Chain 1


802.11n20, 5500MHz, Bandedge, Horizontal




802.11n20, 5500MHz, Bandedge, Vertical



802.11n20, 5700MHz, Bandedge, Horizontal




802.11n20, 5700MHz, Bandedge, Vertical




Chain 0


802.11n40, 5510MHz, Bandedge, Horizontal




802.11n40, 5510MHz, Bandedge, Vertical



802.11n40, 5670MHz, Bandedge, Horizontal



802.11n40, 5670MHz, Bandedge, Vertical



Chain 1



802.11n40, 5510MHz, Bandedge, Horizontal																																																	
Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Horizontal Tester: Willem Qiu Test Mode: Transmitting Note: 802.11n40_U-NII-2C_low channel 5510MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:50kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5400 5426 5452 5478 5504 5530 Frequency (MHz) Date: 2025-09-03 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5460.00</td><td>53.51</td><td>8.29</td><td>61.80</td><td>74.00</td><td>12.20</td><td>Peak</td></tr><tr><td>2</td><td>5460.00</td><td>42.20</td><td>8.29</td><td>50.49</td><td>54.00</td><td>3.51</td><td>Average</td></tr><tr><td>3</td><td>5468.80</td><td>56.49</td><td>8.35</td><td>64.84</td><td>68.20</td><td>3.36</td><td>Peak</td></tr><tr><td>4</td><td>5470.00</td><td>55.29</td><td>8.35</td><td>63.64</td><td>68.20</td><td>4.56</td><td>Peak</td></tr></table>										No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5460.00	53.51	8.29	61.80	74.00	12.20	Peak	2	5460.00	42.20	8.29	50.49	54.00	3.51	Average	3	5468.80	56.49	8.35	64.84	68.20	3.36	Peak	4	5470.00	55.29	8.35	63.64	68.20	4.56	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5460.00	53.51	8.29	61.80	74.00	12.20	Peak																																										
2	5460.00	42.20	8.29	50.49	54.00	3.51	Average																																										
3	5468.80	56.49	8.35	64.84	68.20	3.36	Peak																																										
4	5470.00	55.29	8.35	63.64	68.20	4.56	Peak																																										
802.11n40, 5510MHz, Bandedge, Vertical																																																	
Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Vertical Tester: Willem Qiu Test Mode: Transmitting Note: 802.11n40_U-NII-2C_low channel 5510MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:50kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5400 5426 5452 5478 5504 5530 Frequency (MHz) Date: 2025-09-03 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5460.00</td><td>51.13</td><td>8.29</td><td>59.42</td><td>74.00</td><td>14.58</td><td>Peak</td></tr><tr><td>2</td><td>5460.00</td><td>39.34</td><td>8.29</td><td>47.63</td><td>54.00</td><td>6.37</td><td>Average</td></tr><tr><td>3</td><td>5468.38</td><td>53.42</td><td>8.35</td><td>61.77</td><td>68.20</td><td>6.43</td><td>Peak</td></tr><tr><td>4</td><td>5470.00</td><td>51.23</td><td>8.35</td><td>59.58</td><td>68.20</td><td>8.62</td><td>Peak</td></tr></table>										No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5460.00	51.13	8.29	59.42	74.00	14.58	Peak	2	5460.00	39.34	8.29	47.63	54.00	6.37	Average	3	5468.38	53.42	8.35	61.77	68.20	6.43	Peak	4	5470.00	51.23	8.35	59.58	68.20	8.62	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																										
1	5460.00	51.13	8.29	59.42	74.00	14.58	Peak																																										
2	5460.00	39.34	8.29	47.63	54.00	6.37	Average																																										
3	5468.38	53.42	8.35	61.77	68.20	6.43	Peak																																										
4	5470.00	51.23	8.35	59.58	68.20	8.62	Peak																																										

802.11n40, 5670MHz, Bandedge, Horizontal																																	
Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Horizontal Tester: Willem Qiu Test Mode: Transmitting Note: 802.11n40_U-NII-2C_high channel 5670MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5650 5680 5710 5740 5770 5800 Frequency (MHz) Date: 2025-09-03 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5725.00</td><td>51.40</td><td>8.93</td><td>60.33</td><td>68.20</td><td>7.87</td><td>Peak</td></tr><tr><td>2</td><td>5730.25</td><td>53.01</td><td>8.94</td><td>61.95</td><td>68.20</td><td>6.25</td><td>Peak</td></tr></table>										No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5725.00	51.40	8.93	60.33	68.20	7.87	Peak	2	5730.25	53.01	8.94	61.95	68.20	6.25	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																										
1	5725.00	51.40	8.93	60.33	68.20	7.87	Peak																										
2	5730.25	53.01	8.94	61.95	68.20	6.25	Peak																										
802.11n40, 5670MHz, Bandedge, Vertical																																	
Project No.: 2502U62651E-RF Serial No.: 3482-2 Polarization: Vertical Tester: Willem Qiu Test Mode: Transmitting Note: 802.11n40_U-NII-2C_high channel 5670MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5650 5680 5710 5740 5770 5800 Frequency (MHz) Date: 2025-09-03 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5725.00</td><td>52.13</td><td>8.93</td><td>61.06</td><td>68.20</td><td>7.14</td><td>Peak</td></tr><tr><td>2</td><td>5745.04</td><td>52.91</td><td>8.98</td><td>61.89</td><td>68.20</td><td>6.31</td><td>Peak</td></tr></table>										No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5725.00	52.13	8.93	61.06	68.20	7.14	Peak	2	5745.04	52.91	8.98	61.89	68.20	6.31	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																										
1	5725.00	52.13	8.93	61.06	68.20	7.14	Peak																										
2	5745.04	52.91	8.98	61.89	68.20	6.31	Peak																										

Chain 0

802.11ac80, 5530MHz, Bandedge, Horizontal Project No.: 2502U62651E-RF Serial No.: 3402-2 Polarization: Horizontal Tester: Willem Qiu Test Mode: Transmitting Note: 802.11ac80_U-NII-2C_low channel 5530MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5400 5436 5472 5508 5544 5580 Frequency (MHz) Date: 2025-09-03 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5448.38</td><td>55.21</td><td>8.24</td><td>63.45</td><td>74.00</td><td>10.55</td><td>Peak</td></tr><tr><td>2</td><td>5448.38</td><td>41.39</td><td>8.24</td><td>49.63</td><td>54.00</td><td>4.37</td><td>Average</td></tr><tr><td>3</td><td>5460.00</td><td>52.24</td><td>8.29</td><td>60.53</td><td>74.00</td><td>13.47</td><td>Peak</td></tr><tr><td>4</td><td>5460.00</td><td>41.47</td><td>8.29</td><td>49.76</td><td>54.00</td><td>4.24</td><td>Average</td></tr><tr><td>5</td><td>5470.00</td><td>52.56</td><td>8.35</td><td>60.91</td><td>68.20</td><td>7.29</td><td>Peak</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5448.38	55.21	8.24	63.45	74.00	10.55	Peak	2	5448.38	41.39	8.24	49.63	54.00	4.37	Average	3	5460.00	52.24	8.29	60.53	74.00	13.47	Peak	4	5460.00	41.47	8.29	49.76	54.00	4.24	Average	5	5470.00	52.56	8.35	60.91	68.20	7.29	Peak	802.11ac80, 5530MHz, Bandedge, Vertical Project No.: 2502U62651E-RF Serial No.: 3402-2 Polarization: Vertical Tester: Willem Qiu Test Mode: Transmitting Note: 802.11ac80_U-NII-2C_low channel 5530MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5400 5436 5472 5508 5544 5580 Frequency (MHz) Date: 2025-09-03 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5460.00</td><td>51.09</td><td>8.29</td><td>59.38</td><td>74.00</td><td>14.62</td><td>Peak</td></tr><tr><td>2</td><td>5460.00</td><td>39.11</td><td>8.29</td><td>47.40</td><td>54.00</td><td>6.60</td><td>Average</td></tr><tr><td>3</td><td>5470.00</td><td>50.50</td><td>8.35</td><td>58.85</td><td>68.20</td><td>9.35</td><td>Peak</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5460.00	51.09	8.29	59.38	74.00	14.62	Peak	2	5460.00	39.11	8.29	47.40	54.00	6.60	Average	3	5470.00	50.50	8.35	58.85	68.20	9.35	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																										
1	5448.38	55.21	8.24	63.45	74.00	10.55	Peak																																																																										
2	5448.38	41.39	8.24	49.63	54.00	4.37	Average																																																																										
3	5460.00	52.24	8.29	60.53	74.00	13.47	Peak																																																																										
4	5460.00	41.47	8.29	49.76	54.00	4.24	Average																																																																										
5	5470.00	52.56	8.35	60.91	68.20	7.29	Peak																																																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																										
1	5460.00	51.09	8.29	59.38	74.00	14.62	Peak																																																																										
2	5460.00	39.11	8.29	47.40	54.00	6.60	Average																																																																										
3	5470.00	50.50	8.35	58.85	68.20	9.35	Peak																																																																										
802.11ac80, 5610MHz, Bandedge, Horizontal Project No.: 2502U62651E-RF Serial No.: 3402-2 Polarization: Horizontal Tester: Willem Qiu Test Mode: Transmitting Note: 802.11ac80_U-NII-2C_high channel 5610MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5560 5608 5656 5704 5752 5800 Frequency (MHz) Date: 2025-09-03 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5725.00</td><td>50.61</td><td>8.93</td><td>59.54</td><td>68.20</td><td>8.66</td><td>Peak</td></tr><tr><td>2</td><td>5777.49</td><td>53.17</td><td>9.06</td><td>62.23</td><td>68.20</td><td>5.97</td><td>Peak</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5725.00	50.61	8.93	59.54	68.20	8.66	Peak	2	5777.49	53.17	9.06	62.23	68.20	5.97	Peak	802.11ac80, 5610MHz, Bandedge, Vertical Project No.: 2502U62651E-RF Serial No.: 3402-2 Polarization: Vertical Tester: Willem Qiu Test Mode: Transmitting Note: 802.11ac80_U-NII-2C_high channel 5610MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5560 5608 5656 5704 5752 5800 Frequency (MHz) Date: 2025-09-03 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5725.00</td><td>50.60</td><td>8.93</td><td>59.53</td><td>68.20</td><td>8.67</td><td>Peak</td></tr><tr><td>2</td><td>5761.89</td><td>52.56</td><td>9.02</td><td>61.58</td><td>68.20</td><td>6.62</td><td>Peak</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5725.00	50.60	8.93	59.53	68.20	8.67	Peak	2	5761.89	52.56	9.02	61.58	68.20	6.62	Peak																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																										
1	5725.00	50.61	8.93	59.54	68.20	8.66	Peak																																																																										
2	5777.49	53.17	9.06	62.23	68.20	5.97	Peak																																																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																										
1	5725.00	50.60	8.93	59.53	68.20	8.67	Peak																																																																										
2	5761.89	52.56	9.02	61.58	68.20	6.62	Peak																																																																										

Chain 1

802.11ac80, 5530MHz, Bandedge, Horizontal				802.11ac80, 5530MHz, Bandedge, Vertical			
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ac80_U-NII-2C_low channel 5530MHz Chain1 Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-03 				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ac80_U-NII-2C_low channel 5530MHz Chain1 Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-03 			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5450.54	56.37	8.25	64.62	74.00	9.38	Peak
2	5450.54	49.79	8.25	49.04	54.00	4.96	Average
3	5460.00	51.14	8.29	59.43	74.00	14.57	Peak
4	5460.00	40.87	8.29	49.16	54.00	4.84	Average
5	5470.00	52.09	8.35	60.44	68.20	7.76	Peak


No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5450.54	54.08	8.25	62.33	74.00	11.67	Peak
2	5450.54	39.44	8.25	47.69	54.00	6.31	Average
3	5460.00	50.57	8.29	58.86	74.00	15.14	Peak
4	5460.00	38.90	8.29	47.19	54.00	6.81	Average
5	5470.00	51.06	8.35	59.41	68.20	8.79	Peak

802.11ac80, 5610MHz, Bandedge, Horizontal				802.11ac80, 5610MHz, Bandedge, Vertical			
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ac80_U-NII-2C_high channel 5610MHz Chain1 Peak: RBW:1MHz, VBW:3MHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-03				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ac80_U-NII-2C_high channel 5610MHz Chain1 Peak: RBW:1MHz, VBW:3MHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-03			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.19	8.93	59.12	68.20	9.08	Peak
2	5795.58	53.02	9.06	62.08	68.20	6.12	Peak


No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	49.97	8.93	58.90	68.20	9.30	Peak
2	5738.42	52.60	8.97	61.57	68.20	6.63	Peak

Chain 0


802.11ax20, 5500MHz, Bandedge, Horizontal




802.11ax20, 5500MHz, Bandedge, Vertical



802.11ax20, 5700MHz, Bandedge, Horizontal




802.11ax20, 5700MHz, Bandedge, Vertical




Chain 1


802.11ax20, 5500MHz, Bandedge, Horizontal




802.11ax20, 5500MHz, Bandedge, Vertical



802.11ax20, 5700MHz, Bandedge, Horizontal



802.11ax20, 5700MHz, Bandedge, Vertical




Chain 0

802.11ax40, 5510MHz, Bandedge, Horizontal

Project No.: 2502U62651E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-2C_low channel 5510MHz Chain0
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:50Hz

Serial No.: 3482-2
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5452.29	56.13	8.25	64.38	74.00	9.62	Peak
2	5452.29	42.65	8.25	50.90	54.00	3.10	Average
3	5460.00	53.64	8.29	61.93	74.00	12.07	Peak
4	5460.00	42.70	8.29	50.99	54.00	3.01	Average
5	5469.11	56.17	8.35	64.52	68.20	3.68	Peak
6	5470.00	54.57	8.35	62.92	68.20	5.28	Peak

802.11ax40, 5510MHz, Bandedge, Vertical

Project No.: 2502U62651E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-2C_low channel 5510MHz Chain0
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:50Hz

Serial No.: 3482-2
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5444.51	52.78	8.21	60.99	74.00	13.01	Peak
2	5444.51	39.62	8.21	47.83	54.00	6.17	Average
3	5460.00	50.95	8.29	59.24	74.00	14.76	Peak
4	5460.00	39.73	8.29	48.02	54.00	5.98	Average
5	5466.04	51.82	8.33	60.15	68.20	8.05	Peak
6	5470.00	50.37	8.35	58.72	68.20	9.48	Peak

802.11ax40, 5670MHz, Bandedge, Horizontal

Project No.: 2502U62651E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-2C_high channel 5670MHz Chain0
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 3482-2
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.67	8.93	59.60	68.20	8.60	Peak
2	5759.65	52.93	9.02	61.95	68.20	6.25	Peak

802.11ax40, 5670MHz, Bandedge, Vertical

Project No.: 2502U62651E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-2C_high channel 5670MHz Chain0
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 3482-2
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	49.63	8.93	58.56	68.20	9.64	Peak
2	5767.63	53.05	9.05	62.10	68.20	6.10	Peak

Chain 1


802.11ax40, 5510MHz, Bandedge, Horizontal	802.11ax40, 5510MHz, Bandedge, Vertical																																																																																																
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax40_U-NII-2C_low channel 5510MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:50Hz Serial No.: 3482-2 Tester: Alan Xie Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 540054265452547855045530 Frequency (MHz) Date: 2025-09-03 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5460.00</td><td>53.82</td><td>8.29</td><td>62.11</td><td>74.00</td><td>11.89</td><td>Peak</td></tr><tr><td>2</td><td>5460.00</td><td>42.14</td><td>8.29</td><td>50.43</td><td>54.00</td><td>3.57</td><td>Average</td></tr><tr><td>3</td><td>5461.54</td><td>55.99</td><td>8.30</td><td>64.29</td><td>68.20</td><td>3.91</td><td>Peak</td></tr><tr><td>4</td><td>5470.00</td><td>54.76</td><td>8.35</td><td>63.11</td><td>68.20</td><td>5.09</td><td>Peak</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5460.00	53.82	8.29	62.11	74.00	11.89	Peak	2	5460.00	42.14	8.29	50.43	54.00	3.57	Average	3	5461.54	55.99	8.30	64.29	68.20	3.91	Peak	4	5470.00	54.76	8.35	63.11	68.20	5.09	Peak	Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax40_U-NII-2C_low channel 5510MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:50Hz Serial No.: 3482-2 Tester: Alan Xie Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 540054265452547855045530 Frequency (MHz) Date: 2025-09-03 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5433.93</td><td>52.41</td><td>8.16</td><td>60.57</td><td>74.00</td><td>13.43</td><td>Peak</td></tr><tr><td>2</td><td>5433.93</td><td>39.10</td><td>8.16</td><td>47.26</td><td>54.00</td><td>6.74</td><td>Average</td></tr><tr><td>3</td><td>5460.00</td><td>50.03</td><td>8.29</td><td>58.32</td><td>74.00</td><td>15.68</td><td>Peak</td></tr><tr><td>4</td><td>5460.00</td><td>39.30</td><td>8.29</td><td>47.59</td><td>54.00</td><td>6.41</td><td>Average</td></tr><tr><td>5</td><td>5465.55</td><td>52.23</td><td>8.33</td><td>60.56</td><td>68.20</td><td>7.64</td><td>Peak</td></tr><tr><td>6</td><td>5470.00</td><td>49.78</td><td>8.35</td><td>58.13</td><td>68.20</td><td>10.07</td><td>Peak</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5433.93	52.41	8.16	60.57	74.00	13.43	Peak	2	5433.93	39.10	8.16	47.26	54.00	6.74	Average	3	5460.00	50.03	8.29	58.32	74.00	15.68	Peak	4	5460.00	39.30	8.29	47.59	54.00	6.41	Average	5	5465.55	52.23	8.33	60.56	68.20	7.64	Peak	6	5470.00	49.78	8.35	58.13	68.20	10.07	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																										
1	5460.00	53.82	8.29	62.11	74.00	11.89	Peak																																																																																										
2	5460.00	42.14	8.29	50.43	54.00	3.57	Average																																																																																										
3	5461.54	55.99	8.30	64.29	68.20	3.91	Peak																																																																																										
4	5470.00	54.76	8.35	63.11	68.20	5.09	Peak																																																																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																										
1	5433.93	52.41	8.16	60.57	74.00	13.43	Peak																																																																																										
2	5433.93	39.10	8.16	47.26	54.00	6.74	Average																																																																																										
3	5460.00	50.03	8.29	58.32	74.00	15.68	Peak																																																																																										
4	5460.00	39.30	8.29	47.59	54.00	6.41	Average																																																																																										
5	5465.55	52.23	8.33	60.56	68.20	7.64	Peak																																																																																										
6	5470.00	49.78	8.35	58.13	68.20	10.07	Peak																																																																																										
802.11ax40, 5670MHz, Bandedge, Horizontal	802.11ax40, 5670MHz, Bandedge, Vertical																																																																																																
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax40_U-NII-2C_high channel 5670MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Serial No.: 3482-2 Tester: Alan Xie Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 565056805710574057705800 Frequency (MHz) Date: 2025-09-03 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5725.00</td><td>52.03</td><td>8.93</td><td>60.96</td><td>68.20</td><td>7.24</td><td>Peak</td></tr><tr><td>2</td><td>5725.51</td><td>54.13</td><td>8.92</td><td>63.05</td><td>68.20</td><td>5.15</td><td>Peak</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5725.00	52.03	8.93	60.96	68.20	7.24	Peak	2	5725.51	54.13	8.92	63.05	68.20	5.15	Peak	Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax40_U-NII-2C_high channel 5670MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Serial No.: 3482-2 Tester: Alan Xie Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 565056805710574057705800 Frequency (MHz) Date: 2025-09-03 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5725.00</td><td>49.74</td><td>8.93</td><td>58.67</td><td>68.20</td><td>9.53</td><td>Peak</td></tr><tr><td>2</td><td>5761.06</td><td>53.15</td><td>9.02</td><td>62.17</td><td>68.20</td><td>6.03</td><td>Peak</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5725.00	49.74	8.93	58.67	68.20	9.53	Peak	2	5761.06	53.15	9.02	62.17	68.20	6.03	Peak																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																										
1	5725.00	52.03	8.93	60.96	68.20	7.24	Peak																																																																																										
2	5725.51	54.13	8.92	63.05	68.20	5.15	Peak																																																																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																										
1	5725.00	49.74	8.93	58.67	68.20	9.53	Peak																																																																																										
2	5761.06	53.15	9.02	62.17	68.20	6.03	Peak																																																																																										

Chain 0


802.11ax80, 5530MHz, Bandedge, Horizontal




802.11ax80, 5530MHz, Bandedge, Vertical



802.11ax80, 5610MHz, Bandedge, Horizontal




802.11ax80, 5610MHz, Bandedge, Vertical



Chain 1

802.11ax80, 5530MHz, Bandedge, Horizontal				802.11ax80, 5530MHz, Bandedge, Vertical																																																																																			
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax80_U-NII-2C_low channel 5530MHz Chain1 Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-03				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax80_U-NII-2C_low channel 5530MHz Chain1 Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-03																																																																																			
<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5450.33</td><td>55.36</td><td>8.25</td><td>63.61</td><td>74.00</td><td>10.39</td><td>Peak</td></tr><tr><td>2</td><td>5450.33</td><td>49.27</td><td>8.25</td><td>48.52</td><td>54.00</td><td>5.48</td><td>Average</td></tr><tr><td>3</td><td>5460.00</td><td>51.61</td><td>8.29</td><td>59.90</td><td>74.00</td><td>14.10</td><td>Peak</td></tr><tr><td>4</td><td>5460.00</td><td>40.42</td><td>8.29</td><td>48.71</td><td>54.00</td><td>5.29</td><td>Average</td></tr><tr><td>5</td><td>5470.00</td><td>51.12</td><td>8.35</td><td>59.47</td><td>68.20</td><td>8.73</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5450.33	55.36	8.25	63.61	74.00	10.39	Peak	2	5450.33	49.27	8.25	48.52	54.00	5.48	Average	3	5460.00	51.61	8.29	59.90	74.00	14.10	Peak	4	5460.00	40.42	8.29	48.71	54.00	5.29	Average	5	5470.00	51.12	8.35	59.47	68.20	8.73	Peak	<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5460.00</td><td>49.56</td><td>8.29</td><td>57.85</td><td>74.00</td><td>16.15</td><td>Peak</td></tr><tr><td>2</td><td>5460.00</td><td>38.84</td><td>8.29</td><td>47.13</td><td>54.00</td><td>6.87</td><td>Average</td></tr><tr><td>3</td><td>5470.00</td><td>50.43</td><td>8.35</td><td>58.78</td><td>68.20</td><td>9.42</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5460.00	49.56	8.29	57.85	74.00	16.15	Peak	2	5460.00	38.84	8.29	47.13	54.00	6.87	Average	3	5470.00	50.43	8.35	58.78	68.20	9.42	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	5450.33	55.36	8.25	63.61	74.00	10.39	Peak																																																																																
2	5450.33	49.27	8.25	48.52	54.00	5.48	Average																																																																																
3	5460.00	51.61	8.29	59.90	74.00	14.10	Peak																																																																																
4	5460.00	40.42	8.29	48.71	54.00	5.29	Average																																																																																
5	5470.00	51.12	8.35	59.47	68.20	8.73	Peak																																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	5460.00	49.56	8.29	57.85	74.00	16.15	Peak																																																																																
2	5460.00	38.84	8.29	47.13	54.00	6.87	Average																																																																																
3	5470.00	50.43	8.35	58.78	68.20	9.42	Peak																																																																																
802.11ax80, 5610MHz, Bandedge, Horizontal				802.11ax80, 5610MHz, Bandedge, Vertical																																																																																			
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax80_U-NII-2C_high channel 5610MHz Chain1 Peak: RBW:1MHz, VBW:3MHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-03				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax80_U-NII-2C_high channel 5610MHz Chain1 Peak: RBW:1MHz, VBW:3MHz Serial No.: 3402-2 Tester: Willem Qiu Date: 2025-09-03																																																																																			
<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5725.00</td><td>50.35</td><td>8.93</td><td>59.28</td><td>68.20</td><td>8.92</td><td>Peak</td></tr><tr><td>2</td><td>5781.09</td><td>53.19</td><td>9.06</td><td>62.25</td><td>68.20</td><td>5.95</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5725.00	50.35	8.93	59.28	68.20	8.92	Peak	2	5781.09	53.19	9.06	62.25	68.20	5.95	Peak	<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5725.00</td><td>50.68</td><td>8.93</td><td>59.61</td><td>68.20</td><td>8.59</td><td>Peak</td></tr><tr><td>2</td><td>5770.82</td><td>52.77</td><td>9.06</td><td>61.83</td><td>68.20</td><td>6.37</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5725.00	50.68	8.93	59.61	68.20	8.59	Peak	2	5770.82	52.77	9.06	61.83	68.20	6.37	Peak																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	5725.00	50.35	8.93	59.28	68.20	8.92	Peak																																																																																
2	5781.09	53.19	9.06	62.25	68.20	5.95	Peak																																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	5725.00	50.68	8.93	59.61	68.20	8.59	Peak																																																																																
2	5770.82	52.77	9.06	61.83	68.20	6.37	Peak																																																																																

5725-5850MHz:Chain 0




Chain 1

802.11a, 5745MHz, Bandedge, Horizontal				802.11a, 5745MHz, Bandedge, Vertical			
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-3_low channel 5745MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Serial No.: 3402-2 Tester: Leo Xiao Date: 2025-09-02				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-3_low channel 5745MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Serial No.: 3402-2 Tester: Leo Xiao Date: 2025-09-02			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.76	8.82	59.58	68.20	8.62	Peak
2	5700.00	51.45	8.85	60.30	105.20	44.90	Peak
3	5720.00	59.09	8.91	68.00	110.80	42.80	Peak
4	5725.00	62.28	8.93	71.21	122.20	50.99	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	49.95	8.82	58.77	68.20	9.43	Peak
2	5700.00	50.83	8.85	59.68	105.20	45.52	Peak
3	5720.00	53.77	8.91	62.68	110.80	48.12	Peak
4	5725.00	58.07	8.93	67.00	122.20	55.20	Peak


802.11a, 5825MHz, Bandedge, Horizontal				802.11a, 5825MHz, Bandedge, Vertical			
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-3_high channel 5825MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Serial No.: 3402-2 Tester: Leo Xiao Date: 2025-09-02				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-3_high channel 5825MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Serial No.: 3402-2 Tester: Leo Xiao Date: 2025-09-02			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	55.00	9.10	64.10	122.20	58.10	Peak
2	5855.00	54.11	9.12	63.23	110.80	47.57	Peak
3	5875.00	49.05	9.16	58.21	105.20	46.99	Peak
4	5925.00	49.10	9.24	58.34	68.20	9.86	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	51.25	9.10	60.35	122.20	61.85	Peak
2	5855.00	51.22	9.12	60.34	110.80	50.46	Peak
3	5875.00	50.47	9.16	59.63	105.20	45.57	Peak
4	5925.00	49.82	9.24	59.06	68.20	9.14	Peak

Chain 0


802.11n20, 5745MHz, Bandedge, Horizontal




802.11n20, 5745MHz, Bandedge, Vertical



802.11n20, 5825MHz, Bandedge, Horizontal




802.11n20, 5825MHz, Bandedge, Vertical




Chain 1


802.11n20, 5745MHz, Bandedge, Horizontal




802.11n20, 5745MHz, Bandedge, Vertical



802.11n20, 5825MHz, Bandedge, Horizontal




802.11n20, 5825MHz, Bandedge, Vertical




Chain 0


802.11n40, 5755MHz, Bandedge, Horizontal




802.11n40, 5755MHz, Bandedge, Vertical



802.11n40, 5795MHz, Bandedge, Horizontal




802.11n40, 5795MHz, Bandedge, Vertical




Chain 1


802.11n40, 5755MHz, Bandedge, Horizontal




802.11n40, 5755MHz, Bandedge, Vertical




802.11n40, 5795MHz, Bandedge, Horizontal




802.11n40, 5795MHz, Bandedge, Vertical



Chain 0



Chain 1







Chain 0

802.11ax20, 5745MHz, Bandedge, Horizontal				802.11ax20, 5745MHz, Bandedge, Vertical			
Project No.: 2580U62651E-RF Polarisation: Horizontal Test Mode: Transmitting Note: 802.11ax20_U-NII-3_low channel 5745MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Serial No.: 3482-2 Tester: Willem Qiu Date: 2025-09-02				Project No.: 2580U62651E-RF Polarisation: Vertical Test Mode: Transmitting Note: 802.11ax20_U-NII-3_low channel 5745MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Serial No.: 3482-2 Tester: Willem Qiu Date: 2025-09-02			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.05	8.82	58.87	68.20	9.33	Peak
2	5700.00	50.98	8.85	59.83	105.20	45.37	Peak
3	5720.00	59.16	8.91	68.07	110.80	42.73	Peak
4	5724.54	68.24	8.93	77.17	121.16	43.99	Peak
5	5725.00	62.60	8.93	71.53	122.20	50.67	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.27	8.82	59.09	68.20	9.11	Peak
2	5700.00	50.33	8.85	59.18	105.20	46.02	Peak
3	5720.00	51.21	8.91	60.12	110.80	50.68	Peak
4	5724.38	55.23	8.93	64.16	120.80	56.64	Peak
5	5725.00	53.55	8.93	62.48	122.20	59.72	Peak

802.11ax20, 5825MHz, Bandedge, Horizontal				802.11ax20, 5825MHz, Bandedge, Vertical			
Project No.: 2580U62651E-RF Polarisation: Horizontal Test Mode: Transmitting Note: 802.11ax20_U-NII-3_high channel 5825MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Serial No.: 3482-2 Tester: Willem Qiu Date: 2025-09-02				Project No.: 2580U62651E-RF Polarisation: Vertical Test Mode: Transmitting Note: 802.11ax20_U-NII-3_high channel 5825MHz Chain0 Peak:RBW:1MHz,VBW:3MHz Serial No.: 3482-2 Tester: Willem Qiu Date: 2025-09-02			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	59.41	9.10	68.51	122.20	53.69	Peak
2	5850.88	62.34	9.11	71.45	120.19	48.74	Peak
3	5855.00	55.62	9.12	64.74	110.80	46.06	Peak
4	5875.00	51.21	9.16	60.37	105.20	44.83	Peak
5	5925.00	51.21	9.24	60.45	68.20	7.75	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	52.54	9.10	61.64	122.20	60.56	Peak
2	5855.00	50.46	9.12	59.58	110.80	51.22	Peak
3	5875.00	50.77	9.16	59.93	105.20	45.27	Peak
4	5890.30	52.76	9.20	61.96	93.84	31.88	Peak
5	5925.00	50.78	9.24	60.02	68.20	8.18	Peak

Chain 1

802.11ax20, 5745MHz, Bandedge, Horizontal								802.11ax20, 5745MHz, Bandedge, Vertical							
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax20_U-NII-3_low channel 5745MHz Chain1 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3482-2 Tester: Willem Qiu				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax20_U-NII-3_low channel 5745MHz Chain1 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3482-2 Tester: Willem Qiu			
															
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.90	8.82	59.72	68.20	8.48	Peak	1	5650.00	49.74	8.82	58.56	68.20	9.64	Peak
2	5700.00	54.08	8.85	62.93	105.20	42.27	Peak	2	5700.00	50.70	8.85	59.55	105.20	45.65	Peak
3	5720.00	64.31	8.91	73.22	110.80	37.58	Peak	3	5720.00	54.20	8.91	63.11	110.80	47.69	Peak
4	5724.22	69.55	8.93	78.48	120.43	41.95	Peak	4	5723.10	60.85	8.93	69.78	117.88	48.10	Peak
5	5725.00	65.91	8.93	74.84	122.20	47.36	Peak	5	5725.00	58.82	8.93	67.75	122.20	54.45	Peak

802.11ax20, 5825MHz, Bandedge, Horizontal								802.11ax20, 5825MHz, Bandedge, Vertical							
Project No.: 2502U62651E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11ax20_U-NII-3_high channel 5825MHz Chain1 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3482-2 Tester: Willem Qiu				Project No.: 2502U62651E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11ax20_U-NII-3_high channel 5825MHz Chain1 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3482-2 Tester: Willem Qiu			
															
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	61.82	9.10	70.92	122.20	51.28	Peak	1	5850.00	57.12	9.10	66.22	122.20	55.98	Peak
2	5850.64	62.21	9.11	71.32	120.74	49.42	Peak	2	5850.76	60.92	9.11	70.03	120.47	50.44	Peak
3	5855.00	54.31	9.12	63.43	110.80	47.37	Peak	3	5855.00	52.93	9.12	62.05	110.80	48.75	Peak
4	5875.00	50.72	9.16	59.88	105.20	45.32	Peak	4	5875.00	51.02	9.16	60.18	105.20	45.02	Peak
5	5925.00	50.81	9.24	60.05	68.20	8.15	Peak	5	5925.00	50.87	9.24	60.11	68.20	8.09	Peak