



EX3034-SN-7346				March 30, 2022			
10414	AAA	WLAN CDF: 64-QAM, 40MHz	Generic	8.54	± 0.6 %		
10415	AAA	IEEE 802.11b WFI 2.4 GHz (DSSS, 1 Mbps, R90c-d)	WLAN	1.54	± 0.6 %		
10416	AAA	IEEE 802.11g WFI 2.4 GHz (OFDM, 5.5 Mbps, R90c-d)	WLAN	8.23	± 0.6 %		
10417	AAC	IEEE 802.11n WFI 5 GHz (OFDM, 6 Mbps, R90c-d)	WLAN	8.23	± 0.6 %		
10418	AAA	IEEE 802.11g WFI 2.4 GHz (DSSS-OFDM, 6 Mbps, R90c-Long)	WLAN	8.14	± 0.6 %		
10419	AAA	IEEE 802.11g WFI 2.4 GHz (DSSS-OFDM, 6 Mbps, R90c-Short)	WLAN	8.19	± 0.6 %		
10420	AAC	IEEE 802.11n HT Overhead, 7.2 Mbps, R90c-d	WLAN	8.32	± 0.6 %		
10421	AAC	IEEE 802.11n HT Overhead, 43.3 Mbps, 16-QAM	WLAN	8.47	± 0.6 %		
10424	AAC	IEEE 802.11n HT Overhead, 72.2 Mbps, 64-QAM	WLAN	8.40	± 0.6 %		
10425	AAC	IEEE 802.11n HT Overhead, 15 Mbps, R90c-d	WLAN	8.41	± 0.6 %		
10426	AAC	IEEE 802.11n HT Overhead, 30 Mbps, 16-QAM	WLAN	8.45	± 0.6 %		
10427	AAC	IEEE 802.11n HT Overhead, 150 Mbps, 64-QAM	WLAN	8.41	± 0.6 %		
10430	AAD	LTE-FDD (FDDMA, 5 MHz, E-TRP 3.1)	LTE-FDD	8.28	± 0.6 %		
10431	AAD	LTE-FDD (FDDMA, 10 MHz, E-TRP 3.1)	LTE-FDD	8.38	± 0.6 %		
10432	AAC	LTE-FDD (FDDMA, 15 MHz, E-TRP 3.1)	LTE-FDD	8.34	± 0.6 %		
10433	AAC	LTE-FDD (FDDMA, 20 MHz, E-TRP 3.1)	LTE-FDD	8.34	± 0.6 %		
10434	AAA	WCDMA (BS Test Model 1, 64 DPM)	WCDMA	8.60	± 0.6 %		
10435	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 0.6 %		
10447	AAD	LTE-FDD (FDDMA, 5 MHz, E-TRP 3.1, Clipping 44%)	LTE-FDD	7.96	± 0.6 %		
10448	AAD	LTE-FDD (FDDMA, 10 MHz, E-TRP 3.1, Clipping 44%)	LTE-FDD	7.93	± 0.6 %		
10449	AAC	LTE-FDD (FDDMA, 15 MHz, E-TRP 3.1, Clipping 44%)	LTE-FDD	7.91	± 0.6 %		
10450	AAC	LTE-FDD (FDDMA, 20 MHz, E-TRP 3.1, Clipping 44%)	LTE-FDD	7.88	± 0.6 %		
10451	AAA	WCDMA (BS Test Model 1, 64 DPM, Clipping 44%)	WCDMA	7.89	± 0.6 %		
10452	AAD	Validation (Spurs, 10ms, 1ms)	Test	10.00	± 0.6 %		
10456	AAC	IEEE 802.11ac WFI (160MHz, 64-QAM, R90c-d)	WLAN	8.63	± 0.6 %		
10457	AAA	UMTS FDD (SC-FDMA, 5 MHz, 64-QAM, R90c-d)	WCDMA	8.62	± 0.6 %		
10459	AAA	CDMA2000 (1xEV-DO, Rev. B, 3.1c)	CDMA2000	8.25	± 0.6 %		
10460	AAA	UMTS FDD (SC-FDMA, 5 MHz, 64-QAM, R90c-d)	WCDMA	8.28	± 0.6 %		
10461	AAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 0.6 %		
10462	AAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.30	± 0.6 %		
10463	AAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.30	± 0.6 %		
10464	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 0.6 %		
10465	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 0.6 %		
10466	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.32	± 0.6 %		
10467	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 0.6 %		
10468	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 0.6 %		
10469	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.32	± 0.6 %		
10470	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	8.32	± 0.6 %		
10471	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 0.6 %		
10472	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.32	± 0.6 %		
10473	AAB	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 0.6 %		
10474	AAB	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 0.6 %		
10475	AAB	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.32	± 0.6 %		
10476	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.32	± 0.6 %		
10477	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 0.6 %		
10478	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.32	± 0.6 %		
10479	AAB	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 0.6 %		
10480	AAB	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.18	± 0.6 %		
10481	AAB	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.18	± 0.6 %		
10482	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.71	± 0.6 %		
10483	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.39	± 0.6 %		
10484	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.47	± 0.6 %		
10485	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.89	± 0.6 %		
10486	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.28	± 0.6 %		
10487	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.40	± 0.6 %		
10488	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.70	± 0.6 %		
Certificate No. EX3-7346_Mar22				Page 15 of 24			
EX3034-SN-7346				March 30, 2022			
10489	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	8.31	± 0.6 %		
10490	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.31	± 0.6 %		
10491	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.31	± 0.6 %		
10492	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 0.6 %		
10493	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.41	± 0.6 %		
10494	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 0.6 %		
10495	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.37	± 0.6 %		
10496	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.37	± 0.6 %		
10497	AAB	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.87	± 0.6 %		
10498	AAB	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.40	± 0.6 %		
10499	AAB	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.68	± 0.6 %		
10500	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.67	± 0.6 %		
10501	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.44	± 0.6 %		
10502	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.52	± 0.6 %		
10503	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.72	± 0.6 %		
10504	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.31	± 0.6 %		
10505	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 0.6 %		
10506	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 0.6 %		
10507	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.36	± 0.6 %		
10508	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.35	± 0.6 %		
10509	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.99	± 0.6 %		
10510	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.49	± 0.6 %		
10511	AAC	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.51	± 0.6 %		
10512	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 0.6 %		
10513	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 16-QAM, UL Sub)	LTE-TDD	8.42	± 0.6 %		
10514	AAF	LTE-TDD (SC-FDMA, 1 RB, 3.1 MHz, 64-QAM, UL Sub)	LTE-TDD	8.45	± 0.6 %		
10515	AAA	IEEE 802.11ac WFI 2.4 GHz (DSSS, 2 Mbps, R90c-d)	WLAN	1.58	± 0.6 %		
10516	AAA	IEEE 802.11ac WFI 2.4 GHz (DSSS, 5.5 Mbps, R90c-d)	WLAN	1.57	± 0.6 %		
10517	AAA	IEEE 802.11ac WFI 2.4 GHz (DSSS, 11 Mbps, R90c-d)	WLAN	1.58	± 0.6 %		
10518	AAC	IEEE 802.11ac WFI 5 GHz (OFDM, 9 Mbps, R90c-d)	WLAN	8.37	± 0.6 %		
10519	AAC	IEEE 802.11ac WFI 5 GHz (OFDM, 12 Mbps, R90c-d)	WLAN	8.39	± 0.6 %		
10520	AAC	IEEE 802.11ac WFI 5 GHz (OFDM, 18 Mbps, R90c-d)	WLAN	8.12	± 0.6 %		
10521	AAC	IEEE 802.11ac WFI 5 GHz (OFDM, 24 Mbps, R90c-d)	WLAN	7.97	± 0.6 %		
10522	AAC	IEEE 802.11ac WFI 5 GHz (OFDM, 36 Mbps, R90c-d)	WLAN	8.45	± 0.6 %		
10523	AAC	IEEE 802.11ac WFI 5 GHz (OFDM, 48 Mbps, R90c-d)	WLAN	8.38	± 0.6 %		
10524	AAC	IEEE 802.11ac WFI 5 GHz (OFDM, 54 Mbps, R90c-d)	WLAN	8.27	± 0.6 %		
10525	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	2.36	± 0.6 %		
10526	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.42	± 0.6 %		
10527	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.21	± 0.6 %		
10528	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.39	± 0.6 %		
10529	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.36	± 0.6 %		
10530	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.39	± 0.6 %		
10531	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.29	± 0.6 %		
10532	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.29	± 0.6 %		
10533	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.30	± 0.6 %		
10534	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.45	± 0.6 %		
10535	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.45	± 0.6 %		
10536	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.32	± 0.6 %		
10537	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.44	± 0.6 %		
10538	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.34	± 0.6 %		
10539	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.39	± 0.6 %		
10540	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.39	± 0.6 %		
10541	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.46	± 0.6 %		
10542	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.45	± 0.6 %		
10543	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.55	± 0.6 %		
10544	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.47	± 0.6 %		
10545	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.55	± 0.6 %		
10546	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.35	± 0.6 %		
Certificate No. EX3-7346_Mar22				Page 16 of 24			
EX3034-SN-7346				March 30, 2022			
10547	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.49	± 0.6 %		
10548	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.37	± 0.6 %		
10549	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.39	± 0.6 %		
10550	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.39	± 0.6 %		
10551	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.39	± 0.6 %		
10552	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.42	± 0.6 %		
10553	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.42	± 0.6 %		
10554	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.48	± 0.6 %		
10555	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.47	± 0.6 %		
10556	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.47	± 0.6 %		
10557	AAC	IEEE 802.11ac WFI (20MHz, MCS1, R90c-d)	WLAN	8.52	± 0.6 %		
10558	AAC	IEEE 802.11ac WFI					

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiyue Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

(t86-512)67355888 (t86-512)67370818 www.sgsgroup.com.cn
 (t86-512)67355888 (t86-512)67370818 sgs.china@sgs.com

Test Report Form Version: Rev01

Member of the SGS Group (SGS SA)

EX3DV4 – SN 7346

March 30, 2022

10985 AAA	SG NR DL (CP-OFDM, Tbl 3.1, 40 MHz, 64-QAM, 30 MHz)	SG NR FR1 TDD	9.54 ± 9.6 %
10986 AAA	SG NR DL (CP-OFDM, Tbl 3.1, 30 MHz, 64-QAM, 30 MHz)	SG NR FR1 TDD	9.50 ± 9.6 %
10987 AAA	SG NR DL (CP-OFDM, Tbl 3.1, 30 MHz, 64-QAM, 30 MHz)	SG NR FR1 TDD	9.53 ± 9.6 %
10988 AAA	SG NR DL (CP-OFDM, Tbl 3.1, 70 MHz, 64-QAM, 30 MHz)	SG NR FR1 TDD	9.56 ± 9.6 %
10989 AAA	SG NR DL (CP-OFDM, Tbl 3.1, 80 MHz, 64-QAM, 30 MHz)	SG NR FR1 TDD	9.53 ± 9.6 %
10990 AAA	SG NR DL (CP-OFDM, Tbl 3.1, 80 MHz, 64-QAM, 30 MHz)	SG NR FR1 TDD	9.55 ± 9.6 %

† Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

EX3DV4 – SN 7346

March 30, 2022

10991 AAB	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
10992 AAB	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
10993 AAB	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
10994 AAB	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
10995 AAB	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
10996 AAB	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
10997 AAC	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
10998 AAC	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
10999 AAC	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11000 AAC	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11001 AAC	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11002 AAC	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11003 AAC	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11004 AAC	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11005 AAC	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11006 AAC	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11007 AAC	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11008 AAC	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11009 AAD	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11010 AAD	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11011 AAD	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11012 AAD	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11013 AAD	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11014 AAD	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11015 AAD	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11016 AAD	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11017 AAD	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11018 AAD	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11019 AAD	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11020 AAD	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11021 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11022 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11023 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11024 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11025 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11026 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11027 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11028 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11029 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11030 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11031 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11032 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11033 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11034 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11035 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11036 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11037 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11038 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11039 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11040 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11041 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11042 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11043 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11044 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11045 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11046 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11047 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11048 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11049 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11050 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11051 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11052 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11053 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11054 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11055 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11056 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11057 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11058 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11059 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11060 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11061 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11062 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11063 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11064 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11065 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11066 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11067 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11068 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11069 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11070 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11071 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11072 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11073 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11074 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11075 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11076 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11077 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11078 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11079 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11080 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11081 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11082 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11083 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11084 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11085 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11086 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11087 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11088 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11089 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11090 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11091 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11092 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11093 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11094 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11095 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11096 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11097 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11098 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11099 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11100 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11101 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11102 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11103 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11104 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11105 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11106 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11107 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11108 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11109 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11110 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11111 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11112 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11113 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11114 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11115 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11116 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11117 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11118 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11119 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11120 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11121 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11122 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11123 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11124 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11125 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11126 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11127 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11128 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11129 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11130 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11131 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11132 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11133 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11134 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11135 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11136 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11137 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 30 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11138 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 70 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11139 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11140 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 80 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11141 AAE	SG NR CP (CP-OFDM, Tbl 3.1, 40 MHz, QPSK, 10 MHz)	SG NR FR1 TDD	1.04 ± 0.3 %
11142 AAE	SG NR CP (CP-OF		

4 Impedance and return loss

Dipole CLA150 SN 4025				
Head Liquid				
Date of Measurement	Return Loss(dB)	Δ %	Impedance (Ω)	$\Delta\Omega$
2021/4/26	-31.4	/	47.8	/
Dipole D450V3 SN 1103				
Head Liquid				
Date of Measurement	Return Loss(dB)	Δ %	Impedance (Ω)	$\Delta\Omega$
2021/4/21	-23	/	57.1	/



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have read, understood and accepted the Terms and Conditions of the document and to have agreed to follow the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or expiration date of this document will render it null and void. The original document or a copy thereof, otherwise stated, is the only valid version. The results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection reports, please visit our website or email: CN.Doccheck@sgs.com
No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn
t(86-512)57355888 f(86-512)57370818 sqs.china@sqs.com