



Transmit at 2480MHz by LE_1Mbps



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	51.4	43.59	-7.830	74.00	30.41	PK	Horizo	PASS
2	4960.00	46.0	38.15	-7.830	54.00	15.85	AV	Horizo	PASS
3	7440.00	37.0	35.70	-1.300	54.00	18.30	AV	Horizo	PASS
4	7440.00	44.3	43.04	-1.300	74.00	30.96	PK	Horizo	PASS
5	9920.00	42.4	44.78	2.350	74.00	29.22	PK	Horizo	PASS
6	9920.00	33.2	35.55	2.350	54.00	18.45	AV	Horizo	PASS


Transmit at 2480MHz by LE_1Mbps



Data List									
NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	4960.00	51.6	43.75	-7.830	74.00	30.25	PK	Vertic	PASS
2	4960.00	46.2	38.36	-7.830	54.00	15.64	AV	Vertic	PASS
3	7440.00	45.8	44.50	-1.300	74.00	29.50	PK	Vertic	PASS
4	7440.00	38.5	37.17	-1.300	54.00	16.83	AV	Vertic	PASS
5	9920.00	42.5	44.83	2.350	74.00	29.17	PK	Vertic	PASS
6	9920.00	33.0	35.30	2.350	54.00	18.70	AV	Vertic	PASS

Transmit at 2402MHz by LE_2Mbps


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	48.3	39.83	-8.480	74.00	34.17	PK	Horizo	PASS
2	4804.00	41.1	32.58	-8.480	54.00	21.42	AV	Horizo	PASS
3	7206.00	44.5	42.90	-1.620	74.00	31.10	PK	Horizo	PASS
4	7206.00	36.6	34.97	-1.620	54.00	19.03	AV	Horizo	PASS
5	9608.00	43.6	44.96	1.380	74.00	29.04	PK	Horizo	PASS
6	9608.00	34.1	35.45	1.380	54.00	18.55	AV	Horizo	PASS

Transmit at 2402MHz by LE_2Mbps




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	48.0	39.49	-8.480	74.00	34.51	PK	Vertic	PASS
2	4804.00	40.4	31.96	-8.480	54.00	22.04	AV	Vertic	PASS
3	7206.00	46.1	44.43	-1.620	74.00	29.57	PK	Vertic	PASS
4	7206.00	38.0	36.37	-1.620	54.00	17.63	AV	Vertic	PASS
5	9608.00	42.9	44.25	1.380	74.00	29.75	PK	Vertic	PASS
6	9608.00	34.6	36.02	1.380	54.00	17.98	AV	Vertic	PASS

Transmit at 2440MHz by LE_2Mbps




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	49.3	41.09	-8.160	74.00	32.91	PK	Horizo	PASS
2	4880.00	41.2	33.04	-8.160	54.00	20.96	AV	Horizo	PASS
3	7320.00	45.6	44.13	-1.450	74.00	29.87	PK	Horizo	PASS
4	7320.00	36.6	35.10	-1.450	54.00	18.90	AV	Horizo	PASS
5	9760.00	42.7	44.18	1.450	74.00	29.82	PK	Horizo	PASS
6	9760.00	33.6	35.06	1.450	54.00	18.94	AV	Horizo	PASS

Transmit at 2440MHz by LE_2Mbps



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	49.0	40.86	-8.160	74.00	33.14	PK	Vertic	PASS
2	4880.00	41.4	33.25	-8.160	54.00	20.75	AV	Vertic	PASS
3	7320.00	45.1	43.60	-1.450	74.00	30.40	PK	Vertic	PASS
4	7320.00	36.7	35.24	-1.450	54.00	18.76	AV	Vertic	PASS
5	9760.00	42.7	44.13	1.450	74.00	29.87	PK	Vertic	PASS
6	9760.00	33.2	34.64	1.450	54.00	19.36	AV	Vertic	PASS


Transmit at 2480MHz by LE_2Mbps



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	50.8	42.99	-7.830	74.00	31.01	PK	Horizo	PASS
2	4960.00	44.3	36.46	-7.830	54.00	17.54	AV	Horizo	PASS
3	7440.00	44.8	43.52	-1.300	74.00	30.48	PK	Horizo	PASS
4	7440.00	36.2	34.94	-1.300	54.00	19.06	AV	Horizo	PASS
5	9920.00	43.2	45.57	2.350	74.00	28.43	PK	Horizo	PASS
6	9920.00	33.6	35.96	2.350	54.00	18.04	AV	Horizo	PASS

Transmit at 2480MHz by LE_2Mbps


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	49.7	41.86	-7.830	74.00	32.14	PK	Vertic	PASS
2	4960.00	42.9	35.02	-7.830	54.00	18.98	AV	Vertic	PASS
3	7440.00	36.8	35.45	-1.300	54.00	18.55	AV	Vertic	PASS
4	7440.00	44.9	43.63	-1.300	74.00	30.37	PK	Vertic	PASS
5	9920.00	42.9	45.20	2.350	74.00	28.80	PK	Vertic	PASS
6	9920.00	33.4	35.78	2.350	54.00	18.22	AV	Vertic	PASS

Transmit at 2402MHz by Coded S=8




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	48.2	39.73	-8.480	74.00	34.27	PK	Horizo	PASS
2	4804.00	42.2	33.68	-8.480	54.00	20.32	AV	Horizo	PASS
3	7206.00	46.4	44.78	-1.620	74.00	29.22	PK	Horizo	PASS
4	7206.00	39.5	37.88	-1.620	54.00	16.12	AV	Horizo	PASS
5	9608.00	42.3	43.63	1.380	74.00	30.37	PK	Horizo	PASS
6	9608.00	34.2	35.60	1.380	54.00	18.40	AV	Horizo	PASS

Transmit at 2402MHz by Coded S=8




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	48.6	40.10	-8.480	74.00	33.90	PK	Vertic	PASS
2	4804.00	42.7	34.17	-8.480	54.00	19.83	AV	Vertic	PASS
3	7206.00	47.2	45.54	-1.620	74.00	28.46	PK	Vertic	PASS
4	7206.00	39.7	38.05	-1.620	54.00	15.95	AV	Vertic	PASS
5	9608.00	43.6	44.96	1.380	74.00	29.04	PK	Vertic	PASS
6	9608.00	34.2	35.54	1.380	54.00	18.46	AV	Vertic	PASS

Transmit at 2440MHz by Coded S=8



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	50.0	41.88	-8.160	74.00	32.12	PK	Horizo	PASS
2	4880.00	42.9	34.74	-8.160	54.00	19.26	AV	Horizo	PASS
3	7320.00	39.2	37.78	-1.450	54.00	16.22	AV	Horizo	PASS
4	7320.00	45.6	44.11	-1.450	74.00	29.89	PK	Horizo	PASS
5	9760.00	43.4	44.81	1.450	74.00	29.19	PK	Horizo	PASS
6	9760.00	33.5	34.98	1.450	54.00	19.02	AV	Horizo	PASS


Transmit at 2440MHz by Coded S=8



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	49.4	41.22	-8.160	74.00	32.78	PK	Vertic	PASS
2	4880.00	42.0	33.82	-8.160	54.00	20.18	AV	Vertic	PASS
3	7320.00	45.6	44.16	-1.450	74.00	29.84	PK	Vertic	PASS
4	7320.00	39.0	37.51	-1.450	54.00	16.49	AV	Vertic	PASS
5	9760.00	42.2	43.60	1.450	74.00	30.40	PK	Vertic	PASS
6	9760.00	33.2	34.69	1.450	54.00	19.31	AV	Vertic	PASS

Transmit at 2480MHz by Coded S=8


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	51.8	43.98	-7.830	74.00	30.02	PK	Horizo	PASS
2	4960.00	45.6	37.81	-7.830	54.00	16.19	AV	Horizo	PASS
3	7440.00	46.1	44.75	-1.300	74.00	29.25	PK	Horizo	PASS
4	7440.00	37.6	36.25	-1.300	54.00	17.75	AV	Horizo	PASS
5	9920.00	45.0	47.33	2.350	74.00	26.67	PK	Horizo	PASS
6	9920.00	33.7	36.07	2.350	54.00	17.93	AV	Horizo	PASS

Transmit at 2480MHz by Coded S=8




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	52.1	44.22	-7.830	74.00	29.78	PK	Vertic	PASS
2	4960.00	45.8	37.95	-7.830	54.00	16.05	AV	Vertic	PASS
3	7440.00	46.6	45.29	-1.300	74.00	28.71	PK	Vertic	PASS
4	7440.00	38.5	37.17	-1.300	54.00	16.83	AV	Vertic	PASS
5	9920.00	42.2	44.55	2.350	74.00	29.45	PK	Vertic	PASS
6	9920.00	34.1	36.45	2.350	54.00	17.55	AV	Vertic	PASS

Transmit at 2402MHz by Coded S=2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	50.0	41.56	-8.480	74.00	32.44	PK	Horizo	PASS
2	4804.00	42.9	34.46	-8.480	54.00	19.54	AV	Horizo	PASS
3	7206.00	40.9	39.30	-1.620	54.00	14.70	AV	Horizo	PASS
4	7206.00	48.0	46.34	-1.620	74.00	27.66	PK	Horizo	PASS
5	9608.00	43.0	44.37	1.380	74.00	29.63	PK	Horizo	PASS
6	9608.00	34.4	35.76	1.380	54.00	18.24	AV	Horizo	PASS

Transmit at 2402MHz by Coded S=2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	49.0	40.51	-8.480	74.00	33.49	PK	Vertic	PASS
2	4804.00	42.6	34.07	-8.480	54.00	19.93	AV	Vertic	PASS
3	7206.00	46.8	45.15	-1.620	74.00	28.85	PK	Vertic	PASS
4	7206.00	40.4	38.81	-1.620	54.00	15.19	AV	Vertic	PASS
5	9608.00	44.1	45.51	1.380	74.00	28.49	PK	Vertic	PASS
6	9608.00	34.3	35.67	1.380	54.00	18.33	AV	Vertic	PASS

Transmit at 2440MHz by Coded S=2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	49.3	41.13	-8.160	74.00	32.87	PK	Horizo	PASS
2	4880.00	42.4	34.21	-8.160	54.00	19.79	AV	Horizo	PASS
3	7320.00	46.2	44.76	-1.450	74.00	29.24	PK	Horizo	PASS
4	7320.00	38.1	36.68	-1.450	54.00	17.32	AV	Horizo	PASS
5	9760.00	42.7	44.11	1.450	74.00	29.89	PK	Horizo	PASS
6	9760.00	33.3	34.70	1.450	54.00	19.30	AV	Horizo	PASS

Transmit at 2440MHz by Coded S=2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	48.8	40.67	-8.160	74.00	33.33	PK	Vertic	PASS
2	4880.00	42.4	34.27	-8.160	54.00	19.73	AV	Vertic	PASS
3	7320.00	39.0	37.53	-1.450	54.00	16.47	AV	Vertic	PASS
4	7320.00	45.8	44.37	-1.450	74.00	29.63	PK	Vertic	PASS
5	9760.00	42.5	43.96	1.450	74.00	30.04	PK	Vertic	PASS
6	9760.00	33.3	34.73	1.450	54.00	19.27	AV	Vertic	PASS


Transmit at 2480MHz by Coded S=2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.50	47.2	39.36	-7.830	54.00	14.64	AV	Horizo	PASS
2	4960.50	52.7	44.90	-7.830	74.00	29.10	PK	Horizo	PASS
3	7440.00	38.1	36.76	-1.300	54.00	17.24	AV	Horizo	PASS
4	7440.00	46.5	45.19	-1.300	74.00	28.81	PK	Horizo	PASS
5	9920.00	42.9	45.26	2.350	74.00	28.74	PK	Horizo	PASS
6	9920.00	34.0	36.36	2.350	54.00	17.64	AV	Horizo	PASS

Transmit at 2480MHz by Coded S=2

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	51.3	43.45	-7.830	74.00	30.55	PK	Vertic	PASS
2	4960.00	46.3	38.50	-7.830	54.00	15.50	AV	Vertic	PASS
3	7440.00	46.7	45.38	-1.300	74.00	28.62	PK	Vertic	PASS
4	7440.00	38.4	37.13	-1.300	54.00	16.87	AV	Vertic	PASS
5	9920.00	41.8	44.12	2.350	74.00	29.88	PK	Vertic	PASS
6	9920.00	33.8	36.10	2.350	54.00	17.90	AV	Vertic	PASS

Note:


1. Level = Reading + Factor .

2. Margin = Limit - Level.


3. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.

4. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.

The worst case of Radiated Emission below 1GHz :
Transmit at 2402MHz by LE_1Mbps



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	35.82	14.1	27.38	13.280	40.00	12.62	PK	Horizo	PASS
2	66.13	13.8	25.05	11.240	40.00	14.95	PK	Horizo	PASS
3	96.20	29.7	41.76	12.080	43.50	1.74	PK	Horizo	PASS
4	192.23	21.8	33.22	11.390	43.50	10.28	PK	Horizo	PASS
5	240.01	23.0	36.09	13.090	46.00	9.91	PK	Horizo	PASS
6	480.57	19.0	36.30	17.330	46.00	9.70	PK	Horizo	PASS

Transmit at 2402MHz by LE_1Mbps**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	33.40	17.8	30.93	13.100	40.00	9.07	PK	Vertic	PASS
2	62.01	14.2	26.47	12.290	40.00	13.53	PK	Vertic	PASS
3	102.75	23.9	36.40	12.530	43.50	7.10	PK	Vertic	PASS
4	179.87	14.6	25.06	10.500	43.50	18.44	PK	Vertic	PASS
5	279.53	14.5	28.23	13.780	46.00	17.77	PK	Vertic	PASS
6	539.25	15.7	33.94	18.280	46.00	12.06	PK	Vertic	PASS

Note:

1. All Readings below 1GHz are Quasi-Peak, above are performed with peak and/or average measurements as necessary.
2. Level=Reading+Factor.

_____ The End _____