



Frequency:5500MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15811.250000	---	42.82	54.00	11.18	150.0	H	125.0	8.1
16419.531250	47.71	---	68.20	20.49	150.0	H	215.0	9.4
17105.906250	48.24	---	68.20	19.96	150.0	H	287.0	10.5
17825.218750	---	46.27	54.00	7.73	150.0	H	354.0	11.6
17850.187500	49.48	---	74.00	24.52	150.0	H	232.0	11.7
17890.562500	---	44.39	54.00	9.61	150.0	H	320.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15787.343750	46.47	---	74.00	27.53	150.0	V	315.0	8.0
15827.187500	---	43.19	54.00	10.81	150.0	V	337.0	8.1
17134.062500	48.31	---	68.20	19.89	150.0	V	332.0	10.6
17791.750000	---	45.53	54.00	8.47	150.0	V	358.0	11.5
17856.562500	---	45.27	54.00	8.73	150.0	V	0.0	11.7
17858.156250	48.97	---	74.00	25.03	150.0	V	16.0	11.7

Frequency:5600MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11200.000000	---	41.44	54.00	12.56	150.0	H	34.0	2.6
11202.656250	46.07	---	74.00	27.93	150.0	H	28.0	2.6
15851.093750	46.81	---	74.00	27.19	150.0	H	238.0	8.1
17077.218750	48.31	---	68.20	19.89	150.0	H	164.0	10.5
17772.093750	---	45.24	54.00	8.76	150.0	H	313.0	11.5
17796.000000	49.57	---	74.00	24.43	150.0	H	56.0	11.6
17860.281250	---	45.30	54.00	8.70	150.0	H	181.0	11.7
17989.906250	---	45.20	54.00	8.80	150.0	H	67.0	12.0




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11200.000000	47.52	---	74.00	26.48	150.0	V	4.0	2.6
11203.187500	---	42.67	54.00	11.33	150.0	V	16.0	2.6
15750.156250	---	43.11	54.00	10.89	150.0	V	59.0	8.0
16362.156250	48.53	---	68.20	19.67	150.0	V	292.0	9.2
16803.093750	49.81	---	68.20	18.39	150.0	V	173.0	10.0
17807.687500	---	44.83	54.00	9.17	150.0	V	0.0	11.6
17824.156250	50.13	---	74.00	23.87	150.0	V	0.0	11.6
17825.218750	---	46.19	54.00	7.81	150.0	V	76.0	11.6




Frequency:5700MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
11391.70000	47.9	45.2	200.0	H	237.0	2.8	26.13	74.00	8.80	54.00
17832.70000	48.7	46.8	150.0	H	241.0	11.6	25.30	74.00	7.20	54.00
17954.20000	48.4	44.5	350.0	H	108.0	11.9	25.60	74.00	9.50	54.00




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
11400.40000	54.7	50.3	200.0	V	144.0	2.8	19.30	74.00	3.70	54.00
17101.00000	53.4	---	100.0	V	256.0	10.5	14.84	68.20	---	---
17889.40000	48.6	45.7	150.0	V	237.0	11.8	25.40	74.00	8.30	54.00
17985.70000	47.9	42.9	320.0	V	140.0	11.9	26.15	74.00	11.10	54.00




Frequency:5745MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11484.218750	47.16	---	74.00	26.84	150.0	H	14.0	2.9
11491.656250	---	41.40	54.00	12.60	150.0	H	327.0	2.9
15908.468750	---	43.51	54.00	10.49	150.0	H	123.0	8.2
17155.843750	47.50	---	68.20	20.70	150.0	H	215.0	10.6
17827.343750	48.72	---	74.00	25.28	150.0	H	145.0	11.6
17847.000000	---	45.03	54.00	8.97	150.0	H	0.0	11.6



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
11495.80000	52.8	48.2	200.0	V	245.0	2.9	21.2	74.0	5.80	54.00
17038.30000	48.8	---	150.0	V	165.0	10.4	19.4	68.2	---	---
17863.90000	49.3	45.8	100.0	V	287.0	11.7	24.7	74.0	8.20	54.00
17902.30000	49.0	46.3	330.0	V	143.0	11.8	25.0	74.0	7.70	54.00

Frequency:5785MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11563.906250	45.54	---	74.00	28.46	150.0	H	312.0	3.0
15875.000000	---	43.27	54.00	10.73	150.0	H	86.0	8.2
17070.843750	49.00	---	68.20	19.20	150.0	H	0.0	10.4
17818.843750	48.66	---	74.00	25.34	150.0	H	0.0	11.6
17819.906250	---	45.61	54.00	8.39	150.0	H	350.0	11.6
17921.906250	---	44.61	54.00	9.39	150.0	H	103.0	11.8




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
11569.60000	48.6	45.1	200.0	V	145.0	3.0	25.4	74.0	8.90	54.00
17098.00000	48.6	---	150.0	V	256.0	10.5	19.6	68.2	---	---
17736.10000	48.7	45.3	100.0	V	234.0	11.4	25.3	74.0	8.70	54.00
17923.00000	48.8	45.5	330.0	V	180.0	11.9	25.2	74.0	8.50	54.00




Frequency:5825MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11642.531250	45.99	---	74.00	28.01	150.0	H	312.0	3.0
11644.125000	---	41.77	54.00	12.23	150.0	H	9.0	3.0
15835.687500	---	42.67	54.00	11.33	150.0	H	155.0	9.5
17088.906250	48.81	---	68.20	19.39	150.0	H	9.0	10.5
17824.687500	49.27	---	74.00	24.73	150.0	H	0.0	11.6
17825.218750	---	45.61	54.00	8.39	150.0	H	269.0	11.6




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
11646.70000	52.7	49.5	250.0	V	211.0	3.0	21.3	74.0	4.50	54.00
17770.60000	49.2	45.3	300.0	V	254.0	11.5	24.8	74.0	8.70	54.00
17905.90000	48.5	46.1	100.0	V	168.0	11.8	25.5	74.0	7.90	54.00


Radiated Emission 1-18 GHz at 802.11n40

Frequency:5190MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15957.875000	---	42.76	54.00	11.24	150.0	H	197.0	8.4
16437.593750	47.69	---	68.20	20.51	150.0	H	0.0	9.4
17060.218750	48.90	---	68.20	19.30	150.0	H	71.0	10.4
17845.406250	---	45.18	54.00	8.82	150.0	H	27.0	11.6
17922.437500	48.39	---	74.00	25.61	150.0	H	16.0	11.9
17979.281250	---	43.54	54.00	10.46	150.0	H	294.0	11.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15893.593750	---	42.02	54.00	11.98	150.0	V	156.0	8.2
15901.031250	46.16	---	74.00	27.84	150.0	V	179.0	8.2
17100.062500	48.65	---	68.20	19.55	150.0	V	240.0	10.5
17836.906250	48.76	---	74.00	25.24	150.0	V	355.0	11.6
17865.062500	---	46.07	54.00	7.93	150.0	V	224.0	11.7
17955.375000	---	44.64	54.00	9.36	150.0	V	1.0	11.9

Frequency:5230MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15921.750000	---	42.35	54.00	11.65	150.0	H	180.0	8.3
16416.875000	47.52	---	68.20	20.68	150.0	H	191.0	9.4
17108.562500	48.35	---	68.20	19.85	150.0	H	338.0	10.5
17828.406250	---	45.10	54.00	8.90	150.0	H	163.0	11.6
17886.843750	---	44.56	54.00	9.44	150.0	H	281.0	11.8
17898.531250	48.54	---	74.00	25.46	150.0	H	70.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
16160.812500	---	41.95	54.00	12.05	150.0	V	94.0	8.8
16496.562500	47.55	---	68.20	20.65	150.0	V	173.0	9.6
17142.562500	48.87	---	68.20	19.33	150.0	V	288.0	10.6
17800.250000	---	46.06	54.00	7.94	150.0	V	122.0	11.6
17899.062500	48.74	---	74.00	25.26	150.0	V	229.0	11.8
17963.875000	---	44.45	54.00	9.55	150.0	V	224.0	11.9

Frequency:5270MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15835.156250	46.99	---	74.00	27.01	150.0	H	188.0	8.1
15945.125000	---	42.14	54.00	11.86	150.0	H	199.0	8.4
17088.375000	48.64	---	68.20	19.56	150.0	H	250.0	10.5
17745.000000	47.71	---	74.00	26.29	150.0	H	57.0	11.4
17844.343750	---	45.24	54.00	8.76	150.0	H	24.0	11.6
17969.718750	---	43.90	54.00	20.10	150.0	H	290.0	11.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15853.750000	---	42.70	54.00	11.30	150.0	V	60.0	8.1
16601.218750	48.04	---	68.20	20.16	150.0	V	176.0	9.8
17106.437500	49.22	---	68.20	18.98	150.0	V	66.0	10.5
17729.593750	---	45.41	54.00	8.59	150.0	V	348.0	11.4
17843.281250	---	44.68	54.00	9.32	150.0	V	148.0	11.6
17897.468750	48.73	---	74.00	25.27	150.0	V	260.0	11.8

Frequency:5310MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15903.687500	---	42.66	54.00	11.34	150.0	H	101.0	8.2
16423.250000	47.76	---	68.20	20.44	150.0	H	338.0	9.4
17095.812500	48.47	---	68.20	19.73	150.0	H	338.0	10.5
17817.250000	---	44.98	54.00	9.02	150.0	H	284.0	11.6
17943.687500	---	44.35	54.00	9.65	150.0	H	2.0	11.9
17953.250000	47.38	---	74.00	26.62	150.0	H	198.0	11.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15897.312500	---	42.37	54.00	11.63	150.0	V	264.0	8.2
17114.937500	48.09	---	68.20	20.11	150.0	V	153.0	10.5
17522.937500	46.68	---	68.20	21.52	150.0	V	119.0	11.1
17842.750000	48.69	---	74.00	25.31	150.0	V	248.0	11.6
17843.812500	---	45.11	54.00	8.89	150.0	V	181.0	11.6
17882.593750	---	44.56	54.00	9.44	150.0	V	119.0	11.7

Frequency:5510MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15782.031250	---	42.29	54.00	11.71	150.0	H	4.0	8.0
16485.937500	48.26	---	68.20	19.94	150.0	H	138.0	9.5
17097.937500	48.69	---	68.20	19.51	150.0	H	99.0	10.5
17801.843750	---	45.38	54.00	8.62	150.0	H	239.0	11.6
17833.718750	---	46.25	54.00	7.75	150.0	H	99.0	11.6
17898.000000	48.43	---	74.00	25.57	150.0	H	0.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15770.343750	---	42.83	54.00	11.17	150.0	V	246.0	8.0
15797.968750	46.41	---	74.00	27.59	150.0	V	177.0	8.1
17111.750000	48.80	---	68.20	19.40	150.0	V	3.0	10.5
17799.187500	---	46.37	54.00	7.63	150.0	V	9.0	11.6
17799.187500	50.21	---	74.00	23.79	150.0	V	9.0	11.6
17892.687500	---	44.77	54.00	9.23	150.0	V	46.0	11.8

Frequency:5590MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15896.250000	---	43.26	54.00	10.74	150.0	H	74.0	8.2
16353.125000	47.16	---	68.20	21.04	150.0	H	277.0	9.2
17138.843750	48.39	---	68.20	19.81	150.0	H	1.0	10.6
17829.468750	---	46.25	54.00	7.75	150.0	H	203.0	11.6
17854.437500	49.55	---	74.00	24.45	150.0	H	350.0	11.7
17892.687500	---	45.33	54.00	8.67	150.0	H	74.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15854.812500	---	42.65	54.00	11.35	150.0	V	287.0	8.1
17079.875000	48.26	---	68.20	19.94	150.0	V	304.0	10.5
17721.093750	47.71	---	74.00	26.29	150.0	V	348.0	11.4
17775.281250	---	45.06	54.00	8.94	150.0	V	176.0	11.5
17849.125000	49.05	---	74.00	24.95	150.0	V	342.0	11.6
17862.406250	---	45.32	54.00	8.68	150.0	V	276.0	11.7

Frequency:5670MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15851.093750	---	44.15	54.00	9.85	150.0	H	328.0	8.1
15859.062500	46.35	---	74.00	27.65	150.0	H	212.0	8.1
17097.937500	49.04	---	68.20	19.16	150.0	H	218.0	10.5
17845.406250	49.91	---	74.00	24.09	150.0	H	26.0	11.6
17882.593750	---	45.36	54.00	8.64	150.0	H	42.0	11.7
17915.531250	---	44.97	54.00	9.03	150.0	H	180.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11340.250000	---	42.27	54.00	11.73	150.0	V	358.0	2.7
11348.218750	46.86	---	74.00	27.14	150.0	V	0.0	2.8
16468.937500	48.71	---	68.20	19.49	150.0	V	279.0	9.5
17726.937500	---	45.03	54.00	8.97	150.0	V	23.0	11.4
17827.875000	48.20	---	74.00	25.80	150.0	V	355.0	11.6
17853.375000	---	44.92	54.00	9.08	150.0	V	333.0	11.7

Frequency:5755MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11509.718750	44.24	---	74.00	29.76	150.0	H	318.0	2.9
15870.218750	---	43.29	54.00	10.71	150.0	H	110.0	8.1
16466.281250	48.15	---	68.20	20.05	150.0	H	265.0	9.5
17810.875000	---	46.14	54.00	7.86	150.0	H	277.0	11.6
17929.875000	49.05	---	74.00	24.95	150.0	H	254.0	11.9
17987.250000	---	44.38	54.00	9.62	150.0	H	259.0	12.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11501.218750	46.60	---	74.00	27.40	150.0	V	6.0	2.9
15816.031250	46.54	---	74.00	27.46	150.0	V	116.0	8.1
16085.375000	---	41.69	54.00	12.31	150.0	V	290.0	8.8
17124.500000	49.07	---	68.20	19.13	150.0	V	0.0	10.6
17835.312500	---	45.29	54.00	8.71	150.0	V	193.0	11.6
17857.093750	48.36	---	74.00	25.64	150.0	V	110.0	11.7
17957.500000	---	43.22	54.00	10.78	150.0	V	110.0	11.9

Frequency:5795MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
15818.687500	46.49	---	74.00	27.51	150.0	H	318.0	8.1
15929.718750	---	43.22	54.00	10.78	150.0	H	330.0	8.3
17122.375000	49.17	---	68.20	19.03	150.0	H	42.0	10.6
17825.750000	---	46.11	54.00	7.89	150.0	H	125.0	11.6
17873.031250	48.75	---	74.00	25.25	150.0	H	70.0	11.7
17895.875000	---	45.08	54.00	8.92	150.0	H	0.0	11.8




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11719.031250	---	38.21	54.00	15.79	150.0	V	191.0	3.1
15767.687500	47.09	---	74.00	26.91	150.0	V	300.0	8.0
15884.031250	---	42.58	54.00	11.42	150.0	V	213.0	8.2
17125.562500	48.99	---	68.20	19.21	150.0	V	294.0	10.6
17851.781250	48.79	---	74.00	25.21	150.0	V	42.0	11.7
17878.343750	---	46.83	54.00	7.17	150.0	V	278.0	11.7
17925.625000	---	43.67	54.00	10.33	150.0	V	219.0	11.9


Band Edge at 802.11a

Frequency:5180MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5095.900000	43.1	33.5	200.0	H	246.0	-3.1	30.9	74.0	20.5	54.0
5150.000000	48.5	37.8	300.0	H	153.0	-3.0	25.5	74.0	16.2	54.0
5180.000000	100.8	---	100.0	H	278.0	-3.1	---	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
4960.821429	42.3	30.8	100.0	V	215.0	-3.1	31.7	74.0	23.2	54.0
5150.000000	41.4	31.4	250.0	V	238.0	-3.0	32.6	74.0	22.6	54.0
5180.000000	89.5	---	150.0	V	108.0	-3.0	---	---	---	---

Frequency:5320MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5320.000000	101.6	---	100.0	H	236.0	-2.8	---	---	---	---
5350.000000	55.8	41.9	220.0	H	254.0	-2.7	18.2	74.0	12.1	54.0
5350.900000	59.1	43.8	150.0	H	182.0	-2.7	14.9	74.0	10.2	54.0




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5320.000000	90.9	---	220.0	V	141.0	-2.8	---	---	---	---
5350.000000	45.4	34.5	310.0	V	237.0	-2.7	28.6	74.0	19.5	54.0
5350.750000	48.4	36.1	150.0	V	194.0	-2.7	25.6	74.0	17.9	54.0




Frequency:5500MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5462.933300	58.8	46.7	250.0	H	215.0	-2.4	15.2	74.0	7.3	54.0
5466.800000	60.5	46.2	300.0	H	235.0	-2.4	13.5	74.0	7.8	54.0
5470.000000	62.5	47.8	220.0	H	267.0	-2.4	11.5	74.0	6.2	54.0
5500.000000	104.5	---	150.0	H	214.0	-2.3	---	---	---	---




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5467.000000	50.7	38.4	250.0	V	125.0	-2.4	23.3	74.0	15.6	54.0
5470.000000	52.8	39.7	300.0	V	247.0	-2.3	21.2	74.0	14.3	54.0
5500.000000	95.6	---	150.0	V	156.0	-2.3	---	---	---	---




Frequency:5700MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5700.000000	102.8	---	310.0	H	175.0	-2.4	---	---	---	---
5725.000000	62.5	49.8	250.0	H	267.0	-2.3	11.5	74.0	4.2	54.0
5726.941667	61.3	45.8	200.0	H	140.0	-2.3	12.7	74.0	8.2	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5700.000000	92.1	---	220.0	V	254.0	-2.4	---	---	---	---
5725.000000	46.2	36.5	100.0	V	178.0	-2.3	27.8	74.0	17.5	54.0
5726.391667	48.3	34.8	150.0	V	340.0	-2.3	25.7	74.0	19.2	54.0

Frequency:5720MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5458.900000	34.8	300.0	H	234.0	-2.4	33.4	68.2
5470.000000	34.1	350.0	H	156.0	-2.3	34.1	68.2
5720.000000	90.8	250.0	H	289.0	-2.3	--	--
5850.000000	32.3	200.0	H	145.0	-2.1	35.9	68.2
5859.400000	36.2	150.0	H	201.0	-2.0	32.0	68.2




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5417.500000	33.8	300.0	V	241.0	-2.5	34.4	68.2
5470.000000	32.7	150.0	V	156.0	-2.3	35.5	68.2
5720.000000	82.7	200.0	V	241.0	-2.3	--	--
5850.000000	31.9	400.0	V	200.0	-2.1	36.3	68.2
5856.100000	35.4	200.0	V	300.0	-2.0	32.8	68.2




Frequency:5745MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5713.900000	58.7	36.5	250.0	H	154.0	-2.3	50.4	109.1	72.6	109.1
5899.000000	43.5	31.5	150.0	H	236.0	-1.9	43.9	87.4	55.9	87.4



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5722.600000	55.4	40.0	300.0	V	125.0	-2.3	61.3	116.7	76.7	116.7
5890.300000	42.8	30.5	150.0	V	248.0	-1.9	51.0	93.8	63.3	93.8

Frequency:5825MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5658.400000	44.9	30.6	250.0	H	194.0	-2.3	29.5	74.4	43.9	74.4
5851.600000	61.6	40.3	100.0	H	239.0	-2.0	57.0	118.6	78.3	118.6




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5659.900000	42.6	30.0	200.0	V	312.0	-2.3	32.9	75.6	45.5	75.6
5851.600000	50.4	37.7	100.0	V	247.0	-2.0	68.2	118.6	80.9	118.6


Band Edge at 802.11n20

Frequency:5180MHz




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5145.100000	51.5	40.6	300.0	H	125.0	-3.0	22.6	74.0	13.4	54.0
5150.000000	51.8	42.5	150.0	H	234.0	-3.0	22.2	74.0	11.5	54.0
5180.000000	100.8	---	200.0	H	178.0	-3.1	---	---	---	---




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5066.200000	41.3	31.1	150.0	V	125.0	-3.1	32.7	74.0	22.9	54.0
5150.000000	42.1	32.4	150.0	V	341.0	-3.0	31.9	74.0	21.6	54.0
5180.000000	89.6	---	200.0	V	189.0	-3.1	---	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5320.000000	101.3	---	250.0	H	264.0	-2.8	---	---	---	---
5350.000000	57.5	43.5	150.0	H	158.0	-2.7	16.5	74.0	10.5	54.0
5354.200000	58.2	45.8	300.0	H	239.0	-2.7	15.8	74.0	8.2	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5320.000000	91.2	---	250.0	V	175.0	-2.8	---	---	---	---
5350.000000	49.1	34.8	100.0	V	289.0	-2.7	24.9	74.0	19.2	54.0
5353.600000	49.4	36.9	300.0	V	163.0	-2.7	24.6	74.0	17.1	54.0

Frequency:5500MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5466.400000	66.1	48.5	300.0	H	245.0	-2.4	7.9	74.0	5.5	54.0
5468.800000	66.6	49.7	250.0	H	156.0	-2.4	7.4	74.0	4.3	54.0
5470.000000	67.4	51.3	150.0	H	234.0	-2.4	6.6	74.0	2.7	54.0
5501.800000	104.4	---	100.0	H	178.0	-2.3	---	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5467.600000	53.5	37.8	300.0	V	145.0	-2.4	20.5	74.0	16.2	54.0
5470.000000	54.3	38.4	250.0	V	264.0	-2.4	19.7	74.0	15.6	54.0
5500.000000	95.2	---	150.0	V	178.0	-2.3	---	---	---	---

Frequency:5700MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5700.000000	102.3	---	250.0	H	148.0	-2.4	-28.3	74.0	---	---
5725.000000	67.7	52.5	150.0	H	246.0	-2.3	6.3	74.0	1.5	54.0
5730.700000	60.8	41.9	300.0	H	234.0	-2.3	13.2	74.0	12.1	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5700.000000	91.4	---	250.0	V	125.0	-2.4	---	---	---	---
5725.000000	51.2	39.5	100.0	V	234.0	-2.3	22.8	74.0	14.5	54.0
5731.000000	45.7	34.2	300.0	V	178.0	-2.3	28.3	74.0	19.8	54.0

Frequency:5720MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5398.900000	35.8	250.0	H	152.0	-2.5	32.4	68.2
5470.000000	32.4	300.0	H	234.0	-2.3	35.8	68.2
5720.000000	90.7	150.0	H	156.0	-2.3	--	--
5850.000000	32.7	200.0	H	289.0	-2.0	35.5	68.2
5875.300000	34.3	300.0	H	247.0	-2.0	33.9	68.2



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5428.000000	34.0	300.0	V	264.0	-2.4	34.2	68.2
5470.000000	31.6	250.0	V	125.0	-2.3	36.6	68.2
5720.000000	84.8	400.0	V	234.0	-2.3	--	--
5850.000000	32.3	150.0	V	108.0	-2.1	35.9	68.2
5875.900000	35.7	300.0	V	225.0	-2.0	32.5	68.2

Frequency:5745MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5721.400000	68.9	45.8	300.0	H	214.0	-2.3	45.1	114.0	68.2	114.0
5880.916667	42.3	30.5	150.0	H	239.0	-2.0	58.5	100.8	70.3	100.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5722.900000	60.3	41.1	250.0	V	214.0	-2.3	57.1	117.4	76.3	117.4
6008.800000	42.8	30.8	150.0	V	139.0	-1.5	25.4	68.2	37.4	68.2

Frequency:5825MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5669.200000	45.0	30.4	250.0	H	234.0	-2.3	37.4	82.4	52.0	82.4
5863.600000	53.8	41.3	150.0	H	175.0	-2.0	54.6	108.4	67.1	108.4




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5683.900000	42.1	29.8	310.0	V	265.0	-2.4	51.2	93.3	63.6	93.3
5851.900000	50.4	36.8	240.0	V	173.0	-2.0	67.5	117.9	81.1	117.9


Band Edge at 802.11n40

Frequency:5190MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5142.100000	54.4	42.3	350.0	H	254.0	-3.0	19.6	74.0	11.7	54.0
5150.000000	53.1	43.5	200.0	H	168.0	-3.0	20.9	74.0	10.5	54.0
5190.000000	96.8	---	150.0	H	237.0	-3.1	---	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5140.600000	43.5	33.6	200.0	V	115.0	-3.0	30.5	74.0	20.4	54.0
5150.000000	47.8	37.9	150.0	V	241.0	-3.0	26.2	74.0	16.1	54.0
5190.000000	86.6	---	150.0	V	136.0	-3.1	---	---	---	---

Frequency:5310MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5310.000000	98.0	---	300.0	H	112.0	-2.7	---	---	---	---
5350.000000	61.8	47.5	250.0	H	256.0	-2.7	12.2	74.0	6.5	54.0
5351.341667	65.6	48.6	150.0	H	137.0	-2.7	8.4	74.0	5.4	54.0
5358.100000	61.8	45.8	200.0	H	149.0	-2.7	12.2	74.0	8.2	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5310.000000	89.2	---	200.0	V	148.0	-2.8	---	---	---	---
5350.000000	51.7	40.2	300.0	V	216.0	-2.7	22.3	74.0	13.8	54.0
5351.200000	54.8	42.5	150.0	V	317.0	-2.7	19.2	74.0	11.5	54.0

Frequency:5510MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5467.000000	62.8	46.5	200.0	H	145.0	-2.4	11.2	74.0	7.5	54.0
5470.000000	63.9	50.8	150.0	H	231.0	-2.4	10.1	74.0	3.3	54.0
5510.000000	98.3	---	150.0	H	109.0	-2.3	---	---	---	---




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5467.000000	50.2	35.9	150.0	V	214.0	-2.4	23.8	74.0	18.1	54.0
5470.000000	51.3	39.7	300.0	V	265.0	-2.4	22.7	74.0	14.3	54.0
5510.000000	88.5	---	150.0	V	129.0	-2.3	---	---	---	---




Frequency:5670MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5670.000000	97.1	---	250.0	H	145.0	-2.4	---	---	---	---
5725.000000	49.1	37.4	300.0	H	264.0	-2.3	24.9	74.0	16.6	54.0
5752.300000	45.2	33.5	150.0	H	178.0	-2.3	28.8	74.0	20.5	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5670.000000	86.0	---	250.0	V	142.0	-2.3	---	---	---	---
5725.000000	40.9	31.0	150.0	V	210.0	-2.3	33.1	74.0	23.0	54.0
5749.300000	41.4	31.5	150.0	V	329.0	-2.3	32.6	74.0	22.5	54.0

Frequency:5710MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5405.500000	35.1	300.0	H	241.0	-2.5	33.1	68.2
5470.000000	33.5	250.0	H	156.0	-2.4	34.7	68.2
5710.000000	88.4	250.0	H	289.0	-2.4	--	--
5850.000000	35.6	300.0	H	145.0	-2.1	32.6	68.2
5887.100000	35.2	150.0	H	201.0	-2.0	33.0	68.2




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5397.300000	34.5	250.0	V	214.0	-2.5	33.7	68.2
5470.000000	32.0	300.0	V	205.0	-2.3	36.2	68.2
5710.000000	82.6	150.0	V	150.0	-2.4	--	--
5850.000000	32.5	150.0	V	136.0	-2.1	35.7	68.2
5887.900000	35.4	200.0	V	220.0	-1.9	32.8	68.2




Frequency:5755MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5711.500000	67.2	45.3	300.0	H	254.0	-2.4	41.2	108.4	63.1	108.4
5869.900000	43.4	30.4	150.0	H	182.0	-2.0	63.2	106.6	76.2	106.6



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5718.100000	59.4	42.5	250.0	V	142.0	-2.3	50.9	110.3	67.8	110.3
5866.300000	42.4	32.1	210.0	V	283.0	-2.0	65.2	107.6	75.5	107.6

Frequency:5795MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5711.200000	46.8	31.9	100.0	H	254.0	-2.4	61.5	108.3	76.4	108.3
5861.800000	47.9	31.0	310.0	H	173.0	-2.0	61.0	108.9	77.9	108.9



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	AV (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - AV (dB)	Limit - AV (dBuV/m)
5693.200000	41.6	29.8	300.0	V	214.0	-2.4	58.6	100.2	70.4	100.2
5915.800000	42.5	30.8	150.0	V	189.0	-1.8	32.5	75.0	44.2	75.0

Remark:

- (1) Above 1GHz Corrector factor= Antenna Factor +Cable Loss - Amp. Factor.
- (2) Below 1GHz Corrector factor= Antenna Factor +Cable Loss.
- (3) We test all modes and only the worst case for each bandwidth recorded in the report.
- (4) In non-restricted band, its limit is -27dBm/MHz. At a distance of 3 meters, the field strength limit in dBuV/m can be determined by adding a "conversion" factor of 95.2dB to the EIRP limit of -27dBm/MHz to obtain the limit for out of band spurious emissions.

11 Test Equipment List

List of Test Instruments Test Site1

	Description	Manufacturer	Model no.	Serial no.	CAL. DATE	CAL. DUE DATE
C	Signal spectrum analyzer	Agilent	N9020B	MY59050168	2025-2-19	2026-2-18
	RF automatic control unit	MWRFTest	MW100-RFCB	MW211122-28	2025-10-9	2026-10-8
	RF_Cable	UCWAVE ELECTRONIC	UCA500-NJWSM-1.5M	---	2025-8-1	2026-7-31
	Temperature Chamber	Shanghai HUCAN	HTT-100AP	HT02002SN2 2D	2025-11-3	2026-11-2
RE	EMI Test Receiver	Rohde & Schwarz	ESR3	101906	2025-8-1	2026-7-31
	Signal Analyzer	Rohde & Schwarz	FSV40	101091	2025-8-1	2026-7-31
	Trilog Super Broadband Test Antenna	Schwarzbeck	VULB 9168	961	2026-6-25	2027-6-24
	Double-ridged waveguide horn antenna	Rohde & Schwarz	HF907	102393	2026-4-14	2027-4-13
	Pre-amplifier	Shenzhen HzEMC	HPA-081843	HYPA23026	2026-4-14	2027-4-13
	Loop antenna	Rohde & Schwarz	HFH2-Z2	100443	2026-6-25	2027-6-24
	Double Ridged Horn Antenna	ETS-Lindgren	3116C	000222727	2026-6-25	2027-6-24
	5G Band reject filter	Shanghai Huaxiang	SHX-DZ-5.15/5.85-40S	---	2025-8-1	2026-7-31
	RE_Cable_01 Coaxial Cable	JUNFLON	MWX221	1906S057	2025-8-1	2026-7-31
	RE_Cable_02 Coaxial Cable	HUBER+SUHNER	RG214	1358176	2025-8-1	2026-7-31
	RE_Cable_03 Coaxial Cable	JUNFLON	MWX221	J12J102482	2025-8-1	2026-7-31
	RE_Cable_04 Coaxial Cable	PASTERNAK	PE360	2233	2025-8-1	2026-7-31
	3m Semi-anechoic chamber	TDK	9X6X6	----	2024-5-8	2027-5-7
	EMI Test Receiver	Rohde & Schwarz	ESR3	101907	2025-8-1	2026-7-31
CE	LISN	Rohde & Schwarz	ENV216	101924	2025-8-1	2026-7-31
	CE_Cable_01 Coaxial Cable	HUBER+SUHNER	RG400	1002115055	2025-8-1	2026-7-31
Measurement Software Information						
Test Item	Software		Manufacturer		Version	
C	MTS 8310		MWRFTest		3.0.0.0	
	Power Viewer		Rohde & Schwarz		V 11.0	
RE	EMC 32		Rohde & Schwarz		V10.50.40	
CE	EMC 32		Rohde & Schwarz		V9.15.03	



C - Conducted RF tests

- Maximum Conducted Output Power & EIRP
- -26dB Bandwidth
- -6dB Bandwidth
- Occupied Bandwidth
- Power spectral density
- Frequency Stability



12 System Measurement Uncertainty

For a 95% confidence level, the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 were:

Items	Extended Uncertainty
Conducted Disturbance at Mains Terminals	150kHz to 30MHz, LISN, 3.16dB
Radiated Disturbance	9kHz to 30MHz, 3.52dB 30MHz to 1GHz, 5.03dB (Horizontal) 5.12dB (Vertical) 1GHz to 18GHz, 5.49dB 18GHz to 40GHz, 5.63dB
RF Conducted Measurement	Power related: 1.16dB Frequency related: 6.00×10^{-3}

Measurement Uncertainty Decision Rule:

Determination of conformity with the specification limits is based on the decision rule according to IEC Guide 115: 2023, clause 4.3.3.



13 Photographs of Test Set-ups

Refer to the < Test Setup photos >



14 Photographs of EUT

Refer to the < External Photos > & < Internal Photos >.

-----End of Test Report-----