



10 Appendix

1. Duty Cycle

1.1 Test Result

1.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	/	/	1.395	1.412	98.80	0.05	0.03
		5200	/	/	1.395	1.413	98.73	0.06	0.03
		5240	/	/	1.394	1.412	98.73	0.06	0.03
		5260	/	/	1.394	1.412	98.73	0.06	0.03
		5300	/	/	1.395	1.412	98.80	0.05	0.03
		5320	/	/	1.394	1.412	98.73	0.06	0.03
		5500	/	/	1.394	1.412	98.73	0.06	0.03
		5580	/	/	1.395	1.412	98.80	0.05	0.03
		5700	/	/	1.394	1.412	98.73	0.06	0.03
		5745	/	/	1.394	1.412	98.73	0.06	0.03
		5785	/	/	1.394	1.412	98.73	0.06	0.03
		5825	/	/	1.395	1.412	98.80	0.05	0.03
802.11n (HT20)	SISO	5180	/	/	0.166	0.171	97.08	0.13	0.04
		5200	/	/	0.167	0.171	97.66	0.10	0.04
		5240	/	/	0.166	0.171	97.08	0.13	0.08
		5260	/	/	0.167	0.171	97.66	0.10	0.00
		5300	/	/	0.167	0.171	97.66	0.10	0.08
		5320	/	/	0.167	0.171	97.66	0.10	0.04
		5500	/	/	0.166	0.171	97.08	0.13	0.04
		5580	/	/	0.167	0.171	97.66	0.10	0.04
		5700	/	/	0.166	0.171	97.08	0.13	0.04
		5745	/	/	0.167	0.171	97.66	0.10	0.08
		5785	/	/	0.166	0.171	97.08	0.13	0.04
		5825	/	/	0.167	0.171	97.66	0.10	0.04
802.11n (HT40)	SISO	5190	/	/	0.102	0.107	95.33	0.21	0.03
		5230	/	/	0.103	0.107	96.26	0.17	0.03
		5270	/	/	0.102	0.107	95.33	0.21	0.03
		5310	/	/	0.103	0.107	96.26	0.17	0.09
		5510	/	/	0.103	0.107	96.26	0.17	0.09
		5550	/	/	0.103	0.107	96.26	0.17	0.03
		5670	/	/	0.103	0.107	96.26	0.17	0.03
		5755	/	/	0.103	0.108	95.37	0.21	0.06
		5795	/	/	0.103	0.107	96.26	0.17	0.06
802.11ac (VHT20)	SISO	5180	/	/	0.171	0.175	97.71	0.10	0.07
		5200	/	/	0.171	0.175	97.71	0.10	0.04
		5240	/	/	0.170	0.175	97.14	0.13	0.04
		5260	/	/	0.170	0.175	97.14	0.13	0.04
		5300	/	/	0.171	0.175	97.71	0.10	0.04
		5320	/	/	0.170	0.175	97.14	0.13	0.04
		5500	/	/	0.170	0.175	97.14	0.13	0.00
		5580	/	/	0.171	0.175	97.71	0.10	0.00




Report No.: SUCR260400034403

Page: 144 of 288

		5700	/	/	0.170	0.175	97.14	0.13	0.04
		5745	/	/	0.170	0.175	97.14	0.13	0.04
		5785	/	/	0.171	0.175	97.71	0.10	0.04
		5825	/	/	0.171	0.175	97.71	0.10	0.00
802.11ax (HEW20)	SISO	5180	SU	/	0.159	0.166	95.78	0.19	0.08
		5200	SU	/	0.160	0.166	96.39	0.16	0.04
		5240	SU	/	0.159	0.166	95.78	0.19	0.00
		5260	SU	/	0.160	0.166	96.39	0.16	0.00
		5300	SU	/	0.159	0.166	95.78	0.19	0.00
		5320	SU	/	0.159	0.166	95.78	0.19	0.04
		5500	SU	/	0.159	0.166	95.78	0.19	0.00
		5580	SU	/	0.160	0.166	96.39	0.16	0.04
		5700	SU	/	0.159	0.166	95.78	0.19	0.04
		5745	SU	/	0.160	0.167	95.81	0.19	0.04
		5785	SU	/	0.159	0.166	95.78	0.19	0.00
		5825	SU	/	0.160	0.166	96.39	0.16	0.04

1.2 Test Graph

1.2.1 Ant1





2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	16.080	/	Pass
		5200	/	/	1	16.068	/	Pass
		5240	/	/	1	16.095	/	Pass
		5260	/	/	1	16.065	/	Pass
		5300	/	/	1	16.113	/	Pass
		5320	/	/	1	16.089	/	Pass
		5500	/	/	1	16.222	/	Pass
		5580	/	/	1	16.122	/	Pass
		5700	/	/	1	16.165	/	Pass
		5745	/	/	1	16.134	/	Pass
		5785	/	/	1	16.087	/	Pass
		5825	/	/	1	16.118	/	Pass
802.11n (HT20)	SISO	5180	/	/	1	17.288	/	Pass
		5200	/	/	1	17.256	/	Pass
		5240	/	/	1	17.278	/	Pass
		5260	/	/	1	17.281	/	Pass
		5300	/	/	1	17.310	/	Pass
		5320	/	/	1	17.306	/	Pass
		5500	/	/	1	17.337	/	Pass
		5580	/	/	1	17.296	/	Pass
		5700	/	/	1	17.314	/	Pass
		5745	/	/	1	17.320	/	Pass
		5785	/	/	1	17.312	/	Pass
		5825	/	/	1	17.300	/	Pass
802.11n (HT40)	SISO	5190	/	/	1	34.942	/	Pass
		5230	/	/	1	34.956	/	Pass
		5270	/	/	1	35.077	/	Pass
		5310	/	/	1	34.994	/	Pass
		5510	/	/	1	35.205	/	Pass
		5550	/	/	1	35.133	/	Pass
		5670	/	/	1	34.873	/	Pass
		5755	/	/	1	34.981	/	Pass
		5795	/	/	1	35.185	/	Pass
802.11ac (VHT20)	SISO	5180	/	/	1	17.238	/	Pass
		5200	/	/	1	17.183	/	Pass
		5240	/	/	1	17.213	/	Pass
		5260	/	/	1	17.216	/	Pass
		5300	/	/	1	17.215	/	Pass
		5320	/	/	1	17.210	/	Pass
		5500	/	/	1	17.253	/	Pass
		5580	/	/	1	17.246	/	Pass
		5700	/	/	1	17.231	/	Pass
		5745	/	/	1	17.251	/	Pass
		5785	/	/	1	17.252	/	Pass
		5825	/	/	1	17.233	/	Pass

802.11ax (HEW20)	SISO	5180	SU	/	1	18.544	/	Pass
		5200	SU	/	1	18.483	/	Pass
		5240	SU	/	1	18.457	/	Pass
		5260	SU	/	1	18.487	/	Pass
		5300	SU	/	1	18.503	/	Pass
		5320	SU	/	1	18.525	/	Pass
		5500	SU	/	1	18.551	/	Pass
		5580	SU	/	1	18.517	/	Pass
		5700	SU	/	1	18.540	/	Pass
		5745	SU	/	1	18.517	/	Pass
		5785	SU	/	1	18.499	/	Pass
		5825	SU	/	1	18.457	/	Pass

2.1.2 26dB BW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	18.809	/	Pass
		5200	/	/	1	19.412	/	Pass
		5240	/	/	1	19.994	/	Pass
		5260	/	/	1	18.541	/	Pass
		5300	/	/	1	19.447	/	Pass
		5320	/	/	1	19.174	/	Pass
		5500	/	/	1	25.945	/	Pass
		5580	/	/	1	19.695	/	Pass
		5700	/	/	1	19.665	/	Pass
802.11n (HT20)	SISO	5180	/	/	1	19.377	/	Pass
		5200	/	/	1	19.515	/	Pass
		5240	/	/	1	19.505	/	Pass
		5260	/	/	1	19.479	/	Pass
		5300	/	/	1	19.552	/	Pass
		5320	/	/	1	19.632	/	Pass
		5500	/	/	1	23.364	/	Pass
		5580	/	/	1	23.128	/	Pass
		5700	/	/	1	19.575	/	Pass
802.11n (HT40)	SISO	5190	/	/	1	39.843	/	Pass
		5230	/	/	1	39.932	/	Pass
		5270	/	/	1	39.953	/	Pass
		5310	/	/	1	39.773	/	Pass
		5510	/	/	1	44.105	/	Pass
		5550	/	/	1	40.051	/	Pass
		5670	/	/	1	39.802	/	Pass
802.11ac (VHT20)	SISO	5180	/	/	1	19.354	/	Pass
		5200	/	/	1	19.207	/	Pass
		5240	/	/	1	19.199	/	Pass
		5260	/	/	1	19.193	/	Pass
		5300	/	/	1	19.065	/	Pass
		5320	/	/	1	19.312	/	Pass
		5500	/	/	1	19.397	/	Pass
		5580	/	/	1	19.077	/	Pass
		5700	/	/	1	19.147	/	Pass
802.11ax (HEW20)	SISO	5180	SU	/	1	19.966	/	Pass
		5200	SU	/	1	19.988	/	Pass
		5240	SU	/	1	19.995	/	Pass
		5260	SU	/	1	20.343	/	Pass
		5300	SU	/	1	20.361	/	Pass



Report No.: SUCR260400034403

Page: 148 of 288


		5320	SU	/	1	20.324	/	Pass
		5500	SU	/	1	20.377	/	Pass
		5580	SU	/	1	20.400	/	Pass
		5700	SU	/	1	20.317	/	Pass

2.1.3 6dB BW


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	6dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5745	/	/	1	13.882	≥ 0.5	Pass
		5785	/	/	1	12.624	≥ 0.5	Pass
		5825	/	/	1	13.855	≥ 0.5	Pass
802.11n (HT20)	SISO	5745	/	/	1	15.133	≥ 0.5	Pass
		5785	/	/	1	15.134	≥ 0.5	Pass
		5825	/	/	1	15.130	≥ 0.5	Pass
802.11n (HT40)	SISO	5755	/	/	1	30.090	≥ 0.5	Pass
		5795	/	/	1	31.323	≥ 0.5	Pass
802.11ac (VHT20)	SISO	5745	/	/	1	15.137	≥ 0.5	Pass
		5785	/	/	1	15.131	≥ 0.5	Pass
		5825	/	/	1	15.129	≥ 0.5	Pass
802.11ax (HEW20)	SISO	5745	SU	/	1	15.131	≥ 0.5	Pass
		5785	SU	/	1	15.131	≥ 0.5	Pass
		5825	SU	/	1	15.122	≥ 0.5	Pass

2.2 Test Graph


2.2.1 OBW




802.11a HCH 5240MHz Ant1 NTN




802.11a LCH 5260MHz Ant1 NTN




802.11a MCH 5300MHz Ant1 NTN




802.11a HCH 5320MHz Ant1 NTN




802.11a LCH 5500MHz Ant1 NTNV




802.11a MCH 5580MHz Ant1 NTNV




802.11a HCH 5700MHz Ant1 NTN




802.11a LCH 5745MHz Ant1 NTN




802.11a MCH 5785MHz Ant1 NTN




802.11a HCH 5825MHz Ant1 NTN




802.11n(HT20) LCH 5180MHz Ant1 NTN




802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant1 NTN




802.11n(HT20) LCH 5260MHz Ant1 NTN




802.11n(HT20) MCH 5300MHz Ant1 NTN




802.11n(HT20) HCH 5320MHz Ant1 NTN




802.11n(HT20) LCH 5500MHz Ant1 NTN




802.11n(HT20) MCH 5580MHz Ant1 NTN




802.11n(HT20) HCH 5700MHz Ant1 NTN




802.11n(HT20) LCH 5745MHz Ant1 NTN




802.11n(HT20) MCH 5785MHz Ant1 NTN




802.11n(HT20) HCH 5825MHz Ant1 NTN




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40) HCH 5230MHz Ant1 NTN




802.11n(HT40) LCH 5270MHz Ant1 NTN




802.11n(HT40) HCH 5310MHz Ant1 NTN




802.11n(HT40) LCH 5510MHz Ant1 NTN




802.11n(HT40) MCH 5550MHz Ant1 NTN




802.11n(HT40) HCH 5670MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT20) LCH 5180MHz Ant1 NTN




802.11ac(VHT20) MCH 5200MHz Ant1 NTN




802.11ac(VHT20) HCH 5240MHz Ant1 NTN




802.11ac(VHT20) LCH 5260MHz Ant1 NTN




802.11ac(VHT20) MCH 5300MHz Ant1 NTN




802.11ac(VHT20) HCH 5320MHz Ant1 NTN




802.11ac(VHT20) LCH 5500MHz Ant1 NTN




802.11ac(VHT20) MCH 5580MHz Ant1 NTN




802.11ac(VHT20) HCH 5700MHz Ant1 NTN




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5260MHz SU / Ant1 NTNV




802.11ax(HEW20) MCH 5300MHz SU / Ant1 NTNV




802.11ax(HEW20) HCH 5320MHz SU / Ant1 NTNv




802.11ax(HEW20) LCH 5500MHz SU / Ant1 NTNv




802.11ax(HEW20) MCH 5580MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5700MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTNV




802.11ax(HEW20) MCH 5785MHz SU / Ant1 NTNV







2.2.2 26dB BW




802.11a HCH 5240MHz Ant1 NTN




802.11a LCH 5260MHz Ant1 NTN




802.11a MCH 5300MHz Ant1 NTN




802.11a HCH 5320MHz Ant1 NTN




802.11a LCH 5500MHz Ant1 NTNV




802.11a MCH 5580MHz Ant1 NTNV




802.11a HCH 5700MHz Ant1 NTN




802.11n(HT20) LCH 5180MHz Ant1 NTN




802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant1 NTN




802.11n(HT20) LCH 5260MHz Ant1 NTN




802.11n(HT20) MCH 5300MHz Ant1 NTN




802.11n(HT20) HCH 5320MHz Ant1 NTN




802.11n(HT20) LCH 5500MHz Ant1 NTN




802.11n(HT20) MCH 5580MHz Ant1 NTN




802.11n(HT20) HCH 5700MHz Ant1 NTN




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40) HCH 5230MHz Ant1 NTN




802.11n(HT40) LCH 5270MHz Ant1 NTN




802.11n(HT40) HCH 5310MHz Ant1 NTN




802.11n(HT40) LCH 5510MHz Ant1 NTNV




802.11n(HT40) MCH 5550MHz Ant1 NTNV




802.11n(HT40) HCH 5670MHz Ant1 NTN




802.11ac(VHT20) LCH 5180MHz Ant1 NTN




802.11ac(VHT20) MCH 5200MHz Ant1 NTN




802.11ac(VHT20) HCH 5240MHz Ant1 NTN




802.11ac(VHT20) LCH 5260MHz Ant1 NTN




802.11ac(VHT20) MCH 5300MHz Ant1 NTN




802.11ac(VHT20) HCH 5320MHz Ant1 NTN




802.11ac(VHT20) LCH 5500MHz Ant1 NTN




802.11ac(VHT20) MCH 5580MHz Ant1 NTN




802.11ac(VHT20) HCH 5700MHz Ant1 NTN




802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTNV




802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTNV




802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5260MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5300MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5320MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5500MHz SU / Ant1 NTNV




802.11ax(HEW20) MCH 5580MHz SU / Ant1 NTNV




802.11ax(HEW20) HCH 5700MHz SU / Ant1 NTN




2.2.3 6dB BW




802.11a HCH 5825MHz Ant1 NTN




802.11n(HT20) LCH 5745MHz Ant1 NTN




802.11n(HT20) MCH 5785MHz Ant1 NTN




802.11n(HT20) HCH 5825MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN



802.11ax(HEW20) MCH 5785MHz SU / Ant1 NTN



802.11ax(HEW20) HCH 5825MHz SU / Ant1 NTN



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	15.98	<=23.98	Pass
		5200	/	/	16.03	<=23.98	Pass
		5240	/	/	16.32	<=23.98	Pass
		5260	/	/	16.05	<=23.68	Pass
		5300	/	/	16.31	<=23.89	Pass
		5320	/	/	16.02	<=23.83	Pass
		5500	/	/	16.31	<=23.98	Pass
		5580	/	/	16.21	<=23.94	Pass
		5700	/	/	16.17	<=23.94	Pass
		5745	/	/	16.53	<=30	Pass
		5785	/	/	16.28	<=30	Pass
802.11n (HT20)	SISO	5180	/	/	15.15	<=23.98	Pass
		5200	/	/	15.63	<=23.98	Pass
		5240	/	/	15.95	<=23.98	Pass
		5260	/	/	15.65	<=23.9	Pass
		5300	/	/	15.96	<=23.91	Pass
		5320	/	/	15.77	<=23.93	Pass
		5500	/	/	15.30	<=23.98	Pass
		5580	/	/	15.09	<=23.98	Pass
		5700	/	/	15.52	<=23.92	Pass
		5745	/	/	15.83	<=30	Pass
		5785	/	/	15.66	<=30	Pass
802.11n (HT40)	SISO	5190	/	/	13.72	<=23.98	Pass
		5230	/	/	13.63	<=23.98	Pass
		5270	/	/	13.61	<=23.98	Pass
		5310	/	/	13.62	<=23.98	Pass
		5510	/	/	13.91	<=23.98	Pass
		5550	/	/	13.97	<=23.98	Pass
		5670	/	/	13.30	<=23.98	Pass
		5755	/	/	13.47	<=30	Pass
802.11ac (VHT20)	SISO	5795	/	/	13.46	<=30	Pass
		5180	/	/	13.61	<=23.98	Pass
		5200	/	/	12.73	<=23.98	Pass
		5240	/	/	13.05	<=23.98	Pass
		5260	/	/	12.69	<=23.83	Pass
		5300	/	/	13.02	<=23.8	Pass
		5320	/	/	12.75	<=23.86	Pass
		5500	/	/	12.91	<=23.88	Pass
		5580	/	/	12.66	<=23.81	Pass
	SISO	5700	/	/	12.06	<=23.82	Pass
		5745	/	/	13.30	<=30	Pass

		5785	/	/	13.10	<=30	Pass
		5825	/	/	13.37	<=30	Pass
802.11ax (HEW20)	SISO	5180	RU26	Left	7.08	<=23.98	Pass
			RU52	Left	9.09	<=23.98	Pass
			RU106	Left	11.29	<=23.98	Pass
			SU	/	13.49	<=23.98	Pass
		5200	RU26	Left	6.26	<=23.98	Pass
			RU52	Left	8.19	<=23.98	Pass
			RU106	Left	10.02	<=23.98	Pass
			SU	/	13.51	<=23.98	Pass
		5240	RU26	Right	7.91	<=23.98	Pass
			RU52	Right	9.62	<=23.98	Pass
			RU106	Right	11.31	<=23.98	Pass
			SU	/	13.87	<=23.98	Pass
		5260	RU26	Left	6.48	<=23.98	Pass
			RU52	Left	8.44	<=23.98	Pass
			RU106	Left	10.37	<=23.98	Pass
			SU	/	13.51	<=23.98	Pass
		5300	RU26	Left	6.69	<=23.98	Pass
			RU52	Left	8.56	<=23.98	Pass
			RU106	Left	10.48	<=23.98	Pass
			SU	/	13.92	<=23.98	Pass
		5320	RU26	Right	7.17	<=23.98	Pass
			RU52	Right	8.76	<=23.98	Pass
			RU106	Right	10.59	<=23.98	Pass
			SU	/	13.64	<=23.98	Pass
		5500	RU26	Left	5.48	<=23.98	Pass
			RU52	Left	7.41	<=23.98	Pass
			RU106	Left	9.37	<=23.98	Pass
			SU	/	12.92	<=23.98	Pass
		5580	RU26	Left	4.77	<=23.98	Pass
			RU52	Left	6.68	<=23.98	Pass
			RU106	Left	8.67	<=23.98	Pass
			SU	/	12.61	<=23.98	Pass
		5700	RU26	Right	3.39	<=23.98	Pass
			RU52	Right	5.11	<=23.98	Pass
			RU106	Right	6.85	<=23.98	Pass
			SU	/	13.10	<=23.98	Pass
		5745	RU26	Left	2.94	<=30	Pass
			RU52	Left	4.83	<=30	Pass
			RU106	Left	6.87	<=30	Pass
			SU	/	13.47	<=30	Pass
		5785	RU26	Left	3.08	<=30	Pass
			RU52	Left	5.09	<=30	Pass
			RU106	Left	7.12	<=30	Pass
			SU	/	13.34	<=30	Pass
		5825	RU26	Right	3.19	<=30	Pass
			RU52	Right	4.98	<=30	Pass
			RU106	Right	6.84	<=30	Pass
			SU	/	13.59	<=30	Pass

Note1: Antenna Gain:
- Band: 1 Ant1: 1.53dBi;
- Band: 3 Ant1: 1.53dBi;
- Band: 2A Ant1: 1.53dBi;
- Band: 2C Ant1: 1.53dBi;



4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	5.98	<=11	Pass
		5200	/	/	6.21	<=11	Pass
		5240	/	/	6.54	<=11	Pass
		5260	/	/	6.21	<=11	Pass
		5300	/	/	6.55	<=11	Pass
		5320	/	/	6.20	<=11	Pass
		5500	/	/	6.45	<=11	Pass
		5580	/	/	6.42	<=11	Pass
		5700	/	/	6.33	<=11	Pass
802.11n (HT20)	SISO	5180	/	/	4.84	<=11	Pass
		5200	/	/	5.37	<=11	Pass
		5240	/	/	5.72	<=11	Pass
		5260	/	/	5.46	<=11	Pass
		5300	/	/	5.74	<=11	Pass
		5320	/	/	5.49	<=11	Pass
		5500	/	/	5.02	<=11	Pass
		5580	/	/	4.85	<=11	Pass
		5700	/	/	5.31	<=11	Pass
802.11n (HT40)	SISO	5190	/	/	1.16	<=11	Pass
		5230	/	/	0.98	<=11	Pass
		5270	/	/	0.80	<=11	Pass
		5310	/	/	1.00	<=11	Pass
		5510	/	/	1.28	<=11	Pass
		5550	/	/	1.26	<=11	Pass
		5670	/	/	0.92	<=11	Pass
802.11ac (VHT20)	SISO	5180	/	/	3.28	<=11	Pass
		5200	/	/	2.50	<=11	Pass
		5240	/	/	2.75	<=11	Pass
		5260	/	/	2.41	<=11	Pass
		5300	/	/	2.78	<=11	Pass
		5320	/	/	2.52	<=11	Pass
		5500	/	/	2.61	<=11	Pass
		5580	/	/	2.41	<=11	Pass
		5700	/	/	1.81	<=11	Pass
802.11ax (HEW20)	SISO	5180	RU26	Left	4.91	<=11	Pass
			RU52	Left	4.74	<=11	Pass
			RU106	Left	4.22	<=11	Pass
			SU	/	3.05	<=11	Pass
		5200	RU26	Left	3.98	<=11	Pass
			RU52	Left	3.59	<=11	Pass
			RU106	Left	3.16	<=11	Pass
			SU	/	3.20	<=11	Pass
		5240	RU26	Right	5.36	<=11	Pass

		5260	RU52	Right	4.92	<=11	Pass
			RU106	Right	4.27	<=11	Pass
			SU	/	3.61	<=11	Pass
		5300	RU26	Left	4.34	<=11	Pass
			RU52	Left	3.90	<=11	Pass
			RU106	Left	3.52	<=11	Pass
		5320	SU	/	3.23	<=11	Pass
			RU26	Left	4.55	<=11	Pass
			RU52	Left	4.32	<=11	Pass
		5500	RU106	Left	3.39	<=11	Pass
			SU	/	3.59	<=11	Pass
			RU26	Right	4.67	<=11	Pass
		5580	RU52	Right	4.17	<=11	Pass
			RU106	Right	3.51	<=11	Pass
			SU	/	3.43	<=11	Pass
		5700	RU26	Left	3.33	<=11	Pass
			RU52	Left	3.00	<=11	Pass
			RU106	Left	2.35	<=11	Pass
		5700	SU	/	2.52	<=11	Pass
			RU26	Left	2.36	<=11	Pass
			RU52	Left	2.33	<=11	Pass
		5700	RU106	Left	1.78	<=11	Pass
			SU	/	2.43	<=11	Pass
			RU26	Right	0.78	<=11	Pass
		5700	RU52	Right	0.49	<=11	Pass
			RU106	Right	-0.23	<=11	Pass
			SU	/	2.76	<=11	Pass

Note1: Antenna Gain:
- Band: 1 Ant1: 1.53dBi;
- Band: 3 Ant1: 1.53dBi;
- Band: 2A Ant1: 1.53dBi;
- Band: 2C Ant1: 1.53dBi;

4.1.2 PSD-Band3


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/500kHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5745	/	/	3.85	<=30	Pass
		5785	/	/	3.59	<=30	Pass
		5825	/	/	4.08	<=30	Pass
802.11n (HT20)	SISO	5745	/	/	3.35	<=30	Pass
		5785	/	/	3.49	<=30	Pass
		5825	/	/	3.64	<=30	Pass
802.11n (HT40)	SISO	5755	/	/	-1.22	<=30	Pass
		5795	/	/	-0.97	<=30	Pass
		5745	/	/	0.67	<=30	Pass
802.11ac (VHT20)	SISO	5785	/	/	0.52	<=30	Pass
		5825	/	/	0.95	<=30	Pass
		5745	/	/	0.95	<=30	Pass
802.11ax (HEW20)	SISO	5745	RU26	Left	-1.54	<=30	Pass
			RU52	Left	-1.89	<=30	Pass
			RU106	Left	-2.80	<=30	Pass
			SU	/	0.88	<=30	Pass
		5785	RU26	Left	-0.80	<=30	Pass
			RU52	Left	-1.65	<=30	Pass
			RU106	Left	-2.33	<=30	Pass
			SU	/	0.74	<=30	Pass




		5825	RU26	Right	-1.51	<=30	Pass
			RU52	Right	-2.07	<=30	Pass
			RU106	Right	-2.89	<=30	Pass
			SU	/	0.89	<=30	Pass
Note1: Antenna Gain: - Band: 1 Ant1: 1.53dBi; - Band: 3 Ant1: 1.53dBi; - Band: 2A Ant1: 1.53dBi; - Band: 2C Ant1: 1.53dBi;							

4.2 Test Graph


4.2.1 PSD




802.11a HCH 5240MHz Ant1 NTN




802.11a LCH 5260MHz Ant1 NTN




802.11a MCH 5300MHz Ant1 NTN




802.11a HCH 5320MHz Ant1 NTN




802.11a LCH 5500MHz Ant1 NTNV




802.11a MCH 5580MHz Ant1 NTNV




802.11a HCH 5700MHz Ant1 NTN




802.11n(HT20) LCH 5180MHz Ant1 NTN




802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant1 NTN




802.11n(HT20) LCH 5260MHz Ant1 NTN




802.11n(HT20) MCH 5300MHz Ant1 NTN




802.11n(HT20) HCH 5320MHz Ant1 NTN




802.11n(HT20) LCH 5500MHz Ant1 NTN




802.11n(HT20) MCH 5580MHz Ant1 NTN




802.11n(HT20) HCH 5700MHz Ant1 NTN




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40) HCH 5230MHz Ant1 NTN




802.11n(HT40) LCH 5270MHz Ant1 NTN




802.11n(HT40) HCH 5310MHz Ant1 NTN




802.11n(HT40) LCH 5510MHz Ant1 NTN




802.11n(HT40) MCH 5550MHz Ant1 NTN




802.11n(HT40) HCH 5670MHz Ant1 NTN




802.11ac(VHT20) LCH 5180MHz Ant1 NTN




802.11ac(VHT20) MCH 5200MHz Ant1 NTN




802.11ac(VHT20) HCH 5240MHz Ant1 NTN




802.11ac(VHT20) LCH 5260MHz Ant1 NTN




802.11ac(VHT20) MCH 5300MHz Ant1 NTN




802.11ac(VHT20) HCH 5320MHz Ant1 NTN




802.11ac(VHT20) LCH 5500MHz Ant1 NTN




802.11ac(VHT20) MCH 5580MHz Ant1 NTN




802.11ac(VHT20) HCH 5700MHz Ant1 NTN




802.11ax(HEW20) LCH 5180MHz RU26 Left Ant1 NTNv




802.11ax(HEW20) LCH 5180MHz RU52 Left Ant1 NTNv




802.11ax(HEW20) LCH 5180MHz RU106 Left Ant1 NTN




802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5200MHz RU26 Left Ant1 NTN




802.11ax(HEW20) MCH 5200MHz RU52 Left Ant1 NTN




802.11ax(HEW20) MCH 5200MHz RU106 Left Ant1 NTN




802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5240MHz RU26 Right Ant1 NTN




802.11ax(HEW20) HCH 5240MHz RU52 Right Ant1 NTN




802.11ax(HEW20) HCH 5240MHz RU106 Right Ant1 NTN




802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5260MHz RU26 Left Ant1 NTN




802.11ax(HEW20) LCH 5260MHz RU52 Left Ant1 NTN




802.11ax(HEW20) LCH 5260MHz RU106 Left Ant1 NTN




802.11ax(HEW20) LCH 5260MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5300MHz RU26 Left Ant1 NTN




802.11ax(HEW20) MCH 5300MHz RU52 Left Ant1 NTN




802.11ax(HEW20) MCH 5300MHz RU106 Left Ant1 NTNV




802.11ax(HEW20) MCH 5300MHz SU / Ant1 NTNV




802.11ax(HEW20) HCH 5320MHz RU26 Right Ant1 NTN




802.11ax(HEW20) HCH 5320MHz RU52 Right Ant1 NTN




802.11ax(HEW20) HCH 5320MHz RU106 Right Ant1 NTN




802.11ax(HEW20) HCH 5320MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5500MHz RU26 Left Ant1 NTN




802.11ax(HEW20) LCH 5500MHz RU52 Left Ant1 NTN




802.11ax(HEW20) LCH 5500MHz RU106 Left Ant1 NTN




802.11ax(HEW20) LCH 5500MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5580MHz RU26 Left Ant1 NTN




802.11ax(HEW20) MCH 5580MHz RU52 Left Ant1 NTN




802.11ax(HEW20) MCH 5580MHz RU106 Left Ant1 NTNV




802.11ax(HEW20) MCH 5580MHz SU / Ant1 NTNV




802.11ax(HEW20) HCH 5700MHz RU26 Right Ant1 NTN




802.11ax(HEW20) HCH 5700MHz RU52 Right Ant1 NTN




802.11ax(HEW20) HCH 5700MHz RU106 Right Ant1 NTN




802.11ax(HEW20) HCH 5700MHz SU / Ant1 NTN




4.2.2 PSD-Band3




802.11a HCH 5825MHz Ant1 NTN




802.11n(HT20) LCH 5745MHz Ant1 NTN




802.11n(HT20) MCH 5785MHz Ant1 NTN




802.11n(HT20) HCH 5825MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ax(HEW20) LCH 5745MHz RU26 Left Ant1 NTN




802.11ax(HEW20) LCH 5745MHz RU52 Left Ant1 NTN




802.11ax(HEW20) LCH 5745MHz RU106 Left Ant1 NTN




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTNV




802.11ax(HEW20) MCH 5785MHz RU26 Left Ant1 NTNV




802.11ax(HEW20) MCH 5785MHz RU52 Left Ant1 NTN




802.11ax(HEW20) MCH 5785MHz RU106 Left Ant1 NTN




802.11ax(HEW20) MCH 5785MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5825MHz RU26 Right Ant1 NTN




802.11ax(HEW20) HCH 5825MHz RU52 Right Ant1 NTN



802.11ax(HEW20) HCH 5825MHz RU106 Right Ant1 NTN





5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	LV	5179.960	5150 to 5250	Pass
						NV	5180.000	5150 to 5250	Pass
						HV	5179.980	5150 to 5250	Pass
					-30	NV	5179.980	5150 to 5250	Pass
					-20	NV	5179.980	5150 to 5250	Pass
					-10	NV	5179.980	5150 to 5250	Pass
					0	NV	5179.980	5150 to 5250	Pass
					10	NV	5180.020	5150 to 5250	Pass
					30	NV	5180.000	5150 to 5250	Pass
					40	NV	5179.980	5150 to 5250	Pass
					50	NV	5179.980	5150 to 5250	Pass
		5200	/	/	20	LV	5199.960	5150 to 5250	Pass
						NV	5200.020	5150 to 5250	Pass
						HV	5199.920	5150 to 5250	Pass
					-30	NV	5199.960	5150 to 5250	Pass
					-20	NV	5199.980	5150 to 5250	Pass
					-10	NV	5199.960	5150 to 5250	Pass
					0	NV	5199.940	5150 to 5250	Pass
					10	NV	5199.960	5150 to 5250	Pass
					30	NV	5199.960	5150 to 5250	Pass
					40	NV	5199.900	5150 to 5250	Pass
					50	NV	5199.960	5150 to 5250	Pass
		5240	/	/	20	LV	5240.000	5150 to 5250	Pass
						NV	5239.920	5150 to 5250	Pass
						HV	5239.960	5150 to 5250	Pass
					-30	NV	5239.960	5150 to 5250	Pass
					-20	NV	5239.960	5150 to 5250	Pass
					-10	NV	5239.980	5150 to 5250	Pass
					0	NV	5239.980	5150 to 5250	Pass
					10	NV	5239.980	5150 to 5250	Pass
					30	NV	5239.980	5150 to 5250	Pass
					40	NV	5240.020	5150 to 5250	Pass
					50	NV	5239.980	5150 to 5250	Pass
		5260	/	/	20	LV	5259.920	5250 to 5350	Pass
						NV	5259.960	5250 to 5350	Pass
						HV	5259.940	5250 to 5350	Pass
					-30	NV	5259.940	5250 to 5350	Pass
					-20	NV	5259.900	5250 to 5350	Pass
					-10	NV	5259.980	5250 to 5350	Pass
					0	NV	5259.960	5250 to 5350	Pass
					10	NV	5259.980	5250 to 5350	Pass
					30	NV	5259.940	5250 to 5350	Pass

					40	NV	5259.940	5250 to 5350	Pass
					50	NV	5259.980	5250 to 5350	Pass
		5300	/	/	20	LV	5299.940	5250 to 5350	Pass
						NV	5299.980	5250 to 5350	Pass
						HV	5299.940	5250 to 5350	Pass
					-30	NV	5299.940	5250 to 5350	Pass
					-20	NV	5299.940	5250 to 5350	Pass
					-10	NV	5299.980	5250 to 5350	Pass
					0	NV	5299.960	5250 to 5350	Pass
					10	NV	5299.960	5250 to 5350	Pass
					30	NV	5299.940	5250 to 5350	Pass
					40	NV	5299.940	5250 to 5350	Pass
					50	NV	5299.960	5250 to 5350	Pass
		5320	/	/	20	LV	5319.980	5250 to 5350	Pass
						NV	5319.960	5250 to 5350	Pass
						HV	5319.980	5250 to 5350	Pass
					-30	NV	5319.940	5250 to 5350	Pass
					-20	NV	5319.960	5250 to 5350	Pass
					-10	NV	5319.960	5250 to 5350	Pass
					0	NV	5319.940	5250 to 5350	Pass
					10	NV	5319.940	5250 to 5350	Pass
					30	NV	5319.940	5250 to 5350	Pass
					40	NV	5319.940	5250 to 5350	Pass
					50	NV	5319.980	5250 to 5350	Pass
		5500	/	/	20	LV	5499.980	5470 to 5725	Pass
						NV	5499.980	5470 to 5725	Pass
						HV	5499.960	5470 to 5725	Pass
					-30	NV	5499.960	5470 to 5725	Pass
					-20	NV	5499.880	5470 to 5725	Pass
					-10	NV	5499.960	5470 to 5725	Pass
					0	NV	5499.980	5470 to 5725	Pass
					10	NV	5500.000	5470 to 5725	Pass
					30	NV	5499.960	5470 to 5725	Pass
					40	NV	5499.980	5470 to 5725	Pass
					50	NV	5499.940	5470 to 5725	Pass
		5580	/	/	20	LV	5579.940	5470 to 5725	Pass
						NV	5579.940	5470 to 5725	Pass
						HV	5579.940	5470 to 5725	Pass
					-30	NV	5580.000	5470 to 5725	Pass
					-20	NV	5579.960	5470 to 5725	Pass
					-10	NV	5579.960	5470 to 5725	Pass
					0	NV	5579.940	5470 to 5725	Pass
					10	NV	5579.980	5470 to 5725	Pass
					30	NV	5579.920	5470 to 5725	Pass
					40	NV	5579.940	5470 to 5725	Pass
					50	NV	5579.960	5470 to 5725	Pass
		5700	/	/	20	LV	5699.980	5470 to 5725	Pass
						NV	5699.920	5470 to 5725	Pass
						HV	5700.000	5470 to 5725	Pass
					-30	NV	5700.000	5470 to 5725	Pass
					-20	NV	5699.960	5470 to 5725	Pass
					-10	NV	5699.980	5470 to 5725	Pass
					0	NV	5700.000	5470 to 5725	Pass
					10	NV	5699.960	5470 to 5725	Pass
					30	NV	5700.000	5470 to 5725	Pass
					40	NV	5699.940	5470 to 5725	Pass
					50	NV	5699.980	5470 to 5725	Pass
		5745	/	/	20	LV	5744.980	5725 to 5850	Pass

						NV	5744.940	5725 to 5850	Pass
						HV	5745.020	5725 to 5850	Pass
						-30	5744.960	5725 to 5850	Pass
						-20	5744.960	5725 to 5850	Pass
						-10	5744.960	5725 to 5850	Pass
						0	5744.940	5725 to 5850	Pass
						10	5744.960	5725 to 5850	Pass
						30	5744.980	5725 to 5850	Pass
						40	5745.000	5725 to 5850	Pass
						50	5744.980	5725 to 5850	Pass
		5785	/	/	20	LV	5784.940	5725 to 5850	Pass
						NV	5784.940	5725 to 5850	Pass
						HV	5784.940	5725 to 5850	Pass
						-30	5784.960	5725 to 5850	Pass
						-20	5784.900	5725 to 5850	Pass
						-10	5784.900	5725 to 5850	Pass
						0	5784.960	5725 to 5850	Pass
						10	5784.980	5725 to 5850	Pass
						30	5784.960	5725 to 5850	Pass
						40	5784.940	5725 to 5850	Pass
						50	5784.920	5725 to 5850	Pass
		5825	/	/	20	LV	5824.920	5725 to 5850	Pass
						NV	5824.980	5725 to 5850	Pass
						HV	5824.960	5725 to 5850	Pass
						-30	5824.980	5725 to 5850	Pass
						-20	5824.960	5725 to 5850	Pass
						-10	5824.980	5725 to 5850	Pass
						0	5824.940	5725 to 5850	Pass
						10	5824.940	5725 to 5850	Pass
						30	5824.940	5725 to 5850	Pass
						40	5824.960	5725 to 5850	Pass
						50	5824.940	5725 to 5850	Pass
802.11n (HT20)	SISO	5180	/	/	20	LV	5179.980	5150 to 5250	Pass
						NV	5179.960	5150 to 5250	Pass
						HV	5179.980	5150 to 5250	Pass
						-30	5179.980	5150 to 5250	Pass
						-20	5179.980	5150 to 5250	Pass
						-10	5179.980	5150 to 5250	Pass
						0	5180.000	5150 to 5250	Pass
						10	5180.020	5150 to 5250	Pass
						30	5180.000	5150 to 5250	Pass
						40	5180.000	5150 to 5250	Pass
						50	5179.980	5150 to 5250	Pass
		5200	/	/	20	LV	5199.980	5150 to 5250	Pass
						NV	5199.960	5150 to 5250	Pass
						HV	5199.980	5150 to 5250	Pass
						-30	5199.980	5150 to 5250	Pass
						-20	5200.000	5150 to 5250	Pass
						-10	5199.960	5150 to 5250	Pass
						0	5199.980	5150 to 5250	Pass
						10	5199.960	5150 to 5250	Pass
						30	5199.980	5150 to 5250	Pass
						40	5199.980	5150 to 5250	Pass
						50	5199.960	5150 to 5250	Pass
		5240	/	/	20	LV	5239.960	5150 to 5250	Pass
						NV	5240.000	5150 to 5250	Pass
						HV	5239.980	5150 to 5250	Pass
						-30	5239.960	5150 to 5250	Pass

					-20	NV	5239.980	5150 to 5250	Pass
					-10	NV	5239.980	5150 to 5250	Pass
					0	NV	5239.960	5150 to 5250	Pass
					10	NV	5239.980	5150 to 5250	Pass
					30	NV	5239.980	5150 to 5250	Pass
					40	NV	5239.940	5150 to 5250	Pass
					50	NV	5239.980	5150 to 5250	Pass
		5260	/	/	20	LV	5259.960	5250 to 5350	Pass
						NV	5259.960	5250 to 5350	Pass
						HV	5259.960	5250 to 5350	Pass
					-30	NV	5259.940	5250 to 5350	Pass
					-20	NV	5259.960	5250 to 5350	Pass
					-10	NV	5259.980	5250 to 5350	Pass
					0	NV	5259.960	5250 to 5350	Pass
					10	NV	5259.980	5250 to 5350	Pass
					30	NV	5259.960	5250 to 5350	Pass
					40	NV	5260.000	5250 to 5350	Pass
					50	NV	5259.980	5250 to 5350	Pass
		5300	/	/	20	LV	5300.000	5250 to 5350	Pass
						NV	5299.980	5250 to 5350	Pass
						HV	5299.940	5250 to 5350	Pass
					-30	NV	5299.980	5250 to 5350	Pass
					-20	NV	5299.980	5250 to 5350	Pass
					-10	NV	5299.960	5250 to 5350	Pass
					0	NV	5299.980	5250 to 5350	Pass
					10	NV	5299.980	5250 to 5350	Pass
					30	NV	5299.980	5250 to 5350	Pass
					40	NV	5299.980	5250 to 5350	Pass
					50	NV	5299.980	5250 to 5350	Pass
		5320	/	/	20	LV	5319.960	5250 to 5350	Pass
						NV	5319.960	5250 to 5350	Pass
						HV	5319.980	5250 to 5350	Pass
					-30	NV	5319.960	5250 to 5350	Pass
					-20	NV	5319.980	5250 to 5350	Pass
					-10	NV	5319.960	5250 to 5350	Pass
					0	NV	5319.980	5250 to 5350	Pass
					10	NV	5319.980	5250 to 5350	Pass
					30	NV	5319.960	5250 to 5350	Pass
					40	NV	5319.960	5250 to 5350	Pass
					50	NV	5319.980	5250 to 5350	Pass
		5500	/	/	20	LV	5499.960	5470 to 5725	Pass
						NV	5500.000	5470 to 5725	Pass
						HV	5499.960	5470 to 5725	Pass
					-30	NV	5499.940	5470 to 5725	Pass
					-20	NV	5500.000	5470 to 5725	Pass
					-10	NV	5499.960	5470 to 5725	Pass
					0	NV	5499.980	5470 to 5725	Pass
					10	NV	5499.980	5470 to 5725	Pass
					30	NV	5500.000	5470 to 5725	Pass
					40	NV	5499.980	5470 to 5725	Pass
					50	NV	5499.960	5470 to 5725	Pass
		5580	/	/	20	LV	5579.940	5470 to 5725	Pass
						NV	5579.940	5470 to 5725	Pass
						HV	5579.960	5470 to 5725	Pass
					-30	NV	5579.960	5470 to 5725	Pass
					-20	NV	5580.000	5470 to 5725	Pass
					-10	NV	5579.980	5470 to 5725	Pass
					0	NV	5579.940	5470 to 5725	Pass

					10	NV	5579.960	5470 to 5725	Pass
					30	NV	5579.960	5470 to 5725	Pass
					40	NV	5579.960	5470 to 5725	Pass
					50	NV	5579.940	5470 to 5725	Pass
		5700	/	/	20	LV	5700.000	5470 to 5725	Pass
						NV	5699.940	5470 to 5725	Pass
						HV	5699.980	5470 to 5725	Pass
					-30	NV	5699.980	5470 to 5725	Pass
					-20	NV	5699.980	5470 to 5725	Pass
					-10	NV	5699.980	5470 to 5725	Pass
					0	NV	5699.980	5470 to 5725	Pass
					10	NV	5699.980	5470 to 5725	Pass
					30	NV	5700.000	5470 to 5725	Pass
					40	NV	5700.000	5470 to 5725	Pass
					50	NV	5699.980	5470 to 5725	Pass
		5745	/	/	20	LV	5744.980	5725 to 5850	Pass
						NV	5744.980	5725 to 5850	Pass
						HV	5744.980	5725 to 5850	Pass
					-30	NV	5744.980	5725 to 5850	Pass
					-20	NV	5744.940	5725 to 5850	Pass
					-10	NV	5744.980	5725 to 5850	Pass
					0	NV	5744.980	5725 to 5850	Pass
					10	NV	5744.960	5725 to 5850	Pass
					30	NV	5744.960	5725 to 5850	Pass
					40	NV	5744.980	5725 to 5850	Pass
					50	NV	5745.000	5725 to 5850	Pass
		5785	/	/	20	LV	5784.940	5725 to 5850	Pass
						NV	5784.940	5725 to 5850	Pass
						HV	5784.960	5725 to 5850	Pass
					-30	NV	5784.960	5725 to 5850	Pass
					-20	NV	5784.940	5725 to 5850	Pass
					-10	NV	5784.940	5725 to 5850	Pass
					0	NV	5784.940	5725 to 5850	Pass
					10	NV	5784.980	5725 to 5850	Pass
					30	NV	5784.940	5725 to 5850	Pass
					40	NV	5784.940	5725 to 5850	Pass
					50	NV	5784.940	5725 to 5850	Pass
		5825	/	/	20	LV	5824.980	5725 to 5850	Pass
						NV	5824.960	5725 to 5850	Pass
						HV	5824.980	5725 to 5850	Pass
					-30	NV	5825.000	5725 to 5850	Pass
					-20	NV	5824.980	5725 to 5850	Pass
					-10	NV	5824.960	5725 to 5850	Pass
					0	NV	5824.980	5725 to 5850	Pass
					10	NV	5824.960	5725 to 5850	Pass
					30	NV	5824.980	5725 to 5850	Pass
					40	NV	5824.980	5725 to 5850	Pass
					50	NV	5824.980	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	/	/	20	LV	5190.120	5150 to 5250	Pass
						NV	5190.160	5150 to 5250	Pass
						HV	5190.160	5150 to 5250	Pass
					-30	NV	5190.160	5150 to 5250	Pass
					-20	NV	5190.160	5150 to 5250	Pass
					-10	NV	5190.160	5150 to 5250	Pass
					0	NV	5190.120	5150 to 5250	Pass
					10	NV	5190.120	5150 to 5250	Pass
					30	NV	5190.160	5150 to 5250	Pass
					40	NV	5190.160	5150 to 5250	Pass

				50	NV	5190.120	5150 to 5250	Pass
				20	LV	5230.120	5150 to 5250	Pass
					NV	5230.120	5150 to 5250	Pass
					HV	5230.120	5150 to 5250	Pass
				-30	NV	5230.040	5150 to 5250	Pass
				-20	NV	5230.120	5150 to 5250	Pass
				-10	NV	5230.120	5150 to 5250	Pass
				0	NV	5230.040	5150 to 5250	Pass
				10	NV	5230.120	5150 to 5250	Pass
				30	NV	5230.120	5150 to 5250	Pass
				40	NV	5230.080	5150 to 5250	Pass
				50	NV	5230.120	5150 to 5250	Pass
				20	LV	5270.120	5250 to 5350	Pass
					NV	5270.080	5250 to 5350	Pass
					HV	5270.040	5250 to 5350	Pass
				-30	NV	5270.040	5250 to 5350	Pass
				-20	NV	5270.080	5250 to 5350	Pass
				-10	NV	5270.000	5250 to 5350	Pass
				0	NV	5270.120	5250 to 5350	Pass
				10	NV	5270.040	5250 to 5350	Pass
				30	NV	5270.080	5250 to 5350	Pass
				40	NV	5270.040	5250 to 5350	Pass
				50	NV	5270.120	5250 to 5350	Pass
				20	LV	5310.080	5250 to 5350	Pass
					NV	5310.000	5250 to 5350	Pass
					HV	5310.120	5250 to 5350	Pass
				-30	NV	5310.080	5250 to 5350	Pass
				-20	NV	5310.120	5250 to 5350	Pass
				-10	NV	5310.080	5250 to 5350	Pass
				0	NV	5310.040	5250 to 5350	Pass
				10	NV	5309.960	5250 to 5350	Pass
				30	NV	5310.040	5250 to 5350	Pass
				40	NV	5310.000	5250 to 5350	Pass
				50	NV	5310.040	5250 to 5350	Pass
				20	LV	5510.040	5470 to 5725	Pass
					NV	5510.080	5470 to 5725	Pass
					HV	5510.040	5470 to 5725	Pass
				-30	NV	5510.040	5470 to 5725	Pass
				-20	NV	5510.080	5470 to 5725	Pass
				-10	NV	5510.040	5470 to 5725	Pass
				0	NV	5510.040	5470 to 5725	Pass
				10	NV	5510.080	5470 to 5725	Pass
				30	NV	5510.040	5470 to 5725	Pass
				40	NV	5510.120	5470 to 5725	Pass
				50	NV	5510.040	5470 to 5725	Pass
				20	LV	5550.000	5470 to 5725	Pass
					NV	5549.960	5470 to 5725	Pass
					HV	5549.960	5470 to 5725	Pass
				-30	NV	5550.040	5470 to 5725	Pass
				-20	NV	5549.960	5470 to 5725	Pass
				-10	NV	5550.000	5470 to 5725	Pass
				0	NV	5550.000	5470 to 5725	Pass
				10	NV	5550.000	5470 to 5725	Pass
				30	NV	5550.000	5470 to 5725	Pass
				40	NV	5550.000	5470 to 5725	Pass
				50	NV	5550.000	5470 to 5725	Pass
				20	LV	5669.960	5470 to 5725	Pass
					NV	5670.000	5470 to 5725	Pass

802.11ac (VHT20)	SISO					HV	5670.000	5470 to 5725	Pass
					-30	NV	5669.960	5470 to 5725	Pass
					-20	NV	5669.960	5470 to 5725	Pass
					-10	NV	5669.960	5470 to 5725	Pass
					0	NV	5670.000	5470 to 5725	Pass
					10	NV	5670.000	5470 to 5725	Pass
					30	NV	5670.000	5470 to 5725	Pass
					40	NV	5670.000	5470 to 5725	Pass
					50	NV	5670.000	5470 to 5725	Pass
		5755	/	/	20	LV	5755.080	5725 to 5850	Pass
						NV	5755.120	5725 to 5850	Pass
						HV	5755.120	5725 to 5850	Pass
					-30	NV	5755.040	5725 to 5850	Pass
					-20	NV	5755.080	5725 to 5850	Pass
					-10	NV	5755.120	5725 to 5850	Pass
					0	NV	5755.080	5725 to 5850	Pass
					10	NV	5755.000	5725 to 5850	Pass
					30	NV	5755.080	5725 to 5850	Pass
					40	NV	5755.120	5725 to 5850	Pass
					50	NV	5755.080	5725 to 5850	Pass
		5795	/	/	20	LV	5795.040	5725 to 5850	Pass
						NV	5795.040	5725 to 5850	Pass
						HV	5795.040	5725 to 5850	Pass
					-30	NV	5795.040	5725 to 5850	Pass
					-20	NV	5795.040	5725 to 5850	Pass
					-10	NV	5795.000	5725 to 5850	Pass
					0	NV	5795.000	5725 to 5850	Pass
					10	NV	5795.000	5725 to 5850	Pass
					30	NV	5795.040	5725 to 5850	Pass
					40	NV	5795.000	5725 to 5850	Pass
					50	NV	5795.040	5725 to 5850	Pass
		5180	/	/	20	LV	5179.960	5150 to 5250	Pass
						NV	5179.980	5150 to 5250	Pass
						HV	5179.960	5150 to 5250	Pass
					-30	NV	5179.980	5150 to 5250	Pass
					-20	NV	5179.980	5150 to 5250	Pass
					-10	NV	5179.980	5150 to 5250	Pass
					0	NV	5179.980	5150 to 5250	Pass
					10	NV	5179.960	5150 to 5250	Pass
					30	NV	5180.000	5150 to 5250	Pass
					40	NV	5179.960	5150 to 5250	Pass
					50	NV	5179.960	5150 to 5250	Pass
		5200	/	/	20	LV	5199.980	5150 to 5250	Pass
						NV	5199.980	5150 to 5250	Pass
						HV	5199.940	5150 to 5250	Pass
					-30	NV	5199.960	5150 to 5250	Pass
					-20	NV	5199.960	5150 to 5250	Pass
					-10	NV	5199.940	5150 to 5250	Pass
					0	NV	5199.960	5150 to 5250	Pass
					10	NV	5199.940	5150 to 5250	Pass
					30	NV	5199.960	5150 to 5250	Pass
					40	NV	5199.940	5150 to 5250	Pass
					50	NV	5199.960	5150 to 5250	Pass
		5240	/	/	20	LV	5239.940	5150 to 5250	Pass
						NV	5239.960	5150 to 5250	Pass
						HV	5239.940	5150 to 5250	Pass
					-30	NV	5239.940	5150 to 5250	Pass
					-20	NV	5239.960	5150 to 5250	Pass

					-10	NV	5239.940	5150 to 5250	Pass
					0	NV	5239.940	5150 to 5250	Pass
					10	NV	5239.960	5150 to 5250	Pass
					30	NV	5239.940	5150 to 5250	Pass
					40	NV	5239.960	5150 to 5250	Pass
					50	NV	5239.960	5150 to 5250	Pass
		5260	/	/	20	LV	5259.920	5250 to 5350	Pass
						NV	5259.940	5250 to 5350	Pass
						HV	5259.940	5250 to 5350	Pass
					-30	NV	5259.940	5250 to 5350	Pass
					-20	NV	5259.940	5250 to 5350	Pass
					-10	NV	5259.920	5250 to 5350	Pass
					0	NV	5259.940	5250 to 5350	Pass
					10	NV	5259.940	5250 to 5350	Pass
					30	NV	5259.940	5250 to 5350	Pass
					40	NV	5259.940	5250 to 5350	Pass
					50	NV	5259.960	5250 to 5350	Pass
		5300	/	/	20	LV	5299.920	5250 to 5350	Pass
						NV	5299.940	5250 to 5350	Pass
						HV	5299.960	5250 to 5350	Pass
					-30	NV	5299.940	5250 to 5350	Pass
					-20	NV	5299.940	5250 to 5350	Pass
					-10	NV	5299.940	5250 to 5350	Pass
					0	NV	5299.960	5250 to 5350	Pass
					10	NV	5299.940	5250 to 5350	Pass
					30	NV	5299.960	5250 to 5350	Pass
					40	NV	5299.920	5250 to 5350	Pass
					50	NV	5299.940	5250 to 5350	Pass
		5320	/	/	20	LV	5319.940	5250 to 5350	Pass
						NV	5319.940	5250 to 5350	Pass
						HV	5319.940	5250 to 5350	Pass
					-30	NV	5319.940	5250 to 5350	Pass
					-20	NV	5319.940	5250 to 5350	Pass
					-10	NV	5319.940	5250 to 5350	Pass
					0	NV	5319.940	5250 to 5350	Pass
					10	NV	5319.960	5250 to 5350	Pass
					30	NV	5319.940	5250 to 5350	Pass
					40	NV	5319.940	5250 to 5350	Pass
					50	NV	5319.940	5250 to 5350	Pass
		5500	/	/	20	LV	5499.940	5470 to 5725	Pass
						NV	5499.940	5470 to 5725	Pass
						HV	5499.940	5470 to 5725	Pass
					-30	NV	5499.940	5470 to 5725	Pass
					-20	NV	5499.920	5470 to 5725	Pass
					-10	NV	5499.940	5470 to 5725	Pass
					0	NV	5499.940	5470 to 5725	Pass
					10	NV	5499.920	5470 to 5725	Pass
					30	NV	5499.940	5470 to 5725	Pass
					40	NV	5499.940	5470 to 5725	Pass
					50	NV	5499.940	5470 to 5725	Pass
		5580	/	/	20	LV	5579.940	5470 to 5725	Pass
						NV	5579.940	5470 to 5725	Pass
						HV	5579.920	5470 to 5725	Pass
					-30	NV	5579.940	5470 to 5725	Pass
					-20	NV	5579.940	5470 to 5725	Pass
					-10	NV	5579.940	5470 to 5725	Pass
					0	NV	5579.940	5470 to 5725	Pass
					10	NV	5579.940	5470 to 5725	Pass

		5700	/	/	30	NV	5579.920	5470 to 5725	Pass
					40	NV	5579.940	5470 to 5725	Pass
					50	NV	5579.920	5470 to 5725	Pass
					20	LV	5699.960	5470 to 5725	Pass
						NV	5699.960	5470 to 5725	Pass
						HV	5699.940	5470 to 5725	Pass
					-30	NV	5699.960	5470 to 5725	Pass
					-20	NV	5699.960	5470 to 5725	Pass
					-10	NV	5699.980	5470 to 5725	Pass
					0	NV	5699.960	5470 to 5725	Pass
					10	NV	5699.960	5470 to 5725	Pass
					30	NV	5699.960	5470 to 5725	Pass
					40	NV	5699.960	5470 to 5725	Pass
					50	NV	5699.940	5470 to 5725	Pass
		5745	/	/	20	LV	5744.940	5725 to 5850	Pass
						NV	5744.960	5725 to 5850	Pass
						HV	5744.960	5725 to 5850	Pass
					-30	NV	5744.940	5725 to 5850	Pass
					-20	NV	5744.960	5725 to 5850	Pass
					-10	NV	5744.960	5725 to 5850	Pass
					0	NV	5744.960	5725 to 5850	Pass
					10	NV	5744.960	5725 to 5850	Pass
					30	NV	5744.960	5725 to 5850	Pass
					40	NV	5744.960	5725 to 5850	Pass
					50	NV	5744.960	5725 to 5850	Pass
		5785	/	/	20	LV	5784.920	5725 to 5850	Pass
						NV	5784.920	5725 to 5850	Pass
						HV	5784.920	5725 to 5850	Pass
					-30	NV	5784.920	5725 to 5850	Pass
					-20	NV	5784.920	5725 to 5850	Pass
					-10	NV	5784.940	5725 to 5850	Pass
					0	NV	5784.920	5725 to 5850	Pass
					10	NV	5784.940	5725 to 5850	Pass
					30	NV	5784.920	5725 to 5850	Pass
					40	NV	5784.940	5725 to 5850	Pass
					50	NV	5784.920	5725 to 5850	Pass
		5825	/	/	20	LV	5824.940	5725 to 5850	Pass
						NV	5824.940	5725 to 5850	Pass
						HV	5824.940	5725 to 5850	Pass
					-30	NV	5824.960	5725 to 5850	Pass
					-20	NV	5824.960	5725 to 5850	Pass
					-10	NV	5824.960	5725 to 5850	Pass
					0	NV	5824.940	5725 to 5850	Pass
					10	NV	5824.940	5725 to 5850	Pass
					30	NV	5824.940	5725 to 5850	Pass
					40	NV	5824.940	5725 to 5850	Pass
					50	NV	5824.940	5725 to 5850	Pass
802.11ax (HEW20)	SISO	5180	SU	/	20	LV	5180.180	5150 to 5250	Pass
						NV	5180.160	5150 to 5250	Pass
						HV	5180.140	5150 to 5250	Pass
					-30	NV	5180.180	5150 to 5250	Pass
					-20	NV	5180.140	5150 to 5250	Pass
					-10	NV	5180.180	5150 to 5250	Pass
					0	NV	5180.180	5150 to 5250	Pass
					10	NV	5180.160	5150 to 5250	Pass
					30	NV	5180.160	5150 to 5250	Pass
					40	NV	5180.120	5150 to 5250	Pass
					50	NV	5180.180	5150 to 5250	Pass

		5200	SU	/	20	LV	5200.120	5150 to 5250	Pass
						NV	5200.140	5150 to 5250	Pass
						HV	5200.160	5150 to 5250	Pass
					-30	NV	5200.140	5150 to 5250	Pass
					-20	NV	5200.140	5150 to 5250	Pass
					-10	NV	5200.140	5150 to 5250	Pass
					0	NV	5200.160	5150 to 5250	Pass
					10	NV	5200.140	5150 to 5250	Pass
					30	NV	5200.120	5150 to 5250	Pass
					40	NV	5200.140	5150 to 5250	Pass
					50	NV	5200.160	5150 to 5250	Pass
		5240	SU	/	20	LV	5240.140	5150 to 5250	Pass
						NV	5240.160	5150 to 5250	Pass
						HV	5240.100	5150 to 5250	Pass
					-30	NV	5240.120	5150 to 5250	Pass
					-20	NV	5240.120	5150 to 5250	Pass
					-10	NV	5240.140	5150 to 5250	Pass
					0	NV	5240.100	5150 to 5250	Pass
					10	NV	5240.120	5150 to 5250	Pass
					30	NV	5240.140	5150 to 5250	Pass
					40	NV	5240.120	5150 to 5250	Pass
					50	NV	5240.140	5150 to 5250	Pass
		5260	SU	/	20	LV	5260.080	5250 to 5350	Pass
						NV	5260.060	5250 to 5350	Pass
						HV	5260.080	5250 to 5350	Pass
					-30	NV	5260.120	5250 to 5350	Pass
					-20	NV	5260.080	5250 to 5350	Pass
					-10	NV	5260.060	5250 to 5350	Pass
					0	NV	5260.080	5250 to 5350	Pass
					10	NV	5260.080	5250 to 5350	Pass
					30	NV	5260.040	5250 to 5350	Pass
					40	NV	5260.080	5250 to 5350	Pass
					50	NV	5260.080	5250 to 5350	Pass
		5300	SU	/	20	LV	5299.840	5250 to 5350	Pass
						NV	5300.120	5250 to 5350	Pass
						HV	5300.140	5250 to 5350	Pass
					-30	NV	5300.120	5250 to 5350	Pass
					-20	NV	5299.980	5250 to 5350	Pass
					-10	NV	5300.100	5250 to 5350	Pass
					0	NV	5300.120	5250 to 5350	Pass
					10	NV	5300.060	5250 to 5350	Pass
					30	NV	5300.120	5250 to 5350	Pass
					40	NV	5300.100	5250 to 5350	Pass
					50	NV	5300.080	5250 to 5350	Pass
		5320	SU	/	20	LV	5320.140	5250 to 5350	Pass
						NV	5320.080	5250 to 5350	Pass
						HV	5320.080	5250 to 5350	Pass
					-30	NV	5320.100	5250 to 5350	Pass
					-20	NV	5320.060	5250 to 5350	Pass
					-10	NV	5320.080	5250 to 5350	Pass
					0	NV	5320.100	5250 to 5350	Pass
					10	NV	5320.060	5250 to 5350	Pass
					30	NV	5320.080	5250 to 5350	Pass
					40	NV	5320.080	5250 to 5350	Pass
					50	NV	5320.100	5250 to 5350	Pass
		5500	SU	/	20	LV	5500.040	5470 to 5725	Pass
						NV	5500.060	5470 to 5725	Pass
						HV	5500.060	5470 to 5725	Pass

					-30	NV	5500.000	5470 to 5725	Pass
					-20	NV	5500.060	5470 to 5725	Pass
					-10	NV	5500.040	5470 to 5725	Pass
					0	NV	5500.080	5470 to 5725	Pass
					10	NV	5500.060	5470 to 5725	Pass
					30	NV	5500.040	5470 to 5725	Pass
					40	NV	5500.060	5470 to 5725	Pass
					50	NV	5500.040	5470 to 5725	Pass
		5580	SU	/	20	LV	5580.060	5470 to 5725	Pass
						NV	5579.940	5470 to 5725	Pass
						HV	5580.060	5470 to 5725	Pass
					-30	NV	5580.000	5470 to 5725	Pass
					-20	NV	5580.060	5470 to 5725	Pass
					-10	NV	5579.980	5470 to 5725	Pass
					0	NV	5580.060	5470 to 5725	Pass
					10	NV	5580.060	5470 to 5725	Pass
					30	NV	5580.080	5470 to 5725	Pass
					40	NV	5580.040	5470 to 5725	Pass
					50	NV	5580.060	5470 to 5725	Pass
		5700	SU	/	20	LV	5700.120	5470 to 5725	Pass
						NV	5700.120	5470 to 5725	Pass
						HV	5700.140	5470 to 5725	Pass
					-30	NV	5700.160	5470 to 5725	Pass
					-20	NV	5700.080	5470 to 5725	Pass
					-10	NV	5700.100	5470 to 5725	Pass
					0	NV	5700.160	5470 to 5725	Pass
					10	NV	5700.140	5470 to 5725	Pass
					30	NV	5700.160	5470 to 5725	Pass
					40	NV	5700.160	5470 to 5725	Pass
					50	NV	5700.160	5470 to 5725	Pass
		5745	SU	/	20	LV	5745.000	5725 to 5850	Pass
						NV	5745.120	5725 to 5850	Pass
						HV	5745.080	5725 to 5850	Pass
					-30	NV	5745.100	5725 to 5850	Pass
					-20	NV	5745.100	5725 to 5850	Pass
					-10	NV	5745.120	5725 to 5850	Pass
					0	NV	5745.040	5725 to 5850	Pass
					10	NV	5745.100	5725 to 5850	Pass
					30	NV	5745.080	5725 to 5850	Pass
					40	NV	5745.100	5725 to 5850	Pass
					50	NV	5745.120	5725 to 5850	Pass
		5785	SU	/	20	LV	5785.000	5725 to 5850	Pass
						NV	5784.960	5725 to 5850	Pass
						HV	5784.940	5725 to 5850	Pass
					-30	NV	5784.980	5725 to 5850	Pass
					-20	NV	5784.960	5725 to 5850	Pass
					-10	NV	5784.920	5725 to 5850	Pass
					0	NV	5785.040	5725 to 5850	Pass
					10	NV	5784.980	5725 to 5850	Pass
					30	NV	5784.980	5725 to 5850	Pass
					40	NV	5785.040	5725 to 5850	Pass
					50	NV	5785.060	5725 to 5850	Pass
		5825	SU	/	20	LV	5825.120	5725 to 5850	Pass
						NV	5825.100	5725 to 5850	Pass
						HV	5825.120	5725 to 5850	Pass
					-30	NV	5825.100	5725 to 5850	Pass
					-20	NV	5825.140	5725 to 5850	Pass
					-10	NV	5825.000	5725 to 5850	Pass



Report No.: SUCR260400034403

Page: 270 of 288

					0	NV	5825.100	5725 to 5850	Pass
					10	NV	5825.040	5725 to 5850	Pass
					30	NV	5825.100	5725 to 5850	Pass
					40	NV	5825.060	5725 to 5850	Pass
					50	NV	5825.080	5725 to 5850	Pass