





Frequency:5200MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2278.718750	---	26.47	54.00	27.53	300.0	H	349.0	-11.6
4892.468750	---	32.27	54.00	21.73	150.0	H	292.0	-2.0
6610.000000	39.45	---	68.20	28.75	200.0	H	292.0	0.7
10401.000000	48.79	---	68.20	19.41	150.0	H	28.0	4.4
17103.781250	50.54	---	68.20	17.66	150.0	H	74.0	14.0
17774.218750	---	42.98	54.00	11.02	150.0	H	68.0	15.3



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2491.750000	---	25.20	54.00	28.80	150.0	V	56.0	-10.5
4869.625000	---	33.62	54.00	20.38	200.0	V	182.0	-2.0
6671.093750	39.51	---	68.20	28.69	150.0	V	130.0	0.7
10399.406250	46.62	---	68.20	21.58	300.0	V	182.0	4.4
17623.343750	50.39	---	68.20	17.81	150.0	V	18.0	15.0
17920.843750	---	43.52	54.00	10.48	150.0	V	306.0	15.7

Frequency: 5240MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2219.750000	---	27.33	54.00	26.67	200.0	H	78.0	-11.7
4902.031250	---	31.54	54.00	22.46	150.0	H	0.0	-1.9
6543.593750	39.14	---	68.20	29.06	300.0	H	155.0	0.6
10480.687500	47.30	---	68.20	20.90	150.0	H	251.0	4.4
17106.968750	49.91	---	68.20	18.29	150.0	H	0.0	14.0
17783.781250	---	43.64	54.00	10.36	150.0	H	58.0	15.3



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2340.875000	---	25.01	54.00	28.99	200.0	V	0.0	-11.4
4926.468750	---	32.63	54.00	21.37	150.0	V	125.0	-1.9
6307.187500	40.19	---	68.20	28.01	300.0	V	339.0	0.0
10479.625000	43.12	---	68.20	25.08	150.0	V	183.0	4.4
17028.343750	49.94	---	68.20	18.26	150.0	V	0.0	13.9
17998.937500	---	43.51	54.00	10.49	150.0	V	18.0	16.0

Frequency: 5260MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2224.531250	---	27.33	54.00	26.67	150.0	H	312.0	-11.7
5026.875000	---	33.39	54.00	20.61	200.0	H	0.0	-1.7
6488.343750	39.64	---	68.20	28.56	150.0	H	206.0	0.5
10520.531250	44.94	---	68.20	23.26	150.0	H	181.0	4.4
16691.000000	50.87	---	68.20	17.33	150.0	H	194.0	13.1
17779.000000	---	44.44	54.00	9.56	150.0	H	40.0	15.3



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2226.125000	---	25.35	54.00	28.65	150.0	V	18.0	-11.7
5010.937500	---	32.99	54.00	21.01	150.0	V	56.0	-1.7
6539.875000	39.87	---	68.20	28.33	300.0	V	203.0	0.6
10516.281250	43.07	---	68.20	25.13	150.0	V	75.0	4.4
17083.593750	51.39	---	68.20	16.81	150.0	V	306.0	14.0
17947.937500	---	44.63	54.00	9.37	150.0	V	75.0	15.8

Frequency: 5280MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2242.062500	---	26.86	54.00	27.14	150.0	H	101.0	-11.8
4921.687500	---	32.37	54.00	21.63	200.0	H	171.0	-1.9
6668.968750	39.79	---	68.20	28.41	150.0	H	152.0	0.7
10561.437500	44.21	---	68.20	23.99	150.0	H	171.0	4.4
17683.906250	50.86	---	68.20	17.34	150.0	H	222.0	15.2
17894.812500	---	44.94	54.00	9.06	150.0	H	274.0	15.6



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2218.687500	---	25.28	54.00	28.72	150.0	V	93.0	-11.7
5024.218750	---	33.17	54.00	20.83	150.0	V	196.0	-1.7
6484.093750	39.60	---	68.20	28.60	150.0	V	164.0	0.5
10560.906250	43.39	---	68.20	24.81	200.0	V	158.0	4.4
17623.343750	51.02	---	68.20	17.18	150.0	V	235.0	15.0
17792.281250	---	45.14	54.00	8.86	150.0	V	151.0	15.3

Frequency: 5320MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2207.000000	---	27.10	54.00	26.90	150.0	H	64.0	-11.7
4910.531250	---	32.52	54.00	21.48	150.0	H	353.0	-1.9
6723.156250	39.67	---	68.20	28.53	150.0	H	44.0	0.7
10640.062500	45.50	---	74.00	28.50	150.0	H	0.0	4.4
17666.906250	51.18	---	68.20	17.02	200.0	H	276.0	15.1
17762.000000	---	45.19	54.00	8.81	150.0	H	212.0	15.3



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.437500	---	26.07	54.00	27.93	150.0	V	152.0	-10.5
5050.250000	---	32.68	54.00	21.32	300.0	V	139.0	-1.8
6384.218750	39.72	---	68.20	28.48	150.0	V	146.0	0.2
10635.281250	43.91	---	74.00	30.09	150.0	V	78.0	4.4
17641.406250	51.33	---	68.20	16.87	150.0	V	103.0	15.1
17885.781250	---	44.58	54.00	9.42	150.0	V	110.0	15.6

Frequency: 5500MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2229.843750	---	26.95	54.00	27.05	150.0	H	59.0	-11.7
4935.500000	---	32.15	54.00	21.85	150.0	H	78.0	-1.9
6519.156250	39.66	---	68.20	28.54	300.0	H	0.0	0.6
7333.562500	---	45.07	54.00	8.93	150.0	H	65.0	1.3
11000.250000	43.81	---	74.00	30.19	150.0	H	345.0	4.8
17698.781250	50.30	---	68.20	17.90	150.0	H	193.0	15.2



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2278.718750	---	24.96	54.00	29.04	150.0	V	64.0	-11.6
5039.093750	---	32.00	54.00	22.00	150.0	V	165.0	-1.8
6463.375000	39.71	---	68.20	28.49	150.0	V	102.0	0.4
11014.593750	43.29	---	74.00	30.71	150.0	V	191.0	4.9
17634.500000	50.40	---	68.20	17.80	200.0	V	222.0	15.0
17781.656250	---	43.51	54.00	10.49	150.0	V	165.0	15.3

Frequency: 5600MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5027.937500	---	31.36	54.00	22.64	150.0	H	327.0	-1.7
6646.125000	39.89	---	68.20	28.31	300.0	H	334.0	0.7
7466.906250	---	45.90	54.00	8.10	150.0	H	74.0	1.6
11201.593750	---	39.01	54.00	14.99	150.0	H	264.0	5.1
11201.593750	46.39	---	74.00	27.61	150.0	H	264.0	5.1
17059.687500	50.05	---	68.20	18.15	200.0	H	353.0	13.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2236.750000	---	25.47	54.00	28.53	150.0	V	8.0	-11.7
5081.593750	---	32.20	54.00	21.80	250.0	V	14.0	-1.8
6497.375000	40.27	---	68.20	27.93	150.0	V	109.0	0.6
11200.000000	42.87	---	74.00	31.13	150.0	V	77.0	5.1
17605.281250	49.54	---	68.20	18.66	150.0	V	46.0	15.0
17785.375000	---	43.52	54.00	10.48	300.0	V	2.0	15.3

Frequency: 5700MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5019.968750	---	31.50	54.00	22.50	150.0	H	344.0	-1.7
6432.562500	39.78	---	68.20	28.42	300.0	H	196.0	0.3
7600.250000	---	45.28	54.00	8.72	150.0	H	67.0	1.8
11400.812500	48.07	---	74.00	25.93	150.0	H	8.0	5.2
11401.343750	---	41.79	54.00	12.21	150.0	H	273.0	5.2
17628.125000	50.39	---	68.20	17.81	150.0	H	190.0	15.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4894.593750	---	31.60	54.00	22.40	150.0	V	1.0	-1.9
6175.968750	40.33	---	68.20	27.87	150.0	V	0.0	-0.1
11399.218750	---	37.62	54.00	16.38	150.0	V	0.0	5.2
11401.343750	46.03	---	74.00	27.97	150.0	V	332.0	5.2
17638.750000	50.42	---	68.20	17.78	300.0	V	132.0	15.1
17788.562500	---	44.08	54.00	9.92	150.0	V	1.0	15.3

Frequency: 5745MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5008.812500	---	31.82	54.00	22.18	200.0	H	107.0	-1.7
5981.531250	39.92	---	68.20	28.28	150.0	H	245.0	-0.3
7659.750000	---	45.70	54.00	8.30	150.0	H	68.0	1.9
11490.062500	47.89	---	74.00	26.11	150.0	H	75.0	5.3
11490.062500	---	41.83	54.00	12.17	150.0	H	75.0	5.3
17688.687500	51.05	---	68.20	17.15	150.0	H	29.0	15.2



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4891.937500	---	32.56	54.00	21.44	150.0	V	169.0	-2.0
6545.718750	40.34	---	68.20	27.86	300.0	V	33.0	0.6
11490.062500	44.20	---	74.00	29.80	150.0	V	272.0	5.3
11490.593750	---	37.45	54.00	16.55	150.0	V	156.0	5.3
17107.500000	50.55	---	68.20	17.65	150.0	V	59.0	14.0
17874.093750	---	44.06	54.00	9.94	150.0	V	0.0	15.6

Frequency: 5785MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4949.312500	---	32.12	54.00	21.88	150.0	H	316.0	-1.8
6215.281250	40.35	---	68.20	27.85	150.0	H	162.0	-0.1
7713.406250	---	46.61	54.00	7.39	150.0	H	72.0	1.9
11570.281250	---	39.66	54.00	14.34	150.0	H	8.0	5.3
11571.343750	47.59	---	74.00	26.41	300.0	H	72.0	5.3
17049.062500	51.72	---	68.20	16.48	150.0	H	342.0	13.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5024.750000	---	32.82	54.00	21.18	150.0	V	167.0	-1.7
6689.687500	40.50	---	68.20	27.70	150.0	V	0.0	0.7
11570.281250	---	39.17	54.00	14.83	150.0	V	282.0	5.3
11570.281250	45.72	---	74.00	28.28	200.0	V	282.0	5.3
17102.187500	50.56	---	68.20	17.64	150.0	V	109.0	14.0
17783.781250	---	44.72	54.00	9.28	150.0	V	71.0	15.3

Frequency: 5825MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4931.250000	---	31.77	54.00	22.23	150.0	H	293.0	-1.9
7766.531250	49.82	---	68.20	18.38	300.0	H	68.0	1.9
11649.968750	---	39.35	54.00	14.65	150.0	H	248.0	5.4
11651.562500	45.59	---	74.00	28.41	150.0	H	351.0	5.4
17153.187500	51.23	---	68.20	16.97	150.0	H	151.0	14.1
17786.968750	---	44.85	54.00	9.15	150.0	H	287.0	15.3




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5032.187500	---	32.60	54.00	21.40	150.0	V	218.0	-1.8
6651.968750	39.52	---	68.20	28.68	150.0	V	143.0	0.7
11651.562500	---	39.60	54.00	14.40	150.0	V	212.0	5.4
11651.562500	45.54	---	74.00	28.46	200.0	V	212.0	5.4
17134.062500	50.98	---	68.20	17.22	150.0	V	79.0	14.0
17707.812500	---	44.84	54.00	9.16	150.0	V	85.0	15.2


Radiated Emission 1-18 GHz at 802.11ax HE20

Frequency: 5180MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2217.625000	---	27.15	54.00	26.85	200.0	H	74.0	-11.7
3969.156250	---	31.53	54.00	22.47	150.0	H	8.0	-4.4
6543.593750	39.53	---	68.20	28.67	300.0	H	229.0	0.6
10358.500000	46.40	---	68.20	21.80	150.0	H	8.0	4.3
17108.562500	50.57	---	68.20	17.63	150.0	H	171.0	14.0
17783.250000	---	43.83	54.00	10.17	150.0	H	54.0	15.3



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2291.468750	---	25.33	54.00	28.67	200.0	V	138.0	-11.5
4934.968750	---	33.71	54.00	20.29	150.0	V	132.0	-1.9
5952.843750	39.67	---	68.20	28.53	150.0	V	100.0	-0.4
10354.781250	45.89	---	68.20	22.31	150.0	V	177.0	4.3
17619.093750	50.77	---	68.20	17.43	150.0	V	286.0	15.0
17994.156250	---	43.88	54.00	10.12	300.0	V	273.0	16.0

Frequency: 5200MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2208.062500	---	27.31	54.00	26.69	200.0	H	80.0	-11.7
4946.656250	---	32.15	54.00	21.85	150.0	H	178.0	-1.8
6527.656250	39.36	---	68.20	28.84	150.0	H	158.0	0.6
10405.781250	47.79	---	68.20	20.41	300.0	H	252.0	4.4
17653.625000	50.27	---	68.20	17.93	150.0	H	0.0	15.1
17807.156250	---	44.43	54.00	9.57	150.0	H	184.0	15.4



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.500000	---	25.10	54.00	28.90	150.0	V	234.0	-10.5
5041.750000	---	32.62	54.00	21.38	200.0	V	247.0	-1.8
6158.968750	39.90	---	68.20	28.30	150.0	V	37.0	-0.1
10400.468750	43.97	---	68.20	24.23	300.0	V	176.0	4.4
17043.218750	49.93	---	68.20	18.27	150.0	V	352.0	13.9
17794.406250	---	43.85	54.00	10.15	150.0	V	30.0	15.3

Frequency: 5240MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2230.375000	---	27.56	54.00	26.44	200.0	H	324.0	-11.7
5059.812500	---	31.97	54.00	22.03	150.0	H	266.0	-1.8
6537.218750	39.44	---	68.20	28.76	150.0	H	272.0	0.6
10480.687500	45.66	---	68.20	22.54	300.0	H	227.0	4.4
17060.218750	50.95	---	68.20	17.25	150.0	H	136.0	13.9
17781.125000	---	43.76	54.00	10.24	150.0	H	208.0	15.3



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2489.625000	---	25.16	54.00	28.84	150.0	V	111.0	-10.5
4916.375000	---	33.69	54.00	20.31	200.0	V	196.0	-1.9
6635.500000	40.05	---	68.20	28.15	150.0	V	291.0	0.7
10481.218750	43.01	---	68.20	25.19	150.0	V	278.0	4.4
17616.968750	50.24	---	68.20	17.96	200.0	V	330.0	15.0
17998.937500	---	43.96	54.00	10.04	150.0	V	8.0	16.0

Frequency: 5260MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2217.625000	---	26.27	54.00	27.73	150.0	H	308.0	-11.7
5017.843750	---	32.92	54.00	21.08	150.0	H	218.0	-1.7
6504.281250	39.93	---	68.20	28.27	150.0	H	116.0	0.6
10514.687500	44.33	---	68.20	23.87	300.0	H	0.0	4.4
17650.968750	50.71	---	68.20	17.49	150.0	H	327.0	15.1
17862.937500	---	44.71	54.00	9.29	150.0	H	352.0	15.5



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2490.156250	---	25.84	54.00	28.16	150.0	V	242.0	-10.5
5005.625000	---	33.03	54.00	20.97	150.0	V	154.0	-1.7
6158.437500	39.73	---	68.20	28.47	150.0	V	242.0	-0.1
10521.062500	43.00	---	68.20	25.20	150.0	V	84.0	4.4
17632.906250	51.28	---	68.20	16.92	150.0	V	53.0	15.0
17749.250000	---	44.60	54.00	9.40	300.0	V	339.0	15.2

Frequency: 5280MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2225.593750	---	27.33	54.00	26.67	150.0	H	287.0	-11.7
5019.437500	---	33.01	54.00	20.99	150.0	H	274.0	-1.7
6076.093750	39.34	---	68.20	28.86	150.0	H	204.0	-0.1
10562.500000	45.73	---	68.20	22.47	150.0	H	0.0	4.4
17626.000000	50.39	---	68.20	17.81	300.0	H	274.0	15.0
17777.937500	---	44.25	54.00	9.75	150.0	H	350.0	15.3



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2297.312500	---	26.60	54.00	27.40	150.0	V	338.0	-11.5
5065.125000	---	32.58	54.00	21.42	150.0	V	308.0	-1.8
6561.125000	39.43	---	68.20	28.77	200.0	V	237.0	0.6
10560.906250	43.25	---	68.20	24.95	300.0	V	1.0	4.4
17085.187500	50.98	---	68.20	17.22	150.0	V	192.0	14.0
17794.406250	---	44.70	54.00	9.30	150.0	V	301.0	15.3

Frequency: 5320MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2223.468750	---	26.68	54.00	27.32	150.0	H	277.0	-11.7
4832.968750	---	32.40	54.00	21.60	300.0	H	78.0	-2.2
6690.750000	39.91	---	68.20	28.29	150.0	H	342.0	0.7
10640.062500	43.22	---	74.00	30.78	150.0	H	0.0	4.4
17134.593750	50.71	---	68.20	17.49	150.0	H	348.0	14.0
17996.812500	---	44.83	54.00	9.17	150.0	H	303.0	16.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2288.281250	---	25.61	54.00	28.39	150.0	V	339.0	-11.5
4867.500000	---	32.51	54.00	21.49	150.0	V	222.0	-2.1
6681.187500	39.96	---	68.20	28.24	300.0	V	106.0	0.7
10633.687500	42.21	---	74.00	31.79	150.0	V	75.0	4.4
17636.625000	50.85	---	68.20	17.35	150.0	V	0.0	15.0
17824.156250	---	44.82	54.00	9.18	150.0	V	306.0	15.4

Frequency: 5500MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2236.750000	---	27.95	54.00	26.05	150.0	H	282.0	-11.7
4894.062500	---	31.54	54.00	22.46	150.0	H	111.0	-1.9
6674.281250	39.53	---	68.20	28.67	250.0	H	339.0	0.7
7333.031250	---	44.73	54.00	9.27	150.0	H	73.0	1.3
10994.937500	44.33	---	74.00	29.67	150.0	H	34.0	4.8
17069.250000	49.77	---	68.20	18.43	150.0	H	199.0	13.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5058.750000	---	31.79	54.00	22.21	150.0	V	8.0	-1.8
5989.500000	39.52	---	68.20	28.68	150.0	V	203.0	-0.3
10996.000000	---	36.74	54.00	17.26	150.0	V	46.0	4.8
10998.125000	43.67	---	74.00	30.33	150.0	V	28.0	4.8
17049.062500	49.83	---	68.20	18.37	150.0	V	95.0	13.9
17799.718750	---	43.65	54.00	10.35	250.0	V	241.0	15.3

Frequency: 5600MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4934.437500	---	32.45	54.00	21.55	150.0	H	150.0	-1.9
6758.750000	39.01	---	68.20	29.19	150.0	H	93.0	0.8
7466.906250	---	46.31	54.00	7.69	200.0	H	67.0	1.6
11196.812500	44.93	---	74.00	29.07	150.0	H	289.0	5.1
11200.000000	---	38.90	54.00	15.10	150.0	H	263.0	5.1
17673.812500	51.07	---	68.20	17.13	300.0	H	327.0	15.1



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2251.625000	---	25.51	54.00	28.49	150.0	V	255.0	-11.7
5035.375000	---	31.37	54.00	22.63	200.0	V	0.0	-1.8
6030.937500	39.81	---	68.20	28.39	150.0	V	69.0	-0.2
12152.000000	45.34	---	74.00	28.66	250.0	V	191.0	5.8
17120.250000	50.19	---	68.20	18.01	150.0	V	248.0	14.0
17779.531250	---	43.82	54.00	10.18	150.0	V	223.0	15.3

Frequency: 5700MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5081.062500	---	31.96	54.00	22.04	150.0	H	28.0	-1.8
6513.843750	39.27	---	68.20	28.93	150.0	H	330.0	0.6
7600.250000	---	44.84	54.00	9.16	150.0	H	73.0	1.8
11400.281250	---	44.02	54.00	9.98	150.0	H	8.0	5.2
11400.281250	48.68	---	74.00	25.32	200.0	H	8.0	5.2
17637.156250	50.04	---	68.20	18.16	150.0	H	359.0	15.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5052.375000	---	31.46	54.00	22.54	150.0	V	233.0	-1.8
6568.031250	39.55	---	68.20	28.65	150.0	V	136.0	0.6
11399.218750	---	37.34	54.00	16.66	150.0	V	272.0	5.2
11401.343750	43.60	---	74.00	30.40	150.0	V	279.0	5.2
16419.531250	50.13	---	68.20	18.07	150.0	V	266.0	12.6
17817.781250	---	43.55	54.00	10.45	300.0	V	67.0	15.4

Frequency: 5745MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5009.875000	---	31.73	54.00	22.27	150.0	H	47.0	-1.7
6107.968750	39.89	---	68.20	28.31	150.0	H	341.0	0.0
7659.750000	---	45.04	54.00	8.96	300.0	H	73.0	1.9
11490.062500	47.17	---	74.00	26.83	150.0	H	258.0	5.3
11490.062500	---	40.25	54.00	13.75	150.0	H	258.0	5.3
17134.062500	50.94	---	68.20	17.26	150.0	H	177.0	14.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5070.968750	---	32.51	54.00	21.49	150.0	V	292.0	-1.8
6438.937500	39.98	---	68.20	28.22	150.0	V	345.0	0.3
11485.281250	---	36.97	54.00	17.03	200.0	V	10.0	5.3
11487.937500	44.14	---	74.00	29.86	150.0	V	184.0	5.3
17095.281250	51.03	---	68.20	17.17	150.0	V	352.0	14.0
17987.250000	---	44.55	54.00	9.45	150.0	V	29.0	16.0

Frequency: 5785MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4880.781250	---	31.72	54.00	22.28	150.0	H	104.0	-2.0
5957.625000	39.60	---	68.20	28.60	150.0	H	278.0	-0.4
7713.406250	---	46.89	54.00	7.11	250.0	H	72.0	1.9
11571.343750	---	42.63	54.00	11.37	150.0	H	252.0	5.3
11571.343750	45.99	---	74.00	28.01	150.0	H	252.0	5.3
17113.875000	51.08	---	68.20	17.12	150.0	H	207.0	14.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4928.062500	---	31.61	54.00	22.39	150.0	V	0.0	-1.9
6128.687500	39.75	---	68.20	28.46	300.0	V	59.0	0.0
11570.281250	44.85	---	74.00	29.15	150.0	V	104.0	5.3
11571.343750	---	40.16	54.00	13.85	150.0	V	169.0	5.3
17146.812500	51.21	---	68.20	16.99	150.0	V	20.0	14.0
17816.718750	---	44.79	54.00	9.21	150.0	V	92.0	15.4

Frequency: 5825MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5047.593750	---	32.58	54.00	21.42	250.0	H	271.0	-1.8
7767.062500	49.12	---	68.20	19.08	150.0	H	74.0	1.9
11648.906250	---	40.93	54.00	13.07	150.0	H	245.0	5.4
11648.906250	44.22	---	74.00	29.78	150.0	H	245.0	5.4
17112.812500	51.20	---	68.20	17.00	150.0	H	290.0	14.0
17823.093750	---	44.32	54.00	9.68	150.0	H	132.0	15.4




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5042.281250	---	32.10	54.00	21.90	150.0	V	295.0	-1.8
6029.875000	39.60	---	68.20	28.60	150.0	V	243.0	-0.2
11651.562500	46.40	---	74.00	27.60	150.0	V	256.0	5.4
11651.562500	---	38.96	54.00	15.04	300.0	V	256.0	5.4
17123.968750	51.38	---	68.20	16.82	150.0	V	288.0	14.0
17738.093750	---	44.25	54.00	9.75	150.0	V	198.0	15.2




Band Edge at 802.11a

Frequency:5180MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5005.500000	42.9	31.5	200.0	H	156.0	-1.7	31.1	74.0	22.5	54.0
5150.000000	46.1	32.2	150.0	H	103.0	-1.9	27.9	74.0	21.8	54.0
5180.000000	95.8	---	175.0	H	156.0	-2.0	---	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
4958.000000	43.3	31.0	150.0	V	15.0	-1.8	30.7	74.0	23.1	54.0
5150.000000	43.5	30.9	175.0	V	152.0	-1.9	30.5	74.0	23.1	54.0
5180.000000	94.3	---	200.0	V	11.0	-2.0	---	---	---	---

Frequency: 5320MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5320.000000	96.4	---	200.0	H	0.0	-1.6	---	---	---	---
5350.000000	49.9	33.5	150.0	H	12.0	-1.5	24.1	74.0	20.5	54.0
5354.628571	46.9	33.0	175.0	H	178.0	-1.5	27.1	74.0	21.0	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5320.000000	94.6	---	150.0	V	0.0	-1.6	---	---	---	---
5350.000000	44.4	31.7	200.0	V	51.0	-1.5	29.6	74.0	22.3	54.0
5373.257143	41.6	31.4	175.0	V	111.0	-1.4	32.4	74.0	22.6	54.0

Frequency: 5500MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5464.628571	46.8	32.9	175.0	H	332.0	-1.2	27.2	74.0	21.1	54.0
5470.000000	45.7	33.1	150.0	H	44.0	-1.2	28.3	74.0	20.9	54.0
5500.000000	95.1	---	300.0	H	125.0	-1.1	---	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5459.714286	45.1	32.9	150.0	V	2.0	-1.2	29.0	74.0	21.1	54.0
5470.000000	47.2	33.0	200.0	V	153.0	-1.2	26.8	74.0	21.0	54.0
5500.000000	96.2	---	300.0	V	14.0	-1.1	---	---	---	---

Frequency: 5700MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5700.000000	96.8	---	150.0	H	0.0	-1.0	---	---	---	---
5725.000000	45.7	35.1	175.0	H	33.0	-1.0	28.3	74.0	18.9	54.0
5734.700000	43.2	32.7	175.0	H	114.0	-0.9	30.8	74.0	21.3	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5700.000000	98.1	---	150.0	V	36.0	-1.0	---	---	---	---
5725.000000	54.1	41.9	200.0	V	152.0	-1.0	19.9	74.0	12.1	54.0
5732.600000	49.9	35.0	300.0	V	33.0	-0.9	24.1	74.0	19.0	54.0

Frequency: 5700MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	RMS (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5416.392857	43.3	32.3	175.0	H	145.0	-1.3	30.7	74.0	21.8	54.0
5470.000000	43.4	32.3	150.0	H	1.0	-1.2	30.6	74.0	21.7	54.0
5720.000000	95.6	---	175.0	H	225.0	-1.0	---	---	---	---
5850.000000	41.7	31.9	150.0	H	145.0	-0.8	32.3	74.0	22.1	54.0
5871.321429	42.2	31.0	300.0	H	14.0	-0.7	31.9	74.0	23.0	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	RMS (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5426.607143	44.5	33.2	200.0	V	13.0	-1.3	29.5	74.0	20.8	54.0
5470.000000	45.4	33.4	150.0	V	0.0	-1.2	28.6	74.0	20.6	54.0
5720.000000	98.2	---	150.0	V	114.0	-1.0	---	---	---	---
5850.000000	43.1	31.5	300.0	V	53.0	-0.8	30.9	74.0	22.5	54.0
5867.392857	43.2	31.8	150.0	V	14.0	-0.7	30.8	74.0	22.2	54.0

Frequency: 5745MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5725.000000	62.7	45.2	150.0	H	0.0	-1.0	87.3	122.2	104.8	122.2
5745.000000	99.2	---	175.0	H	36.0	-0.9	---	---	---	---
5893.017857	43.4	31.1	250.0	H	114.0	-0.6	48.4	91.8	60.8	91.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5725.000000	58.7	41.8	150.0	V	0.0	-1.0	91.3	122.2	108.2	122.2
5745.000000	95.4	---	175.0	V	20.0	-0.9	---	---	---	---
5895.392857	42.0	31.2	200.0	V	145.0	-0.6	48.0	90.1	58.9	90.1

Frequency: 5825MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5641.267857	44.7	35.0	175.0	H	223.0	-1.0	23.5	68.2	33.2	68.2
5825.000000	101.6	---	150.0	H	14.0	-0.8	---	---	---	---
5850.000000	54.0	38.4	200.0	H	36.0	-0.8	68.2	122.2	83.8	122.2




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5636.178571	43.7	31.8	175.0	V	0.0	-1.0	24.5	68.2	36.4	68.2
5825.000000	95.6	---	150.0	V	147.0	-0.8	---	---	---	---
5850.000000	47.0	33.7	200.0	V	12.0	-0.8	75.2	122.2	88.6	122.2


Band Edge at 802.11n20

Frequency: 5180MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5025.500000	42.2	32.7	200.0	H	11.0	-1.7	31.8	74.0	21.3	54.0
5150.000000	45.7	33.7	150.0	H	0.0	-1.9	28.3	74.0	20.4	54.0
5180.000000	95.3	---	175.0	H	25.0	-2.0	-21.3	74.0	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5024.500000	43.0	31.9	200.0	V	14.0	-1.7	31.0	74.0	22.1	54.0
5150.000000	45.8	31.8	175.0	V	25.0	-1.9	28.2	74.0	22.2	54.0
5180.000000	94.0	---	150.0	V	166.0	-2.0	---	---	---	---

Frequency: 5320MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5320.000000	93.2	---	150.0	H	0.0	-1.6	---	---	---	---
5350.000000	45.9	32.4	175.0	H	14.0	-1.5	28.1	74.0	21.6	54.0
5361.257143	43.3	31.7	200.0	H	23.0	-1.5	30.7	74.0	22.3	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5320.000000	91.6	---	150.0	V	0.0	-1.6	---	---	---	---
5350.000000	46.6	31.9	200.0	V	59.0	-1.5	27.4	74.0	22.1	54.0
5365.000000	43.6	31.3	150.0	V	161.0	-1.4	30.4	74.0	22.7	54.0

Frequency: 5500MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5454.800000	43.5	32.2	150.0	H	165.0	-1.2	30.5	74.0	21.8	54.0
5470.000000	47.2	33.6	250.0	H	7.0	-1.2	26.8	74.0	20.4	54.0
5500.000000	93.7	---	200.0	H	14.0	-1.1	---	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5462.914286	49.4	34.2	150.0	V	311.0	-1.2	24.6	74.0	19.8	54.0
5470.000000	50.2	36.8	250.0	V	235.0	-1.2	23.8	74.0	17.2	54.0
5500.000000	95.4	---	200.0	V	0.0	-1.1	---	---	---	---

Frequency: 5700MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5700.000000	96.4	---	150.0	H	209.0	-1.0	---	---	---	---
5725.000000	53.1	39.9	200.0	H	314.0	-1.0	20.9	74.0	14.1	54.0
5730.900000	48.6	35.0	175.0	H	0.0	-0.9	25.5	74.0	19.0	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5700.000000	97.3	---	150.0	V	0.0	-1.0	---	---	---	---
5725.000000	51.3	38.3	350.0	V	14.0	-1.0	22.7	74.0	15.7	54.0
5734.900000	46.5	34.1	200.0	V	11.0	-0.9	27.5	74.0	19.9	54.0

Frequency: 5720MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	RMS (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5416.392857	43.3	32.3	175.0	H	145.0	-1.3	30.7	74.0	21.8	54.0
5470.000000	43.4	32.3	150.0	H	1.0	-1.2	30.6	74.0	21.7	54.0
5720.000000	95.6	---	175.0	H	225.0	-1.0	---	---	---	---
5850.000000	41.7	31.9	150.0	H	145.0	-0.8	32.3	74.0	22.1	54.0
5871.321429	42.2	31.0	300.0	H	14.0	-0.7	31.9	74.0	23.0	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	RMS (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5426.607143	44.5	33.2	200.0	V	13.0	-1.3	29.5	74.0	20.8	54.0
5470.000000	45.4	33.4	150.0	V	0.0	-1.2	28.6	74.0	20.6	54.0
5720.000000	98.2	---	150.0	V	114.0	-1.0	---	---	---	---
5850.000000	43.1	31.5	300.0	V	53.0	-0.8	30.9	74.0	22.5	54.0
5867.392857	43.2	31.8	150.0	V	14.0	-0.7	30.8	74.0	22.2	54.0

Frequency: 5745MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5725.000000	61.9	48.7	200.0	H	0.0	-1.0	88.1	122.2	101.3	122.2
5745.000000	97.2	---	150.0	H	12.0	-0.9	---	---	---	---
5932.035714	42.4	31.1	150.0	H	285.0	-0.5	25.8	68.2	37.1	68.2



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5725.000000	57.3	44.5	150.0	V	0.0	-1.0	92.7	122.2	105.5	122.2
5745.000000	94.4	---	200.0	V	21.0	-0.9	---	---	---	---
5935.428571	41.7	31.3	175.0	V	33.0	-0.5	26.5	68.2	36.9	68.2

Frequency: 5825MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5639.910714	44.5	35.2	200.0	H	0.0	-1.0	23.7	68.2	33.1	68.2
5825.000000	97.3	---	150.0	H	117.0	-0.8	---	---	---	---
5850.000000	44.8	34.4	150.0	H	15.0	-0.8	77.4	122.2	87.8	122.2




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5633.803571	44.1	33.1	150.0	V	0.0	-1.0	24.1	68.2	35.1	68.2
5825.000000	93.0	---	200.0	V	24.0	-0.8	---	---	---	---
5850.000000	43.8	32.4	150.0	V	89.0	-0.8	78.4	122.2	89.8	122.2


Band Edge at 802.11n40

Frequency: 5190MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5048.000000	44.1	34.0	175.0	H	289.0	-1.8	29.9	74.0	20.0	54.0
5150.000000	53.7	39.3	150.0	H	229.0	-1.9	20.3	74.0	14.7	54.0
5190.000000	92.1	---	200.0	H	12.0	-2.0	---	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5047.500000	43.5	32.5	150.0	V	159.0	-1.8	30.5	74.0	21.5	54.0
5150.000000	52.6	38.1	200.0	V	241.0	-1.9	21.4	74.0	15.9	54.0
5190.000000	90.6	---	175.0	V	159.0	-2.0	---	---	---	---

Frequency: 5310MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5310.000000	89.7	---	150.0	H	0.0	-1.6	---	---	---	---
5350.000000	43.7	32.9	150.0	H	74.0	-1.5	30.3	74.0	21.1	54.0
5382.400000	42.3	32.7	150.0	H	157.0	-1.4	31.7	74.0	21.3	54.0




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5310.000000	89.1	---	150.0	V	0.0	-1.6	---	---	---	---
5350.000000	45.3	33.0	200.0	V	226.0	-1.5	28.8	74.0	21.0	54.0
5367.085714	44.7	31.6	175.0	V	164.0	-1.4	29.3	74.0	22.4	54.0




Frequency:5510MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5454.067857	44.0	32.9	300.0	H	195.0	-1.2	30.0	74.0	21.1	54.0
5470.000000	44.4	33.2	200.0	H	104.0	-1.2	29.6	74.0	20.9	54.0
5510.000000	89.2	---	150.0	H	0.0	-1.1	---	---	---	---




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5461.139286	45.6	33.5	150.0	V	0.0	-1.2	28.4	74.0	20.5	54.0
5470.000000	46.9	33.7	200.0	V	33.0	-1.2	27.1	74.0	20.4	54.0
5510.000000	90.9	---	300.0	V	125.0	-1.1	---	---	---	---




Frequency:5670MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5670.000000	90.3	---	150.0	H	153.0	-1.0	---	---	---	---
5725.000000	41.7	31.6	300.0	H	14.0	-1.0	32.4	74.0	22.5	54.0
5740.300000	43.0	31.8	200.0	H	20.0	-0.9	31.0	74.0	22.3	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5670.000000	94.4	---	150.0	V	0.0	-1.0	---	---	---	---
5725.000000	47.6	35.9	300.0	V	114.0	-1.0	26.4	74.0	18.1	54.0
5733.200000	46.9	34.6	200.0	V	12.0	-0.9	27.1	74.0	19.4	54.0

Frequency: 5710MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	RMS (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5430.142857	44.3	31.5	150.0	H	0.0	-1.2	29.7	74.0	22.5	54.0
5470.000000	44.3	32.3	200.0	H	12.0	-1.2	29.8	74.0	21.7	54.0
5710.000000	92.2	---	150.0	H	2.0	-1.0	---	---	---	---
5850.000000	42.0	30.9	300.0	H	125.0	-0.8	32.0	74.0	23.1	54.0
5878.000000	42.6	31.0	150.0	H	0.0	-0.7	31.4	74.0	23.0	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	RMS (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5419.142857	45.1	33.4	150.0	V	0.0	-1.3	28.9	74.0	20.6	54.0
5470.000000	44.5	33.6	200.0	V	12.0	-1.2	29.5	74.0	20.4	54.0
5710.000000	94.5	---	150.0	V	0.0	-1.0	---	---	---	---
5850.000000	42.4	31.6	300.0	V	156.0	-0.8	31.6	74.0	22.4	54.0
5873.285714	43.3	31.7	150.0	V	33.0	-0.7	30.7	74.0	22.4	54.0

Frequency: 5755MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5725.000000	65.8	56.2	150.0	H	0.0	-1.0	84.2	122.2	93.8	122.2
5755.000000	95.0	---	200.0	H	114.0	-0.9	---	---	---	---
5938.482143	43.5	32.3	300.0	H	24.0	-0.5	24.7	68.2	35.9	68.2



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5725.000000	61.0	49.1	150.0	V	298.0	-1.0	89.0	122.2	100.9	122.2
5755.000000	90.9	---	150.0	V	0.0	-0.9	---	---	---	---
5937.803571	42.2	31.4	300.0	V	66.0	-0.5	26.0	68.2	36.8	68.2

Frequency: 5795 MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5604.964286	45.5	35.2	150.0	H	0.0	-1.0	22.7	68.2	33.1	68.2
5795.000000	95.1	---	175.0	H	352.0	-0.9	---	---	---	---
5850.000000	44.2	33.9	250.0	H	114.0	-0.8	78.0	122.2	88.3	122.2




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5649.750000	46.2	35.6	150.0	V	174.0	-1.0	22.0	68.2	32.6	68.2
5795.000000	90.7	---	200.0	V	25.0	-0.9	---	---	---	---
5850.000000	41.2	31.1	175.0	V	0.0	-0.8	81.0	122.2	91.1	122.2


Band Edge at 802.11ac VHT20

Frequency: 5180MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5005.500000	42.9	31.5	200.0	H	156.0	-1.7	31.1	74.0	22.5	54.0
5150.000000	46.1	32.2	150.0	H	103.0	-1.9	27.9	74.0	21.8	54.0
5180.000000	95.8	---	175.0	H	156.0	-2.0	---	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
4958.000000	43.3	31.0	150.0	V	15.0	-1.8	30.7	74.0	23.1	54.0
5150.000000	43.5	30.9	175.0	V	152.0	-1.9	30.5	74.0	23.1	54.0
5180.000000	94.3	---	200.0	V	11.0	-2.0	---	---	---	---

Frequency: 5320MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5320.000000	96.4	---	200.0	H	0.0	-1.6	---	---	---	---
5350.000000	49.9	33.5	150.0	H	12.0	-1.5	24.1	74.0	20.5	54.0
5354.628571	46.9	33.0	175.0	H	178.0	-1.5	27.1	74.0	21.0	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5320.000000	94.6	---	150.0	V	0.0	-1.6	---	---	---	---
5350.000000	44.4	31.7	200.0	V	51.0	-1.5	29.6	74.0	22.3	54.0
5373.257143	41.6	31.4	175.0	V	111.0	-1.4	32.4	74.0	22.6	54.0

Frequency: 5500MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5464.628571	46.8	32.9	175.0	H	332.0	-1.2	27.2	74.0	21.1	54.0
5470.000000	45.7	33.1	150.0	H	44.0	-1.2	28.3	74.0	20.9	54.0
5500.000000	95.1	---	300.0	H	125.0	-1.1	---	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5459.714286	45.1	32.9	150.0	V	2.0	-1.2	29.0	74.0	21.1	54.0
5470.000000	47.2	33.0	200.0	V	153.0	-1.2	26.8	74.0	21.0	54.0
5500.000000	96.2	---	300.0	V	14.0	-1.1	---	---	---	---

Frequency: 5700MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5700.000000	93.1	---	150.0	H	142.0	-1.0	---	---	---	---
5725.000000	48.3	33.9	200.0	H	26.0	-1.0	25.7	74.0	20.1	54.0
5732.300000	46.0	32.7	250.0	H	22.0	-0.9	28.0	74.0	21.3	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5700.000000	94.7	---	150.0	V	144.0	-1.0	---	---	---	---
5725.000000	52.7	36.2	175.0	V	0.0	-1.0	21.3	74.0	17.8	54.0
5735.200000	48.7	33.6	200.0	V	12.0	-0.9	25.3	74.0	20.4	54.0

Frequency: 5720MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	RMS (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5408.142857	43.2	32.2	200.0	H	0.0	-1.3	30.8	74.0	21.8	54.0
5470.000000	43.6	32.3	150.0	H	36.0	-1.2	30.4	74.0	21.7	54.0
5720.000000	93.3	---	250.0	H	0.0	-1.0	---	---	---	---
5850.000000	42.2	30.9	150.0	H	116.0	-0.8	31.8	74.0	23.1	54.0
5878.785714	42.1	31.0	150.0	H	25.0	-0.7	31.9	74.0	23.0	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	RMS (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5426.607143	45.0	33.3	150.0	V	0.0	-1.3	29.0	74.0	20.7	54.0
5470.000000	45.3	33.4	200.0	V	145.0	-1.2	28.7	74.0	20.6	54.0
5720.000000	95.8	---	150.0	V	35.0	-1.0	---	---	---	---
5850.000000	42.8	32.6	300.0	V	44.0	-0.8	31.2	74.0	21.4	54.0
5882.714286	42.4	32.7	150.0	V	12.0	-0.7	31.6	74.0	21.3	54.0

Frequency: 5745MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5725.000000	56.6	41.2	150.0	H	174.0	-1.0	93.4	122.2	108.8	122.2
5745.000000	95.8	---	200.0	H	12.0	-0.9	---	---	---	---
5933.053571	43.0	31.1	175.0	H	33.0	-0.5	25.2	68.2	37.1	68.2



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5725.000000	56.1	40.7	150.0	V	0.0	-1.0	93.9	122.2	109.3	122.2
5745.000000	92.4	---	150.0	V	0.0	-0.9	---	---	---	---
5929.321429	41.3	31.1	150.0	V	0.0	-0.5	27.0	68.2	37.1	68.2

Frequency: 5825MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5619.553571	44.7	34.8	200.0	H	336.0	-1.0	23.5	68.2	33.4	68.2
5825.000000	96.9	---	150.0	H	0.0	-0.8	---	---	---	---
5850.000000	48.1	34.2	150.0	H	26.0	-0.8	74.1	122.2	88.0	122.2




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5640.589286	44.3	33.0	150.0	V	0.0	-1.0	23.9	68.2	35.2	68.2
5825.000000	92.4	---	200.0	V	0.0	-0.8	---	---	---	---
5850.000000	45.5	32.7	150.0	V	36.0	-0.8	76.7	122.2	89.5	122.2


Band Edge at 802.11ax HE20

Frequency: 5180MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5015.500000	42.1	31.1	150.0	H	0.0	-1.7	31.9	74.0	22.9	54.0
5150.000000	45.4	31.0	175.0	H	15.0	-1.9	28.6	74.0	23.0	54.0
5180.000000	93.2	---	300.0	H	23.0	-2.0	---	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5024.000000	42.6	31.2	150.0	V	0.0	-1.7	31.4	74.0	22.8	54.0
5150.000000	45.3	31.1	175.0	V	115.0	-1.9	28.7	74.0	22.9	54.0
5180.000000	92.2	---	300.0	V	12.0	-2.0	---	---	---	---

Frequency: 5320MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5320.000000	92.0	---	200.0	H	114.0	-1.6	---	---	---	---
5350.000000	46.6	32.7	150.0	H	35.0	-1.5	27.4	74.0	21.3	54.0
5355.771429	44.5	31.9	175.0	H	12.0	-1.5	29.5	74.0	22.1	54.0




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5320.000000	90.9	---	150.0	V	0.0	-1.6	---	---	---	---
5350.000000	43.7	31.9	150.0	V	0.0	-1.5	30.3	74.0	22.1	54.0
5369.800000	43.0	31.7	150.0	V	0.0	-1.4	31.0	74.0	22.3	54.0




Frequency:5500MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5466.571429	45.7	31.8	200.0	H	115.0	-1.2	28.3	74.0	22.2	54.0
5470.000000	45.4	31.4	300.0	H	47.0	-1.2	28.6	74.0	22.6	54.0
5500.000000	92.1	---	150.0	H	15.0	-1.1	---	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5465.771429	50.1	33.7	150.0	V	246.0	-1.2	24.0	74.0	20.3	54.0
5470.000000	50.2	33.0	200.0	V	119.0	-1.2	23.8	74.0	21.0	54.0
5500.000000	92.8	---	350.0	V	0.0	-1.1	---	---	---	---

Frequency: 5700MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5700.000000	94.8	---	150.0	H	12.0	-1.0	---	---	---	---
5725.000000	49.0	35.0	200.0	H	25.0	-1.0	25.0	74.0	19.0	54.0
5733.500000	45.9	32.7	300.0	H	114.0	-0.9	28.1	74.0	21.3	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5700.000000	94.9	---	150.0	V	125.0	-1.0	---	---	---	---
5725.000000	49.4	34.9	200.0	V	44.0	-1.0	24.7	74.0	19.1	54.0
5734.600000	47.3	33.1	175.0	V	12.0	-0.9	26.7	74.0	20.9	54.0

Frequency: 5720MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	RMS (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5414.035714	42.1	32.2	150.0	H	36.0	-1.3	32.0	74.0	21.8	54.0
5470.000000	43.3	32.3	200.0	H	0.0	-1.2	30.7	74.0	21.7	54.0
5720.000000	96.2	---	150.0	H	114.0	-1.0	---	---	---	---
5850.000000	43.2	30.9	150.0	H	0.0	-0.8	30.9	74.0	23.1	54.0
5876.821429	43.9	31.0	300.0	H	23.0	-0.7	30.2	74.0	23.0	54.0



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	RMS (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5416.000000	43.9	33.3	150.0	V	0.0	-1.3	30.1	74.0	20.7	54.0
5470.000000	44.7	33.5	200.0	V	117.0	-1.2	29.3	74.0	20.5	54.0
5720.000000	96.1	---	150.0	V	0.0	-1.0	---	---	---	---
5850.000000	42.0	31.5	250.0	V	23.0	-0.8	32.0	74.0	22.5	54.0
5871.714286	42.5	32.0	150.0	V	147.0	-0.7	31.5	74.0	22.0	54.0

Frequency: 5745MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5725.000000	60.3	46.9	150.0	H	0.0	-1.0	89.7	122.2	103.1	122.2
5745.000000	97.2	---	150.0	H	0.0	-0.9	---	---	---	---
5931.696429	42.3	31.1	150.0	H	0.0	-0.5	25.9	68.2	37.1	68.2



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5725.000000	58.3	43.5	200.0	V	185.0	-1.0	91.7	122.2	106.6	122.2
5745.000000	94.5	---	150.0	V	16.0	-0.9	---	---	---	---
5933.053571	43.7	31.4	250.0	V	12.0	-0.5	24.5	68.2	36.9	68.2

Frequency: 5825MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5624.642857	43.5	33.9	150.0	H	243.0	-1.0	24.7	68.2	34.3	68.2
5825.000000	96.8	---	175.0	H	47.0	-0.8	---	---	---	---
5850.000000	48.1	33.2	250.0	H	14.0	-0.8	74.1	122.2	89.0	122.2



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)	Limit - Average (dBuV/m)
5632.446429	44.3	34.2	200.0	V	0.0	-1.0	23.9	68.2	34.0	68.2
5825.000000	91.6	---	150.0	V	117.0	-0.8	---	---	---	---
5850.000000	46.6	31.4	300.0	V	25.0	-0.8	75.6	122.2	90.8	122.2

The worst case of Radiated Emission Above 18GHz

18-40GHz Radiated Emission


EUT Information

EUT Name: Wi-Fi and Bluetooth Module
 Model: T7-M
 Client: Hangzhou Tuya Information Technology Co.,Ltd
 Op Cond: TX_5825MHz at 802.11a
 Operator: Chengjie GUO
 Standard: FCC Part15.209
 Sample No.: SHA-1064638-1

Sweep Setup: RE_3116C_pre [EMI radiated]

Hardware Setup: RE_3116C
 Receiver: [FSV 40]
 Level Unit: dBuV/m

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
18 GHz - 40 GHz	687.5 kHz	PK+ ; AVG	1 MHz	0.05 s	0 dB



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
18154.000000	49.33	---	74.00	24.67	200.0	H	109.0	8.4
18523.875000	---	43.90	54.00	10.10	100.0	H	50.0	8.6
20862.750000	---	41.54	54.00	12.46	100.0	H	351.0	8.9
21228.500000	46.66	---	74.00	27.34	100.0	H	15.0	9.2
25143.812500	---	43.91	54.00	10.09	100.0	H	264.0	9.7
25237.312500	48.43	---	74.00	25.57	100.0	H	43.0	9.8
27054.375000	46.00	---	74.00	28.00	100.0	H	330.0	9.7
30280.125000	---	41.56	54.00	12.44	100.0	H	22.0	10.5
33644.750000	---	44.78	54.00	9.22	100.0	H	300.0	11.5
33688.062500	49.43	---	74.00	24.57	200.0	H	300.0	11.5
38934.375000	51.01	---	74.00	22.99	150.0	H	22.0	13.0
38934.375000	---	46.29	54.00	7.71	100.0	H	22.0	13.0

18-40GHz Radiated Emission


EUT Information

EUT Name: Wi-Fi and Bluetooth Module
 Model: T7-M
 Client: Hangzhou Tuya Information Technology Co.,Ltd
 Op Cond: TX_5825MHz at 802.11a
 Operator: Chengjie GUO
 Standard: FCC Part15.209
 Sample No.: SHA-1064638-1

Sweep Setup: RE_3116C_pre [EMI radiated]

Hardware Setup: RE_3116C
 Receiver: [FSV 40]
 Level Unit: dBuV/m

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamplifier
18 GHz - 40 GHz	500 kHz	PK+ ; AVG	1 MHz	0.05 s	0 dB



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
18405.625000	48.77	---	74.00	25.23	100.0	V	307.0	8.6
18468.875000	---	45.61	54.00	8.39	100.0	V	131.0	8.6
20857.937500	45.76	---	74.00	28.24	100.0	V	260.0	8.9
20886.125000	---	41.61	54.00	12.39	150.0	V	260.0	9.0
25367.250000	48.54	---	74.00	25.46	200.0	V	293.0	10.0
25572.812500	---	44.47	54.00	9.53	150.0	V	125.0	10.2
26840.562500	47.05	---	74.00	26.95	100.0	V	64.0	9.7
29720.500000	---	41.58	54.00	12.42	100.0	V	334.0	10.3
34856.125000	---	44.96	54.00	9.04	100.0	V	0.0	11.9
34880.875000	50.08	---	74.00	23.92	100.0	V	300.0	11.9
38912.375000	---	45.89	54.00	8.11	100.0	V	286.0	13.0
38922.000000	51.24	---	74.00	22.76	100.0	V	229.0	13.0

Remark:

- (1) Above 1GHz Corrector factor= Antenna Factor +Cable Loss - Amp. Factor.
- (2) Below 1GHz Corrector factor= Antenna Factor +Cable Loss.
- (3) We test all modes and only the worst case for each bandwidth recorded in the report.
- (4) In non-restricted band, its limit is -27dBm/MHz. At a distance of 3 meters, the field strength limit in dBuV/m can be determined by adding a "conversion" factor of 95.2dB to the EIRP limit of -27dBm/MHz to obtain the limit for out of band spurious emissions.

11 Test Equipment List

List of Test Instruments Test Site1

	Description	Manufacturer	Model no.	Serial no.	CAL. DATE	CAL. DUE DATE
C	Signal spectrum analyzer	Agilent	N9020B	MY59050168	2025-2-19	2026-2-18
	RF automatic control unit	MWRFTtest	MW100-RFCB	MW211122-28	2025-10-9	2026-10-8
	Double-ridged waveguide horn antenna	Rohde & Schwarz	HF907	102393	2026-4-14	2027-4-13
	RF_Cable	UCWAVE ELECTRONIC	UCA500-NJWSM-1.5M	---	2025-8-1	2026-7-31
	Temperature Chamber	Shanghai HUCAN	HTT-100AP	HT02002SN2 2D	2025-11-3	2026-11-2
RE	EMI Test Receiver	Rohde & Schwarz	ESR3	101906	2025-8-1	2026-7-31
	Signal Analyzer	Rohde & Schwarz	FSV40	101091	2025-8-1	2026-7-31
	Trilog Super Broadband Test Antenna	Schwarzbeck	VULB 9168	961	2026-6-25	2027-6-24
	Double-ridged waveguide horn antenna	Rohde & Schwarz	HF907	102393	2026-4-14	2027-4-13
	Pre-amplifier	Shenzhen HzEMC	HPA-081843	HYP A23026	2026-4-14	2027-4-13
	Loop antenna	Rohde & Schwarz	HFH2-Z2	100443	2026-6-25	2027-6-24
	Double Ridged Horn Antenna	ETS-Lindgren	3116C	000222727	2026-6-25	2027-6-24
	5G Band reject filter	Shanghai Huaxiang	SHX-DZ-5.15/5.85-40S	---	2025-8-1	2026-7-31
	RE_Cable_01 Coaxial Cable	JUNFLON	MWX221	1906S057	2025-8-1	2026-7-31
	RE_Cable_02 Coaxial Cable	HUBER+SUHNER	RG214	1358176	2025-8-1	2026-7-31
	RE_Cable_03 Coaxial Cable	JUNFLON	MWX221	J12J102482	2025-8-1	2026-7-31
	RE_Cable_04 Coaxial Cable	PASTERNAK	PE360	2233	2025-8-1	2026-7-31
	3m Semi-anechoic chamber	TDK	9X6X6	----	2024-5-8	2027-5-7
CE	EMI Test Receiver	Rohde & Schwarz	ESR3	101907	2025-8-1	2026-7-31
	LISN	Rohde & Schwarz	ENV216	101924	2025-8-1	2026-7-31
	CE_Cable_01 Coaxial Cable	HUBER+SUHNER	RG400	1002115055	2025-8-1	2026-7-31
Measurement Software Information						
Test Item	Software	Manufacturer		Version		
C	MTS 8310	MWRFTtest		3.0.0.0		
	Power Viewer	Rohde & Schwarz		V 11.0		
RE	EMC 32	Rohde & Schwarz		V10.50.40		
CE	EMC 32	Rohde & Schwarz		V9.15.03		



C - Conducted RF tests

- Maximum Conducted Output Power & EIRP
- -26dB Bandwidth
- -6dB Bandwidth
- Occupied Bandwidth
- Power spectral density
- Frequency Stability



12 System Measurement Uncertainty

For a 95% confidence level, the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 were:

Items	Extended Uncertainty
Conducted Disturbance at Mains Terminals	150kHz to 30MHz, LISN, 3.16dB
Radiated Disturbance	9kHz to 30MHz, 3.52dB 30MHz to 1GHz, 5.03dB (Horizontal) 5.12dB (Vertical) 1GHz to 18GHz, 5.49dB 18GHz to 40GHz, 5.63dB
RF Conducted Measurement	Power related: 1.16dB Frequency related: 6.00×10 ⁻³

Measurement Uncertainty Decision Rule:

Determination of conformity with the specification limits is based on the decision rule according to IEC Guide 115: 2023, clause 4.3.3.



13 Photographs of Test Set-ups

Refer to the < Test Setup photos >



14 Photographs of EUT

Refer to the < External Photos > & < Internal Photos >.

-----End of Test Report-----