





Mode	18																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11n HT40_CH9_2452MHz																																																						
ANT	1																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.75</td><td>52.92</td><td>74.00</td><td>-21.08</td><td>44.48</td><td>31.88</td><td>7.16</td><td>36.60</td><td>6.00</td><td>304 143 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.75	52.92	74.00	-21.08	44.48	31.88	7.16	36.60	6.00	304 143 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2384.75	52.92	74.00	-21.08	44.48	31.88	7.16	36.60	6.00	304 143 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>99.87</td><td>-----</td><td>-----</td><td>90.95</td><td>32.21</td><td>7.28</td><td>36.57</td><td>6.00</td><td>304 143 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	99.87	-----	-----	90.95	32.21	7.28	36.57	6.00	304 143 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2452.00	99.87	-----	-----	90.95	32.21	7.28	36.57	6.00	304 143 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2380.46</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>34.75</td><td>31.84</td><td>7.15</td><td>36.61</td><td>6.00</td><td>304 143 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2380.46	43.13	54.00	-10.87	34.75	31.84	7.15	36.61	6.00	304 143 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2380.46	43.13	54.00	-10.87	34.75	31.84	7.15	36.61	6.00	304 143 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>91.58</td><td>-----</td><td>-----</td><td>82.66</td><td>32.21</td><td>7.28</td><td>36.57</td><td>6.00</td><td>304 143 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	91.58	-----	-----	82.66	32.21	7.28	36.57	6.00	304 143 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2452.00	91.58	-----	-----	82.66	32.21	7.28	36.57	6.00	304 143 AVERAGE																																													



Mode	18																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11n HT40_CH9_2452MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.92</td><td>51.64</td><td>74.00</td><td>-22.36</td><td>42.61</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>304</td><td>143</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	51.64	74.00	-22.36	42.61	32.27	7.33	36.57	6.00	304	143	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.92	51.64	74.00	-22.36	42.61	32.27	7.33	36.57	6.00	304	143	PEAK																																											
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.04</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>33.88</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>304</td><td>143</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	42.91	54.00	-11.09	33.88	32.27	7.33	36.57	6.00	304	143	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.04	42.91	54.00	-11.09	33.88	32.27	7.33	36.57	6.00	304	143	AVERAGE																																											





Mode	18																																																																																																																																																											
	Harmonic																																																																																																																																																											
	2400-2483.5_802.11n HT40_CH9_2452MHz																																																																																																																																																											
ANT	1																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>42.10</td><td>74.00</td><td>-31.90</td><td>62.13</td><td>33.90</td><td>10.37</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>6538.50</td><td>51.33</td><td>79.02</td><td>-27.69</td><td>68.80</td><td>35.58</td><td>12.18</td><td>65.23</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7356.00</td><td>42.88</td><td>74.00</td><td>-31.12</td><td>60.70</td><td>35.51</td><td>12.84</td><td>66.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	42.10	74.00	-31.90	62.13	33.90	10.37	64.30	0.00	---	---	PEAK	2	6538.50	51.33	79.02	-27.69	68.80	35.58	12.18	65.23	0.00	---	---	Peak	3	7356.00	42.88	74.00	-31.12	60.70	35.51	12.84	66.17	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>42.35</td><td>74.00</td><td>-31.65</td><td>62.38</td><td>33.90</td><td>10.37</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>6538.50</td><td>49.36</td><td>76.44</td><td>-27.08</td><td>66.83</td><td>35.58</td><td>12.18</td><td>65.23</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7356.00</td><td>42.63</td><td>74.00</td><td>-31.37</td><td>60.45</td><td>35.51</td><td>12.84</td><td>66.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	42.35	74.00	-31.65	62.38	33.90	10.37	64.30	0.00	---	---	PEAK	2	6538.50	49.36	76.44	-27.08	66.83	35.58	12.18	65.23	0.00	---	---	Peak	3	7356.00	42.63	74.00	-31.37	60.45	35.51	12.84	66.17	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	4904.00	42.10	74.00	-31.90	62.13	33.90	10.37	64.30	0.00	---	---	PEAK																																																																																																																																																
2	6538.50	51.33	79.02	-27.69	68.80	35.58	12.18	65.23	0.00	---	---	Peak																																																																																																																																																
3	7356.00	42.88	74.00	-31.12	60.70	35.51	12.84	66.17	0.00	---	---	PEAK																																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	4904.00	42.35	74.00	-31.65	62.38	33.90	10.37	64.30	0.00	---	---	PEAK																																																																																																																																																
2	6538.50	49.36	76.44	-27.08	66.83	35.58	12.18	65.23	0.00	---	---	Peak																																																																																																																																																
3	7356.00	42.63	74.00	-31.37	60.45	35.51	12.84	66.17	0.00	---	---	PEAK																																																																																																																																																

Note: The non-restricted frequency which limit is 100kHz-PSD down 20dB



Mode	8	
	18G-25G	
	2400-2483.5_802.11b_CH06_2437MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red line for FCC PART 15C (-60dB), and a red line for FCC PART 15C (AVG) (-60dB). The signal level is approximately 48.8 dBuV/m.	Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red line for FCC PART 15C (-60dB), and a red line for FCC PART 15C (AVG) (-60dB). The signal level is approximately 48.8 dBuV/m.




Mode	8																																																																																																																																																																																																						
	LF																																																																																																																																																																																																						
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																																																																						
ANT	1																																																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																																																
Peak																																																																																																																																																																																																							
	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.91</td><td>19.56</td><td>40.00</td><td>-20.44</td><td>27.39</td><td>23.50</td><td>0.87</td><td>32.20</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>102.27</td><td>22.33</td><td>43.50</td><td>-21.17</td><td>36.63</td><td>16.21</td><td>1.55</td><td>32.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>241.95</td><td>25.78</td><td>46.00</td><td>-20.22</td><td>37.81</td><td>17.46</td><td>2.38</td><td>31.87</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>398.36</td><td>31.94</td><td>46.00</td><td>-14.06</td><td>39.29</td><td>21.75</td><td>3.04</td><td>32.14</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>779.81</td><td>28.72</td><td>46.00</td><td>-17.28</td><td>28.30</td><td>27.90</td><td>4.25</td><td>31.73</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>942.77</td><td>32.08</td><td>46.00</td><td>-13.92</td><td>28.27</td><td>29.98</td><td>4.67</td><td>30.84</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	32.91	19.56	40.00	-20.44	27.39	23.50	0.87	32.20	0.00	---	Peak	2	102.27	22.33	43.50	-21.17	36.63	16.21	1.55	32.06	0.00	---	Peak	3	241.95	25.78	46.00	-20.22	37.81	17.46	2.38	31.87	0.00	---	Peak	4	398.36	31.94	46.00	-14.06	39.29	21.75	3.04	32.14	0.00	---	Peak	5	779.81	28.72	46.00	-17.28	28.30	27.90	4.25	31.73	0.00	---	Peak	6	942.77	32.08	46.00	-13.92	28.27	29.98	4.67	30.84	0.00	---	Peak	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>36.06</td><td>35.79</td><td>40.00</td><td>-4.21</td><td>45.23</td><td>21.85</td><td>0.91</td><td>32.20</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>99.84</td><td>30.66</td><td>43.50</td><td>-12.84</td><td>45.26</td><td>15.93</td><td>1.53</td><td>32.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>234.67</td><td>24.35</td><td>46.00</td><td>-21.65</td><td>37.33</td><td>16.59</td><td>2.34</td><td>31.91</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>392.54</td><td>28.31</td><td>46.00</td><td>-17.69</td><td>35.92</td><td>21.49</td><td>3.02</td><td>32.12</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>559.14</td><td>28.19</td><td>46.00</td><td>-17.81</td><td>30.98</td><td>25.99</td><td>3.60</td><td>32.38</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>910.03</td><td>30.37</td><td>46.00</td><td>-15.63</td><td>28.05</td><td>29.03</td><td>4.58</td><td>31.29</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	36.06	35.79	40.00	-4.21	45.23	21.85	0.91	32.20	0.00	---	Peak	2	99.84	30.66	43.50	-12.84	45.26	15.93	1.53	32.06	0.00	---	Peak	3	234.67	24.35	46.00	-21.65	37.33	16.59	2.34	31.91	0.00	---	Peak	4	392.54	28.31	46.00	-17.69	35.92	21.49	3.02	32.12	0.00	---	Peak	5	559.14	28.19	46.00	-17.81	30.98	25.99	3.60	32.38	0.00	---	Peak	6	910.03	30.37	46.00	-15.63	28.05	29.03	4.58	31.29	0.00	---
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																													
1	32.91	19.56	40.00	-20.44	27.39	23.50	0.87	32.20	0.00	---	Peak																																																																																																																																																																																												
2	102.27	22.33	43.50	-21.17	36.63	16.21	1.55	32.06	0.00	---	Peak																																																																																																																																																																																												
3	241.95	25.78	46.00	-20.22	37.81	17.46	2.38	31.87	0.00	---	Peak																																																																																																																																																																																												
4	398.36	31.94	46.00	-14.06	39.29	21.75	3.04	32.14	0.00	---	Peak																																																																																																																																																																																												
5	779.81	28.72	46.00	-17.28	28.30	27.90	4.25	31.73	0.00	---	Peak																																																																																																																																																																																												
6	942.77	32.08	46.00	-13.92	28.27	29.98	4.67	30.84	0.00	---	Peak																																																																																																																																																																																												
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																													
1	36.06	35.79	40.00	-4.21	45.23	21.85	0.91	32.20	0.00	---	Peak																																																																																																																																																																																												
2	99.84	30.66	43.50	-12.84	45.26	15.93	1.53	32.06	0.00	---	Peak																																																																																																																																																																																												
3	234.67	24.35	46.00	-21.65	37.33	16.59	2.34	31.91	0.00	---	Peak																																																																																																																																																																																												
4	392.54	28.31	46.00	-17.69	35.92	21.49	3.02	32.12	0.00	---	Peak																																																																																																																																																																																												
5	559.14	28.19	46.00	-17.81	30.98	25.99	3.60	32.38	0.00	---	Peak																																																																																																																																																																																												
6	910.03	30.37	46.00	-15.63	28.05	29.03	4.58	31.29	0.00	---	Peak																																																																																																																																																																																												

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	98.13	-	-	10Hz
802.11g	98.59	-	-	10Hz
802.11ax HE20	95.78	0.159	6.289	6.8KHz
802.11n HT40	93.46	0.100	10.000	10KHz

802.11b






802.11g



802.11ax HE20





802.11n HT40

