















		20																																																																																															
Mode		Band Edge																																																																																															
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_52/37_5180MHz																																																																																															
ANT		1																																																																																															
Pol.		Horizontal					Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.60</td><td>55.05</td><td>74.00</td><td>-18.95</td><td>45.87</td><td>34.00</td><td>11.79</td><td>36.70</td><td>0.00</td><td>103 289 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.60	55.05	74.00	-18.95	45.87	34.00	11.79	36.70	0.00	103 289 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>99.18</td><td>-----</td><td>-----</td><td>89.94</td><td>34.20</td><td>11.83</td><td>36.79</td><td>0.00</td><td>103 289 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.18	-----	-----	89.94	34.20	11.83	36.79	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5143.60	55.05	74.00	-18.95	45.87	34.00	11.79	36.70	0.00	103 289 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5180.00	99.18	-----	-----	89.94	34.20	11.83	36.79	0.00	103 289 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.00</td><td>40.05</td><td>54.00</td><td>-13.95</td><td>30.88</td><td>34.00</td><td>11.75</td><td>36.58</td><td>0.00</td><td>103 289 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	40.05	54.00	-13.95	30.88	34.00	11.75	36.58	0.00	103 289 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>90.97</td><td>-----</td><td>-----</td><td>81.73</td><td>34.20</td><td>11.83</td><td>36.79</td><td>0.00</td><td>103 289 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	90.97	-----	-----	81.73	34.20	11.83	36.79	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5100.00	40.05	54.00	-13.95	30.88	34.00	11.75	36.58	0.00	103 289 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5180.00	90.97	-----	-----	81.73	34.20	11.83	36.79	0.00	103 289 AVERAGE																																																																																							







Mode	20																																																																																																
	Band Edge																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_52/37_5180MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>56.96</td><td>74.00</td><td>-17.04</td><td>47.78</td><td>34.10</td><td>11.80</td><td>36.72</td><td>0.00</td><td>102</td><td>326</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	56.96	74.00	-17.04	47.78	34.10	11.80	36.72	0.00	102	326	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>102.48</td><td>-----</td><td>-----</td><td>93.24</td><td>34.20</td><td>11.83</td><td>36.79</td><td>0.00</td><td>102</td><td>326</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	102.48	-----	-----	93.24	34.20	11.83	36.79	0.00	102	326
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 5180.00	56.96	74.00	-17.04	47.78	34.10	11.80	36.72	0.00	102	326	PEAK																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 5180.00	102.48	-----	-----	93.24	34.20	11.83	36.79	0.00	102	326	PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.10</td><td>40.53</td><td>54.00</td><td>-13.47</td><td>31.36</td><td>34.00</td><td>11.75</td><td>36.58</td><td>0.00</td><td>102</td><td>326</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.10	40.53	54.00	-13.47	31.36	34.00	11.75	36.58	0.00	102	326	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>93.70</td><td>-----</td><td>-----</td><td>84.46</td><td>34.20</td><td>11.83</td><td>36.79</td><td>0.00</td><td>102</td><td>326</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	93.70	-----	-----	84.46	34.20	11.83	36.79	0.00	102	326
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 5180.10	40.53	54.00	-13.47	31.36	34.00	11.75	36.58	0.00	102	326	AVERAGE																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 5180.00	93.70	-----	-----	84.46	34.20	11.83	36.79	0.00	102	326	AVERAGE																																																																																						







Mode	21																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_106/53_5180MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5106.20</td><td>52.10</td><td>74.00</td><td>-21.90</td><td>42.93</td><td>34.01</td><td>11.76</td><td>36.60</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5106.20	52.10	74.00	-21.90	42.93	34.01	11.76	36.60	0.00	100	244 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5180.00</td><td>102.10</td><td>-----</td><td>-----</td><td>92.86</td><td>34.20</td><td>11.83</td><td>36.79</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5180.00	102.10	-----	-----	92.86	34.20	11.83	36.79	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5106.20	52.10	74.00	-21.90	42.93	34.01	11.76	36.60	0.00	100	244 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5180.00	102.10	-----	-----	92.86	34.20	11.83	36.79	0.00	100	244 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5100.00</td><td>39.94</td><td>54.00</td><td>-14.06</td><td>30.77</td><td>34.00</td><td>11.75</td><td>36.58</td><td>0.00</td><td>100</td><td>244 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5100.00	39.94	54.00	-14.06	30.77	34.00	11.75	36.58	0.00	100	244 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5180.00</td><td>93.96</td><td>-----</td><td>-----</td><td>84.72</td><td>34.20</td><td>11.83</td><td>36.79</td><td>0.00</td><td>100</td><td>244 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5180.00	93.96	-----	-----	84.72	34.20	11.83	36.79	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5100.00	39.94	54.00	-14.06	30.77	34.00	11.75	36.58	0.00	100	244 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5180.00	93.96	-----	-----	84.72	34.20	11.83	36.79	0.00	100	244 AVERAGE																																																																																																												







Mode	21																																																																																																						
	Band Edge																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_106/53_5180MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.90</td><td>56.25</td><td>74.00</td><td>-17.75</td><td>47.07</td><td>34.09</td><td>11.79</td><td>36.70</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.90	56.25	74.00	-17.75	47.07	34.09	11.79	36.70	0.00	100	325	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>103.53</td><td>-----</td><td>-----</td><td>94.29</td><td>34.20</td><td>11.83</td><td>36.79</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.53	-----	-----	94.29	34.20	11.83	36.79	0.00	100	325
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5143.90	56.25	74.00	-17.75	47.07	34.09	11.79	36.70	0.00	100	325	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5180.00	103.53	-----	-----	94.29	34.20	11.83	36.79	0.00	100	325	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5106.20</td><td>40.33</td><td>54.00</td><td>-13.67</td><td>31.16</td><td>34.01</td><td>11.76</td><td>36.60</td><td>0.00</td><td>100</td><td>325</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.20	40.33	54.00	-13.67	31.16	34.01	11.76	36.60	0.00	100	325	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>96.64</td><td>-----</td><td>-----</td><td>87.40</td><td>34.20</td><td>11.83</td><td>36.79</td><td>0.00</td><td>100</td><td>325</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.64	-----	-----	87.40	34.20	11.83	36.79	0.00	100	325
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5106.20	40.33	54.00	-13.67	31.16	34.01	11.76	36.60	0.00	100	325	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5180.00	96.64	-----	-----	87.40	34.20	11.83	36.79	0.00	100	325	AVERAGE																																																																																											



Mode	22																																																									
	Band Edge																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_26/8_5320MHz																																																									
ANT	1																																																									
Pol.	Horizontal						Fundamental																																																			
Peak																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.20</td><td>55.88</td><td>74.00</td><td>-18.12</td><td>45.47</td><td>34.60</td><td>11.97</td><td>36.16</td><td>0.00</td><td>108</td><td>288</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.20	55.88	74.00	-18.12	45.47	34.60	11.97	36.16	0.00	108	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5353.20	55.88	74.00	-18.12	45.47	34.60	11.97	36.16	0.00	108	288	PEAK																																														
Peak																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>94.13</td><td>-----</td><td>-----</td><td>83.81</td><td>34.60</td><td>11.95</td><td>36.23</td><td>0.00</td><td>108</td><td>288</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	94.13	-----	-----	83.81	34.60	11.95	36.23	0.00	108	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5320.00	94.13	-----	-----	83.81	34.60	11.95	36.23	0.00	108	288	PEAK																																														
Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.00</td><td>39.44</td><td>54.00</td><td>-14.56</td><td>29.04</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>108</td><td>288</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.00	39.44	54.00	-14.56	29.04	34.60	11.97	36.17	0.00	108	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5351.00	39.44	54.00	-14.56	29.04	34.60	11.97	36.17	0.00	108	288	AVERAGE																																														
Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>86.50</td><td>-----</td><td>-----</td><td>76.18</td><td>34.60</td><td>11.95</td><td>36.23</td><td>0.00</td><td>108</td><td>288</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	86.50	-----	-----	76.18	34.60	11.95	36.23	0.00	108	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5320.00	86.50	-----	-----	76.18	34.60	11.95	36.23	0.00	108	288	AVERAGE																																														







Mode	22																																																																																																				
	Band Edge																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_26/8_5320MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5309.50</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>41.04</td><td>34.60</td><td>12.00</td><td>36.08</td><td>0.00</td><td>100</td><td>336 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5309.50	51.56	74.00	-22.44	41.04	34.60	12.00	36.08	0.00	100	336 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.77</td><td>-----</td><td>-----</td><td>86.45</td><td>34.60</td><td>11.95</td><td>36.23</td><td>0.00</td><td>100</td><td>336 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.77	-----	-----	86.45	34.60	11.95	36.23	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5309.50	51.56	74.00	-22.44	41.04	34.60	12.00	36.08	0.00	100	336 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	96.77	-----	-----	86.45	34.60	11.95	36.23	0.00	100	336 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5308.00</td><td>40.18</td><td>54.00</td><td>-13.82</td><td>29.66</td><td>34.60</td><td>12.00</td><td>36.08</td><td>0.00</td><td>100</td><td>336 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5308.00	40.18	54.00	-13.82	29.66	34.60	12.00	36.08	0.00	100	336 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>87.87</td><td>-----</td><td>-----</td><td>77.55</td><td>34.60</td><td>11.95</td><td>36.23</td><td>0.00</td><td>100</td><td>336 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	87.87	-----	-----	77.55	34.60	11.95	36.23	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5308.00	40.18	54.00	-13.82	29.66	34.60	12.00	36.08	0.00	100	336 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	87.87	-----	-----	77.55	34.60	11.95	36.23	0.00	100	336 AVERAGE																																																																																										







Mode	23																																																																																																	
	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_52/40_5320MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>97.14</td><td>-----</td><td>86.82</td><td>34.60</td><td>11.95</td><td>36.23</td><td>0.00</td><td>100</td><td>287 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.14	-----	86.82	34.60	11.95	36.23	0.00	100	287 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>97.14</td><td>-----</td><td>86.82</td><td>34.60</td><td>11.95</td><td>36.23</td><td>0.00</td><td>100</td><td>287 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.14	-----	86.82	34.60	11.95	36.23	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	97.14	-----	86.82	34.60	11.95	36.23	0.00	100	287 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	97.14	-----	86.82	34.60	11.95	36.23	0.00	100	287 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>88.94</td><td>-----</td><td>78.62</td><td>34.60</td><td>11.95</td><td>36.23</td><td>0.00</td><td>100</td><td>287 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	88.94	-----	78.62	34.60	11.95	36.23	0.00	100	287 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>88.94</td><td>-----</td><td>78.62</td><td>34.60</td><td>11.95</td><td>36.23</td><td>0.00</td><td>100</td><td>287 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	88.94	-----	78.62	34.60	11.95	36.23	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	88.94	-----	78.62	34.60	11.95	36.23	0.00	100	287 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	88.94	-----	78.62	34.60	11.95	36.23	0.00	100	287 AVERAGE																																																																																								







Mode	23																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_52/40_5320MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.80</td><td>56.78</td><td>74.00</td><td>-17.22</td><td>46.37</td><td>34.60</td><td>11.97</td><td>36.16</td><td>0.00</td><td>100</td><td>338</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.80	56.78	74.00	-17.22	46.37	34.60	11.97	36.16	0.00	100	338	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.15</td><td>-----</td><td>-----</td><td>90.83</td><td>34.60</td><td>11.95</td><td>36.23</td><td>0.00</td><td>100</td><td>338</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.15	-----	-----	90.83	34.60	11.95	36.23	0.00	100	338
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5354.80	56.78	74.00	-17.22	46.37	34.60	11.97	36.16	0.00	100	338	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	101.15	-----	-----	90.83	34.60	11.95	36.23	0.00	100	338	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5308.70</td><td>40.23</td><td>54.00</td><td>-13.77</td><td>29.71</td><td>34.60</td><td>12.00</td><td>36.08</td><td>0.00</td><td>100</td><td>338</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5308.70	40.23	54.00	-13.77	29.71	34.60	12.00	36.08	0.00	100	338	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>91.82</td><td>-----</td><td>-----</td><td>81.50</td><td>34.60</td><td>11.95</td><td>36.23</td><td>0.00</td><td>100</td><td>338</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	91.82	-----	-----	81.50	34.60	11.95	36.23	0.00	100	338
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5308.70	40.23	54.00	-13.77	29.71	34.60	12.00	36.08	0.00	100	338	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	91.82	-----	-----	81.50	34.60	11.95	36.23	0.00	100	338	AVERAGE																																																																																							







Mode	24																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_106/54_5320MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.10</td><td>54.79</td><td>74.00</td><td>-19.21</td><td>44.38</td><td>34.60</td><td>11.97</td><td>36.16</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5354.10	54.79	74.00	-19.21	44.38	34.60	11.97	36.16	0.00	100	287	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.24</td><td>-----</td><td>-----</td><td>91.92</td><td>34.60</td><td>11.95</td><td>36.23</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	102.24	-----	-----	91.92	34.60	11.95	36.23	0.00	100	287
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5354.10	54.79	74.00	-19.21	44.38	34.60	11.97	36.16	0.00	100	287	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5320.00	102.24	-----	-----	91.92	34.60	11.95	36.23	0.00	100	287	PEAK																																																																																																									
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>39.50</td><td>54.00</td><td>-14.50</td><td>29.10</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	39.50	54.00	-14.50	29.10	34.60	11.97	36.17	0.00	100	287	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>92.69</td><td>-----</td><td>-----</td><td>82.38</td><td>34.60</td><td>11.95</td><td>36.24</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	92.69	-----	-----	82.38	34.60	11.95	36.24	0.00	100	287
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5350.00	39.50	54.00	-14.50	29.10	34.60	11.97	36.17	0.00	100	287	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5320.00	92.69	-----	-----	82.38	34.60	11.95	36.24	0.00	100	287	AVERAGE																																																																																																									



Mode	24																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_106/54_5320MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.30</td><td>57.36</td><td>74.00</td><td>-16.64</td><td>46.95</td><td>34.60</td><td>11.97</td><td>36.16</td><td>0.00</td><td>100</td><td>337 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.30	57.36	74.00	-16.64	46.95	34.60	11.97	36.16	0.00	100	337 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.66</td><td>-----</td><td>-----</td><td>93.34</td><td>34.60</td><td>11.95</td><td>36.23</td><td>0.00</td><td>100</td><td>337 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.66	-----	-----	93.34	34.60	11.95	36.23	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5354.30	57.36	74.00	-16.64	46.95	34.60	11.97	36.16	0.00	100	337 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	103.66	-----	-----	93.34	34.60	11.95	36.23	0.00	100	337 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>40.34</td><td>54.00</td><td>-13.66</td><td>29.94</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>100</td><td>337 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	40.34	54.00	-13.66	29.94	34.60	11.97	36.17	0.00	100	337 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>95.56</td><td>-----</td><td>-----</td><td>85.25</td><td>34.60</td><td>11.95</td><td>36.24</td><td>0.00</td><td>100</td><td>337 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	95.56	-----	-----	85.25	34.60	11.95	36.24	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.10	40.34	54.00	-13.66	29.94	34.60	11.97	36.17	0.00	100	337 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	95.56	-----	-----	85.25	34.60	11.95	36.24	0.00	100	337 AVERAGE																																																																																									







Mode	25																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_26/0_5500MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.84</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>42.73</td><td>34.67</td><td>12.10</td><td>36.07</td><td>0.00</td><td>100</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>5462.32</td><td>51.19</td><td>68.20</td><td>-17.01</td><td>40.51</td><td>34.65</td><td>12.10</td><td>36.07</td><td>0.00</td><td>100</td><td>288</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	53.43	74.00	-20.57	42.73	34.67	12.10	36.07	0.00	100	288	PEAK	2	5462.32	51.19	68.20	-17.01	40.51	34.65	12.10	36.07	0.00	100	288	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>93.59</td><td>-----</td><td>-----</td><td>83.00</td><td>34.52</td><td>12.15</td><td>36.08</td><td>0.00</td><td>100</td><td>288</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	93.59	-----	-----	83.00	34.52	12.15	36.08	0.00	100	288	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5457.84	53.43	74.00	-20.57	42.73	34.67	12.10	36.07	0.00	100	288	PEAK																																																																																																								
2	5462.32	51.19	68.20	-17.01	40.51	34.65	12.10	36.07	0.00	100	288	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5500.00	93.59	-----	-----	83.00	34.52	12.15	36.08	0.00	100	288	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.16</td><td>40.06</td><td>54.00</td><td>-13.94</td><td>29.66</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>100</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.16	40.06	54.00	-13.94	29.66	34.60	11.97	36.17	0.00	100	288	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>85.79</td><td>-----</td><td>-----</td><td>75.20</td><td>34.52</td><td>12.15</td><td>36.08</td><td>0.00</td><td>100</td><td>288</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	85.79	-----	-----	75.20	34.52	12.15	36.08	0.00	100	288	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5350.16	40.06	54.00	-13.94	29.66	34.60	11.97	36.17	0.00	100	288	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5500.00	85.79	-----	-----	75.20	34.52	12.15	36.08	0.00	100	288	AVERAGE																																																																																																								







Mode	25																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_26/0_5500MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5411.44</td><td>51.62</td><td>74.00</td><td>-22.38</td><td>41.02</td><td>34.62</td><td>12.03</td><td>36.05</td><td>0.00</td><td>100</td><td>210 PEAK</td></tr><tr><td>2</td><td>5463.12</td><td>51.97</td><td>68.20</td><td>-16.23</td><td>41.29</td><td>34.65</td><td>12.10</td><td>36.07</td><td>0.00</td><td>100</td><td>210 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5411.44	51.62	74.00	-22.38	41.02	34.62	12.03	36.05	0.00	100	210 PEAK	2	5463.12	51.97	68.20	-16.23	41.29	34.65	12.10	36.07	0.00	100	210 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.48</td><td>-----</td><td>-----</td><td>84.89</td><td>34.52</td><td>12.15</td><td>36.08</td><td>0.00</td><td>100</td><td>210 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.48	-----	-----	84.89	34.52	12.15	36.08	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5411.44	51.62	74.00	-22.38	41.02	34.62	12.03	36.05	0.00	100	210 PEAK																																																																																																						
2	5463.12	51.97	68.20	-16.23	41.29	34.65	12.10	36.07	0.00	100	210 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	95.48	-----	-----	84.89	34.52	12.15	36.08	0.00	100	210 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.48</td><td>40.67</td><td>54.00</td><td>-13.33</td><td>30.27</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>100</td><td>210 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.48	40.67	54.00	-13.33	30.27	34.60	11.97	36.17	0.00	100	210 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>88.04</td><td>-----</td><td>-----</td><td>77.45</td><td>34.52</td><td>12.15</td><td>36.08</td><td>0.00</td><td>100</td><td>210 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	88.04	-----	-----	77.45	34.52	12.15	36.08	0.00	100	210 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5350.48	40.67	54.00	-13.33	30.27	34.60	11.97	36.17	0.00	100	210 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	88.04	-----	-----	77.45	34.52	12.15	36.08	0.00	100	210 AVERAGE																																																																																																						



Mode	26																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_52/37_5500MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5358.00</td><td>51.67</td><td>74.00</td><td>-22.33</td><td>41.24</td><td>34.60</td><td>11.98</td><td>36.15</td><td>0.00</td><td>100</td><td>289</td><td>PEAK</td></tr><tr><td>2</td><td>5461.20</td><td>53.49</td><td>68.20</td><td>-14.71</td><td>42.80</td><td>34.66</td><td>12.10</td><td>36.07</td><td>0.00</td><td>100</td><td>289</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.00	51.67	74.00	-22.33	41.24	34.60	11.98	36.15	0.00	100	289	PEAK	2	5461.20	53.49	68.20	-14.71	42.80	34.66	12.10	36.07	0.00	100	289	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>97.98</td><td>-----</td><td>-----</td><td>87.39</td><td>34.52</td><td>12.15</td><td>36.08</td><td>0.00</td><td>100</td><td>289</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.98	-----	-----	87.39	34.52	12.15	36.08	0.00	100	289	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5358.00	51.67	74.00	-22.33	41.24	34.60	11.98	36.15	0.00	100	289	PEAK																																																																																																								
2	5461.20	53.49	68.20	-14.71	42.80	34.66	12.10	36.07	0.00	100	289	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5500.00	97.98	-----	-----	87.39	34.52	12.15	36.08	0.00	100	289	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.32</td><td>40.12</td><td>54.00</td><td>-13.88</td><td>29.72</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>100</td><td>289</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.32	40.12	54.00	-13.88	29.72	34.60	11.97	36.17	0.00	100	289	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>89.36</td><td>-----</td><td>-----</td><td>78.77</td><td>34.52</td><td>12.15</td><td>36.08</td><td>0.00</td><td>100</td><td>289</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	89.36	-----	-----	78.77	34.52	12.15	36.08	0.00	100	289	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5350.32	40.12	54.00	-13.88	29.72	34.60	11.97	36.17	0.00	100	289	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5500.00	89.36	-----	-----	78.77	34.52	12.15	36.08	0.00	100	289	AVERAGE																																																																																																								







Mode	26																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_52/37_5500MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.96</td><td>51.53</td><td>74.00</td><td>-22.47</td><td>41.12</td><td>34.60</td><td>11.97</td><td>36.16</td><td>0.00</td><td>100</td><td>210 PEAK</td></tr><tr><td>2</td><td>5464.72</td><td>54.03</td><td>68.20</td><td>-14.17</td><td>43.35</td><td>34.64</td><td>12.11</td><td>36.07</td><td>0.00</td><td>100</td><td>210 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.96	51.53	74.00	-22.47	41.12	34.60	11.97	36.16	0.00	100	210 PEAK	2	5464.72	54.03	68.20	-14.17	43.35	34.64	12.11	36.07	0.00	100	210 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>98.86</td><td>-----</td><td>-----</td><td>88.27</td><td>34.52</td><td>12.15</td><td>36.08</td><td>0.00</td><td>100</td><td>210 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.86	-----	-----	88.27	34.52	12.15	36.08	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5354.96	51.53	74.00	-22.47	41.12	34.60	11.97	36.16	0.00	100	210 PEAK																																																																																																					
2	5464.72	54.03	68.20	-14.17	43.35	34.64	12.11	36.07	0.00	100	210 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	98.86	-----	-----	88.27	34.52	12.15	36.08	0.00	100	210 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>40.67</td><td>54.00</td><td>-13.33</td><td>30.27</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>100</td><td>210 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	40.67	54.00	-13.33	30.27	34.60	11.97	36.17	0.00	100	210 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>91.62</td><td>-----</td><td>-----</td><td>81.03</td><td>34.52</td><td>12.15</td><td>36.08</td><td>0.00</td><td>100</td><td>210 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	91.62	-----	-----	81.03	34.52	12.15	36.08	0.00	100	210 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5350.00	40.67	54.00	-13.33	30.27	34.60	11.97	36.17	0.00	100	210 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	91.62	-----	-----	81.03	34.52	12.15	36.08	0.00	100	210 AVERAGE																																																																																																					






Mode	27																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_106/53_5500MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.64</td><td>50.91</td><td>74.00</td><td>-23.09</td><td>40.21</td><td>34.67</td><td>12.10</td><td>36.07</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>2</td><td>5463.92</td><td>50.31</td><td>68.20</td><td>-17.89</td><td>39.63</td><td>34.64</td><td>12.11</td><td>36.07</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	50.91	74.00	-23.09	40.21	34.67	12.10	36.07	0.00	100	289 PEAK	2	5463.92	50.31	68.20	-17.89	39.63	34.64	12.11	36.07	0.00	100	289 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.57</td><td>-----</td><td>-----</td><td>89.98</td><td>34.52</td><td>12.15</td><td>36.08</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.57	-----	-----	89.98	34.52	12.15	36.08	0.00	100	289 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.64	50.91	74.00	-23.09	40.21	34.67	12.10	36.07	0.00	100	289 PEAK																																																																																																						
2	5463.92	50.31	68.20	-17.89	39.63	34.64	12.11	36.07	0.00	100	289 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	100.57	-----	-----	89.98	34.52	12.15	36.08	0.00	100	289 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.76</td><td>40.10</td><td>54.00</td><td>-13.90</td><td>29.40</td><td>34.68</td><td>12.09</td><td>36.07</td><td>0.00</td><td>100</td><td>289 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.76	40.10	54.00	-13.90	29.40	34.68	12.09	36.07	0.00	100	289 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>92.62</td><td>-----</td><td>-----</td><td>82.04</td><td>34.50</td><td>12.16</td><td>36.08</td><td>0.00</td><td>100</td><td>289 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	92.62	-----	-----	82.04	34.50	12.16	36.08	0.00	100	289 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.76	40.10	54.00	-13.90	29.40	34.68	12.09	36.07	0.00	100	289 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	92.62	-----	-----	82.04	34.50	12.16	36.08	0.00	100	289 AVERAGE																																																																																																						






Mode	27																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_106/53_5500MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.24</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>41.73</td><td>34.70</td><td>12.00</td><td>36.06</td><td>0.00</td><td>102</td><td>211 PEAK</td></tr><tr><td>2</td><td>5463.76</td><td>50.88</td><td>68.20</td><td>-17.32</td><td>40.20</td><td>34.64</td><td>12.11</td><td>36.07</td><td>0.00</td><td>102</td><td>211 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.24	52.45	74.00	-21.55	41.73	34.70	12.00	36.06	0.00	102	211 PEAK	2	5463.76	50.88	68.20	-17.32	40.20	34.64	12.11	36.07	0.00	102	211 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>105.93</td><td>-----</td><td>-----</td><td>95.34</td><td>34.52</td><td>12.15</td><td>36.08</td><td>0.00</td><td>102</td><td>211 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.93	-----	-----	95.34	34.52	12.15	36.08	0.00	102	211 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5448.24	52.45	74.00	-21.55	41.73	34.70	12.00	36.06	0.00	102	211 PEAK																																																																																																						
2	5463.76	50.88	68.20	-17.32	40.20	34.64	12.11	36.07	0.00	102	211 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	105.93	-----	-----	95.34	34.52	12.15	36.08	0.00	102	211 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.96</td><td>40.68</td><td>54.00</td><td>-13.32</td><td>30.27</td><td>34.60</td><td>11.97</td><td>36.16</td><td>0.00</td><td>102</td><td>211 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.96	40.68	54.00	-13.32	30.27	34.60	11.97	36.16	0.00	102	211 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>95.74</td><td>-----</td><td>-----</td><td>85.16</td><td>34.50</td><td>12.16</td><td>36.00</td><td>0.00</td><td>102</td><td>211 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.74	-----	-----	85.16	34.50	12.16	36.00	0.00	102	211 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5354.96	40.68	54.00	-13.32	30.27	34.60	11.97	36.16	0.00	102	211 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	95.74	-----	-----	85.16	34.50	12.16	36.00	0.00	102	211 AVERAGE																																																																																																						






Mode	28																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_26/8_5700MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5729.00</td><td>56.55</td><td>68.20</td><td>-11.65</td><td>45.49</td><td>34.66</td><td>12.43</td><td>36.03</td><td>0.00</td><td>100</td><td>290</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5729.00	56.55	68.20	-11.65	45.49	34.66	12.43	36.03	0.00	100	290	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.73</td><td>-----</td><td>-----</td><td>82.68</td><td>34.62</td><td>12.41</td><td>35.98</td><td>0.00</td><td>100</td><td>290</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	93.73	-----	-----	82.68	34.62	12.41	35.98	0.00	100	290
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5729.00	56.55	68.20	-11.65	45.49	34.66	12.43	36.03	0.00	100	290	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5700.00	93.73	-----	-----	82.68	34.62	12.41	35.98	0.00	100	290	PEAK																																																																																										
Avg	Blank																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>86.14</td><td>-----</td><td>-----</td><td>75.09</td><td>34.62</td><td>12.41</td><td>35.98</td><td>0.00</td><td>100</td><td>290</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	86.14	-----	-----	75.09	34.62	12.41	35.98	0.00	100	290	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5700.00	86.14	-----	-----	75.09	34.62	12.41	35.98	0.00	100	290	AVERAGE																																																																																										






Mode	28																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_26/8_5700MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5730.04</td><td>61.10</td><td>68.20</td><td>-7.10</td><td>50.04</td><td>34.66</td><td>12.43</td><td>36.03</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.04	61.10	68.20	-7.10	50.04	34.66	12.43	36.03	0.00	100	333	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.02</td><td>-----</td><td>-----</td><td>85.97</td><td>34.62</td><td>12.41</td><td>35.98</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.02	-----	-----	85.97	34.62	12.41	35.98	0.00	100	333
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5730.04	61.10	68.20	-7.10	50.04	34.66	12.43	36.03	0.00	100	333	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	97.02	-----	-----	85.97	34.62	12.41	35.98	0.00	100	333	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>89.59</td><td>-----</td><td>-----</td><td>78.54</td><td>34.62</td><td>12.41</td><td>35.98</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	89.59	-----	-----	78.54	34.62	12.41	35.98	0.00	100	333	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	89.59	-----	-----	78.54	34.62	12.41	35.98	0.00	100	333	AVERAGE																																																																																							







Mode	29																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_52/40_5700MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5729.88</td><td>56.25</td><td>68.20</td><td>-11.95</td><td>45.19</td><td>34.66</td><td>12.43</td><td>36.03</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.88	56.25	68.20	-11.95	45.19	34.66	12.43	36.03	0.00	100	291	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.31</td><td>-----</td><td>-----</td><td>86.27</td><td>34.61</td><td>12.40</td><td>35.97</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.31	-----	-----	86.27	34.61	12.40	35.97	0.00	100	291	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5729.88	56.25	68.20	-11.95	45.19	34.66	12.43	36.03	0.00	100	291	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	97.31	-----	-----	86.27	34.61	12.40	35.97	0.00	100	291	PEAK																																																																																								
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>89.55</td><td>-----</td><td>-----</td><td>78.51</td><td>34.61</td><td>12.40</td><td>35.97</td><td>0.00</td><td>100</td><td>291</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	89.55	-----	-----	78.51	34.61	12.40	35.97	0.00	100	291	AVERAGE																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	89.55	-----	-----	78.51	34.61	12.40	35.97	0.00	100	291	AVERAGE																																																																																								






Mode	29																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_52/40_5700MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5728.12</td><td>60.48</td><td>68.20</td><td>-7.72</td><td>49.41</td><td>34.66</td><td>12.43</td><td>36.02</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.12	60.48	68.20	-7.72	49.41	34.66	12.43	36.02	0.00	100	332	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.64</td><td>-----</td><td>-----</td><td>87.60</td><td>34.61</td><td>12.40</td><td>35.97</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.64	-----	-----	87.60	34.61	12.40	35.97	0.00	100	332	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5728.12	60.48	68.20	-7.72	49.41	34.66	12.43	36.02	0.00	100	332	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	98.64	-----	-----	87.60	34.61	12.40	35.97	0.00	100	332	PEAK																																																																																								
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>92.45</td><td>-----</td><td>-----</td><td>81.41</td><td>34.61</td><td>12.40</td><td>35.97</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	92.45	-----	-----	81.41	34.61	12.40	35.97	0.00	100	332	AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	92.45	-----	-----	81.41	34.61	12.40	35.97	0.00	100	332	AVERAGE																																																																																								







Mode	30																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_106/54_5700MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5728.04</td><td>57.49</td><td>68.20</td><td>-10.71</td><td>46.42</td><td>34.66</td><td>12.43</td><td>36.02</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.04	57.49	68.20	-10.71	46.42	34.66	12.43	36.02	0.00	100	291	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.20</td><td>-----</td><td>-----</td><td>91.16</td><td>34.61</td><td>12.40</td><td>35.97</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.20	-----	-----	91.16	34.61	12.40	35.97	0.00	100	291
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5728.04	57.49	68.20	-10.71	46.42	34.66	12.43	36.02	0.00	100	291	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	102.20	-----	-----	91.16	34.61	12.40	35.97	0.00	100	291	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.00</td><td>-----</td><td>-----</td><td>82.04</td><td>34.61</td><td>12.40</td><td>35.97</td><td>0.00</td><td>100</td><td>291</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.00	-----	-----	82.04	34.61	12.40	35.97	0.00	100	291	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.00</td><td>-----</td><td>-----</td><td>82.04</td><td>34.61</td><td>12.40</td><td>35.97</td><td>0.00</td><td>100</td><td>291</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.00	-----	-----	82.04	34.61	12.40	35.97	0.00	100	291
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	93.00	-----	-----	82.04	34.61	12.40	35.97	0.00	100	291	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	93.00	-----	-----	82.04	34.61	12.40	35.97	0.00	100	291	AVERAGE																																																																																							





Mode	30																																																																																																								
	Band Edge																																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_106/54_5700MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5728.28</td><td>61.77</td><td>68.20</td><td>-6.43</td><td>50.71</td><td>34.66</td><td>12.43</td><td>36.03</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5728.28	61.77	68.20	-6.43	50.71	34.66	12.43	36.03	0.00	100	333	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.09</td><td>-----</td><td>-----</td><td>94.05</td><td>34.61</td><td>12.40</td><td>35.97</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	105.09	-----	-----	94.05	34.61	12.40	35.97	0.00	100	333
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5728.28	61.77	68.20	-6.43	50.71	34.66	12.43	36.03	0.00	100	333	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5700.00	105.09	-----	-----	94.05	34.61	12.40	35.97	0.00	100	333	PEAK																																																																																													
Avg	Blank																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.84</td><td>-----</td><td>-----</td><td>85.00</td><td>34.61</td><td>12.40</td><td>35.97</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	96.84	-----	-----	85.00	34.61	12.40	35.97	0.00	100	333	AVERAGE																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5700.00	96.84	-----	-----	85.00	34.61	12.40	35.97	0.00	100	333	AVERAGE																																																																																													







Mode	31																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.16</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>44.80</td><td>34.10</td><td>11.80</td><td>36.71</td><td>0.00</td><td>288</td><td>307</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.16	53.99	74.00	-20.01	44.80	34.10	11.80	36.71	0.00	288	307	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>98.00</td><td>-----</td><td>-----</td><td>88.73</td><td>34.25</td><td>11.84</td><td>36.82</td><td>0.00</td><td>288</td><td>307</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	98.00	-----	-----	88.73	34.25	11.84	36.82	0.00	288	307
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.16	53.99	74.00	-20.01	44.80	34.10	11.80	36.71	0.00	288	307	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	98.00	-----	-----	88.73	34.25	11.84	36.82	0.00	288	307	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.44</td><td>41.95</td><td>54.00</td><td>-12.05</td><td>32.76</td><td>34.10</td><td>11.80</td><td>36.71</td><td>0.00</td><td>288</td><td>307</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.44	41.95	54.00	-12.05	32.76	34.10	11.80	36.71	0.00	288	307	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>89.30</td><td>-----</td><td>-----</td><td>80.03</td><td>34.25</td><td>11.84</td><td>36.82</td><td>0.00</td><td>288</td><td>307</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	89.30	-----	-----	80.03	34.25	11.84	36.82	0.00	288	307
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.44	41.95	54.00	-12.05	32.76	34.10	11.80	36.71	0.00	288	307	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	89.30	-----	-----	80.03	34.25	11.84	36.82	0.00	288	307	AVERAGE																																																																																							





Mode	31																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																						
ANT	1																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.50</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>40.11</td><td>34.69</td><td>12.08</td><td>36.06</td><td>0.00</td><td>288 307 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.50	50.82	74.00	-23.18	40.11	34.69	12.08	36.06	0.00	288 307 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5446.50	50.82	74.00	-23.18	40.11	34.69	12.08	36.06	0.00	288 307 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.69</td><td>40.55</td><td>54.00</td><td>-13.45</td><td>29.84</td><td>34.69</td><td>12.08</td><td>36.06</td><td>0.00</td><td>288 307 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.69	40.55	54.00	-13.45	29.84	34.69	12.08	36.06	0.00	288 307 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5445.69	40.55	54.00	-13.45	29.84	34.69	12.08	36.06	0.00	288 307 AVERAGE																																													





Mode	31																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5124.32</td><td>55.23</td><td>74.00</td><td>-18.77</td><td>46.06</td><td>34.05</td><td>11.77</td><td>36.65</td><td>0.00</td><td>100</td><td>324</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.32	55.23	74.00	-18.77	46.06	34.05	11.77	36.65	0.00	100	324	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>100.67</td><td>-----</td><td>-----</td><td>91.38</td><td>34.28</td><td>11.84</td><td>36.83</td><td>0.00</td><td>100</td><td>324</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	100.67	-----	-----	91.38	34.28	11.84	36.83	0.00	100	324
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5124.32	55.23	74.00	-18.77	46.06	34.05	11.77	36.65	0.00	100	324	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5190.00	100.67	-----	-----	91.38	34.28	11.84	36.83	0.00	100	324	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.76</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>33.72</td><td>34.10</td><td>11.80</td><td>36.71</td><td>0.00</td><td>100</td><td>324</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	42.91	54.00	-11.09	33.72	34.10	11.80	36.71	0.00	100	324	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>92.09</td><td>-----</td><td>-----</td><td>82.82</td><td>34.25</td><td>11.84</td><td>36.82</td><td>0.00</td><td>100</td><td>324</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	92.09	-----	-----	82.82	34.25	11.84	36.82	0.00	100	324
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5149.76	42.91	54.00	-11.09	33.72	34.10	11.80	36.71	0.00	100	324	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5190.00	92.09	-----	-----	82.82	34.25	11.84	36.82	0.00	100	324	AVERAGE																																																																																											





Mode	31																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.30</td><td>51.13</td><td>74.00</td><td>-22.87</td><td>40.43</td><td>34.67</td><td>12.10</td><td>36.07</td><td>0.00</td><td>100 324 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.30	51.13	74.00	-22.87	40.43	34.67	12.10	36.07	0.00	100 324 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5457.30	51.13	74.00	-22.87	40.43	34.67	12.10	36.07	0.00	100 324 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.70</td><td>41.14</td><td>54.00</td><td>-12.86</td><td>30.63</td><td>34.60</td><td>12.00</td><td>36.09</td><td>0.00</td><td>100 324 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.70	41.14	54.00	-12.86	30.63	34.60	12.00	36.09	0.00	100 324 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5381.70	41.14	54.00	-12.86	30.63	34.60	12.00	36.09	0.00	100 324 AVERAGE																																													







Mode	31																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6919.83</td><td>46.14</td><td>68.20</td><td>-22.06</td><td>62.29</td><td>35.60</td><td>13.80</td><td>65.55</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>10380.00</td><td>47.33</td><td>68.20</td><td>-20.87</td><td>60.24</td><td>37.38</td><td>16.88</td><td>67.17</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6919.83	46.14	68.20	-22.06	62.29	35.60	13.80	65.55	0.00	--- PEAK	2	10380.00	47.33	68.20	-20.87	60.24	37.38	16.88	67.17	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6919.83</td><td>43.80</td><td>68.20</td><td>-24.40</td><td>59.93</td><td>35.60</td><td>13.81</td><td>65.54</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>10380.00</td><td>46.31</td><td>68.20</td><td>-21.89</td><td>59.21</td><td>37.39</td><td>16.88</td><td>67.17</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6919.83	43.80	68.20	-24.40	59.93	35.60	13.81	65.54	0.00	--- PEAK	2	10380.00	46.31	68.20	-21.89	59.21	37.39	16.88	67.17	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	6919.83	46.14	68.20	-22.06	62.29	35.60	13.80	65.55	0.00	--- PEAK																																																																																																																
2	10380.00	47.33	68.20	-20.87	60.24	37.38	16.88	67.17	0.00	--- PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	6919.83	43.80	68.20	-24.40	59.93	35.60	13.81	65.54	0.00	--- PEAK																																																																																																																
2	10380.00	46.31	68.20	-21.89	59.21	37.39	16.88	67.17	0.00	--- PEAK																																																																																																																



Mode	32																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full_5230MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal							Vertical																																																																																																																												
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6973.16</td><td>46.35</td><td>68.20</td><td>-21.85</td><td>62.42</td><td>35.60</td><td>13.85</td><td>65.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10460.00</td><td>46.05</td><td>68.20</td><td>-22.15</td><td>58.71</td><td>37.54</td><td>16.97</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6973.16	46.35	68.20	-21.85	62.42	35.60	13.85	65.52	0.00	---	---	PEAK	2	10460.00	46.05	68.20	-22.15	58.71	37.54	16.97	67.17	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6973.16</td><td>43.96</td><td>68.20</td><td>-24.24</td><td>60.03</td><td>35.60</td><td>13.85</td><td>65.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10460.00</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>57.64</td><td>37.55</td><td>16.98</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6973.16	43.96	68.20	-24.24	60.03	35.60	13.85	65.52	0.00	---	---	PEAK	2	10460.00	45.00	68.20	-23.20	57.64	37.55	16.98	67.17	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	6973.16	46.35	68.20	-21.85	62.42	35.60	13.85	65.52	0.00	---	---	PEAK																																																																																																																								
2	10460.00	46.05	68.20	-22.15	58.71	37.54	16.97	67.17	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	6973.16	43.96	68.20	-24.24	60.03	35.60	13.85	65.52	0.00	---	---	PEAK																																																																																																																								
2	10460.00	45.00	68.20	-23.20	57.64	37.55	16.98	67.17	0.00	---	---	PEAK																																																																																																																								







Mode	33																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5071.55</td><td>56.39</td><td>74.00</td><td>-17.61</td><td>47.38</td><td>33.94</td><td>11.72</td><td>36.65</td><td>0.00</td><td>113</td><td>282 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5071.55	56.39	74.00	-17.61	47.38	33.94	11.72	36.65	0.00	113	282 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5270.00</td><td>102.19</td><td>-----</td><td>-----</td><td>92.24</td><td>34.53</td><td>11.90</td><td>36.48</td><td>0.00</td><td>113</td><td>282 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5270.00	102.19	-----	-----	92.24	34.53	11.90	36.48	0.00	113
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5071.55	56.39	74.00	-17.61	47.38	33.94	11.72	36.65	0.00	113	282 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5270.00	102.19	-----	-----	92.24	34.53	11.90	36.48	0.00	113	282 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5048.60</td><td>45.52</td><td>54.00</td><td>-8.48</td><td>36.63</td><td>33.90</td><td>11.70</td><td>36.71</td><td>0.00</td><td>113</td><td>282 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5048.60	45.52	54.00	-8.48	36.63	33.90	11.70	36.71	0.00	113	282 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5270.00</td><td>93.99</td><td>-----</td><td>-----</td><td>84.04</td><td>34.53</td><td>11.90</td><td>36.48</td><td>0.00</td><td>113</td><td>282 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5270.00	93.99	-----	-----	84.04	34.53	11.90	36.48	0.00	113
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5048.60	45.52	54.00	-8.48	36.63	33.90	11.70	36.71	0.00	113	282 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5270.00	93.99	-----	-----	84.04	34.53	11.90	36.48	0.00	113	282 AVERAGE																																																																																																												





Mode	33																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																																				
ANT	1																																																				
Pol.	Horizontal										Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5449.74</td><td>55.16</td><td>74.00</td><td>-18.84</td><td>44.44</td><td>34.70</td><td>12.08</td><td>36.06</td><td>0.00</td><td>113</td><td>282 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5449.74	55.16	74.00	-18.84	44.44	34.70	12.08	36.06	0.00	113	282 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1 5449.74	55.16	74.00	-18.84	44.44	34.70	12.08	36.06	0.00	113	282 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5456.20</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>34.37</td><td>34.68</td><td>12.09</td><td>36.07</td><td>0.00</td><td>113</td><td>282 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5456.20	45.07	54.00	-8.93	34.37	34.68	12.09	36.07	0.00	113	282 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1 5456.20	45.07	54.00	-8.93	34.37	34.68	12.09	36.07	0.00	113	282 AVERAGE																																											





Mode	33																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5071.28</td><td>54.88</td><td>74.00</td><td>-19.12</td><td>45.87</td><td>33.94</td><td>11.72</td><td>36.65</td><td>0.00</td><td>308</td><td>270 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5071.28	54.88	74.00	-19.12	45.87	33.94	11.72	36.65	0.00	308	270 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5270.00</td><td>97.51</td><td>-----</td><td>-----</td><td>87.56</td><td>34.53</td><td>11.90</td><td>36.48</td><td>0.00</td><td>308</td><td>270 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5270.00	97.51	-----	-----	87.56	34.53	11.90	36.48	0.00	308
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5071.28	54.88	74.00	-19.12	45.87	33.94	11.72	36.65	0.00	308	270 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5270.00	97.51	-----	-----	87.56	34.53	11.90	36.48	0.00	308	270 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5068.31</td><td>44.40</td><td>54.00</td><td>-9.60</td><td>35.40</td><td>33.94</td><td>11.72</td><td>36.66</td><td>0.00</td><td>308</td><td>270 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5068.31	44.40	54.00	-9.60	35.40	33.94	11.72	36.66	0.00	308	270 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5270.00</td><td>88.77</td><td>-----</td><td>-----</td><td>78.82</td><td>34.53</td><td>11.90</td><td>36.48</td><td>0.00</td><td>308</td><td>270 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5270.00	88.77	-----	-----	78.82	34.53	11.90	36.48	0.00	308
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5068.31	44.40	54.00	-9.60	35.40	33.94	11.72	36.66	0.00	308	270 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5270.00	88.77	-----	-----	78.82	34.53	11.90	36.48	0.00	308	270 AVERAGE																																																																																									







Mode	33																																																									
	Band Edge - R																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																																									
ANT	1																																																									
Pol.	Vertical						Fundamental																																																			
Peak							Blank																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5413.45</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>44.89</td><td>34.63</td><td>12.03</td><td>36.05</td><td>0.00</td><td>308</td><td>270</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5413.45	55.50	74.00	-18.50	44.89	34.63	12.03	36.05	0.00	308	270
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5413.45	55.50	74.00	-18.50	44.89	34.63	12.03	36.05	0.00	308	270	PEAK																																														
Avg							Blank																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.87</td><td>44.02</td><td>54.00</td><td>-9.98</td><td>33.32</td><td>34.68</td><td>12.09</td><td>36.07</td><td>0.00</td><td>308</td><td>270</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5454.87	44.02	54.00	-9.98	33.32	34.68	12.09	36.07	0.00	308	270
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5454.87	44.02	54.00	-9.98	33.32	34.68	12.09	36.07	0.00	308	270	AVERAGE																																														



Mode	33																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7026.49</td><td>46.69</td><td>68.20</td><td>-21.51</td><td>62.69</td><td>35.65</td><td>13.90</td><td>65.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>46.36</td><td>68.20</td><td>-21.84</td><td>58.82</td><td>37.64</td><td>17.04</td><td>67.14</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7026.49	46.69	68.20	-21.51	62.69	35.65	13.90	65.55	0.00	---	PEAK	2	10540.00	46.36	68.20	-21.84	58.82	37.64	17.04	67.14	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7026.49</td><td>44.17</td><td>68.20</td><td>-24.03</td><td>60.17</td><td>35.65</td><td>13.90</td><td>65.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>57.49</td><td>37.63</td><td>17.03</td><td>67.15</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7026.49	44.17	68.20	-24.03	60.17	35.65	13.90	65.55	0.00	---	PEAK	2	10540.00	45.00	68.20	-23.20	57.49	37.63	17.03	67.15	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7026.49	46.69	68.20	-21.51	62.69	35.65	13.90	65.55	0.00	---	PEAK																																																																																																																					
2	10540.00	46.36	68.20	-21.84	58.82	37.64	17.04	67.14	0.00	---	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7026.49	44.17	68.20	-24.03	60.17	35.65	13.90	65.55	0.00	---	PEAK																																																																																																																					
2	10540.00	45.00	68.20	-23.20	57.49	37.63	17.03	67.15	0.00	---	PEAK																																																																																																																					







Mode	34																																																										
	Band Edge - L																																																										
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																										
ANT	1																																																										
Pol.	Horizontal						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.08</td><td>51.51</td><td>74.00</td><td>-22.49</td><td>42.33</td><td>34.08</td><td>11.79</td><td>36.69</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5142.08	51.51	74.00	-22.49	42.33	34.08	11.79	36.69	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5142.08	51.51	74.00	-22.49	42.33	34.08	11.79	36.69	0.00	100	321 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.64</td><td>40.97</td><td>54.00</td><td>-13.03</td><td>31.80</td><td>34.00</td><td>11.75</td><td>36.58</td><td>0.00</td><td>100</td><td>321 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5100.64	40.97	54.00	-13.03	31.80	34.00	11.75	36.58	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5100.64	40.97	54.00	-13.03	31.80	34.00	11.75	36.58	0.00	100	321 AVERAGE																																																
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>94.42</td><td>-----</td><td>-----</td><td>84.15</td><td>34.60</td><td>11.94</td><td>36.27</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	94.42	-----	-----	84.15	34.60	11.94	36.27	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5310.00	94.42	-----	-----	84.15	34.60	11.94	36.27	0.00	100	321 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>87.26</td><td>-----</td><td>-----</td><td>76.98</td><td>34.60</td><td>11.94</td><td>36.26</td><td>0.00</td><td>100</td><td>321 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	87.26	-----	-----	76.98	34.60	11.94	36.26	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5310.00	87.26	-----	-----	76.98	34.60	11.94	36.26	0.00	100	321 AVERAGE																																																





Mode	34																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.50</td><td>51.11</td><td>74.00</td><td>-22.89</td><td>40.70</td><td>34.60</td><td>11.97</td><td>36.16</td><td>0.00</td><td>100</td><td>321</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.50	51.11	74.00	-22.89	40.70	34.60	11.97	36.16	0.00	100	321	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5355.50	51.11	74.00	-22.89	40.70	34.60	11.97	36.16	0.00	100	321	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.60</td><td>40.58</td><td>54.00</td><td>-13.42</td><td>30.18</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>100</td><td>321</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.60	40.58	54.00	-13.42	30.18	34.60	11.97	36.17	0.00	100	321	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.60	40.58	54.00	-13.42	30.18	34.60	11.97	36.17	0.00	100	321	AVERAGE																																											





Mode	34																																																																																																								
	Band Edge - L																																																																																																								
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.32</td><td>54.09</td><td>74.00</td><td>-19.91</td><td>44.91</td><td>34.07</td><td>11.79</td><td>36.68</td><td>0.00</td><td>240</td><td>267</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5136.32	54.09	74.00	-19.91	44.91	34.07	11.79	36.68	0.00	240	267	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>101.95</td><td>-----</td><td>-----</td><td>91.67</td><td>34.60</td><td>11.94</td><td>36.26</td><td>0.00</td><td>240</td><td>267</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	101.95	-----	-----	91.67	34.60	11.94	36.26	0.00	240	267
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5136.32	54.09	74.00	-19.91	44.91	34.07	11.79	36.68	0.00	240	267	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5310.00	101.95	-----	-----	91.67	34.60	11.94	36.26	0.00	240	267	PEAK																																																																																													
Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.76</td><td>42.95</td><td>54.00</td><td>-11.05</td><td>33.78</td><td>34.00</td><td>11.75</td><td>36.58</td><td>0.00</td><td>240</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5101.76	42.95	54.00	-11.05	33.78	34.00	11.75	36.58	0.00	240	267	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>93.87</td><td>-----</td><td>-----</td><td>83.59</td><td>34.60</td><td>11.94</td><td>36.26</td><td>0.00</td><td>240</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	93.87	-----	-----	83.59	34.60	11.94	36.26	0.00	240	267
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5101.76	42.95	54.00	-11.05	33.78	34.00	11.75	36.58	0.00	240	267	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5310.00	93.87	-----	-----	83.59	34.60	11.94	36.26	0.00	240	267	AVERAGE																																																																																													







Mode	34																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.90</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>45.02</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>240</td><td>267</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.90	55.42	74.00	-18.58	45.02	34.60	11.97	36.17	0.00	240	267	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.90	55.42	74.00	-18.58	45.02	34.60	11.97	36.17	0.00	240	267	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.10</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>32.48</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>240</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.10	42.88	54.00	-11.12	32.48	34.60	11.97	36.17	0.00	240	267	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.10	42.88	54.00	-11.12	32.48	34.60	11.97	36.17	0.00	240	267	AVERAGE																																												



Mode	34																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7079.82</td><td>46.93</td><td>68.20</td><td>-21.27</td><td>62.94</td><td>35.70</td><td>13.94</td><td>65.65</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>56.60</td><td>37.68</td><td>17.12</td><td>67.09</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7079.82	46.93	68.20	-21.27	62.94	35.70	13.94	65.65	0.00	---	PEAK	2	10620.00	44.31	74.00	-29.69	56.60	37.68	17.12	67.09	0.00	---	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7079.82</td><td>43.56</td><td>68.20</td><td>-24.64</td><td>59.57</td><td>35.70</td><td>13.94</td><td>65.65</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>56.17</td><td>37.68</td><td>17.12</td><td>67.09</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7079.82	43.56	68.20	-24.64	59.57	35.70	13.94	65.65	0.00	---	PEAK	2	10620.00	43.88	74.00	-30.12	56.17	37.68	17.12	67.09	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	7079.82	46.93	68.20	-21.27	62.94	35.70	13.94	65.65	0.00	---	PEAK																																																																																																									
2	10620.00	44.31	74.00	-29.69	56.60	37.68	17.12	67.09	0.00	---	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	7079.82	43.56	68.20	-24.64	59.57	35.70	13.94	65.65	0.00	---	PEAK																																																																																																									
2	10620.00	43.88	74.00	-30.12	56.17	37.68	17.12	67.09	0.00	---	PEAK																																																																																																									



Mode	35																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal					Fundamental																																																																																																						
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5414.00</td><td>51.92</td><td>74.00</td><td>-22.08</td><td>41.31</td><td>34.63</td><td>12.03</td><td>36.05</td><td>0.00</td><td>329 295 PEAK</td></tr><tr><td>2</td><td>5466.16</td><td>52.05</td><td>68.20</td><td>-16.15</td><td>41.37</td><td>34.64</td><td>12.11</td><td>36.07</td><td>0.00</td><td>329 295 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5414.00	51.92	74.00	-22.08	41.31	34.63	12.03	36.05	0.00	329 295 PEAK	2	5466.16	52.05	68.20	-16.15	41.37	34.64	12.11	36.07	0.00	329 295 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>96.76</td><td>-----</td><td>-----</td><td>86.18</td><td>34.49</td><td>12.17</td><td>36.08</td><td>0.00</td><td>329 295 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.76	-----	-----	86.18	34.49	12.17	36.08	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5414.00	51.92	74.00	-22.08	41.31	34.63	12.03	36.05	0.00	329 295 PEAK																																																																																																		
2	5466.16	52.05	68.20	-16.15	41.37	34.64	12.11	36.07	0.00	329 295 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5510.00	96.76	-----	-----	86.18	34.49	12.17	36.08	0.00	329 295 PEAK																																																																																																		
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.64</td><td>40.93</td><td>54.00</td><td>-13.07</td><td>30.52</td><td>34.60</td><td>11.97</td><td>36.16</td><td>0.00</td><td>329 295 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.64	40.93	54.00	-13.07	30.52	34.60	11.97	36.16	0.00	329 295 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>88.14</td><td>-----</td><td>-----</td><td>77.56</td><td>34.49</td><td>12.17</td><td>36.08</td><td>0.00</td><td>329 295 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	88.14	-----	-----	77.56	34.49	12.17	36.08	0.00	329 295 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5354.64	40.93	54.00	-13.07	30.52	34.60	11.97	36.16	0.00	329 295 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5510.00	88.14	-----	-----	77.56	34.49	12.17	36.08	0.00	329 295 AVERAGE																																																																																																		




Mode	35																																																										
	Band Edge - R																																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																										
ANT	1																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.92</td><td>51.71</td><td>68.20</td><td>-16.49</td><td>40.61</td><td>34.74</td><td>12.45</td><td>36.09</td><td>0.00</td><td>329</td><td>295</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5756.92	51.71	68.20	-16.49	40.61	34.74	12.45	36.09	0.00	329	295	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5756.92	51.71	68.20	-16.49	40.61	34.74	12.45	36.09	0.00	329	295	PEAK																																															





Mode	35																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.72</td><td>53.97</td><td>74.00</td><td>-20.03</td><td>43.25</td><td>34.70</td><td>12.08</td><td>36.06</td><td>0.00</td><td>300</td><td>277 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>54.47</td><td>68.20</td><td>-13.73</td><td>43.81</td><td>34.62</td><td>12.11</td><td>36.07</td><td>0.00</td><td>300</td><td>277 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.72	53.97	74.00	-20.03	43.25	34.70	12.08	36.06	0.00	300	277 PEAK	2	5469.68	54.47	68.20	-13.73	43.81	34.62	12.11	36.07	0.00	300	277 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>101.04</td><td>-----</td><td>-----</td><td>90.46</td><td>34.49</td><td>12.17</td><td>36.08</td><td>0.00</td><td>300</td><td>277 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.04	-----	-----	90.46	34.49	12.17	36.08	0.00	300	277 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5448.72	53.97	74.00	-20.03	43.25	34.70	12.08	36.06	0.00	300	277 PEAK																																																																																																						
2	5469.68	54.47	68.20	-13.73	43.81	34.62	12.11	36.07	0.00	300	277 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	101.04	-----	-----	90.46	34.49	12.17	36.08	0.00	300	277 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5361.04</td><td>42.62</td><td>54.00</td><td>-11.38</td><td>32.18</td><td>34.60</td><td>11.98</td><td>36.14</td><td>0.00</td><td>300</td><td>277 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.04	42.62	54.00	-11.38	32.18	34.60	11.98	36.14	0.00	300	277 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>91.96</td><td>-----</td><td>-----</td><td>81.38</td><td>34.49</td><td>12.17</td><td>36.08</td><td>0.00</td><td>300</td><td>277 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	91.96	-----	-----	81.38	34.49	12.17	36.08	0.00	300	277 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5361.04	42.62	54.00	-11.38	32.18	34.60	11.98	36.14	0.00	300	277 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	91.96	-----	-----	81.38	34.49	12.17	36.08	0.00	300	277 AVERAGE																																																																																																						





Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.56</td><td>53.66</td><td>68.20</td><td>-14.54</td><td>42.60</td><td>34.66</td><td>12.43</td><td>36.03</td><td>0.00</td><td>300</td><td>277</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.56	53.66	68.20	-14.54	42.60	34.66	12.43	36.03	0.00	300	277	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5731.56	53.66	68.20	-14.54	42.60	34.66	12.43	36.03	0.00	300	277	PEAK																																												



Mode	35																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7346.48</td><td>49.93</td><td>74.00</td><td>-24.07</td><td>66.10</td><td>35.00</td><td>14.16</td><td>66.13</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr><tr><td>2</td><td>7346.48</td><td>47.52</td><td>54.00</td><td>-6.48</td><td>63.69</td><td>35.00</td><td>14.16</td><td>66.13</td><td>0.00</td><td>100</td><td>342</td><td>AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>43.64</td><td>74.00</td><td>-30.36</td><td>55.02</td><td>37.90</td><td>17.53</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7346.48	49.93	74.00	-24.07	66.10	35.00	14.16	66.13	0.00	100	342	PEAK	2	7346.48	47.52	54.00	-6.48	63.69	35.00	14.16	66.13	0.00	100	342	AVERAGE	3	11020.00	43.64	74.00	-30.36	55.02	37.90	17.53	66.81	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7346.48</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>61.11</td><td>35.00</td><td>14.16</td><td>66.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>56.33</td><td>37.90</td><td>17.53</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7346.48	44.94	74.00	-29.06	61.11	35.00	14.16	66.13	0.00	---	---	PEAK	2	11020.00	44.95	74.00	-29.05	56.33	37.90	17.53	66.81	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	7346.48	49.93	74.00	-24.07	66.10	35.00	14.16	66.13	0.00	100	342	PEAK																																																																																																																																			
2	7346.48	47.52	54.00	-6.48	63.69	35.00	14.16	66.13	0.00	100	342	AVERAGE																																																																																																																																			
3	11020.00	43.64	74.00	-30.36	55.02	37.90	17.53	66.81	0.00	---	---	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	7346.48	44.94	74.00	-29.06	61.11	35.00	14.16	66.13	0.00	---	---	PEAK																																																																																																																																			
2	11020.00	44.95	74.00	-29.05	56.33	37.90	17.53	66.81	0.00	---	---	PEAK																																																																																																																																			




Mode	36																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2C_5.47-5.85_802.11n HT40_CH110_Full_5550MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7399.82</td><td>49.67</td><td>74.00</td><td>-24.33</td><td>65.90</td><td>35.00</td><td>14.20</td><td>66.23</td><td>0.00</td><td>100</td><td>349 PEAK</td></tr><tr><td>2</td><td>7399.82</td><td>46.90</td><td>54.00</td><td>-7.10</td><td>63.13</td><td>35.00</td><td>14.20</td><td>66.23</td><td>0.00</td><td>100</td><td>349 AVERAGE</td></tr><tr><td>3</td><td>11100.00</td><td>44.18</td><td>74.00</td><td>-29.82</td><td>55.43</td><td>37.90</td><td>17.59</td><td>66.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7399.82	49.67	74.00	-24.33	65.90	35.00	14.20	66.23	0.00	100	349 PEAK	2	7399.82	46.90	54.00	-7.10	63.13	35.00	14.20	66.23	0.00	100	349 AVERAGE	3	11100.00	44.18	74.00	-29.82	55.43	37.90	17.59	66.74	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7399.82</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>62.25</td><td>35.00</td><td>14.20</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>55.88</td><td>37.90</td><td>17.59</td><td>66.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7399.82	46.02	74.00	-27.98	62.25	35.00	14.20	66.23	0.00	---	---	PEAK	2	11100.00	44.63	74.00	-29.37	55.88	37.90	17.59	66.74	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	7399.82	49.67	74.00	-24.33	65.90	35.00	14.20	66.23	0.00	100	349 PEAK																																																																																																																																		
2	7399.82	46.90	54.00	-7.10	63.13	35.00	14.20	66.23	0.00	100	349 AVERAGE																																																																																																																																		
3	11100.00	44.18	74.00	-29.82	55.43	37.90	17.59	66.74	0.00	---	---	PEAK																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	7399.82	46.02	74.00	-27.98	62.25	35.00	14.20	66.23	0.00	---	---	PEAK																																																																																																																																	
2	11100.00	44.63	74.00	-29.37	55.88	37.90	17.59	66.74	0.00	---	---	PEAK																																																																																																																																	







Mode	37																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5424.72</td><td>51.50</td><td>74.00</td><td>-22.50</td><td>40.86</td><td>34.65</td><td>12.05</td><td>36.06</td><td>0.00</td><td>300</td><td>297 PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>50.83</td><td>68.20</td><td>-17.37</td><td>40.16</td><td>34.63</td><td>12.11</td><td>36.07</td><td>0.00</td><td>300</td><td>297 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5424.72	51.50	74.00	-22.50	40.86	34.65	12.05	36.06	0.00	300	297 PEAK	2	5467.12	50.83	68.20	-17.37	40.16	34.63	12.11	36.07	0.00	300	297 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>96.46</td><td>-----</td><td>-----</td><td>85.51</td><td>34.55</td><td>12.38</td><td>35.98</td><td>0.00</td><td>300</td><td>297 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.46	-----	-----	85.51	34.55	12.38	35.98	0.00	300	297 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5424.72	51.50	74.00	-22.50	40.86	34.65	12.05	36.06	0.00	300	297 PEAK																																																																																																						
2	5467.12	50.83	68.20	-17.37	40.16	34.63	12.11	36.07	0.00	300	297 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	96.46	-----	-----	85.51	34.55	12.38	35.98	0.00	300	297 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.48</td><td>41.48</td><td>54.00</td><td>-12.52</td><td>30.78</td><td>34.68</td><td>12.09</td><td>36.07</td><td>0.00</td><td>300</td><td>297 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.48	41.48	54.00	-12.52	30.78	34.68	12.09	36.07	0.00	300	297 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>87.76</td><td>-----</td><td>-----</td><td>76.84</td><td>34.54</td><td>12.37</td><td>35.99</td><td>0.00</td><td>300</td><td>297 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	87.76	-----	-----	76.84	34.54	12.37	35.99	0.00	300	297 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5454.48	41.48	54.00	-12.52	30.78	34.68	12.09	36.07	0.00	300	297 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	87.76	-----	-----	76.84	34.54	12.37	35.99	0.00	300	297 AVERAGE																																																																																																						




Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.56</td><td>52.65</td><td>68.20</td><td>-15.55</td><td>41.58</td><td>34.69</td><td>12.44</td><td>36.06</td><td>0.00</td><td>300</td><td>297</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5743.56	52.65	68.20	-15.55	41.58	34.69	12.44	36.06	0.00	300	297	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5743.56	52.65	68.20	-15.55	41.58	34.69	12.44	36.06	0.00	300	297	PEAK																																												






Mode	37																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>53.31</td><td>74.00</td><td>-20.69</td><td>42.62</td><td>34.66</td><td>12.10</td><td>36.07</td><td>0.00</td><td>255</td><td>273</td><td>PEAK</td></tr><tr><td>2</td><td>5465.68</td><td>53.24</td><td>68.20</td><td>-14.96</td><td>42.56</td><td>34.64</td><td>12.11</td><td>36.07</td><td>0.00</td><td>255</td><td>273</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	53.31	74.00	-20.69	42.62	34.66	12.10	36.07	0.00	255	273	PEAK	2	5465.68	53.24	68.20	-14.96	42.56	34.64	12.11	36.07	0.00	255	273	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>102.40</td><td>-----</td><td>-----</td><td>91.48</td><td>34.54</td><td>12.37</td><td>35.99</td><td>0.00</td><td>255</td><td>273</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	102.40	-----	-----	91.48	34.54	12.37	35.99	0.00	255	273
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.12	53.31	74.00	-20.69	42.62	34.66	12.10	36.07	0.00	255	273	PEAK																																																																																																				
2	5465.68	53.24	68.20	-14.96	42.56	34.64	12.11	36.07	0.00	255	273	PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	102.40	-----	-----	91.48	34.54	12.37	35.99	0.00	255	273	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.56</td><td>43.43</td><td>54.00</td><td>-10.57</td><td>32.74</td><td>34.67</td><td>12.09</td><td>36.07</td><td>0.00</td><td>255</td><td>273</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.56	43.43	54.00	-10.57	32.74	34.67	12.09	36.07	0.00	255	273	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.10</td><td>-----</td><td>-----</td><td>83.18</td><td>34.54</td><td>12.37</td><td>35.99</td><td>0.00</td><td>255</td><td>273</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.10	-----	-----	83.18	34.54	12.37	35.99	0.00	255	273	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.56	43.43	54.00	-10.57	32.74	34.67	12.09	36.07	0.00	255	273	AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	94.10	-----	-----	83.18	34.54	12.37	35.99	0.00	255	273	AVERAGE																																																																																																				





Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.84</td><td>53.93</td><td>68.20</td><td>-14.27</td><td>42.79</td><td>34.78</td><td>12.46</td><td>36.10</td><td>0.00</td><td>255</td><td>273</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5762.84	53.93	68.20	-14.27	42.79	34.78	12.46	36.10	0.00	255	273	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5762.84	53.93	68.20	-14.27	42.79	34.78	12.46	36.10	0.00	255	273	PEAK																																												





Mode	37																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.81</td><td>49.30</td><td>74.00</td><td>-24.70</td><td>65.42</td><td>36.00</td><td>14.32</td><td>66.44</td><td>0.00</td><td>300</td><td>57</td><td>PEAK</td></tr><tr><td>2</td><td>7559.81</td><td>45.89</td><td>54.00</td><td>-8.11</td><td>62.01</td><td>36.00</td><td>14.32</td><td>66.44</td><td>0.00</td><td>300</td><td>57</td><td>AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>55.33</td><td>37.94</td><td>17.76</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7559.81	49.30	74.00	-24.70	65.42	36.00	14.32	66.44	0.00	300	57	PEAK	2	7559.81	45.89	54.00	-8.11	62.01	36.00	14.32	66.44	0.00	300	57	AVERAGE	3	11340.00	44.51	74.00	-29.49	55.33	37.94	17.76	66.52	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.81</td><td>43.13</td><td>74.00</td><td>-30.87</td><td>59.25</td><td>36.00</td><td>14.32</td><td>66.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>55.31</td><td>37.94</td><td>17.76</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7559.81	43.13	74.00	-30.87	59.25	36.00	14.32	66.44	0.00	---	---	PEAK	2	11340.00	44.49	74.00	-29.51	55.31	37.94	17.76	66.52	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	7559.81	49.30	74.00	-24.70	65.42	36.00	14.32	66.44	0.00	300	57	PEAK																																																																																																																																			
2	7559.81	45.89	54.00	-8.11	62.01	36.00	14.32	66.44	0.00	300	57	AVERAGE																																																																																																																																			
3	11340.00	44.51	74.00	-29.49	55.33	37.94	17.76	66.52	0.00	---	---	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	7559.81	43.13	74.00	-30.87	59.25	36.00	14.32	66.44	0.00	---	---	PEAK																																																																																																																																			
2	11340.00	44.49	74.00	-29.51	55.31	37.94	17.76	66.52	0.00	---	---	PEAK																																																																																																																																			








Mode	9																																																																																																																					
	30-1G																																																																																																																					
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																																																					
ANT	1																																																																																																																					
Pol.	Horizontal												Vertical																																																																																																									
Peak																																																																																																																						
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.73</td><td>20.70</td><td>40.00</td><td>-19.30</td><td>28.34</td><td>24.81</td><td>0.36</td><td>32.81</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>253.34</td><td>33.27</td><td>46.00</td><td>-12.73</td><td>44.99</td><td>19.32</td><td>1.75</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>320.03</td><td>42.09</td><td>46.00</td><td>-3.91</td><td>53.25</td><td>19.73</td><td>1.97</td><td>32.86</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>442.98</td><td>38.83</td><td>46.00</td><td>-7.17</td><td>46.43</td><td>23.05</td><td>2.30</td><td>32.95</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>459.95</td><td>39.41</td><td>46.00</td><td>-6.59</td><td>46.67</td><td>23.39</td><td>2.35</td><td>33.00</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>873.42</td><td>30.31</td><td>46.00</td><td>-15.69</td><td>29.62</td><td>29.80</td><td>3.20</td><td>32.31</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>															Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.73	20.70	40.00	-19.30	28.34	24.81	0.36	32.81	0.00	---	---	Peak	2	253.34	33.27	46.00	-12.73	44.99	19.32	1.75	32.79	0.00	---	---	Peak	3	320.03	42.09	46.00	-3.91	53.25	19.73	1.97	32.86	0.00	---	---	Peak	4	442.98	38.83	46.00	-7.17	46.43	23.05	2.30	32.95	0.00	---	---	Peak	5	459.95	39.41	46.00	-6.59	46.67	23.39	2.35	33.00	0.00	---	---	Peak	6	873.42	30.31	46.00	-15.69	29.62	29.80	3.20	32.31	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	30.73	20.70	40.00	-19.30	28.34	24.81	0.36	32.81	0.00	---	---	Peak																																																																																																										
2	253.34	33.27	46.00	-12.73	44.99	19.32	1.75	32.79	0.00	---	---	Peak																																																																																																										
3	320.03	42.09	46.00	-3.91	53.25	19.73	1.97	32.86	0.00	---	---	Peak																																																																																																										
4	442.98	38.83	46.00	-7.17	46.43	23.05	2.30	32.95	0.00	---	---	Peak																																																																																																										
5	459.95	39.41	46.00	-6.59	46.67	23.39	2.35	33.00	0.00	---	---	Peak																																																																																																										
6	873.42	30.31	46.00	-15.69	29.62	29.80	3.20	32.31	0.00	---	---	Peak																																																																																																										
Peak																																																																																																																						
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.21</td><td>28.39</td><td>40.00</td><td>-11.61</td><td>36.27</td><td>24.57</td><td>0.36</td><td>32.81</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>172.11</td><td>21.41</td><td>43.50</td><td>-22.09</td><td>37.02</td><td>15.71</td><td>1.44</td><td>32.76</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>320.03</td><td>23.15</td><td>46.00</td><td>-22.85</td><td>34.31</td><td>19.73</td><td>1.97</td><td>32.86</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>450.50</td><td>35.18</td><td>46.00</td><td>-10.82</td><td>42.60</td><td>23.22</td><td>2.32</td><td>32.96</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>673.35</td><td>26.55</td><td>46.00</td><td>-19.45</td><td>30.14</td><td>26.80</td><td>2.82</td><td>33.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>862.50</td><td>29.19</td><td>46.00</td><td>-16.81</td><td>28.52</td><td>29.88</td><td>3.18</td><td>32.39</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>															Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	31.21	28.39	40.00	-11.61	36.27	24.57	0.36	32.81	0.00	---	---	Peak	2	172.11	21.41	43.50	-22.09	37.02	15.71	1.44	32.76	0.00	---	---	Peak	3	320.03	23.15	46.00	-22.85	34.31	19.73	1.97	32.86	0.00	---	---	Peak	4	450.50	35.18	46.00	-10.82	42.60	23.22	2.32	32.96	0.00	---	---	Peak	5	673.35	26.55	46.00	-19.45	30.14	26.80	2.82	33.21	0.00	---	---	Peak	6	862.50	29.19	46.00	-16.81	28.52	29.88	3.18	32.39	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	31.21	28.39	40.00	-11.61	36.27	24.57	0.36	32.81	0.00	---	---	Peak																																																																																																										
2	172.11	21.41	43.50	-22.09	37.02	15.71	1.44	32.76	0.00	---	---	Peak																																																																																																										
3	320.03	23.15	46.00	-22.85	34.31	19.73	1.97	32.86	0.00	---	---	Peak																																																																																																										
4	450.50	35.18	46.00	-10.82	42.60	23.22	2.32	32.96	0.00	---	---	Peak																																																																																																										
5	673.35	26.55	46.00	-19.45	30.14	26.80	2.82	33.21	0.00	---	---	Peak																																																																																																										
6	862.50	29.19	46.00	-16.81	28.52	29.88	3.18	32.39	0.00	---	---	Peak																																																																																																										





Mode	38																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.00</td><td>50.93</td><td>68.20</td><td>-17.27</td><td>40.09</td><td>34.50</td><td>12.35</td><td>36.01</td><td>0.00</td><td>150</td><td>32 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.34</td><td>68.20</td><td>-19.86</td><td>37.50</td><td>34.50</td><td>12.35</td><td>36.01</td><td>0.00</td><td>150</td><td>32 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>49.52</td><td>105.86</td><td>-56.34</td><td>38.48</td><td>34.60</td><td>12.40</td><td>35.96</td><td>0.00</td><td>150</td><td>32 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>51.10</td><td>111.81</td><td>-60.71</td><td>40.05</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>150</td><td>32 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.00	50.93	68.20	-17.27	40.09	34.50	12.35	36.01	0.00	150	32 PEAK	2	5650.00	48.34	68.20	-19.86	37.50	34.50	12.35	36.01	0.00	150	32 PEAK	3	5702.00	49.52	105.86	-56.34	38.48	34.60	12.40	35.96	0.00	150	32 PEAK	4	5720.40	51.10	111.81	-60.71	40.05	34.64	12.42	36.01	0.00	150	32 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5648.00	50.93	68.20	-17.27	40.09	34.50	12.35	36.01	0.00	150	32 PEAK																																																																																	
2	5650.00	48.34	68.20	-19.86	37.50	34.50	12.35	36.01	0.00	150	32 PEAK																																																																																	
3	5702.00	49.52	105.86	-56.34	38.48	34.60	12.40	35.96	0.00	150	32 PEAK																																																																																	
4	5720.40	51.10	111.81	-60.71	40.05	34.64	12.42	36.01	0.00	150	32 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>93.65</td><td>-----</td><td>-----</td><td>82.59</td><td>34.69</td><td>12.44</td><td>36.07</td><td>0.00</td><td>150</td><td>32 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	93.65	-----	-----	82.59	34.69	12.44	36.07	0.00	150	32 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	93.65	-----	-----	82.59	34.69	12.44	36.07	0.00	150	32 AVERAGE																																																																																	





Mode	38																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.00</td><td>53.25</td><td>68.20</td><td>-14.95</td><td>42.47</td><td>34.50</td><td>12.32</td><td>36.04</td><td>0.00</td><td>252</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.66</td><td>68.00</td><td>-17.14</td><td>40.80</td><td>34.50</td><td>12.36</td><td>36.00</td><td>0.00</td><td>252</td><td>263</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>51.77</td><td>105.64</td><td>-53.87</td><td>40.73</td><td>34.60</td><td>12.40</td><td>35.96</td><td>0.00</td><td>252</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>60.26</td><td>116.37</td><td>-56.11</td><td>49.21</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>252</td><td>263</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5606.00	53.25	68.20	-14.95	42.47	34.50	12.32	36.04	0.00	252	263	PEAK	2	5650.00	51.66	68.00	-17.14	40.80	34.50	12.36	36.00	0.00	252	263	PEAK	3	5701.20	51.77	105.64	-53.87	40.73	34.60	12.40	35.96	0.00	252	263	PEAK	4	5722.40	60.26	116.37	-56.11	49.21	34.64	12.42	36.01	0.00	252	263	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.96</td><td>-----</td><td>-----</td><td>96.90</td><td>34.69</td><td>12.44</td><td>36.07</td><td>0.00</td><td>252</td><td>263</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.96	-----	-----	96.90	34.69	12.44	36.07	0.00	252	263	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5606.00	53.25	68.20	-14.95	42.47	34.50	12.32	36.04	0.00	252	263	PEAK																																																																																																																																			
2	5650.00	51.66	68.00	-17.14	40.80	34.50	12.36	36.00	0.00	252	263	PEAK																																																																																																																																			
3	5701.20	51.77	105.64	-53.87	40.73	34.60	12.40	35.96	0.00	252	263	PEAK																																																																																																																																			
4	5722.40	60.26	116.37	-56.11	49.21	34.64	12.42	36.01	0.00	252	263	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5745.00	107.96	-----	-----	96.90	34.69	12.44	36.07	0.00	252	263	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.49</td><td>-----</td><td>-----</td><td>88.43</td><td>34.69</td><td>12.44</td><td>36.07</td><td>0.00</td><td>252</td><td>263</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.49	-----	-----	88.43	34.69	12.44	36.07	0.00	252	263	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5745.00	99.49	-----	-----	88.43	34.69	12.44	36.07	0.00	252	263	AVERAGE																																																																																																																																			






Mode	38																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7659.81</td><td>50.85</td><td>74.00</td><td>-23.15</td><td>66.81</td><td>36.10</td><td>14.42</td><td>66.48</td><td>0.00</td><td>105</td><td>25 PEAK</td></tr><tr><td>2</td><td>7659.81</td><td>47.64</td><td>54.00</td><td>-6.36</td><td>63.60</td><td>36.10</td><td>14.42</td><td>66.48</td><td>0.00</td><td>105</td><td>25 AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>64.83</td><td>38.09</td><td>17.86</td><td>66.38</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr><tr><td>4</td><td>11490.00</td><td>42.82</td><td>54.00</td><td>-11.18</td><td>53.25</td><td>38.09</td><td>17.86</td><td>66.38</td><td>0.00</td><td>100</td><td>104 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	50.85	74.00	-23.15	66.81	36.10	14.42	66.48	0.00	105	25 PEAK	2	7659.81	47.64	54.00	-6.36	63.60	36.10	14.42	66.48	0.00	105	25 AVERAGE	3	11490.00	54.40	74.00	-19.60	64.83	38.09	17.86	66.38	0.00	100	104 PEAK	4	11490.00	42.82	54.00	-11.18	53.25	38.09	17.86	66.38	0.00	100	104 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7659.81</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>62.06</td><td>36.10</td><td>14.42</td><td>66.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>57.49</td><td>38.09</td><td>17.86</td><td>66.38</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>37.51</td><td>54.00</td><td>-16.49</td><td>47.94</td><td>38.09</td><td>17.86</td><td>66.38</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	46.10	74.00	-27.90	62.06	36.10	14.42	66.48	0.00	---	---	PEAK	2	11490.00	47.06	74.00	-26.94	57.49	38.09	17.86	66.38	0.00	300	0	PEAK	3	11490.00	37.51	54.00	-16.49	47.94	38.09	17.86	66.38	0.00	300	0	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	7659.81	50.85	74.00	-23.15	66.81	36.10	14.42	66.48	0.00	105	25 PEAK																																																																																																																																																									
2	7659.81	47.64	54.00	-6.36	63.60	36.10	14.42	66.48	0.00	105	25 AVERAGE																																																																																																																																																									
3	11490.00	54.40	74.00	-19.60	64.83	38.09	17.86	66.38	0.00	100	104 PEAK																																																																																																																																																									
4	11490.00	42.82	54.00	-11.18	53.25	38.09	17.86	66.38	0.00	100	104 AVERAGE																																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	7659.81	46.10	74.00	-27.90	62.06	36.10	14.42	66.48	0.00	---	---	PEAK																																																																																																																																																								
2	11490.00	47.06	74.00	-26.94	57.49	38.09	17.86	66.38	0.00	300	0	PEAK																																																																																																																																																								
3	11490.00	37.51	54.00	-16.49	47.94	38.09	17.86	66.38	0.00	300	0	AVERAGE																																																																																																																																																								



Mode	39																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>50.41</td><td>74.00</td><td>-23.59</td><td>66.28</td><td>36.15</td><td>14.48</td><td>66.50</td><td>0.00</td><td>100</td><td>27 PEAK</td></tr><tr><td>2</td><td>7713.14</td><td>47.23</td><td>54.00</td><td>-6.77</td><td>63.10</td><td>36.15</td><td>14.48</td><td>66.50</td><td>0.00</td><td>100</td><td>27 AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>53.66</td><td>74.00</td><td>-20.34</td><td>63.93</td><td>38.17</td><td>17.92</td><td>66.36</td><td>0.00</td><td>100</td><td>196 PEAK</td></tr><tr><td>4</td><td>11570.00</td><td>42.70</td><td>54.00</td><td>-11.30</td><td>52.97</td><td>38.17</td><td>17.92</td><td>66.36</td><td>0.00</td><td>100</td><td>196 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	50.41	74.00	-23.59	66.28	36.15	14.48	66.50	0.00	100	27 PEAK	2	7713.14	47.23	54.00	-6.77	63.10	36.15	14.48	66.50	0.00	100	27 AVERAGE	3	11570.00	53.66	74.00	-20.34	63.93	38.17	17.92	66.36	0.00	100	196 PEAK	4	11570.00	42.70	54.00	-11.30	52.97	38.17	17.92	66.36	0.00	100	196 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>46.44</td><td>74.00</td><td>-27.56</td><td>62.31</td><td>36.15</td><td>14.48</td><td>66.50</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>59.39</td><td>38.17</td><td>17.92</td><td>66.36</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>39.57</td><td>54.00</td><td>-14.43</td><td>49.84</td><td>38.17</td><td>17.92</td><td>66.36</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	46.44	74.00	-27.56	62.31	36.15	14.48	66.50	0.00	---	---	PEAK	2	11570.00	49.12	74.00	-24.88	59.39	38.17	17.92	66.36	0.00	300	360	PEAK	3	11570.00	39.57	54.00	-14.43	49.84	38.17	17.92	66.36	0.00	300	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	7713.14	50.41	74.00	-23.59	66.28	36.15	14.48	66.50	0.00	100	27 PEAK																																																																																																																																																									
2	7713.14	47.23	54.00	-6.77	63.10	36.15	14.48	66.50	0.00	100	27 AVERAGE																																																																																																																																																									
3	11570.00	53.66	74.00	-20.34	63.93	38.17	17.92	66.36	0.00	100	196 PEAK																																																																																																																																																									
4	11570.00	42.70	54.00	-11.30	52.97	38.17	17.92	66.36	0.00	100	196 AVERAGE																																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	7713.14	46.44	74.00	-27.56	62.31	36.15	14.48	66.50	0.00	---	---	PEAK																																																																																																																																																								
2	11570.00	49.12	74.00	-24.88	59.39	38.17	17.92	66.36	0.00	300	360	PEAK																																																																																																																																																								
3	11570.00	39.57	54.00	-14.43	49.84	38.17	17.92	66.36	0.00	300	360	AVERAGE																																																																																																																																																								





Mode	40																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>49.31</td><td>111.36</td><td>-62.05</td><td>37.92</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>52.30</td><td>106.59</td><td>-54.29</td><td>40.85</td><td>35.18</td><td>12.59</td><td>36.32</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>50.84</td><td>70.42</td><td>-19.58</td><td>39.36</td><td>35.30</td><td>12.65</td><td>36.47</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr><tr><td>4</td><td>5945.60</td><td>52.19</td><td>68.20</td><td>-16.01</td><td>40.78</td><td>35.30</td><td>12.69</td><td>36.58</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	49.31	111.36	-62.05	37.92	35.12	12.56	36.29	0.00	100	25 PEAK	2	5870.40	52.30	106.59	-54.29	40.85	35.18	12.59	36.32	0.00	100	25 PEAK	3	5922.00	50.84	70.42	-19.58	39.36	35.30	12.65	36.47	0.00	100	25 PEAK	4	5945.60	52.19	68.20	-16.01	40.78	35.30	12.69	36.58	0.00	100	25 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.01</td><td>-----</td><td>-----</td><td>87.66</td><td>35.06</td><td>12.53</td><td>36.24</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.01	-----	-----	87.66	35.06	12.53	36.24	0.00	100	25 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.00	49.31	111.36	-62.05	37.92	35.12	12.56	36.29	0.00	100	25 PEAK																																																																																																																														
2	5870.40	52.30	106.59	-54.29	40.85	35.18	12.59	36.32	0.00	100	25 PEAK																																																																																																																														
3	5922.00	50.84	70.42	-19.58	39.36	35.30	12.65	36.47	0.00	100	25 PEAK																																																																																																																														
4	5945.60	52.19	68.20	-16.01	40.78	35.30	12.69	36.58	0.00	100	25 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	99.01	-----	-----	87.66	35.06	12.53	36.24	0.00	100	25 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>90.29</td><td>-----</td><td>-----</td><td>78.95</td><td>35.05</td><td>12.52</td><td>36.23</td><td>0.00</td><td>100</td><td>25 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	90.29	-----	-----	78.95	35.05	12.52	36.23	0.00	100	25 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	90.29	-----	-----	78.95	35.05	12.52	36.23	0.00	100	25 AVERAGE																																																																																																																														






Mode	40																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>54.06</td><td>113.18</td><td>-59.12</td><td>42.67</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>240</td><td>272 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>51.61</td><td>105.36</td><td>-53.75</td><td>40.14</td><td>35.20</td><td>12.59</td><td>36.32</td><td>0.00</td><td>240</td><td>272 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.37</td><td>68.35</td><td>-15.98</td><td>40.89</td><td>35.30</td><td>12.66</td><td>36.48</td><td>0.00</td><td>240</td><td>272 PEAK</td></tr><tr><td>4</td><td>5927.20</td><td>54.15</td><td>68.20</td><td>-14.05</td><td>42.68</td><td>35.30</td><td>12.66</td><td>36.49</td><td>0.00</td><td>240</td><td>272 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.06	113.18	-59.12	42.67	35.12	12.56	36.29	0.00	240	272 PEAK	2	5874.00	51.61	105.36	-53.75	40.14	35.20	12.59	36.32	0.00	240	272 PEAK	3	5924.00	52.37	68.35	-15.98	40.89	35.30	12.66	36.48	0.00	240	272 PEAK	4	5927.20	54.15	68.20	-14.05	42.68	35.30	12.66	36.49	0.00	240	272 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.79</td><td>-----</td><td>-----</td><td>97.45</td><td>35.05</td><td>12.52</td><td>36.23</td><td>0.00</td><td>240</td><td>272 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.79	-----	-----	97.45	35.05	12.52	36.23	0.00	240	272 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.00	54.06	113.18	-59.12	42.67	35.12	12.56	36.29	0.00	240	272 PEAK																																																																																																																															
2	5874.00	51.61	105.36	-53.75	40.14	35.20	12.59	36.32	0.00	240	272 PEAK																																																																																																																															
3	5924.00	52.37	68.35	-15.98	40.89	35.30	12.66	36.48	0.00	240	272 PEAK																																																																																																																															
4	5927.20	54.15	68.20	-14.05	42.68	35.30	12.66	36.49	0.00	240	272 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	108.79	-----	-----	97.45	35.05	12.52	36.23	0.00	240	272 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.41</td><td>-----</td><td>-----</td><td>89.07</td><td>35.05</td><td>12.52</td><td>36.23</td><td>0.00</td><td>240</td><td>272 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.41	-----	-----	89.07	35.05	12.52	36.23	0.00	240	272 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	100.41	-----	-----	89.07	35.05	12.52	36.23	0.00	240	272 AVERAGE																																																																																																																															






Mode	40																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>49.32</td><td>68.20</td><td>-18.88</td><td>65.01</td><td>36.30</td><td>14.54</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>51.74</td><td>74.00</td><td>-22.26</td><td>61.80</td><td>38.30</td><td>17.98</td><td>66.34</td><td>0.00</td><td>300</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>40.08</td><td>54.00</td><td>-13.92</td><td>50.14</td><td>38.30</td><td>17.98</td><td>66.34</td><td>0.00</td><td>300</td><td>117</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.47	49.32	68.20	-18.88	65.01	36.30	14.54	66.53	0.00	---	---	PEAK	2	11650.00	51.74	74.00	-22.26	61.80	38.30	17.98	66.34	0.00	300	117	PEAK	3	11650.00	40.08	54.00	-13.92	50.14	38.30	17.98	66.34	0.00	300	117	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>44.54</td><td>68.20</td><td>-23.66</td><td>60.23</td><td>36.30</td><td>14.54</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>55.85</td><td>38.30</td><td>17.98</td><td>66.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.47	44.54	68.20	-23.66	60.23	36.30	14.54	66.53	0.00	---	---	PEAK	2	11650.00	45.79	74.00	-28.21	55.85	38.30	17.98	66.34	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	7766.47	49.32	68.20	-18.88	65.01	36.30	14.54	66.53	0.00	---	---	PEAK																																																																																																																																	
2	11650.00	51.74	74.00	-22.26	61.80	38.30	17.98	66.34	0.00	300	117	PEAK																																																																																																																																	
3	11650.00	40.08	54.00	-13.92	50.14	38.30	17.98	66.34	0.00	300	117	AVERAGE																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	7766.47	44.54	68.20	-23.66	60.23	36.30	14.54	66.53	0.00	---	---	PEAK																																																																																																																																	
2	11650.00	45.79	74.00	-28.21	55.85	38.30	17.98	66.34	0.00	---	---	PEAK																																																																																																																																	





Mode	41																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.20</td><td>51.13</td><td>68.20</td><td>-17.07</td><td>40.31</td><td>34.50</td><td>12.34</td><td>36.02</td><td>0.00</td><td>151</td><td>32 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>48.56</td><td>68.50</td><td>-19.94</td><td>37.70</td><td>34.50</td><td>12.36</td><td>36.00</td><td>0.00</td><td>151</td><td>32 PEAK</td></tr><tr><td>3</td><td>5710.00</td><td>53.75</td><td>108.10</td><td>-54.35</td><td>42.70</td><td>34.62</td><td>12.41</td><td>35.98</td><td>0.00</td><td>151</td><td>32 PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>55.11</td><td>116.37</td><td>-61.26</td><td>44.06</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>151</td><td>32 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.20	51.13	68.20	-17.07	40.31	34.50	12.34	36.02	0.00	151	32 PEAK	2	5650.40	48.56	68.50	-19.94	37.70	34.50	12.36	36.00	0.00	151	32 PEAK	3	5710.00	53.75	108.10	-54.35	42.70	34.62	12.41	35.98	0.00	151	32 PEAK	4	5722.40	55.11	116.37	-61.26	44.06	34.64	12.42	36.01	0.00	151	32 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.28</td><td>-----</td><td>-----</td><td>88.22</td><td>34.69</td><td>12.44</td><td>36.07</td><td>0.00</td><td>151</td><td>32 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.28	-----	-----	88.22	34.69	12.44	36.07	0.00	151	32 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5637.20	51.13	68.20	-17.07	40.31	34.50	12.34	36.02	0.00	151	32 PEAK																																																																																																																															
2	5650.40	48.56	68.50	-19.94	37.70	34.50	12.36	36.00	0.00	151	32 PEAK																																																																																																																															
3	5710.00	53.75	108.10	-54.35	42.70	34.62	12.41	35.98	0.00	151	32 PEAK																																																																																																																															
4	5722.40	55.11	116.37	-61.26	44.06	34.64	12.42	36.01	0.00	151	32 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	99.28	-----	-----	88.22	34.69	12.44	36.07	0.00	151	32 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>90.55</td><td>-----</td><td>-----</td><td>79.49</td><td>34.69</td><td>12.44</td><td>36.07</td><td>0.00</td><td>151</td><td>32 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	90.55	-----	-----	79.49	34.69	12.44	36.07	0.00	151	32 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	90.55	-----	-----	79.49	34.69	12.44	36.07	0.00	151	32 AVERAGE																																																																																																																															






Mode	41																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5683.20</td><td>54.96</td><td>68.20</td><td>-13.24</td><td>44.20</td><td>34.50</td><td>12.31</td><td>36.05</td><td>0.00</td><td>254</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.19</td><td>68.20</td><td>-17.01</td><td>40.35</td><td>34.50</td><td>12.35</td><td>36.01</td><td>0.00</td><td>254</td><td>263</td><td>PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>57.19</td><td>106.53</td><td>-49.34</td><td>46.15</td><td>34.61</td><td>12.40</td><td>35.97</td><td>0.00</td><td>254</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.67</td><td>110.90</td><td>-58.23</td><td>41.62</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>254</td><td>263</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark	1	5683.20	54.96	68.20	-13.24	44.20	34.50	12.31	36.05	0.00	254	263	PEAK	2	5650.00	51.19	68.20	-17.01	40.35	34.50	12.35	36.01	0.00	254	263	PEAK	3	5704.40	57.19	106.53	-49.34	46.15	34.61	12.40	35.97	0.00	254	263	PEAK	4	5720.00	52.67	110.90	-58.23	41.62	34.64	12.42	36.01	0.00	254	263	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.82</td><td>-----</td><td>-----</td><td>93.76</td><td>34.69</td><td>12.44</td><td>36.07</td><td>0.00</td><td>254</td><td>263</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark	1	5745.00	104.82	-----	-----	93.76	34.69	12.44	36.07	0.00	254	263
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																																																																		
1	5683.20	54.96	68.20	-13.24	44.20	34.50	12.31	36.05	0.00	254	263	PEAK																																																																																																																		
2	5650.00	51.19	68.20	-17.01	40.35	34.50	12.35	36.01	0.00	254	263	PEAK																																																																																																																		
3	5704.40	57.19	106.53	-49.34	46.15	34.61	12.40	35.97	0.00	254	263	PEAK																																																																																																																		
4	5720.00	52.67	110.90	-58.23	41.62	34.64	12.42	36.01	0.00	254	263	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																																																																		
1	5745.00	104.82	-----	-----	93.76	34.69	12.44	36.07	0.00	254	263	PEAK																																																																																																																		
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.47</td><td>-----</td><td>-----</td><td>85.41</td><td>34.69</td><td>12.44</td><td>36.07</td><td>0.00</td><td>254</td><td>263</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark	1	5745.00	96.47	-----	-----	85.41	34.69	12.44	36.07	0.00	254	263	AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																																																																		
1	5745.00	96.47	-----	-----	85.41	34.69	12.44	36.07	0.00	254	263	AVERAGE																																																																																																																		

[illegible]






Mode	42																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																																					
ANT	1																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>51.11</td><td>74.00</td><td>-22.89</td><td>66.98</td><td>36.15</td><td>14.48</td><td>66.50</td><td>0.00</td><td>103</td><td>26 PEAK</td></tr><tr><td>2</td><td>7713.14</td><td>48.11</td><td>54.00</td><td>-5.89</td><td>63.98</td><td>36.15</td><td>14.48</td><td>66.50</td><td>0.00</td><td>103</td><td>26 AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>57.68</td><td>38.17</td><td>17.92</td><td>66.36</td><td>0.00</td><td>103</td><td>26 PEAK</td></tr><tr><td>4</td><td>11570.00</td><td>37.45</td><td>54.00</td><td>-16.55</td><td>47.72</td><td>38.17</td><td>17.92</td><td>66.36</td><td>0.00</td><td>103</td><td>26 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	51.11	74.00	-22.89	66.98	36.15	14.48	66.50	0.00	103	26 PEAK	2	7713.14	48.11	54.00	-5.89	63.98	36.15	14.48	66.50	0.00	103	26 AVERAGE	3	11570.00	47.41	74.00	-26.59	57.68	38.17	17.92	66.36	0.00	103	26 PEAK	4	11570.00	37.45	54.00	-16.55	47.72	38.17	17.92	66.36	0.00	103	26 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>62.87</td><td>36.15</td><td>14.48</td><td>66.50</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>57.21</td><td>38.17</td><td>17.92</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	46.20	74.00	-27.80	62.87	36.15	14.48	66.50	0.00	---	---	PEAK	2	11570.00	46.94	74.00	-27.06	57.21	38.17	17.92	66.36	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	7713.14	51.11	74.00	-22.89	66.98	36.15	14.48	66.50	0.00	103	26 PEAK																																																																																																																																											
2	7713.14	48.11	54.00	-5.89	63.98	36.15	14.48	66.50	0.00	103	26 AVERAGE																																																																																																																																											
3	11570.00	47.41	74.00	-26.59	57.68	38.17	17.92	66.36	0.00	103	26 PEAK																																																																																																																																											
4	11570.00	37.45	54.00	-16.55	47.72	38.17	17.92	66.36	0.00	103	26 AVERAGE																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	7713.14	46.20	74.00	-27.80	62.87	36.15	14.48	66.50	0.00	---	---	PEAK																																																																																																																																										
2	11570.00	46.94	74.00	-27.06	57.21	38.17	17.92	66.36	0.00	---	---	PEAK																																																																																																																																										





Mode	43																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>49.69</td><td>111.36</td><td>-61.67</td><td>38.30</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>51.23</td><td>105.36</td><td>-54.13</td><td>39.76</td><td>35.20</td><td>12.59</td><td>36.32</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>50.25</td><td>68.64</td><td>-18.39</td><td>38.77</td><td>35.30</td><td>12.66</td><td>36.48</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr><tr><td>4</td><td>5928.40</td><td>52.83</td><td>68.20</td><td>-15.37</td><td>41.37</td><td>35.30</td><td>12.66</td><td>36.50</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	49.69	111.36	-61.67	38.30	35.12	12.56	36.29	0.00	100	25 PEAK	2	5874.00	51.23	105.36	-54.13	39.76	35.20	12.59	36.32	0.00	100	25 PEAK	3	5924.40	50.25	68.64	-18.39	38.77	35.30	12.66	36.48	0.00	100	25 PEAK	4	5928.40	52.83	68.20	-15.37	41.37	35.30	12.66	36.50	0.00	100	25 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.41</td><td>-----</td><td>-----</td><td>85.07</td><td>35.05</td><td>12.52</td><td>36.23</td><td>0.00</td><td>100</td><td>25 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.41	-----	-----	85.07	35.05	12.52	36.23	0.00	100	25 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.00	49.69	111.36	-61.67	38.30	35.12	12.56	36.29	0.00	100	25 PEAK																																																																																																																														
2	5874.00	51.23	105.36	-54.13	39.76	35.20	12.59	36.32	0.00	100	25 PEAK																																																																																																																														
3	5924.40	50.25	68.64	-18.39	38.77	35.30	12.66	36.48	0.00	100	25 PEAK																																																																																																																														
4	5928.40	52.83	68.20	-15.37	41.37	35.30	12.66	36.50	0.00	100	25 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	96.41	-----	-----	85.07	35.05	12.52	36.23	0.00	100	25 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>87.34</td><td>-----</td><td>-----</td><td>76.00</td><td>35.05</td><td>12.52</td><td>36.23</td><td>0.00</td><td>100</td><td>25 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	87.34	-----	-----	76.00	35.05	12.52	36.23	0.00	100	25 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	87.34	-----	-----	76.00	35.05	12.52	36.23	0.00	100	25 AVERAGE																																																																																																																														






Mode	43																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>52.19</td><td>111.36</td><td>-59.17</td><td>40.80</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>60.21</td><td>110.73</td><td>-50.52</td><td>48.81</td><td>35.12</td><td>12.57</td><td>36.29</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>51.32</td><td>68.35</td><td>-17.03</td><td>39.84</td><td>35.30</td><td>12.66</td><td>36.48</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>4</td><td>5952.40</td><td>53.31</td><td>68.20</td><td>-14.89</td><td>41.92</td><td>35.30</td><td>12.70</td><td>36.61</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	52.19	111.36	-59.17	40.80	35.12	12.56	36.29	0.00	100	280	PEAK	2	5855.60	60.21	110.73	-50.52	48.81	35.12	12.57	36.29	0.00	100	280	PEAK	3	5924.00	51.32	68.35	-17.03	39.84	35.30	12.66	36.48	0.00	100	280	PEAK	4	5952.40	53.31	68.20	-14.89	41.92	35.30	12.70	36.61	0.00	100	280	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.46</td><td>-----</td><td>-----</td><td>93.11</td><td>35.06</td><td>12.53</td><td>36.24</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.46	-----	-----	93.11	35.06	12.53	36.24	0.00	100	280	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																																				
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5854.00	52.19	111.36	-59.17	40.80	35.12	12.56	36.29	0.00	100	280	PEAK																																																																																																																																			
2	5855.60	60.21	110.73	-50.52	48.81	35.12	12.57	36.29	0.00	100	280	PEAK																																																																																																																																			
3	5924.00	51.32	68.35	-17.03	39.84	35.30	12.66	36.48	0.00	100	280	PEAK																																																																																																																																			
4	5952.40	53.31	68.20	-14.89	41.92	35.30	12.70	36.61	0.00	100	280	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	104.46	-----	-----	93.11	35.06	12.53	36.24	0.00	100	280	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.86</td><td>-----</td><td>-----</td><td>84.52</td><td>35.05</td><td>12.52</td><td>36.23</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.86	-----	-----	84.52	35.05	12.52	36.23	0.00	100	280	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	95.86	-----	-----	84.52	35.05	12.52	36.23	0.00	100	280	AVERAGE																																																																																																																																			




Mode	43																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>50.17</td><td>68.20</td><td>-18.03</td><td>65.86</td><td>36.30</td><td>14.54</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>56.59</td><td>38.30</td><td>17.98</td><td>66.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.47	50.17	68.20	-18.03	65.86	36.30	14.54	66.53	0.00	---	---	PEAK	2	11650.00	46.53	74.00	-27.47	56.59	38.30	17.98	66.34	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>46.85</td><td>68.20</td><td>-21.35</td><td>62.54</td><td>36.30</td><td>14.54</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>55.76</td><td>38.30</td><td>17.98</td><td>66.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.47	46.85	68.20	-21.35	62.54	36.30	14.54	66.53	0.00	---	---	PEAK	2	11650.00	45.70	74.00	-28.30	55.76	38.30	17.98	66.34	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7766.47	50.17	68.20	-18.03	65.86	36.30	14.54	66.53	0.00	---	---	PEAK																																																																																																																							
2	11650.00	46.53	74.00	-27.47	56.59	38.30	17.98	66.34	0.00	---	---	PEAK																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7766.47	46.85	68.20	-21.35	62.54	36.30	14.54	66.53	0.00	---	---	PEAK																																																																																																																							
2	11650.00	45.70	74.00	-28.30	55.76	38.30	17.98	66.34	0.00	---	---	PEAK																																																																																																																							






Mode	44																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5626.97</td><td>51.91</td><td>68.20</td><td>-16.29</td><td>41.11</td><td>34.50</td><td>12.33</td><td>36.03</td><td>0.00</td><td>129 31 PEAK</td></tr><tr><td>2</td><td>5651.93</td><td>51.27</td><td>69.63</td><td>-18.36</td><td>40.41</td><td>34.50</td><td>12.36</td><td>36.00</td><td>0.00</td><td>129 31 PEAK</td></tr><tr><td>3</td><td>5716.41</td><td>54.15</td><td>109.89</td><td>-55.74</td><td>43.11</td><td>34.63</td><td>12.41</td><td>36.00</td><td>0.00</td><td>129 31 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>54.47</td><td>111.19</td><td>-56.72</td><td>43.42</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>129 31 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5626.97	51.91	68.20	-16.29	41.11	34.50	12.33	36.03	0.00	129 31 PEAK	2	5651.93	51.27	69.63	-18.36	40.41	34.50	12.36	36.00	0.00	129 31 PEAK	3	5716.41	54.15	109.89	-55.74	43.11	34.63	12.41	36.00	0.00	129 31 PEAK	4	5720.13	54.47	111.19	-56.72	43.42	34.64	12.42	36.01	0.00	129 31 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>98.40</td><td>-----</td><td>-----</td><td>87.32</td><td>34.71</td><td>12.45</td><td>36.08</td><td>0.00</td><td>129 31 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	98.40	-----	-----	87.32	34.71	12.45	36.08	0.00	129 31 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5626.97	51.91	68.20	-16.29	41.11	34.50	12.33	36.03	0.00	129 31 PEAK																																																																																																																										
2	5651.93	51.27	69.63	-18.36	40.41	34.50	12.36	36.00	0.00	129 31 PEAK																																																																																																																										
3	5716.41	54.15	109.89	-55.74	43.11	34.63	12.41	36.00	0.00	129 31 PEAK																																																																																																																										
4	5720.13	54.47	111.19	-56.72	43.42	34.64	12.42	36.01	0.00	129 31 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5755.00	98.40	-----	-----	87.32	34.71	12.45	36.08	0.00	129 31 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>89.46</td><td>-----</td><td>-----</td><td>78.38</td><td>34.71</td><td>12.45</td><td>36.08</td><td>0.00</td><td>129 31 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	89.46	-----	-----	78.38	34.71	12.45	36.08	0.00	129 31 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5755.00	89.46	-----	-----	78.38	34.71	12.45	36.08	0.00	129 31 AVERAGE																																																																																																																										




Mode	44																																																																
	Band Edge - R																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																
ANT	1																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.65</td><td>51.00</td><td>111.71</td><td>-60.71</td><td>39.61</td><td>35.12</td><td>12.56</td><td>36.29</td></tr><tr><td>2</td><td>5874.54</td><td>52.97</td><td>105.43</td><td>-52.46</td><td>41.50</td><td>35.20</td><td>12.59</td><td>36.32</td></tr><tr><td>3</td><td>5924.65</td><td>52.78</td><td>68.46</td><td>-15.68</td><td>41.30</td><td>35.30</td><td>12.66</td><td>36.48</td></tr><tr><td>4</td><td>5942.40</td><td>52.17</td><td>68.20</td><td>-16.03</td><td>40.75</td><td>35.30</td><td>12.68</td><td>36.56</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.65	51.00	111.71	-60.71	39.61	35.12	12.56	36.29	2	5874.54	52.97	105.43	-52.46	41.50	35.20	12.59	36.32	3	5924.65	52.78	68.46	-15.68	41.30	35.30	12.66	36.48	4	5942.40	52.17	68.20	-16.03	40.75	35.30	12.68	36.56	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1	5854.65	51.00	111.71	-60.71	39.61	35.12	12.56	36.29																																																									
2	5874.54	52.97	105.43	-52.46	41.50	35.20	12.59	36.32																																																									
3	5924.65	52.78	68.46	-15.68	41.30	35.30	12.66	36.48																																																									
4	5942.40	52.17	68.20	-16.03	40.75	35.30	12.68	36.56																																																									





	44																																																																																																																													
Mode	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5606.36</td><td>54.32</td><td>68.20</td><td>-13.88</td><td>43.54</td><td>34.50</td><td>12.32</td><td>36.04</td><td>0.00</td><td>255</td><td>270 PEAK</td></tr><tr><td>2 5650.38</td><td>51.00</td><td>68.48</td><td>-16.68</td><td>40.94</td><td>34.50</td><td>12.36</td><td>36.00</td><td>0.00</td><td>255</td><td>270 PEAK</td></tr><tr><td>3 5713.46</td><td>57.99</td><td>109.07</td><td>-51.08</td><td>46.94</td><td>34.63</td><td>12.41</td><td>35.99</td><td>0.00</td><td>255</td><td>270 PEAK</td></tr><tr><td>4 5721.21</td><td>60.09</td><td>113.66</td><td>-53.57</td><td>49.04</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>255</td><td>270 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5606.36	54.32	68.20	-13.88	43.54	34.50	12.32	36.04	0.00	255	270 PEAK	2 5650.38	51.00	68.48	-16.68	40.94	34.50	12.36	36.00	0.00	255	270 PEAK	3 5713.46	57.99	109.07	-51.08	46.94	34.63	12.41	35.99	0.00	255	270 PEAK	4 5721.21	60.09	113.66	-53.57	49.04	34.64	12.42	36.01	0.00	255	270 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>104.40</td><td>-----</td><td>-----</td><td>93.32</td><td>34.71</td><td>12.45</td><td>36.08</td><td>0.00</td><td>255</td><td>270 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	104.40	-----	-----	93.32	34.71	12.45	36.08	0.00	255
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5606.36	54.32	68.20	-13.88	43.54	34.50	12.32	36.04	0.00	255	270 PEAK																																																																																																																				
2 5650.38	51.00	68.48	-16.68	40.94	34.50	12.36	36.00	0.00	255	270 PEAK																																																																																																																				
3 5713.46	57.99	109.07	-51.08	46.94	34.63	12.41	35.99	0.00	255	270 PEAK																																																																																																																				
4 5721.21	60.09	113.66	-53.57	49.04	34.64	12.42	36.01	0.00	255	270 PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5755.00	104.40	-----	-----	93.32	34.71	12.45	36.08	0.00	255	270 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>95.32</td><td>-----</td><td>-----</td><td>84.24</td><td>34.71</td><td>12.45</td><td>36.08</td><td>0.00</td><td>255</td><td>270 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	95.32	-----	-----	84.24	34.71	12.45	36.08	0.00	255	270 AVERAGE																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5755.00	95.32	-----	-----	84.24	34.71	12.45	36.08	0.00	255	270 AVERAGE																																																																																																																				






Mode	44																																																																
	Band Edge - R																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																
ANT	1																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.26</td><td>52.55</td><td>112.60</td><td>-60.05</td><td>41.16</td><td>35.12</td><td>12.56</td><td>36.29</td></tr><tr><td>2</td><td>5874.15</td><td>53.41</td><td>105.54</td><td>-52.13</td><td>41.94</td><td>35.20</td><td>12.59</td><td>36.32</td></tr><tr><td>3</td><td>5924.65</td><td>52.84</td><td>68.46</td><td>-15.62</td><td>41.36</td><td>35.30</td><td>12.66</td><td>36.48</td></tr><tr><td>4</td><td>5941.23</td><td>53.56</td><td>68.20</td><td>-14.64</td><td>42.14</td><td>35.30</td><td>12.68</td><td>36.56</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.26	52.55	112.60	-60.05	41.16	35.12	12.56	36.29	2	5874.15	53.41	105.54	-52.13	41.94	35.20	12.59	36.32	3	5924.65	52.84	68.46	-15.62	41.36	35.30	12.66	36.48	4	5941.23	53.56	68.20	-14.64	42.14	35.30	12.68	36.56	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1	5854.26	52.55	112.60	-60.05	41.16	35.12	12.56	36.29																																																									
2	5874.15	53.41	105.54	-52.13	41.94	35.20	12.59	36.32																																																									
3	5924.65	52.84	68.46	-15.62	41.36	35.30	12.66	36.48																																																									
4	5941.23	53.56	68.20	-14.64	42.14	35.30	12.68	36.56																																																									




Mode	44																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.14</td><td>50.17</td><td>74.00</td><td>-23.83</td><td>66.13</td><td>36.10</td><td>14.43</td><td>66.49</td><td>0.00</td><td>100</td><td>26</td><td>PEAK</td></tr><tr><td>2</td><td>7673.14</td><td>47.84</td><td>54.00</td><td>-6.16</td><td>63.80</td><td>36.10</td><td>14.43</td><td>66.49</td><td>0.00</td><td>100</td><td>26</td><td>AVERAGE</td></tr><tr><td>3</td><td>11510.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>56.11</td><td>38.11</td><td>17.88</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7673.14	50.17	74.00	-23.83	66.13	36.10	14.43	66.49	0.00	100	26	PEAK	2	7673.14	47.84	54.00	-6.16	63.80	36.10	14.43	66.49	0.00	100	26	AVERAGE	3	11510.00	45.73	74.00	-28.27	56.11	38.11	17.88	66.37	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.14</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>62.06</td><td>36.10</td><td>14.43</td><td>66.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>44.62</td><td>74.00</td><td>-29.38</td><td>55.00</td><td>38.11</td><td>17.88</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7673.14	46.10	74.00	-27.90	62.06	36.10	14.43	66.49	0.00	---	---	PEAK	2	11510.00	44.62	74.00	-29.38	55.00	38.11	17.88	66.37	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	7673.14	50.17	74.00	-23.83	66.13	36.10	14.43	66.49	0.00	100	26	PEAK																																																																																																																																				
2	7673.14	47.84	54.00	-6.16	63.80	36.10	14.43	66.49	0.00	100	26	AVERAGE																																																																																																																																				
3	11510.00	45.73	74.00	-28.27	56.11	38.11	17.88	66.37	0.00	---	---	PEAK																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	7673.14	46.10	74.00	-27.90	62.06	36.10	14.43	66.49	0.00	---	---	PEAK																																																																																																																																				
2	11510.00	44.62	74.00	-29.38	55.00	38.11	17.88	66.37	0.00	---	---	PEAK																																																																																																																																				






Mode	45																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.20</td><td>51.25</td><td>68.20</td><td>-16.95</td><td>40.41</td><td>34.50</td><td>12.35</td><td>36.01</td><td>0.00</td><td>139</td><td>31 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>48.73</td><td>68.50</td><td>-19.77</td><td>37.87</td><td>34.50</td><td>12.36</td><td>36.00</td><td>0.00</td><td>139</td><td>31 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>51.00</td><td>105.75</td><td>-53.95</td><td>40.76</td><td>34.60</td><td>12.40</td><td>35.96</td><td>0.00</td><td>139</td><td>31 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>49.58</td><td>110.90</td><td>-61.32</td><td>38.53</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>139</td><td>31 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5645.20	51.25	68.20	-16.95	40.41	34.50	12.35	36.01	0.00	139	31 PEAK	2	5650.40	48.73	68.50	-19.77	37.87	34.50	12.36	36.00	0.00	139	31 PEAK	3	5701.60	51.00	105.75	-53.95	40.76	34.60	12.40	35.96	0.00	139	31 PEAK	4	5720.00	49.58	110.90	-61.32	38.53	34.64	12.42	36.01	0.00	139	31 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.22</td><td>-----</td><td>-----</td><td>87.96</td><td>34.96</td><td>12.48</td><td>36.18</td><td>0.00</td><td>139</td><td>31 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	99.22	-----	-----	87.96	34.96	12.48	36.18	0.00	139
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5645.20	51.25	68.20	-16.95	40.41	34.50	12.35	36.01	0.00	139	31 PEAK																																																																																																																														
2	5650.40	48.73	68.50	-19.77	37.87	34.50	12.36	36.00	0.00	139	31 PEAK																																																																																																																														
3	5701.60	51.00	105.75	-53.95	40.76	34.60	12.40	35.96	0.00	139	31 PEAK																																																																																																																														
4	5720.00	49.58	110.90	-61.32	38.53	34.64	12.42	36.01	0.00	139	31 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5795.00	99.22	-----	-----	87.96	34.96	12.48	36.18	0.00	139	31 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>89.83</td><td>-----</td><td>-----</td><td>78.57</td><td>34.96</td><td>12.48</td><td>36.18</td><td>0.00</td><td>139</td><td>31 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	89.83	-----	-----	78.57	34.96	12.48	36.18	0.00	139	31 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5795.00	89.83	-----	-----	78.57	34.96	12.48	36.18	0.00	139	31 AVERAGE																																																																																																																														




Mode	45																																																																										
	Band Edge - R																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																										
ANT	1																																																																										
Pol.	Horizontal						Fundamental																																																																				
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.00</td><td>50.25</td><td>113.18</td><td>-62.93</td><td>38.86</td><td>35.12</td><td>12.56</td><td>36.29</td></tr><tr><td>2</td><td>5874.00</td><td>50.13</td><td>105.58</td><td>-55.45</td><td>38.66</td><td>35.20</td><td>12.59</td><td>36.32</td></tr><tr><td>3</td><td>5924.40</td><td>50.37</td><td>68.64</td><td>-18.27</td><td>38.89</td><td>35.30</td><td>12.66</td><td>36.48</td></tr><tr><td>4</td><td>5925.60</td><td>51.61</td><td>68.20</td><td>-16.59</td><td>40.14</td><td>35.30</td><td>12.66</td><td>36.49</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.00	50.25	113.18	-62.93	38.86	35.12	12.56	36.29	2	5874.00	50.13	105.58	-55.45	38.66	35.20	12.59	36.32	3	5924.40	50.37	68.64	-18.27	38.89	35.30	12.66	36.48	4	5925.60	51.61	68.20	-16.59	40.14	35.30	12.66	36.49	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																			
1	5854.00	50.25	113.18	-62.93	38.86	35.12	12.56	36.29																																																																			
2	5874.00	50.13	105.58	-55.45	38.66	35.20	12.59	36.32																																																																			
3	5924.40	50.37	68.64	-18.27	38.89	35.30	12.66	36.48																																																																			
4	5925.60	51.61	68.20	-16.59	40.14	35.30	12.66	36.49																																																																			





Mode	45																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5601.20</td><td>53.14</td><td>68.20</td><td>-15.06</td><td>42.38</td><td>34.50</td><td>12.31</td><td>36.05</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.32</td><td>68.20</td><td>-15.88</td><td>41.48</td><td>34.50</td><td>12.35</td><td>36.01</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>50.94</td><td>105.30</td><td>-54.36</td><td>39.90</td><td>34.60</td><td>12.40</td><td>35.96</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>50.79</td><td>111.81</td><td>-61.02</td><td>39.74</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5601.20	53.14	68.20	-15.06	42.38	34.50	12.31	36.05	0.00	100	279 PEAK	2	5650.00	52.32	68.20	-15.88	41.48	34.50	12.35	36.01	0.00	100	279 PEAK	3	5700.00	50.94	105.30	-54.36	39.90	34.60	12.40	35.96	0.00	100	279 PEAK	4	5720.40	50.79	111.81	-61.02	39.74	34.64	12.42	36.01	0.00	100	279 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>103.07</td><td>-----</td><td>-----</td><td>91.81</td><td>34.96</td><td>12.48</td><td>36.18</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	103.07	-----	-----	91.81	34.96	12.48	36.18	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5601.20	53.14	68.20	-15.06	42.38	34.50	12.31	36.05	0.00	100	279 PEAK																																																																																																							
2	5650.00	52.32	68.20	-15.88	41.48	34.50	12.35	36.01	0.00	100	279 PEAK																																																																																																							
3	5700.00	50.94	105.30	-54.36	39.90	34.60	12.40	35.96	0.00	100	279 PEAK																																																																																																							
4	5720.40	50.79	111.81	-61.02	39.74	34.64	12.42	36.01	0.00	100	279 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5795.00	103.07	-----	-----	91.81	34.96	12.48	36.18	0.00	100	279 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>94.13</td><td>-----</td><td>-----</td><td>82.87</td><td>34.96</td><td>12.48</td><td>36.18</td><td>0.00</td><td>100</td><td>279 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	94.13	-----	-----	82.87	34.96	12.48	36.18	0.00	100	279 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5795.00	94.13	-----	-----	82.87	34.96	12.48	36.18	0.00	100	279 AVERAGE																																																																																																							






Mode	45																																																																
	Band Edge - R																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																
ANT	1																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.40</td><td>53.67</td><td>112.27</td><td>-58.60</td><td>42.28</td><td>35.12</td><td>12.56</td><td>36.29</td></tr><tr><td>2</td><td>5871.60</td><td>52.46</td><td>106.25</td><td>-53.79</td><td>41.00</td><td>35.19</td><td>12.59</td><td>36.32</td></tr><tr><td>3</td><td>5923.60</td><td>51.23</td><td>69.23</td><td>-18.00</td><td>39.75</td><td>35.30</td><td>12.66</td><td>36.48</td></tr><tr><td>4</td><td>5959.20</td><td>53.42</td><td>68.20</td><td>-14.78</td><td>42.06</td><td>35.30</td><td>12.70</td><td>36.64</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.40	53.67	112.27	-58.60	42.28	35.12	12.56	36.29	2	5871.60	52.46	106.25	-53.79	41.00	35.19	12.59	36.32	3	5923.60	51.23	69.23	-18.00	39.75	35.30	12.66	36.48	4	5959.20	53.42	68.20	-14.78	42.06	35.30	12.70	36.64	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1	5854.40	53.67	112.27	-58.60	42.28	35.12	12.56	36.29																																																									
2	5871.60	52.46	106.25	-53.79	41.00	35.19	12.59	36.32																																																									
3	5923.60	51.23	69.23	-18.00	39.75	35.30	12.66	36.48																																																									
4	5959.20	53.42	68.20	-14.78	42.06	35.30	12.70	36.64																																																									






Mode	45																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.47</td><td>50.27</td><td>74.00</td><td>-23.73</td><td>66.07</td><td>36.21</td><td>14.50</td><td>66.51</td><td>0.00</td><td>100</td><td>273 PEAK</td></tr><tr><td>2</td><td>7726.47</td><td>47.61</td><td>54.00</td><td>-6.39</td><td>63.41</td><td>36.21</td><td>14.50</td><td>66.51</td><td>0.00</td><td>100</td><td>273 AVERAGE</td></tr><tr><td>3</td><td>11590.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>57.86</td><td>38.19</td><td>17.93</td><td>66.35</td><td>0.00</td><td>116</td><td>179 PEAK</td></tr><tr><td>4</td><td>11590.00</td><td>38.91</td><td>54.00</td><td>-15.09</td><td>49.14</td><td>38.19</td><td>17.93</td><td>66.35</td><td>0.00</td><td>116</td><td>179 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7726.47	50.27	74.00	-23.73	66.07	36.21	14.50	66.51	0.00	100	273 PEAK	2	7726.47	47.61	54.00	-6.39	63.41	36.21	14.50	66.51	0.00	100	273 AVERAGE	3	11590.00	47.63	74.00	-26.37	57.86	38.19	17.93	66.35	0.00	116	179 PEAK	4	11590.00	38.91	54.00	-15.09	49.14	38.19	17.93	66.35	0.00	116	179 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.47</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>62.65</td><td>36.21</td><td>14.50</td><td>66.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>55.15</td><td>38.19</td><td>17.93</td><td>66.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.47	46.85	74.00	-27.15	62.65	36.21	14.50	66.51	0.00	---	---	PEAK	2	11590.00	44.92	74.00	-29.08	55.15	38.19	17.93	66.35	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	7726.47	50.27	74.00	-23.73	66.07	36.21	14.50	66.51	0.00	100	273 PEAK																																																																																																																																													
2	7726.47	47.61	54.00	-6.39	63.41	36.21	14.50	66.51	0.00	100	273 AVERAGE																																																																																																																																													
3	11590.00	47.63	74.00	-26.37	57.86	38.19	17.93	66.35	0.00	116	179 PEAK																																																																																																																																													
4	11590.00	38.91	54.00	-15.09	49.14	38.19	17.93	66.35	0.00	116	179 AVERAGE																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7726.47	46.85	74.00	-27.15	62.65	36.21	14.50	66.51	0.00	---	---	PEAK																																																																																																																																												
2	11590.00	44.92	74.00	-29.08	55.15	38.19	17.93	66.35	0.00	---	---	PEAK																																																																																																																																												






Mode	46																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_26/0_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.00</td><td>50.73</td><td>68.20</td><td>-17.47</td><td>39.91</td><td>34.50</td><td>12.34</td><td>36.02</td><td>0.00</td><td>277</td><td>312 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>48.73</td><td>69.09</td><td>-20.36</td><td>37.87</td><td>34.50</td><td>12.36</td><td>36.00</td><td>0.00</td><td>277</td><td>312 PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>57.21</td><td>110.34</td><td>-53.13</td><td>46.15</td><td>34.64</td><td>12.42</td><td>36.00</td><td>0.00</td><td>277</td><td>312 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>47.63</td><td>110.90</td><td>-63.27</td><td>36.58</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>277</td><td>312 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5636.00	50.73	68.20	-17.47	39.91	34.50	12.34	36.02	0.00	277	312 PEAK	2	5651.20	48.73	69.09	-20.36	37.87	34.50	12.36	36.00	0.00	277	312 PEAK	3	5718.00	57.21	110.34	-53.13	46.15	34.64	12.42	36.00	0.00	277	312 PEAK	4	5720.00	47.63	110.90	-63.27	36.58	34.64	12.42	36.01	0.00	277	312 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.90</td><td>-----</td><td>-----</td><td>87.84</td><td>34.67</td><td>12.43</td><td>36.04</td><td>0.00</td><td>277</td><td>312 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	98.90	-----	-----	87.84	34.67	12.43	36.04	0.00	277
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5636.00	50.73	68.20	-17.47	39.91	34.50	12.34	36.02	0.00	277	312 PEAK																																																																																																												
2	5651.20	48.73	69.09	-20.36	37.87	34.50	12.36	36.00	0.00	277	312 PEAK																																																																																																												
3	5718.00	57.21	110.34	-53.13	46.15	34.64	12.42	36.00	0.00	277	312 PEAK																																																																																																												
4	5720.00	47.63	110.90	-63.27	36.58	34.64	12.42	36.01	0.00	277	312 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5745.00	98.90	-----	-----	87.84	34.67	12.43	36.04	0.00	277	312 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>92.40</td><td>-----</td><td>-----</td><td>81.34</td><td>34.67</td><td>12.43</td><td>36.04</td><td>0.00</td><td>277</td><td>312 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	92.40	-----	-----	81.34	34.67	12.43	36.04	0.00	277	312 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5745.00	92.40	-----	-----	81.34	34.67	12.43	36.04	0.00	277	312 AVERAGE																																																																																																												






Mode	46																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_26/0_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5624.00</td><td>52.73</td><td>68.20</td><td>-15.47</td><td>41.93</td><td>34.50</td><td>12.33</td><td>36.03</td><td>0.00</td><td>274</td><td>282</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>49.69</td><td>68.20</td><td>-18.51</td><td>38.85</td><td>34.50</td><td>12.35</td><td>36.01</td><td>0.00</td><td>274</td><td>282</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>52.16</td><td>105.86</td><td>-53.70</td><td>41.12</td><td>34.60</td><td>12.40</td><td>35.96</td><td>0.00</td><td>274</td><td>282</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>65.98</td><td>111.81</td><td>-45.83</td><td>54.93</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>274</td><td>282</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5624.00	52.73	68.20	-15.47	41.93	34.50	12.33	36.03	0.00	274	282	PEAK	2	5650.00	49.69	68.20	-18.51	38.85	34.50	12.35	36.01	0.00	274	282	PEAK	3	5702.00	52.16	105.86	-53.70	41.12	34.60	12.40	35.96	0.00	274	282	PEAK	4	5720.40	65.98	111.81	-45.83	54.93	34.64	12.42	36.01	0.00	274	282	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.21</td><td>-----</td><td>-----</td><td>94.15</td><td>34.67</td><td>12.43</td><td>36.04</td><td>0.00</td><td>274</td><td>282</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	105.21	-----	-----	94.15	34.67	12.43	36.04	0.00	274	282
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
1	5624.00	52.73	68.20	-15.47	41.93	34.50	12.33	36.03	0.00	274	282	PEAK																																																																																																											
2	5650.00	49.69	68.20	-18.51	38.85	34.50	12.35	36.01	0.00	274	282	PEAK																																																																																																											
3	5702.00	52.16	105.86	-53.70	41.12	34.60	12.40	35.96	0.00	274	282	PEAK																																																																																																											
4	5720.40	65.98	111.81	-45.83	54.93	34.64	12.42	36.01	0.00	274	282	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
1	5745.00	105.21	-----	-----	94.15	34.67	12.43	36.04	0.00	274	282	PEAK																																																																																																											
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.86</td><td>-----</td><td>-----</td><td>85.80</td><td>34.67</td><td>12.43</td><td>36.04</td><td>0.00</td><td>274</td><td>282</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	96.86	-----	-----	85.80	34.67	12.43	36.04	0.00	274	282	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
1	5745.00	96.86	-----	-----	85.80	34.67	12.43	36.04	0.00	274	282	AVERAGE																																																																																																											






Mode	47																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_52/37_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5650.00</td><td>51.00</td><td>68.20</td><td>-17.20</td><td>40.16</td><td>34.50</td><td>12.35</td><td>36.01</td><td>0.00</td><td>300</td><td>314 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.00</td><td>68.20</td><td>-17.20</td><td>40.16</td><td>34.50</td><td>12.35</td><td>36.01</td><td>0.00</td><td>300</td><td>314 PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>48.41</td><td>105.97</td><td>-57.56</td><td>37.38</td><td>34.60</td><td>12.40</td><td>35.97</td><td>0.00</td><td>300</td><td>314 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>46.32</td><td>110.90</td><td>-64.58</td><td>35.27</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>300</td><td>314 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5650.00	51.00	68.20	-17.20	40.16	34.50	12.35	36.01	0.00	300	314 PEAK	2	5650.00	51.00	68.20	-17.20	40.16	34.50	12.35	36.01	0.00	300	314 PEAK	3	5702.40	48.41	105.97	-57.56	37.38	34.60	12.40	35.97	0.00	300	314 PEAK	4	5720.00	46.32	110.90	-64.58	35.27	34.64	12.42	36.01	0.00	300	314 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.94</td><td>-----</td><td>-----</td><td>89.87</td><td>34.68</td><td>12.44</td><td>36.05</td><td>0.00</td><td>300</td><td>314 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	100.94	-----	-----	89.87	34.68	12.44	36.05	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5650.00	51.00	68.20	-17.20	40.16	34.50	12.35	36.01	0.00	300	314 PEAK																																																																																																												
2	5650.00	51.00	68.20	-17.20	40.16	34.50	12.35	36.01	0.00	300	314 PEAK																																																																																																												
3	5702.40	48.41	105.97	-57.56	37.38	34.60	12.40	35.97	0.00	300	314 PEAK																																																																																																												
4	5720.00	46.32	110.90	-64.58	35.27	34.64	12.42	36.01	0.00	300	314 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5745.00	100.94	-----	-----	89.87	34.68	12.44	36.05	0.00	300	314 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>93.26</td><td>-----</td><td>-----</td><td>82.19</td><td>34.68</td><td>12.44</td><td>36.05</td><td>0.00</td><td>300</td><td>314 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	93.26	-----	-----	82.19	34.68	12.44	36.05	0.00	300	314 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5745.00	93.26	-----	-----	82.19	34.68	12.44	36.05	0.00	300	314 AVERAGE																																																																																																												






	47																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_52/37_5745MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5630.00</td><td>52.48</td><td>68.20</td><td>-15.72</td><td>41.66</td><td>34.50</td><td>12.34</td><td>36.02</td><td>0.00</td><td>300</td><td>284 PEAK</td></tr><tr><td>2 5650.00</td><td>49.19</td><td>68.20</td><td>-19.01</td><td>38.35</td><td>34.50</td><td>12.35</td><td>36.01</td><td>0.00</td><td>300</td><td>284 PEAK</td></tr><tr><td>3 5701.20</td><td>49.07</td><td>105.64</td><td>-56.57</td><td>38.03</td><td>34.60</td><td>12.40</td><td>35.96</td><td>0.00</td><td>300</td><td>284 PEAK</td></tr><tr><td>4 5720.40</td><td>51.46</td><td>111.81</td><td>-60.35</td><td>40.41</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>300</td><td>284 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5630.00	52.48	68.20	-15.72	41.66	34.50	12.34	36.02	0.00	300	284 PEAK	2 5650.00	49.19	68.20	-19.01	38.35	34.50	12.35	36.01	0.00	300	284 PEAK	3 5701.20	49.07	105.64	-56.57	38.03	34.60	12.40	35.96	0.00	300	284 PEAK	4 5720.40	51.46	111.81	-60.35	40.41	34.64	12.42	36.01	0.00	300	284 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>103.03</td><td>-----</td><td>-----</td><td>91.96</td><td>34.68</td><td>12.44</td><td>36.05</td><td>0.00</td><td>300</td><td>284 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	103.03	-----	-----	91.96	34.68	12.44	36.05	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5630.00	52.48	68.20	-15.72	41.66	34.50	12.34	36.02	0.00	300	284 PEAK																																																																																																																									
2 5650.00	49.19	68.20	-19.01	38.35	34.50	12.35	36.01	0.00	300	284 PEAK																																																																																																																									
3 5701.20	49.07	105.64	-56.57	38.03	34.60	12.40	35.96	0.00	300	284 PEAK																																																																																																																									
4 5720.40	51.46	111.81	-60.35	40.41	34.64	12.42	36.01	0.00	300	284 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	103.03	-----	-----	91.96	34.68	12.44	36.05	0.00	300	284 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>98.67</td><td>-----</td><td>-----</td><td>87.60</td><td>34.68</td><td>12.44</td><td>36.05</td><td>0.00</td><td>300</td><td>284 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	98.67	-----	-----	87.60	34.68	12.44	36.05	0.00	300	284 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	98.67	-----	-----	87.60	34.68	12.44	36.05	0.00	300	284 AVERAGE																																																																																																																									






Mode	48																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_106/53_5745MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5628.00</td><td>49.41</td><td>68.20</td><td>-18.79</td><td>38.59</td><td>34.50</td><td>12.34</td><td>36.02</td><td>0.00</td><td>303</td><td>312 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.19</td><td>68.00</td><td>-21.61</td><td>36.33</td><td>34.50</td><td>12.36</td><td>36.00</td><td>0.00</td><td>303</td><td>312 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>47.54</td><td>105.30</td><td>-57.76</td><td>36.50</td><td>34.60</td><td>12.40</td><td>35.96</td><td>0.00</td><td>303</td><td>312 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>48.54</td><td>110.90</td><td>-62.36</td><td>37.49</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>303</td><td>312 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5628.00	49.41	68.20	-18.79	38.59	34.50	12.34	36.02	0.00	303	312 PEAK	2	5650.00	47.19	68.00	-21.61	36.33	34.50	12.36	36.00	0.00	303	312 PEAK	3	5700.00	47.54	105.30	-57.76	36.50	34.60	12.40	35.96	0.00	303	312 PEAK	4	5720.00	48.54	110.90	-62.36	37.49	34.64	12.42	36.01	0.00	303	312 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5745.00</td><td>100.86</td><td>-----</td><td>89.79</td><td>34.68</td><td>12.44</td><td>36.05</td><td>0.00</td><td>303</td><td>312 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	100.86	-----	89.79	34.68	12.44	36.05	0.00	303	312 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5628.00	49.41	68.20	-18.79	38.59	34.50	12.34	36.02	0.00	303	312 PEAK																																																																																																							
2	5650.00	47.19	68.00	-21.61	36.33	34.50	12.36	36.00	0.00	303	312 PEAK																																																																																																							
3	5700.00	47.54	105.30	-57.76	36.50	34.60	12.40	35.96	0.00	303	312 PEAK																																																																																																							
4	5720.00	48.54	110.90	-62.36	37.49	34.64	12.42	36.01	0.00	303	312 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	100.86	-----	89.79	34.68	12.44	36.05	0.00	303	312 PEAK																																																																																																								
Avg	Blank																																																																																																																	
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5745.00</td><td>94.79</td><td>-----</td><td>83.73</td><td>34.69</td><td>12.44</td><td>36.07</td><td>0.00</td><td>303</td><td>312 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	94.79	-----	83.73	34.69	12.44	36.07	0.00	303	312 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	94.79	-----	83.73	34.69	12.44	36.07	0.00	303	312 AVERAGE																																																																																																								






Mode	48																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_106/53_5745MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5628.00</td><td>51.73</td><td>68.20</td><td>-16.47</td><td>40.91</td><td>34.50</td><td>12.34</td><td>36.02</td><td>0.00</td><td>300</td><td>278 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.05</td><td>68.20</td><td>-20.15</td><td>37.21</td><td>34.50</td><td>12.35</td><td>36.01</td><td>0.00</td><td>300</td><td>278 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>48.18</td><td>105.30</td><td>-57.12</td><td>37.14</td><td>34.60</td><td>12.40</td><td>35.96</td><td>0.00</td><td>300</td><td>278 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>49.92</td><td>110.90</td><td>-60.98</td><td>38.87</td><td>34.64</td><td>12.42</td><td>36.01</td><td>0.00</td><td>300</td><td>278 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5628.00	51.73	68.20	-16.47	40.91	34.50	12.34	36.02	0.00	300	278 PEAK	2	5650.00	48.05	68.20	-20.15	37.21	34.50	12.35	36.01	0.00	300	278 PEAK	3	5700.00	48.18	105.30	-57.12	37.14	34.60	12.40	35.96	0.00	300	278 PEAK	4	5720.00	49.92	110.90	-60.98	38.87	34.64	12.42	36.01	0.00	300	278 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.91</td><td>-----</td><td>-----</td><td>93.84</td><td>34.68</td><td>12.44</td><td>36.05</td><td>0.00</td><td>300</td><td>278 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	104.91	-----	-----	93.84	34.68	12.44	36.05	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5628.00	51.73	68.20	-16.47	40.91	34.50	12.34	36.02	0.00	300	278 PEAK																																																																																																							
2	5650.00	48.05	68.20	-20.15	37.21	34.50	12.35	36.01	0.00	300	278 PEAK																																																																																																							
3	5700.00	48.18	105.30	-57.12	37.14	34.60	12.40	35.96	0.00	300	278 PEAK																																																																																																							
4	5720.00	49.92	110.90	-60.98	38.87	34.64	12.42	36.01	0.00	300	278 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	104.91	-----	-----	93.84	34.68	12.44	36.05	0.00	300	278 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.16</td><td>-----</td><td>-----</td><td>88.10</td><td>34.69</td><td>12.44</td><td>36.07</td><td>0.00</td><td>300</td><td>278 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	99.16	-----	-----	88.10	34.69	12.44	36.07	0.00	300	278 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	99.16	-----	-----	88.10	34.69	12.44	36.07	0.00	300	278 AVERAGE																																																																																																							






Mode	49																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_26/8_5825MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>48.20</td><td>111.36</td><td>-63.16</td><td>36.81</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr><tr><td>2 5873.60</td><td>51.87</td><td>105.69</td><td>-53.82</td><td>40.41</td><td>35.19</td><td>12.59</td><td>36.32</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr><tr><td>3 5924.80</td><td>48.23</td><td>68.35</td><td>-20.12</td><td>36.75</td><td>35.30</td><td>12.66</td><td>36.48</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr><tr><td>4 5931.60</td><td>51.35</td><td>68.20</td><td>-16.85</td><td>39.89</td><td>35.30</td><td>12.67</td><td>36.51</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	48.20	111.36	-63.16	36.81	35.12	12.56	36.29	0.00	100	314 PEAK	2 5873.60	51.87	105.69	-53.82	40.41	35.19	12.59	36.32	0.00	100	314 PEAK	3 5924.80	48.23	68.35	-20.12	36.75	35.30	12.66	36.48	0.00	100	314 PEAK	4 5931.60	51.35	68.20	-16.85	39.89	35.30	12.67	36.51	0.00	100	314 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.02</td><td>-----</td><td>-----</td><td>87.66</td><td>35.07</td><td>12.54</td><td>36.25</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	99.02	-----	-----	87.66	35.07	12.54	36.25	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5854.00	48.20	111.36	-63.16	36.81	35.12	12.56	36.29	0.00	100	314 PEAK																																																																																																																								
2 5873.60	51.87	105.69	-53.82	40.41	35.19	12.59	36.32	0.00	100	314 PEAK																																																																																																																								
3 5924.80	48.23	68.35	-20.12	36.75	35.30	12.66	36.48	0.00	100	314 PEAK																																																																																																																								
4 5931.60	51.35	68.20	-16.85	39.89	35.30	12.67	36.51	0.00	100	314 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	99.02	-----	-----	87.66	35.07	12.54	36.25	0.00	100	314 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>91.96</td><td>-----</td><td>-----</td><td>80.61</td><td>35.06</td><td>12.53</td><td>36.24</td><td>0.00</td><td>100</td><td>314 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	91.96	-----	-----	80.61	35.06	12.53	36.24	0.00	100	314 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	91.96	-----	-----	80.61	35.06	12.53	36.24	0.00	100	314 AVERAGE																																																																																																																								






Mode	49																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_26/8_5825MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>49.37</td><td>111.36</td><td>-61.99</td><td>37.98</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>274</td><td>215 PEAK</td></tr><tr><td>2</td><td>5867.20</td><td>61.12</td><td>107.48</td><td>-46.36</td><td>49.68</td><td>35.17</td><td>12.58</td><td>36.31</td><td>0.00</td><td>274</td><td>215 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>50.73</td><td>68.35</td><td>-17.62</td><td>39.25</td><td>35.30</td><td>12.66</td><td>36.48</td><td>0.00</td><td>274</td><td>215 PEAK</td></tr><tr><td>4</td><td>5930.00</td><td>52.50</td><td>68.20</td><td>-15.70</td><td>41.04</td><td>35.30</td><td>12.67</td><td>36.51</td><td>0.00</td><td>274</td><td>215 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5854.00	49.37	111.36	-61.99	37.98	35.12	12.56	36.29	0.00	274	215 PEAK	2	5867.20	61.12	107.48	-46.36	49.68	35.17	12.58	36.31	0.00	274	215 PEAK	3	5924.00	50.73	68.35	-17.62	39.25	35.30	12.66	36.48	0.00	274	215 PEAK	4	5930.00	52.50	68.20	-15.70	41.04	35.30	12.67	36.51	0.00	274	215 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.07</td><td>-----</td><td>-----</td><td>91.71</td><td>35.07</td><td>12.54</td><td>36.25</td><td>0.00</td><td>274</td><td>215 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	103.07	-----	-----	91.71	35.07	12.54	36.25	0.00	274
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5854.00	49.37	111.36	-61.99	37.98	35.12	12.56	36.29	0.00	274	215 PEAK																																																																																																							
2	5867.20	61.12	107.48	-46.36	49.68	35.17	12.58	36.31	0.00	274	215 PEAK																																																																																																							
3	5924.00	50.73	68.35	-17.62	39.25	35.30	12.66	36.48	0.00	274	215 PEAK																																																																																																							
4	5930.00	52.50	68.20	-15.70	41.04	35.30	12.67	36.51	0.00	274	215 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5825.00	103.07	-----	-----	91.71	35.07	12.54	36.25	0.00	274	215 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.57</td><td>-----</td><td>-----</td><td>86.22</td><td>35.06</td><td>12.53</td><td>36.24</td><td>0.00</td><td>274</td><td>215 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	97.57	-----	-----	86.22	35.06	12.53	36.24	0.00	274	215 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5825.00	97.57	-----	-----	86.22	35.06	12.53	36.24	0.00	274	215 AVERAGE																																																																																																							






Mode	50																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_52/40_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>50.04</td><td>111.36</td><td>-61.32</td><td>38.65</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>48.88</td><td>106.03</td><td>-57.15</td><td>37.42</td><td>35.19</td><td>12.59</td><td>36.32</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.91</td><td>68.35</td><td>-20.44</td><td>36.43</td><td>35.30</td><td>12.66</td><td>36.48</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr><tr><td>4</td><td>5956.40</td><td>50.67</td><td>68.20</td><td>-17.53</td><td>39.29</td><td>35.30</td><td>12.70</td><td>36.62</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.00	50.04	111.36	-61.32	38.65	35.12	12.56	36.29	0.00	100	314 PEAK	2	5872.40	48.88	106.03	-57.15	37.42	35.19	12.59	36.32	0.00	100	314 PEAK	3	5924.00	47.91	68.35	-20.44	36.43	35.30	12.66	36.48	0.00	100	314 PEAK	4	5956.40	50.67	68.20	-17.53	39.29	35.30	12.70	36.62	0.00	100	314 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.61</td><td>-----</td><td>-----</td><td>87.25</td><td>35.07</td><td>12.54</td><td>36.25</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	98.61	-----	-----	87.25	35.07	12.54	36.25	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5854.00	50.04	111.36	-61.32	38.65	35.12	12.56	36.29	0.00	100	314 PEAK																																																																																																												
2	5872.40	48.88	106.03	-57.15	37.42	35.19	12.59	36.32	0.00	100	314 PEAK																																																																																																												
3	5924.00	47.91	68.35	-20.44	36.43	35.30	12.66	36.48	0.00	100	314 PEAK																																																																																																												
4	5956.40	50.67	68.20	-17.53	39.29	35.30	12.70	36.62	0.00	100	314 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	98.61	-----	-----	87.25	35.07	12.54	36.25	0.00	100	314 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>93.56</td><td>-----</td><td>-----</td><td>82.21</td><td>35.06</td><td>12.53</td><td>36.24</td><td>0.00</td><td>100</td><td>314 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	93.56	-----	-----	82.21	35.06	12.53	36.24	0.00	100	314 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	93.56	-----	-----	82.21	35.06	12.53	36.24	0.00	100	314 AVERAGE																																																																																																												







Mode	50																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_52/40_5825MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>50.28</td><td>112.27</td><td>-61.99</td><td>38.89</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>281</td><td>276 PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>51.61</td><td>107.26</td><td>-55.65</td><td>40.17</td><td>35.17</td><td>12.58</td><td>36.31</td><td>0.00</td><td>281</td><td>276 PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>51.81</td><td>69.83</td><td>-18.02</td><td>40.32</td><td>35.30</td><td>12.66</td><td>36.47</td><td>0.00</td><td>281</td><td>276 PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>52.55</td><td>68.20</td><td>-15.65</td><td>41.13</td><td>35.30</td><td>12.69</td><td>36.57</td><td>0.00</td><td>281</td><td>276 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	50.28	112.27	-61.99	38.89	35.12	12.56	36.29	0.00	281	276 PEAK	2	5868.00	51.61	107.26	-55.65	40.17	35.17	12.58	36.31	0.00	281	276 PEAK	3	5922.00	51.81	69.83	-18.02	40.32	35.30	12.66	36.47	0.00	281	276 PEAK	4	5945.20	52.55	68.20	-15.65	41.13	35.30	12.69	36.57	0.00	281	276 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.71</td><td>-----</td><td>-----</td><td>93.36</td><td>35.06</td><td>12.53</td><td>36.24</td><td>0.00</td><td>281</td><td>276 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.71	-----	-----	93.36	35.06	12.53	36.24	0.00	281	276 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.40	50.28	112.27	-61.99	38.89	35.12	12.56	36.29	0.00	281	276 PEAK																																																																																																																														
2	5868.00	51.61	107.26	-55.65	40.17	35.17	12.58	36.31	0.00	281	276 PEAK																																																																																																																														
3	5922.00	51.81	69.83	-18.02	40.32	35.30	12.66	36.47	0.00	281	276 PEAK																																																																																																																														
4	5945.20	52.55	68.20	-15.65	41.13	35.30	12.69	36.57	0.00	281	276 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	104.71	-----	-----	93.36	35.06	12.53	36.24	0.00	281	276 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.10</td><td>-----</td><td>-----</td><td>87.75</td><td>35.06</td><td>12.53</td><td>36.24</td><td>0.00</td><td>281</td><td>276 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.10	-----	-----	87.75	35.06	12.53	36.24	0.00	281	276 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	99.10	-----	-----	87.75	35.06	12.53	36.24	0.00	281	276 AVERAGE																																																																																																																														





		51																																																																																																																																
Mode		Band Edge																																																																																																																																
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_106/54_5825MHz																																																																																																																																
ANT		1																																																																																																																																
Pol.		Horizontal					Fundamental																																																																																																																											
Peak																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>50.25</td><td>112.27</td><td>-62.02</td><td>38.86</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>115 327 PEAK</td></tr><tr><td>2</td><td>5866.40</td><td>60.79</td><td>107.71</td><td>-46.92</td><td>49.35</td><td>35.17</td><td>12.58</td><td>36.31</td><td>0.00</td><td>115 327 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>49.23</td><td>69.23</td><td>-20.00</td><td>37.75</td><td>35.30</td><td>12.66</td><td>36.48</td><td>0.00</td><td>115 327 PEAK</td></tr><tr><td>4</td><td>5936.80</td><td>50.36</td><td>68.20</td><td>-17.84</td><td>38.93</td><td>35.30</td><td>12.67</td><td>36.54</td><td>0.00</td><td>115 327 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	50.25	112.27	-62.02	38.86	35.12	12.56	36.29	0.00	115 327 PEAK	2	5866.40	60.79	107.71	-46.92	49.35	35.17	12.58	36.31	0.00	115 327 PEAK	3	5923.60	49.23	69.23	-20.00	37.75	35.30	12.66	36.48	0.00	115 327 PEAK	4	5936.80	50.36	68.20	-17.84	38.93	35.30	12.67	36.54	0.00	115 327 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.92</td><td>-----</td><td>-----</td><td>91.57</td><td>35.06</td><td>12.53</td><td>36.24</td><td>0.00</td><td>115 327 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.92	-----	-----	91.57	35.06	12.53	36.24	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5854.40	50.25	112.27	-62.02	38.86	35.12	12.56	36.29	0.00	115 327 PEAK																																																																																																																								
2	5866.40	60.79	107.71	-46.92	49.35	35.17	12.58	36.31	0.00	115 327 PEAK																																																																																																																								
3	5923.60	49.23	69.23	-20.00	37.75	35.30	12.66	36.48	0.00	115 327 PEAK																																																																																																																								
4	5936.80	50.36	68.20	-17.84	38.93	35.30	12.67	36.54	0.00	115 327 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5825.00	102.92	-----	-----	91.57	35.06	12.53	36.24	0.00	115 327 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>96.04</td><td>-----</td><td>-----</td><td>84.69</td><td>35.06</td><td>12.53</td><td>36.24</td><td>0.00</td><td>115 327 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.04	-----	-----	84.69	35.06	12.53	36.24	0.00	115 327 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5825.00	96.04	-----	-----	84.69	35.06	12.53	36.24	0.00	115 327 AVERAGE																																																																																																																								



Mode	51																																																																																																																					
	Band Edge																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_106/54_5825MHz																																																																																																																					
ANT	1																																																																																																																					
Pol.	Vertical					Fundamental																																																																																																																
Peak																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>56.77</td><td>112.27</td><td>-55.50</td><td>45.38</td><td>35.12</td><td>12.56</td><td>36.29</td><td>0.00</td><td>302</td><td>284</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>50.89</td><td>105.69</td><td>-54.80</td><td>39.43</td><td>35.19</td><td>12.59</td><td>36.32</td><td>0.00</td><td>302</td><td>284</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>54.49</td><td>69.23</td><td>-14.74</td><td>43.01</td><td>35.30</td><td>12.66</td><td>36.48</td><td>0.00</td><td>302</td><td>284</td><td>PEAK</td></tr><tr><td>4</td><td>5929.60</td><td>57.94</td><td>68.20</td><td>-10.26</td><td>46.48</td><td>35.30</td><td>12.66</td><td>36.50</td><td>0.00</td><td>302</td><td>284</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5854.40	56.77	112.27	-55.50	45.38	35.12	12.56	36.29	0.00	302	284	PEAK	2	5873.60	50.89	105.69	-54.80	39.43	35.19	12.59	36.32	0.00	302	284	PEAK	3	5923.60	54.49	69.23	-14.74	43.01	35.30	12.66	36.48	0.00	302	284	PEAK	4	5929.60	57.94	68.20	-10.26	46.48	35.30	12.66	36.50	0.00	302	284	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.26</td><td>-----</td><td>-----</td><td>95.91</td><td>35.06</td><td>12.53</td><td>36.24</td><td>0.00</td><td>302</td><td>284</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	107.26	-----	-----	95.91	35.06	12.53	36.24	0.00	302	284
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
1	5854.40	56.77	112.27	-55.50	45.38	35.12	12.56	36.29	0.00	302	284	PEAK																																																																																																										
2	5873.60	50.89	105.69	-54.80	39.43	35.19	12.59	36.32	0.00	302	284	PEAK																																																																																																										
3	5923.60	54.49	69.23	-14.74	43.01	35.30	12.66	36.48	0.00	302	284	PEAK																																																																																																										
4	5929.60	57.94	68.20	-10.26	46.48	35.30	12.66	36.50	0.00	302	284	PEAK																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
1	5825.00	107.26	-----	-----	95.91	35.06	12.53	36.24	0.00	302	284	PEAK																																																																																																										
Avg	Blank																																																																																																																					
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.73</td><td>-----</td><td>-----</td><td>89.38</td><td>35.06</td><td>12.53</td><td>36.24</td><td>0.00</td><td>302</td><td>284</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	100.73	-----	-----	89.38	35.06	12.53	36.24	0.00	302	284	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
1	5825.00	100.73	-----	-----	89.38	35.06	12.53	36.24	0.00	302	284	AVERAGE																																																																																																										






Mode	42																																																																																																																																																																																																																																								
	30-1G																																																																																																																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																																																																																																																								
ANT	1																																																																																																																																																																																																																																								
Pol.	Horizontal												Vertical																																																																																																																																																																																																																												
Peak																																																																																																																																																																																																																																									
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.24</td><td>21.03</td><td>40.00</td><td>-18.97</td><td>28.44</td><td>25.05</td><td>0.35</td><td>32.81</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>229.34</td><td>25.02</td><td>46.00</td><td>-20.98</td><td>39.86</td><td>16.28</td><td>1.67</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>387.69</td><td>31.12</td><td>46.00</td><td>-14.88</td><td>40.33</td><td>21.54</td><td>2.16</td><td>32.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>451.95</td><td>35.09</td><td>46.00</td><td>-10.91</td><td>42.46</td><td>23.27</td><td>2.33</td><td>32.97</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>475.72</td><td>34.98</td><td>46.00</td><td>-11.02</td><td>41.90</td><td>23.74</td><td>2.39</td><td>33.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>932.59</td><td>33.64</td><td>46.00</td><td>-12.36</td><td>31.68</td><td>30.47</td><td>3.30</td><td>31.81</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	30.24	21.03	40.00	-18.97	28.44	25.05	0.35	32.81	0.00	---	---	Peak	2	229.34	25.02	46.00	-20.98	39.86	16.28	1.67	32.79	0.00	---	---	Peak	3	387.69	31.12	46.00	-14.88	40.33	21.54	2.16	32.91	0.00	---	---	Peak	4	451.95	35.09	46.00	-10.91	42.46	23.27	2.33	32.97	0.00	---	---	Peak	5	475.72	34.98	46.00	-11.02	41.90	23.74	2.39	33.05	0.00	---	---	Peak	6	932.59	33.64	46.00	-12.36	31.68	30.47	3.30	31.81	0.00	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>28.04</td><td>40.00</td><td>-11.96</td><td>35.80</td><td>24.69</td><td>0.36</td><td>32.81</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>170.89</td><td>24.78</td><td>43.50</td><td>-18.72</td><td>40.30</td><td>15.81</td><td>1.43</td><td>32.76</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>320.03</td><td>27.06</td><td>46.00</td><td>-18.94</td><td>38.22</td><td>19.73</td><td>1.97</td><td>32.86</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>392.78</td><td>29.79</td><td>46.00</td><td>-16.21</td><td>38.78</td><td>21.75</td><td>2.17</td><td>32.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>442.49</td><td>33.14</td><td>46.00</td><td>-12.86</td><td>40.74</td><td>23.05</td><td>2.30</td><td>32.95</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>666.08</td><td>29.15</td><td>46.00</td><td>-16.85</td><td>32.79</td><td>26.77</td><td>2.80</td><td>33.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	30.97	28.04	40.00	-11.96	35.80	24.69	0.36	32.81	0.00	---	---	Peak	2	170.89	24.78	43.50	-18.72	40.30	15.81	1.43	32.76	0.00	---	---	Peak	3	320.03	27.06	46.00	-18.94	38.22	19.73	1.97	32.86	0.00	---	---	Peak	4	392.78	29.79	46.00	-16.21	38.78	21.75	2.17	32.91	0.00	---	---	Peak	5	442.49	33.14	46.00	-12.86	40.74	23.05	2.30	32.95	0.00	---	---	Peak	6	666.08	29.15	46.00	-16.85	32.79	26.77	2.80	33.21	0.00	---	---
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																													
1	30.24	21.03	40.00	-18.97	28.44	25.05	0.35	32.81	0.00	---	---	Peak																																																																																																																																																																																																																													
2	229.34	25.02	46.00	-20.98	39.86	16.28	1.67	32.79	0.00	---	---	Peak																																																																																																																																																																																																																													
3	387.69	31.12	46.00	-14.88	40.33	21.54	2.16	32.91	0.00	---	---	Peak																																																																																																																																																																																																																													
4	451.95	35.09	46.00	-10.91	42.46	23.27	2.33	32.97	0.00	---	---	Peak																																																																																																																																																																																																																													
5	475.72	34.98	46.00	-11.02	41.90	23.74	2.39	33.05	0.00	---	---	Peak																																																																																																																																																																																																																													
6	932.59	33.64	46.00	-12.36	31.68	30.47	3.30	31.81	0.00	---	---	Peak																																																																																																																																																																																																																													
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																													
1	30.97	28.04	40.00	-11.96	35.80	24.69	0.36	32.81	0.00	---	---	Peak																																																																																																																																																																																																																													
2	170.89	24.78	43.50	-18.72	40.30	15.81	1.43	32.76	0.00	---	---	Peak																																																																																																																																																																																																																													
3	320.03	27.06	46.00	-18.94	38.22	19.73	1.97	32.86	0.00	---	---	Peak																																																																																																																																																																																																																													
4	392.78	29.79	46.00	-16.21	38.78	21.75	2.17	32.91	0.00	---	---	Peak																																																																																																																																																																																																																													
5	442.49	33.14	46.00	-12.86	40.74	23.05	2.30	32.95	0.00	---	---	Peak																																																																																																																																																																																																																													
6	666.08	29.15	46.00	-16.85	32.79	26.77	2.80	33.21	0.00	---	---	Peak																																																																																																																																																																																																																													


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	100.00	-	-	10Hz
802.11n HT40	92.52	0.990	1.010	1.1KHz
802.11ax HE20	95.78	0.159	6.289	6.8kHz
802.11ax HE20 RU26	100.00	-	-	10Hz
802.11ax HE20 RU52	100.00	-	-	10Hz
802.11ax HE20 RU106	98.87	-	-	10Hz


802.11a




802.11n HT40




802.11ax HE20



802.11ax HE20 RU26



802.11ax HE20 RU52





802.11ax HE20 RU106

