










Min emission bandwidth



Test Result



TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.56	5736.70	5753.26	0.5	PASS
		5785	16.54	5776.72	5793.26	0.5	PASS
		5825	16.58	5816.70	5833.28	0.5	PASS
11N20SISO	Ant1	5745	17.78	5736.11	5753.89	0.5	PASS
		5785	17.82	5776.09	5793.91	0.5	PASS
		5825	17.80	5816.09	5833.89	0.5	PASS
11N40SISO	Ant1	5755	36.40	5736.80	5773.20	0.5	PASS
		5795	36.40	5776.80	5813.20	0.5	PASS





Test Graphs B4











Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	5.03	≤11.00	PASS
		5220	4.68	≤11.00	PASS
		5240	4.98	≤11.00	PASS
		5260	4.74	≤11.00	PASS
		5300	4.99	≤11.00	PASS
		5320	4.18	≤11.00	PASS
		5500	4.48	≤11.00	PASS
		5580	4.38	≤11.00	PASS
		5700	4.93	≤11.00	PASS
		5745	1.78	≤30.00	PASS
		5785	1.32	≤30.00	PASS
		5825	1.11	≤30.00	PASS
11N20SISO	Ant1	5180	3.74	≤11.00	PASS
		5220	3.6	≤11.00	PASS
		5240	3.47	≤11.00	PASS
		5260	3.4	≤11.00	PASS
		5300	3.66	≤11.00	PASS
		5320	2.87	≤11.00	PASS
		5500	3.2	≤11.00	PASS
		5580	2.92	≤11.00	PASS
		5700	3.65	≤11.00	PASS
		5745	0.53	≤30.00	PASS
		5785	0.07	≤30.00	PASS
		5825	-0.11	≤30.00	PASS
11N40SISO	Ant1	5190	1.29	≤11.00	PASS
		5230	0.84	≤11.00	PASS
		5270	0.89	≤11.00	PASS
		5310	0.45	≤11.00	PASS
		5510	0.71	≤11.00	PASS
		5550	0.62	≤11.00	PASS
		5670	0.84	≤11.00	PASS
		5755	-2.23	≤30.00	PASS
		5795	-2.78	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.



2.The Duty Cycle Factor and is compensated in the graph.







Test Graphs
































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Buck	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.153	52.33	-13.49	65.82	32.30	9.56	10.47	QP
2	0.153	32.33	-23.49	55.82	12.30	9.56	10.47	Average
3 *	0.171	52.92	-11.98	64.90	32.91	9.54	10.47	QP
4	0.171	36.82	-18.08	54.90	16.81	9.54	10.47	Average
5	0.186	51.85	-12.35	64.20	31.79	9.58	10.48	QP
6	0.186	36.95	-17.25	54.20	16.89	9.58	10.48	Average
7	0.207	46.69	-16.63	63.32	26.60	9.61	10.48	QP
8	0.207	32.69	-20.63	53.32	12.60	9.61	10.48	Average
9	0.222	43.71	-19.03	62.74	23.60	9.63	10.48	QP
10	0.222	28.71	-24.03	52.74	8.60	9.63	10.48	Average
11	2.554	36.88	-19.12	56.00	16.60	9.75	10.53	QP
12	2.554	28.48	-17.52	46.00	8.20	9.75	10.53	Average
13	17.383	36.10	-23.90	60.00	15.80	9.76	10.54	QP
14	17.383	31.80	-18.20	50.00	11.50	9.76	10.54	Average

Note:

1. Level(dBuV) = Read Level(dBuV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBuV) – Limit Line(dBuV)



Appendix C Radiated Spurious Emission

Test Engineer :	Maven	Relative Humidity :	52~56%
		Temperature :	22~ 25℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	1	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	1	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	1	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	1	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	1	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	1	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	1	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.85	1	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.85	1	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	1	802.11n HT20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	1	802.11n HT20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	1	802.11n HT20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	1	802.11n HT20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	1	802.11n HT20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	1	802.11n HT20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	1	802.11n HT20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	1	802.11n HT20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	1	802.11n HT20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	1	802.11n HT40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	1	802.11n HT40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	1	802.11n HT40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	1	802.11n HT40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	1	802.11n HT40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.85	1	802.11n HT40	110	5550	MCS0	Full	-
Mode 25	U-NII-2C	5.47-5.725	1	802.11n HT40	134	5670	MCS0	Full	-
Mode 26	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps	-	-
Mode 27	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps	-	-
Mode 28	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps	-	-
Mode 29	U-NII-3	5.725-5.85	1	802.11n HT20	149	5745	MCS0	Full	-
Mode 30	U-NII-3	5.725-5.85	1	802.11n HT20	157	5785	MCS0	Full	-
Mode 31	U-NII-3	5.725-5.85	1	802.11n HT20	165	5825	MCS0	Full	-
Mode 32	U-NII-3	5.725-5.85	1	802.11n HT40	151	5755	MCS0	Full	-
Mode 33	U-NII-3	5.725-5.85	1	802.11n HT40	159	5795	MCS0	Full	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.90	42.56	54.00	-11.44	H	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	46.99	54.00	-7.01	H	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	45.18	54.00	-8.82	H	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	45.12	54.00	-8.88	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15780.00	43.07	54.00	-10.93	V	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	43.96	54.00	-10.04	H	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.00	38.73	54.00	-15.27	H	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	42.74	54.00	-11.26	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5441.84	38.63	54.00	-15.37	H	AVERAGE	Pass	Band Edge
7	802.11a	100	16500.00	50.88	68.20	-17.32	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	50.97	68.20	-17.23	H	PEAK	Pass	Harmonic
9	802.11a	140	5725.00	61.14	68.20	-7.06	H	PEAK	Pass	Band Edge
9	802.11a	140	17100.00	50.07	68.20	-18.13	V	PEAK	Pass	Harmonic
10	802.11n HT20	36	5150.00	42.54	54.00	-11.46	H	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	15540.00	43.99	54.00	-10.01	V	AVERAGE	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	15660.00	43.21	54.00	-10.79	H	AVERAGE	Pass	Harmonic
12	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	48	15720.00	43.85	54.00	-10.15	V	AVERAGE	Pass	Harmonic
13	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11n HT20	52	15780.00	41.28	54.00	-12.72	H	AVERAGE	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	10600.00	41.40	54.00	-12.60	H	AVERAGE	Pass	Harmonic
15	802.11n HT20	64	5350.00	39.94	54.00	-14.06	V	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	15960.00	41.72	54.00	-12.28	V	AVERAGE	Pass	Harmonic
16	802.11n HT20	100	5459.92	38.63	54.00	-15.37	H	AVERAGE	Pass	Band Edge
16	802.11n HT20	100	16500.00	50.10	68.20	-18.10	H	PEAK	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	16740.00	50.11	68.20	-18.09	V	PEAK	Pass	Harmonic
18	802.11n HT20	140	5725.08	60.11	68.20	-8.09	H	PEAK	Pass	Band Edge
18	802.11n HT20	140	17100.00	49.45	68.20	-18.75	V	PEAK	Pass	Harmonic
19	802.11n HT40	38	5149.92	49.88	54.00	-4.12	H	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	15570.00	42.45	54.00	-11.55	V	AVERAGE	Pass	Harmonic
20	802.11n HT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11n HT40	46	15690.00	43.65	54.00	-10.35	H	AVERAGE	Pass	Harmonic
21	802.11n HT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11n HT40	54	15810.00	38.80	54.00	-15.20	H	AVERAGE	Pass	Harmonic
22	802.11n HT40	62	5350.10	47.00	54.00	-7.00	H	AVERAGE	Pass	Band Edge
22	802.11n HT40	62	15930.00	38.83	54.00	-15.17	H	AVERAGE	Pass	Harmonic







23	802.11n HT40	102	5459.76	41.23	54.00	-12.77	H	AVERAGE	Pass	Band Edge
23	802.11n HT40	102	16530.00	50.22	68.20	-17.98	V	PEAK	Pass	Harmonic
24	802.11n HT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11n HT40	110	16650.00	49.12	68.20	-19.08	V	PEAK	Pass	Harmonic
25	802.11n HT40	134	5727.96	59.59	68.20	-8.61	V	PEAK	Pass	Band Edge
25	802.11n HT40	134	17010.00	50.45	68.20	-17.75	V	PEAK	Pass	Harmonic
26	802.11a	149	5629.20	49.25	68.20	-18.95	H	PEAK	Pass	Band Edge
26	802.11a	149	17235.00	49.92	68.20	-18.28	H	PEAK	Pass	Harmonic
27	802.11a	157	-	-	-	-	-	-	-	Band Edge
27	802.11a	157	17355.00	55.11	68.20	-13.09	H	PEAK	Pass	Harmonic
28	802.11a	165	5953.60	49.57	68.20	-18.63	H	PEAK	Pass	Band Edge
28	802.11a	165	17475.00	50.38	68.20	-17.82	H	PEAK	Pass	Harmonic
29	802.11n HT20	149	5616.00	48.99	68.20	-19.21	H	PEAK	Pass	Band Edge
29	802.11n HT20	149	17235.00	50.03	68.20	-18.17	H	PEAK	Pass	Harmonic
30	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
30	802.11n HT20	157	17355.00	49.50	68.20	-18.70	V	PEAK	Pass	Harmonic
31	802.11n HT20	165	5984.80	50.04	68.20	-18.16	V	PEAK	Pass	Band Edge
31	802.11n HT20	165	17475.00	49.74	68.20	-18.46	H	PEAK	Pass	Harmonic
32	802.11n HT40	151	5948.64	50.14	68.20	-18.06	V	PEAK	Pass	Band Edge
32	802.11n HT40	151	17265.00	50.03	68.20	-18.17	H	PEAK	Pass	Harmonic
33	802.11n HT40	159	5947.60	50.67	68.20	-17.53	H	PEAK	Pass	Band Edge
33	802.11n HT40	159	17385.00	49.60	68.20	-18.60	V	PEAK	Pass	Harmonic





Mode	1																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.10</td><td>56.68</td><td>74.00</td><td>-17.32</td><td>48.90</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>100</td><td>356 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.10	56.68	74.00	-17.32	48.90	34.10	10.65	36.97	0.00	100	356 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.44</td><td>-----</td><td>-----</td><td>102.60</td><td>34.15</td><td>10.68</td><td>36.99</td><td>0.00</td><td>100</td><td>356 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.44	-----	-----	102.60	34.15	10.68	36.99	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5144.10	56.68	74.00	-17.32	48.90	34.10	10.65	36.97	0.00	100	356 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	110.44	-----	-----	102.60	34.15	10.68	36.99	0.00	100	356 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.90</td><td>42.56</td><td>54.00</td><td>-11.44</td><td>34.78</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>100</td><td>356 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	42.56	54.00	-11.44	34.78	34.10	10.65	36.97	0.00	100	356 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.37</td><td>-----</td><td>-----</td><td>93.53</td><td>34.15</td><td>10.68</td><td>36.99</td><td>0.00</td><td>100</td><td>356 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.37	-----	-----	93.53	34.15	10.68	36.99	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.90	42.56	54.00	-11.44	34.78	34.10	10.65	36.97	0.00	100	356 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	101.37	-----	-----	93.53	34.15	10.68	36.99	0.00	100	356 AVERAGE																																																																																									





Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.70</td><td>54.24</td><td>74.00</td><td>-19.76</td><td>46.46</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>104 126 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.70	54.24	74.00	-19.76	46.46	34.10	10.65	36.97	0.00	104 126 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>107.04</td><td>-----</td><td>-----</td><td>99.20</td><td>34.15</td><td>10.68</td><td>36.99</td><td>0.00</td><td>104 126 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.04	-----	-----	99.20	34.15	10.68	36.99	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.70	54.24	74.00	-19.76	46.46	34.10	10.65	36.97	0.00	104 126 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	107.04	-----	-----	99.20	34.15	10.68	36.99	0.00	104 126 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5150.00</td><td>40.03</td><td>54.00</td><td>-13.97</td><td>32.25</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>104 126 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	40.03	54.00	-13.97	32.25	34.10	10.65	36.97	0.00	104 126 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>97.45</td><td>-----</td><td>-----</td><td>89.61</td><td>34.15</td><td>10.68</td><td>36.99</td><td>0.00</td><td>104 126 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.45	-----	-----	89.61	34.15	10.68	36.99	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5150.00	40.03	54.00	-13.97	32.25	34.10	10.65	36.97	0.00	104 126 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	97.45	-----	-----	89.61	34.15	10.68	36.99	0.00	104 126 AVERAGE																																																																																								





Mode	1																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																					
ANT	1																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>45.03</td><td>68.20</td><td>-23.17</td><td>59.01</td><td>37.36</td><td>15.30</td><td>66.64</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>57.59</td><td>74.00</td><td>-16.41</td><td>63.73</td><td>39.84</td><td>19.08</td><td>65.06</td><td>0.00</td><td>100</td><td>107 PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>46.99</td><td>54.00</td><td>-7.01</td><td>53.13</td><td>39.84</td><td>19.08</td><td>65.06</td><td>0.00</td><td>100</td><td>107 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	10360.00	45.03	68.20	-23.17	59.01	37.36	15.30	66.64	0.00	---	PEAK	2	15540.00	57.59	74.00	-16.41	63.73	39.84	19.08	65.06	0.00	100	107 PEAK	3	15540.00	46.99	54.00	-7.01	53.13	39.84	19.08	65.06	0.00	100	107 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>46.76</td><td>68.20</td><td>-21.44</td><td>60.74</td><td>37.36</td><td>15.30</td><td>66.64</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>56.82</td><td>74.00</td><td>-17.18</td><td>62.96</td><td>39.84</td><td>19.08</td><td>65.06</td><td>0.00</td><td>100</td><td>159 PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>45.70</td><td>54.00</td><td>-8.30</td><td>51.84</td><td>39.84</td><td>19.08</td><td>65.06</td><td>0.00</td><td>100</td><td>159 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	10360.00	46.76	68.20	-21.44	60.74	37.36	15.30	66.64	0.00	---	PEAK	2	15540.00	56.82	74.00	-17.18	62.96	39.84	19.08	65.06	0.00	100	159 PEAK	3	15540.00	45.70	54.00	-8.30	51.84	39.84	19.08	65.06	0.00	100	159 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																													
1	10360.00	45.03	68.20	-23.17	59.01	37.36	15.30	66.64	0.00	---	PEAK																																																																																																																																											
2	15540.00	57.59	74.00	-16.41	63.73	39.84	19.08	65.06	0.00	100	107 PEAK																																																																																																																																											
3	15540.00	46.99	54.00	-7.01	53.13	39.84	19.08	65.06	0.00	100	107 AVERAGE																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																													
1	10360.00	46.76	68.20	-21.44	60.74	37.36	15.30	66.64	0.00	---	PEAK																																																																																																																																											
2	15540.00	56.82	74.00	-17.18	62.96	39.84	19.08	65.06	0.00	100	159 PEAK																																																																																																																																											
3	15540.00	45.70	54.00	-8.30	51.84	39.84	19.08	65.06	0.00	100	159 AVERAGE																																																																																																																																											





Mode	2																																																																																																																																																													
	Harmonic																																																																																																																																																													
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																																													
ANT	1																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>56.57</td><td>68.20</td><td>-11.63</td><td>70.33</td><td>37.44</td><td>15.36</td><td>66.56</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>56.29</td><td>74.00</td><td>-17.71</td><td>62.38</td><td>39.96</td><td>19.17</td><td>65.22</td><td>0.00</td><td>100</td><td>108</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>45.18</td><td>54.00</td><td>-8.82</td><td>51.28</td><td>39.96</td><td>19.16</td><td>65.22</td><td>0.00</td><td>100</td><td>108</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	56.57	68.20	-11.63	70.33	37.44	15.36	66.56	0.00	100	298	PEAK	2	15660.00	56.29	74.00	-17.71	62.38	39.96	19.17	65.22	0.00	100	108	PEAK	3	15660.00	45.18	54.00	-8.82	51.28	39.96	19.16	65.22	0.00	100	108	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.16</td><td>68.20</td><td>-23.04</td><td>58.92</td><td>37.44</td><td>15.36</td><td>66.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>54.42</td><td>74.00</td><td>-19.58</td><td>60.51</td><td>39.96</td><td>19.17</td><td>65.22</td><td>0.00</td><td>100</td><td>163</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>49.50</td><td>39.96</td><td>19.16</td><td>65.22</td><td>0.00</td><td>100</td><td>163</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	45.16	68.20	-23.04	58.92	37.44	15.36	66.56	0.00	---	---	PEAK	2	15660.00	54.42	74.00	-19.58	60.51	39.96	19.17	65.22	0.00	100	163	PEAK	3	15660.00	43.40	54.00	-10.60	49.50	39.96	19.16	65.22	0.00	100	163	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	10440.00	56.57	68.20	-11.63	70.33	37.44	15.36	66.56	0.00	100	298	PEAK																																																																																																																																																		
2	15660.00	56.29	74.00	-17.71	62.38	39.96	19.17	65.22	0.00	100	108	PEAK																																																																																																																																																		
3	15660.00	45.18	54.00	-8.82	51.28	39.96	19.16	65.22	0.00	100	108	AVERAGE																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	10440.00	45.16	68.20	-23.04	58.92	37.44	15.36	66.56	0.00	---	---	PEAK																																																																																																																																																		
2	15660.00	54.42	74.00	-19.58	60.51	39.96	19.17	65.22	0.00	100	163	PEAK																																																																																																																																																		
3	15660.00	43.40	54.00	-10.60	49.50	39.96	19.16	65.22	0.00	100	163	AVERAGE																																																																																																																																																		





Mode	3																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																				
ANT	1																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>45.27</td><td>68.20</td><td>-22.93</td><td>58.92</td><td>37.48</td><td>15.39</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15720.00</td><td>54.97</td><td>74.00</td><td>-19.03</td><td>61.05</td><td>40.02</td><td>19.21</td><td>65.31</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>3 15720.00</td><td>43.45</td><td>54.00</td><td>-10.55</td><td>49.53</td><td>40.02</td><td>19.21</td><td>65.31</td><td>0.00</td><td>100</td><td>110</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	45.27	68.20	-22.93	58.92	37.48	15.39	66.52	0.00	---	---	PEAK	2 15720.00	54.97	74.00	-19.03	61.05	40.02	19.21	65.31	0.00	100	110	PEAK	3 15720.00	43.45	54.00	-10.55	49.53	40.02	19.21	65.31	0.00	100	110	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>44.99</td><td>68.20</td><td>-23.21</td><td>58.64</td><td>37.48</td><td>15.39</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15720.00</td><td>56.29</td><td>74.00</td><td>-17.71</td><td>62.37</td><td>40.02</td><td>19.21</td><td>65.31</td><td>0.00</td><td>237</td><td>160</td><td>PEAK</td></tr><tr><td>3 15720.00</td><td>45.12</td><td>54.00</td><td>-8.88</td><td>51.20</td><td>40.02</td><td>19.21</td><td>65.31</td><td>0.00</td><td>237</td><td>160</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	44.99	68.20	-23.21	58.64	37.48	15.39	66.52	0.00	---	---	PEAK	2 15720.00	56.29	74.00	-17.71	62.37	40.02	19.21	65.31	0.00	237	160	PEAK	3 15720.00	45.12	54.00	-8.88	51.20	40.02	19.21	65.31	0.00	237	160
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1 10480.00	45.27	68.20	-22.93	58.92	37.48	15.39	66.52	0.00	---	---	PEAK																																																																																																																																										
2 15720.00	54.97	74.00	-19.03	61.05	40.02	19.21	65.31	0.00	100	110	PEAK																																																																																																																																										
3 15720.00	43.45	54.00	-10.55	49.53	40.02	19.21	65.31	0.00	100	110	AVERAGE																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1 10480.00	44.99	68.20	-23.21	58.64	37.48	15.39	66.52	0.00	---	---	PEAK																																																																																																																																										
2 15720.00	56.29	74.00	-17.71	62.37	40.02	19.21	65.31	0.00	237	160	PEAK																																																																																																																																										
3 15720.00	45.12	54.00	-8.88	51.20	40.02	19.21	65.31	0.00	237	160	AVERAGE																																																																																																																																										





Mode	4																																																																																																																																																													
	Harmonic																																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																																													
ANT	1																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>44.12</td><td>68.20</td><td>-24.08</td><td>57.66</td><td>37.52</td><td>15.41</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>59.46</td><td>40.08</td><td>19.25</td><td>65.39</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>42.27</td><td>54.00</td><td>-11.73</td><td>48.33</td><td>40.08</td><td>19.25</td><td>65.39</td><td>0.00</td><td>300</td><td>105</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	44.12	68.20	-24.08	57.66	37.52	15.41	66.47	0.00	---	---	PEAK	2	15780.00	53.40	74.00	-20.60	59.46	40.08	19.25	65.39	0.00	300	105	PEAK	3	15780.00	42.27	54.00	-11.73	48.33	40.08	19.25	65.39	0.00	300	105	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>45.65</td><td>68.20</td><td>-22.55</td><td>59.19</td><td>37.52</td><td>15.41</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>60.86</td><td>40.08</td><td>19.25</td><td>65.39</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>49.12</td><td>40.08</td><td>19.26</td><td>65.39</td><td>0.00</td><td>100</td><td>171</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	45.65	68.20	-22.55	59.19	37.52	15.41	66.47	0.00	---	---	PEAK	2	15780.00	54.80	74.00	-19.20	60.86	40.08	19.25	65.39	0.00	100	171	PEAK	3	15780.00	43.07	54.00	-10.93	49.12	40.08	19.26	65.39	0.00	100	171	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	10520.00	44.12	68.20	-24.08	57.66	37.52	15.41	66.47	0.00	---	---	PEAK																																																																																																																																																		
2	15780.00	53.40	74.00	-20.60	59.46	40.08	19.25	65.39	0.00	300	105	PEAK																																																																																																																																																		
3	15780.00	42.27	54.00	-11.73	48.33	40.08	19.25	65.39	0.00	300	105	AVERAGE																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	10520.00	45.65	68.20	-22.55	59.19	37.52	15.41	66.47	0.00	---	---	PEAK																																																																																																																																																		
2	15780.00	54.80	74.00	-19.20	60.86	40.08	19.25	65.39	0.00	100	171	PEAK																																																																																																																																																		
3	15780.00	43.07	54.00	-10.93	49.12	40.08	19.26	65.39	0.00	100	171	AVERAGE																																																																																																																																																		







Mode	5																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																								
ANT	1																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																		
Peak Avg																																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>55.57</td><td>68.20</td><td>-12.63</td><td>68.86</td><td>37.60</td><td>15.47</td><td>66.36</td><td>0.00</td><td>114</td><td>299</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>43.96</td><td>54.00</td><td>-10.04</td><td>57.25</td><td>37.60</td><td>15.47</td><td>66.36</td><td>0.00</td><td>114</td><td>299</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>56.50</td><td>40.20</td><td>19.34</td><td>65.56</td><td>0.00</td><td>114</td><td>299</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>39.45</td><td>54.00</td><td>-14.55</td><td>45.46</td><td>40.20</td><td>19.35</td><td>65.56</td><td>0.00</td><td>114</td><td>299</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	55.57	68.20	-12.63	68.86	37.60	15.47	66.36	0.00	114	299	PEAK	2	10600.00	43.96	54.00	-10.04	57.25	37.60	15.47	66.36	0.00	114	299	AVERAGE	3	15900.00	50.48	74.00	-23.52	56.50	40.20	19.34	65.56	0.00	114	299	PEAK	4	15900.00	39.45	54.00	-14.55	45.46	40.20	19.35	65.56	0.00	114	299	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>45.22</td><td>68.20</td><td>-22.98</td><td>58.51</td><td>37.60</td><td>15.47</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15900.00</td><td>54.32</td><td>74.00</td><td>-19.68</td><td>60.34</td><td>40.20</td><td>19.34</td><td>65.56</td><td>0.00</td><td>257</td><td>158</td><td>PEAK</td></tr><tr><td>3</td><td>15900.00</td><td>42.37</td><td>54.00</td><td>-11.63</td><td>48.39</td><td>40.20</td><td>19.34</td><td>65.56</td><td>0.00</td><td>257</td><td>158</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	45.22	68.20	-22.98	58.51	37.60	15.47	66.36	0.00	---	---	PEAK	2	15900.00	54.32	74.00	-19.68	60.34	40.20	19.34	65.56	0.00	257	158	PEAK	3	15900.00	42.37	54.00	-11.63	48.39	40.20	19.34	65.56	0.00	257	158	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	10600.00	55.57	68.20	-12.63	68.86	37.60	15.47	66.36	0.00	114	299	PEAK																																																																																																																																																													
2	10600.00	43.96	54.00	-10.04	57.25	37.60	15.47	66.36	0.00	114	299	AVERAGE																																																																																																																																																													
3	15900.00	50.48	74.00	-23.52	56.50	40.20	19.34	65.56	0.00	114	299	PEAK																																																																																																																																																													
4	15900.00	39.45	54.00	-14.55	45.46	40.20	19.35	65.56	0.00	114	299	AVERAGE																																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	10600.00	45.22	68.20	-22.98	58.51	37.60	15.47	66.36	0.00	---	---	PEAK																																																																																																																																																													
2	15900.00	54.32	74.00	-19.68	60.34	40.20	19.34	65.56	0.00	257	158	PEAK																																																																																																																																																													
3	15900.00	42.37	54.00	-11.63	48.39	40.20	19.34	65.56	0.00	257	158	AVERAGE																																																																																																																																																													



Mode	6																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.30</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>40.99</td><td>34.40</td><td>10.84</td><td>36.84</td><td>0.00</td><td>100</td><td>333 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.30	49.39	74.00	-24.61	40.99	34.40	10.84	36.84	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.30	49.39	74.00	-24.61	40.99	34.40	10.84	36.84	0.00	100	333 PEAK																																												
Avg	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>38.73</td><td>54.00</td><td>-15.27</td><td>30.34</td><td>34.40</td><td>10.84</td><td>36.85</td><td>0.00</td><td>100</td><td>333 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	38.73	54.00	-15.27	30.34	34.40	10.84	36.85	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	38.73	54.00	-15.27	30.34	34.40	10.84	36.85	0.00	100	333 AVERAGE																																												







Mode	6																																																																																																				
	Band Edge																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.00</td><td>50.35</td><td>74.00</td><td>-23.65</td><td>41.95</td><td>34.40</td><td>10.84</td><td>36.84</td><td>0.00</td><td>100</td><td>296 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.00	50.35	74.00	-23.65	41.95	34.40	10.84	36.84	0.00	100	296 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.82</td><td>-----</td><td>-----</td><td>94.54</td><td>34.40</td><td>10.81</td><td>36.93</td><td>0.00</td><td>100</td><td>296 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.82	-----	-----	94.54	34.40	10.81	36.93	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5353.00	50.35	74.00	-23.65	41.95	34.40	10.84	36.84	0.00	100	296 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	102.82	-----	-----	94.54	34.40	10.81	36.93	0.00	100	296 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>38.17</td><td>54.00</td><td>-15.83</td><td>29.78</td><td>34.40</td><td>10.84</td><td>36.85</td><td>0.00</td><td>100</td><td>296 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	38.17	54.00	-15.83	29.78	34.40	10.84	36.85	0.00	100	296 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>94.34</td><td>-----</td><td>-----</td><td>86.06</td><td>34.40</td><td>10.81</td><td>36.93</td><td>0.00</td><td>100</td><td>296 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	94.34	-----	-----	86.06	34.40	10.81	36.93	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5350.00	38.17	54.00	-15.83	29.78	34.40	10.84	36.85	0.00	100	296 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	94.34	-----	-----	86.06	34.40	10.81	36.93	0.00	100	296 AVERAGE																																																																																										







Mode	6																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																												
ANT	1																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>57.66</td><td>37.60</td><td>15.50</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15960.00</td><td>53.63</td><td>74.00</td><td>-20.37</td><td>59.62</td><td>40.26</td><td>19.39</td><td>65.64</td><td>0.00</td><td>353</td><td>99</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>41.82</td><td>54.00</td><td>-12.18</td><td>47.81</td><td>40.26</td><td>19.39</td><td>65.64</td><td>0.00</td><td>353</td><td>99</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	44.46	74.00	-29.54	57.66	37.60	15.50	66.30	0.00	---	---	PEAK	2	15960.00	53.63	74.00	-20.37	59.62	40.26	19.39	65.64	0.00	353	99	PEAK	3	15960.00	41.82	54.00	-12.18	47.81	40.26	19.39	65.64	0.00	353	99	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>58.73</td><td>37.60</td><td>15.50</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15960.00</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>60.66</td><td>40.26</td><td>19.39</td><td>65.64</td><td>0.00</td><td>329</td><td>154</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>42.74</td><td>54.00</td><td>-11.26</td><td>48.74</td><td>40.26</td><td>19.39</td><td>65.65</td><td>0.00</td><td>329</td><td>154</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	45.53	74.00	-28.47	58.73	37.60	15.50	66.30	0.00	---	---	PEAK	2	15960.00	54.67	74.00	-19.33	60.66	40.26	19.39	65.64	0.00	329	154	PEAK	3	15960.00	42.74	54.00	-11.26	48.74	40.26	19.39	65.65	0.00	329	154
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10640.00	44.46	74.00	-29.54	57.66	37.60	15.50	66.30	0.00	---	---	PEAK																																																																																																																																																	
2	15960.00	53.63	74.00	-20.37	59.62	40.26	19.39	65.64	0.00	353	99	PEAK																																																																																																																																																	
3	15960.00	41.82	54.00	-12.18	47.81	40.26	19.39	65.64	0.00	353	99	AVERAGE																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10640.00	45.53	74.00	-28.47	58.73	37.60	15.50	66.30	0.00	---	---	PEAK																																																																																																																																																	
2	15960.00	54.67	74.00	-19.33	60.66	40.26	19.39	65.64	0.00	329	154	PEAK																																																																																																																																																	
3	15960.00	42.74	54.00	-11.26	48.74	40.26	19.39	65.65	0.00	329	154	AVERAGE																																																																																																																																																	





Mode	7																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																			
ANT	1																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.72</td><td>49.57</td><td>74.00</td><td>-24.43</td><td>40.99</td><td>34.40</td><td>10.91</td><td>36.73</td><td>0.00</td><td>104</td><td>0 PEAK</td></tr><tr><td>2</td><td>5462.48</td><td>48.46</td><td>68.20</td><td>-19.74</td><td>39.81</td><td>34.42</td><td>10.97</td><td>36.74</td><td>0.00</td><td>104</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5416.72	49.57	74.00	-24.43	40.99	34.40	10.91	36.73	0.00	104	0 PEAK	2	5462.48	48.46	68.20	-19.74	39.81	34.42	10.97	36.74	0.00	104	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5416.72	49.57	74.00	-24.43	40.99	34.40	10.91	36.73	0.00	104	0 PEAK																																																									
2	5462.48	48.46	68.20	-19.74	39.81	34.42	10.97	36.74	0.00	104	0 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.26</td><td>-----</td><td>-----</td><td>97.50</td><td>34.50</td><td>11.02</td><td>36.76</td><td>0.00</td><td>104</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	106.26	-----	-----	97.50	34.50	11.02	36.76	0.00	104	0 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5500.00	106.26	-----	-----	97.50	34.50	11.02	36.76	0.00	104	0 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5441.84</td><td>38.63</td><td>54.00</td><td>-15.37</td><td>30.03</td><td>34.40</td><td>10.94</td><td>36.74</td><td>0.00</td><td>104</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5441.84	38.63	54.00	-15.37	30.03	34.40	10.94	36.74	0.00	104	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5441.84	38.63	54.00	-15.37	30.03	34.40	10.94	36.74	0.00	104	0 AVERAGE																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>97.91</td><td>-----</td><td>-----</td><td>89.17</td><td>34.49</td><td>11.03</td><td>36.78</td><td>0.00</td><td>104</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	97.91	-----	-----	89.17	34.49	11.03	36.78	0.00	104	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5500.00	97.91	-----	-----	89.17	34.49	11.03	36.78	0.00	104	0 AVERAGE																																																									





Mode	7																																																																																																							
	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Vertical	Fundamental																																																																																																						
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5355.28</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>40.39</td><td>34.40</td><td>10.85</td><td>36.84</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>49.39</td><td>68.20</td><td>-18.81</td><td>40.72</td><td>34.44</td><td>10.98</td><td>36.75</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.28	48.80	74.00	-25.20	40.39	34.40	10.85	36.84	0.00	100	236 PEAK	2	5470.00	49.39	68.20	-18.81	40.72	34.44	10.98	36.75	0.00	100	236 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.76</td><td>-----</td><td>-----</td><td>96.02</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.76	-----	-----	96.02	34.49	11.01	36.76	0.00	100	236 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5355.28	48.80	74.00	-25.20	40.39	34.40	10.85	36.84	0.00	100	236 PEAK																																																																																													
2	5470.00	49.39	68.20	-18.81	40.72	34.44	10.98	36.75	0.00	100	236 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	104.76	-----	-----	96.02	34.49	11.01	36.76	0.00	100	236 PEAK																																																																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5431.28</td><td>37.98</td><td>54.00</td><td>-16.02</td><td>29.38</td><td>34.40</td><td>10.93</td><td>36.73</td><td>0.00</td><td>100</td><td>236 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.28	37.98	54.00	-16.02	29.38	34.40	10.93	36.73	0.00	100	236 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>96.38</td><td>-----</td><td>-----</td><td>87.64</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>100</td><td>236 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.38	-----	-----	87.64	34.49	11.01	36.76	0.00	100	236 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5431.28	37.98	54.00	-16.02	29.38	34.40	10.93	36.73	0.00	100	236 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	96.38	-----	-----	87.64	34.49	11.01	36.76	0.00	100	236 AVERAGE																																																																																													






Mode	7																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>58.90</td><td>37.80</td><td>15.76</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>50.88</td><td>68.20</td><td>-17.32</td><td>55.69</td><td>41.09</td><td>19.70</td><td>65.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.66	74.00	-27.34	58.90	37.80	15.76	65.80	0.00	---	---	PEAK	2	16500.00	50.88	68.20	-17.32	55.69	41.09	19.70	65.60	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>58.57</td><td>37.80</td><td>15.76</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>49.82</td><td>68.20</td><td>-18.38</td><td>54.64</td><td>41.08</td><td>19.70</td><td>65.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	46.33	74.00	-27.67	58.57	37.80	15.76	65.80	0.00	---	---	PEAK	2	16500.00	49.82	68.20	-18.38	54.64	41.08	19.70	65.60	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	11000.00	46.66	74.00	-27.34	58.90	37.80	15.76	65.80	0.00	---	---	PEAK																																																																																																																			
2	16500.00	50.88	68.20	-17.32	55.69	41.09	19.70	65.60	0.00	---	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11000.00	46.33	74.00	-27.67	58.57	37.80	15.76	65.80	0.00	---	---	PEAK																																																																																																																			
2	16500.00	49.82	68.20	-18.38	54.64	41.08	19.70	65.60	0.00	---	---	PEAK																																																																																																																			






Mode	8																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.85_802.11a_CH116_5580MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>58.66</td><td>37.86</td><td>15.88</td><td>65.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16740.00</td><td>50.97</td><td>68.20</td><td>-17.23</td><td>55.58</td><td>41.34</td><td>19.84</td><td>65.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	46.54	74.00	-27.46	58.66	37.86	15.88	65.86	0.00	---	---	PEAK	2	16740.00	50.97	68.20	-17.23	55.58	41.34	19.84	65.79	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>57.70</td><td>37.86</td><td>15.88</td><td>65.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16740.00</td><td>49.68</td><td>68.20</td><td>-18.52</td><td>54.29</td><td>41.34</td><td>19.84</td><td>65.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	45.58	74.00	-28.42	57.70	37.86	15.88	65.86	0.00	---	---	PEAK	2	16740.00	49.68	68.20	-18.52	54.29	41.34	19.84	65.79	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11160.00	46.54	74.00	-27.46	58.66	37.86	15.88	65.86	0.00	---	---	PEAK																																																																																																																		
2	16740.00	50.97	68.20	-17.23	55.58	41.34	19.84	65.79	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11160.00	45.58	74.00	-28.42	57.70	37.86	15.88	65.86	0.00	---	---	PEAK																																																																																																																		
2	16740.00	49.68	68.20	-18.52	54.29	41.34	19.84	65.79	0.00	---	---	PEAK																																																																																																																		







Mode	9																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.00</td><td>61.14</td><td>68.20</td><td>-7.06</td><td>52.11</td><td>34.50</td><td>11.33</td><td>36.80</td><td>0.00</td><td>106</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.00	61.14	68.20	-7.06	52.11	34.50	11.33	36.80	0.00	106	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.86</td><td>-----</td><td>-----</td><td>98.89</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>106</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	107.86	-----	-----	98.89	34.50	11.30	36.83	0.00	106	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5725.00	61.14	68.20	-7.06	52.11	34.50	11.33	36.80	0.00	106	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	107.86	-----	-----	98.89	34.50	11.30	36.83	0.00	106	0 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.48</td><td>-----</td><td>-----</td><td>90.51</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>106</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.48	-----	-----	90.51	34.50	11.30	36.83	0.00	106	0 AVERAGE																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	99.48	-----	-----	90.51	34.50	11.30	36.83	0.00	106	0 AVERAGE																																																																																										







Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.40</td><td>57.79</td><td>68.20</td><td>-10.41</td><td>48.76</td><td>34.50</td><td>11.33</td><td>36.80</td><td>0.00</td><td>101</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.40	57.79	68.20	-10.41	48.76	34.50	11.33	36.80	0.00	101	244	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.92</td><td>-----</td><td>-----</td><td>97.96</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>101</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.92	-----	-----	97.96	34.50	11.29	36.83	0.00	101	244
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.40	57.79	68.20	-10.41	48.76	34.50	11.33	36.80	0.00	101	244	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	106.92	-----	-----	97.96	34.50	11.29	36.83	0.00	101	244	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.56</td><td>-----</td><td>-----</td><td>89.59</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>101</td><td>244</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.56	-----	-----	89.59	34.50	11.30	36.83	0.00	101	244	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	98.56	-----	-----	89.59	34.50	11.30	36.83	0.00	101	244	AVERAGE																																																																																							







Mode	10																																																																																																				
	Band Edge																																																																																																				
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full_5180MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>54.23</td><td>74.00</td><td>-19.77</td><td>46.45</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	54.23	74.00	-19.77	46.45	34.10	10.65	36.97	0.00	100	346 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.37</td><td>-----</td><td>-----</td><td>100.54</td><td>34.14</td><td>10.68</td><td>36.99</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.37	-----	-----	100.54	34.14	10.68	36.99	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5149.60	54.23	74.00	-19.77	46.45	34.10	10.65	36.97	0.00	100	346 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	100.37	-----	-----	100.54	34.14	10.68	36.99	0.00	100	346 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>42.54</td><td>54.00</td><td>-11.46</td><td>34.76</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>100</td><td>346 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	42.54	54.00	-11.46	34.76	34.10	10.65	36.97	0.00	100	346 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.30</td><td>-----</td><td>-----</td><td>92.47</td><td>34.14</td><td>10.68</td><td>36.99</td><td>0.00</td><td>100</td><td>346 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.30	-----	-----	92.47	34.14	10.68	36.99	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5150.00	42.54	54.00	-11.46	34.76	34.10	10.65	36.97	0.00	100	346 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	100.30	-----	-----	92.47	34.14	10.68	36.99	0.00	100	346 AVERAGE																																																																																										





Mode	10																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full_5180MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5129.00</td><td>50.08</td><td>74.00</td><td>-23.92</td><td>42.31</td><td>34.10</td><td>10.63</td><td>36.96</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5129.00	50.08	74.00	-23.92	42.31	34.10	10.63	36.96	0.00	100	295 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.87</td><td>-----</td><td>-----</td><td>95.99</td><td>34.18</td><td>10.70</td><td>37.00</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.87	-----	-----	95.99	34.18	10.70	37.00	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5129.00	50.08	74.00	-23.92	42.31	34.10	10.63	36.96	0.00	100	295 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	103.87	-----	-----	95.99	34.18	10.70	37.00	0.00	100	295 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5119.60</td><td>38.84</td><td>54.00</td><td>-15.16</td><td>31.07</td><td>34.10</td><td>10.62</td><td>36.95</td><td>0.00</td><td>100</td><td>295 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5119.60	38.84	54.00	-15.16	31.07	34.10	10.62	36.95	0.00	100	295 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.29</td><td>-----</td><td>-----</td><td>87.44</td><td>34.16</td><td>10.69</td><td>37.00</td><td>0.00</td><td>100</td><td>295 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.29	-----	-----	87.44	34.16	10.69	37.00	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5119.60	38.84	54.00	-15.16	31.07	34.10	10.62	36.95	0.00	100	295 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	95.29	-----	-----	87.44	34.16	10.69	37.00	0.00	100	295 AVERAGE																																																																																									





Mode	10																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full_5180MHz																																																																																																																																																										
ANT	1																																																																																																																																																										
Pol.	Horizontal					Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>46.75</td><td>68.20</td><td>-21.45</td><td>60.73</td><td>37.36</td><td>15.30</td><td>66.64</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>54.99</td><td>74.00</td><td>-19.01</td><td>61.13</td><td>39.84</td><td>19.08</td><td>65.06</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>41.55</td><td>54.00</td><td>-12.45</td><td>47.69</td><td>39.84</td><td>19.08</td><td>65.06</td><td>0.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	46.75	68.20	-21.45	60.73	37.36	15.30	66.64	0.00	---	---	PEAK	2	15540.00	54.99	74.00	-19.01	61.13	39.84	19.08	65.06	0.00	100	105	PEAK	3	15540.00	41.55	54.00	-12.45	47.69	39.84	19.08	65.06	0.00	100	105	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>45.19</td><td>68.20</td><td>-23.01</td><td>59.17</td><td>37.36</td><td>15.30</td><td>66.64</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>62.36</td><td>39.84</td><td>19.08</td><td>65.06</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>50.13</td><td>39.84</td><td>19.08</td><td>65.06</td><td>0.00</td><td>100</td><td>159</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	45.19	68.20	-23.01	59.17	37.36	15.30	66.64	0.00	---	---	PEAK	2	15540.00	56.22	74.00	-17.78	62.36	39.84	19.08	65.06	0.00	100	159	PEAK	3	15540.00	43.99	54.00	-10.01	50.13	39.84	19.08	65.06	0.00	100	159
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	10360.00	46.75	68.20	-21.45	60.73	37.36	15.30	66.64	0.00	---	---	PEAK																																																																																																																																															
2	15540.00	54.99	74.00	-19.01	61.13	39.84	19.08	65.06	0.00	100	105	PEAK																																																																																																																																															
3	15540.00	41.55	54.00	-12.45	47.69	39.84	19.08	65.06	0.00	100	105	AVERAGE																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	10360.00	45.19	68.20	-23.01	59.17	37.36	15.30	66.64	0.00	---	---	PEAK																																																																																																																																															
2	15540.00	56.22	74.00	-17.78	62.36	39.84	19.08	65.06	0.00	100	159	PEAK																																																																																																																																															
3	15540.00	43.99	54.00	-10.01	50.13	39.84	19.08	65.06	0.00	100	159	AVERAGE																																																																																																																																															



Mode	11																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11n_HT20_CH44_Full_5220MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal																																																																																	
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.11</td><td>68.20</td><td>-23.09</td><td>58.87</td><td>37.44</td><td>15.36</td><td>66.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>55.90</td><td>74.00</td><td>-18.10</td><td>61.99</td><td>39.96</td><td>19.17</td><td>65.22</td><td>0.00</td><td>101</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>43.21</td><td>54.00</td><td>-10.79</td><td>49.31</td><td>39.96</td><td>19.17</td><td>65.23</td><td>0.00</td><td>101</td><td>105</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	45.11	68.20	-23.09	58.87	37.44	15.36	66.56	0.00	---	---	PEAK	2	15660.00	55.90	74.00	-18.10	61.99	39.96	19.17	65.22	0.00	101	105	PEAK	3	15660.00	43.21	54.00	-10.79	49.31	39.96	19.17	65.23	0.00	101	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	10440.00	45.11	68.20	-23.09	58.87	37.44	15.36	66.56	0.00	---	---	PEAK																																																																						
2	15660.00	55.90	74.00	-18.10	61.99	39.96	19.17	65.22	0.00	101	105	PEAK																																																																						
3	15660.00	43.21	54.00	-10.79	49.31	39.96	19.17	65.23	0.00	101	105	AVERAGE																																																																						
Pol.	Vertical																																																																																	
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>44.63</td><td>68.20</td><td>-23.57</td><td>58.39</td><td>37.44</td><td>15.36</td><td>66.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>55.36</td><td>74.00</td><td>-18.64</td><td>61.45</td><td>39.96</td><td>19.17</td><td>65.22</td><td>0.00</td><td>300</td><td>161</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>41.88</td><td>54.00</td><td>-12.12</td><td>47.98</td><td>39.96</td><td>19.17</td><td>65.23</td><td>0.00</td><td>300</td><td>161</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	44.63	68.20	-23.57	58.39	37.44	15.36	66.56	0.00	---	---	PEAK	2	15660.00	55.36	74.00	-18.64	61.45	39.96	19.17	65.22	0.00	300	161	PEAK	3	15660.00	41.88	54.00	-12.12	47.98	39.96	19.17	65.23	0.00	300	161
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	10440.00	44.63	68.20	-23.57	58.39	37.44	15.36	66.56	0.00	---	---	PEAK																																																																						
2	15660.00	55.36	74.00	-18.64	61.45	39.96	19.17	65.22	0.00	300	161	PEAK																																																																						
3	15660.00	41.88	54.00	-12.12	47.98	39.96	19.17	65.23	0.00	300	161	AVERAGE																																																																						





Mode	12																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11n HT20_CH48_Full_5240MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.55</td><td>68.20</td><td>-22.65</td><td>59.20</td><td>37.48</td><td>15.39</td><td>66.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>55.95</td><td>74.00</td><td>-18.05</td><td>62.03</td><td>40.02</td><td>19.21</td><td>65.31</td><td>0.00</td><td>101</td><td>110 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>42.48</td><td>54.00</td><td>-11.52</td><td>48.56</td><td>40.02</td><td>19.21</td><td>65.31</td><td>0.00</td><td>101</td><td>110 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.55	68.20	-22.65	59.20	37.48	15.39	66.52	0.00	---	PEAK	2	15720.00	55.95	74.00	-18.05	62.03	40.02	19.21	65.31	0.00	101	110 PEAK	3	15720.00	42.48	54.00	-11.52	48.56	40.02	19.21	65.31	0.00	101	110 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	10480.00	45.55	68.20	-22.65	59.20	37.48	15.39	66.52	0.00	---	PEAK																																																																					
2	15720.00	55.95	74.00	-18.05	62.03	40.02	19.21	65.31	0.00	101	110 PEAK																																																																					
3	15720.00	42.48	54.00	-11.52	48.56	40.02	19.21	65.31	0.00	101	110 AVERAGE																																																																					
Vertical																																																																																
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.46</td><td>68.20</td><td>-22.74</td><td>59.11</td><td>37.48</td><td>15.39</td><td>66.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>57.22</td><td>74.00</td><td>-16.78</td><td>63.30</td><td>40.02</td><td>19.21</td><td>65.31</td><td>0.00</td><td>105</td><td>160 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>49.93</td><td>40.02</td><td>19.21</td><td>65.31</td><td>0.00</td><td>105</td><td>160 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.46	68.20	-22.74	59.11	37.48	15.39	66.52	0.00	---	PEAK	2	15720.00	57.22	74.00	-16.78	63.30	40.02	19.21	65.31	0.00	105	160 PEAK	3	15720.00	43.85	54.00	-10.15	49.93	40.02	19.21	65.31	0.00	105	160 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	10480.00	45.46	68.20	-22.74	59.11	37.48	15.39	66.52	0.00	---	PEAK																																																																					
2	15720.00	57.22	74.00	-16.78	63.30	40.02	19.21	65.31	0.00	105	160 PEAK																																																																					
3	15720.00	43.85	54.00	-10.15	49.93	40.02	19.21	65.31	0.00	105	160 AVERAGE																																																																					



		13																																																																																			
Mode		Harmonic																																																																																			
		U-NII-2A_5.25-5.35_802.11n HT20_CH52_Full_5260MHz																																																																																			
ANT		1																																																																																			
Pol.		Horizontal																																																																																			
Peak Avg																																																																																					
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>45.96</td><td>68.20</td><td>-22.24</td><td>59.50</td><td>37.52</td><td>15.41</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>53.24</td><td>74.00</td><td>-20.76</td><td>59.30</td><td>40.08</td><td>19.25</td><td>65.39</td><td>0.00</td><td>105</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>41.28</td><td>54.00</td><td>-12.72</td><td>47.33</td><td>40.08</td><td>19.26</td><td>65.39</td><td>0.00</td><td>105</td><td>100</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	45.96	68.20	-22.24	59.50	37.52	15.41	66.47	0.00	---	---	PEAK	2	15780.00	53.24	74.00	-20.76	59.30	40.08	19.25	65.39	0.00	105	100	PEAK	3	15780.00	41.28	54.00	-12.72	47.33	40.08	19.26	65.39	0.00	105	100	AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	10520.00	45.96	68.20	-22.24	59.50	37.52	15.41	66.47	0.00	---	---	PEAK																																																																									
2	15780.00	53.24	74.00	-20.76	59.30	40.08	19.25	65.39	0.00	105	100	PEAK																																																																									
3	15780.00	41.28	54.00	-12.72	47.33	40.08	19.26	65.39	0.00	105	100	AVERAGE																																																																									
Vertical																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>45.76</td><td>68.20</td><td>-22.44</td><td>59.30</td><td>37.52</td><td>15.41</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>53.67</td><td>74.00</td><td>-20.33</td><td>59.73</td><td>40.08</td><td>19.25</td><td>65.39</td><td>0.00</td><td>300</td><td>160</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>40.52</td><td>54.00</td><td>-13.48</td><td>46.58</td><td>40.08</td><td>19.26</td><td>65.40</td><td>0.00</td><td>300</td><td>160</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	45.76	68.20	-22.44	59.30	37.52	15.41	66.47	0.00	---	---	PEAK	2	15780.00	53.67	74.00	-20.33	59.73	40.08	19.25	65.39	0.00	300	160	PEAK	3	15780.00	40.52	54.00	-13.48	46.58	40.08	19.26	65.40	0.00	300	160	AVERAGE		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	10520.00	45.76	68.20	-22.44	59.30	37.52	15.41	66.47	0.00	---	---	PEAK																																																																									
2	15780.00	53.67	74.00	-20.33	59.73	40.08	19.25	65.39	0.00	300	160	PEAK																																																																									
3	15780.00	40.52	54.00	-13.48	46.58	40.08	19.26	65.40	0.00	300	160	AVERAGE																																																																									







Mode	14																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_Full_5300MHz																																																																																																																																																																							
ANT	1																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>52.56</td><td>68.20</td><td>-15.64</td><td>65.85</td><td>37.60</td><td>15.47</td><td>66.36</td><td>0.00</td><td>103</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>41.40</td><td>54.00</td><td>-12.60</td><td>54.69</td><td>37.60</td><td>15.47</td><td>66.36</td><td>0.00</td><td>103</td><td>115</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>54.51</td><td>40.20</td><td>19.34</td><td>65.56</td><td>0.00</td><td>103</td><td>115</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>37.44</td><td>54.00</td><td>-16.56</td><td>43.46</td><td>40.20</td><td>19.34</td><td>65.56</td><td>0.00</td><td>103</td><td>115</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	52.56	68.20	-15.64	65.85	37.60	15.47	66.36	0.00	103	115	PEAK	2	10600.00	41.40	54.00	-12.60	54.69	37.60	15.47	66.36	0.00	103	115	AVERAGE	3	15900.00	48.49	74.00	-25.51	54.51	40.20	19.34	65.56	0.00	103	115	PEAK	4	15900.00	37.44	54.00	-16.56	43.46	40.20	19.34	65.56	0.00	103	115	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>45.05</td><td>68.20</td><td>-23.15</td><td>58.34</td><td>37.60</td><td>15.47</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15900.00</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>53.61</td><td>40.20</td><td>19.34</td><td>65.56</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>15900.00</td><td>37.21</td><td>54.00</td><td>-16.79</td><td>43.23</td><td>40.19</td><td>19.34</td><td>65.55</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	45.05	68.20	-23.15	58.34	37.60	15.47	66.36	0.00	---	---	PEAK	2	15900.00	47.59	74.00	-26.41	53.61	40.20	19.34	65.56	0.00	300	0	PEAK	3	15900.00	37.21	54.00	-16.79	43.23	40.19	19.34	65.55	0.00	300	0
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	10600.00	52.56	68.20	-15.64	65.85	37.60	15.47	66.36	0.00	103	115	PEAK																																																																																																																																																												
2	10600.00	41.40	54.00	-12.60	54.69	37.60	15.47	66.36	0.00	103	115	AVERAGE																																																																																																																																																												
3	15900.00	48.49	74.00	-25.51	54.51	40.20	19.34	65.56	0.00	103	115	PEAK																																																																																																																																																												
4	15900.00	37.44	54.00	-16.56	43.46	40.20	19.34	65.56	0.00	103	115	AVERAGE																																																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	10600.00	45.05	68.20	-23.15	58.34	37.60	15.47	66.36	0.00	---	---	PEAK																																																																																																																																																												
2	15900.00	47.59	74.00	-26.41	53.61	40.20	19.34	65.56	0.00	300	0	PEAK																																																																																																																																																												
3	15900.00	37.21	54.00	-16.79	43.23	40.19	19.34	65.55	0.00	300	0	AVERAGE																																																																																																																																																												





		15																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full_5320MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.24</td><td>74.00</td><td>-23.76</td><td>41.85</td><td>34.40</td><td>10.84</td><td>36.85</td><td>0.00</td><td>100</td><td>16 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.24	74.00	-23.76	41.85	34.40	10.84	36.85	0.00	100	16 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.07</td><td>-----</td><td>-----</td><td>96.81</td><td>34.40</td><td>10.80</td><td>36.94</td><td>0.00</td><td>100</td><td>16 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.07	-----	-----	96.81	34.40	10.80	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.00	50.24	74.00	-23.76	41.85	34.40	10.84	36.85	0.00	100	16 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	105.07	-----	-----	96.81	34.40	10.80	36.94	0.00	100	16 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>38.91</td><td>54.00</td><td>-15.09</td><td>30.52</td><td>34.40</td><td>10.84</td><td>36.85</td><td>0.00</td><td>100</td><td>16 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	38.91	54.00	-15.09	30.52	34.40	10.84	36.85	0.00	100	16 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.21</td><td>-----</td><td>-----</td><td>87.95</td><td>34.40</td><td>10.80</td><td>36.94</td><td>0.00</td><td>100</td><td>16 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.21	-----	-----	87.95	34.40	10.80	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.00	38.91	54.00	-15.09	30.52	34.40	10.84	36.85	0.00	100	16 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	96.21	-----	-----	87.95	34.40	10.80	36.94	0.00	100	16 AVERAGE																																																																																									







		15																																																																																																			
Mode	Band Edge																																																																																																				
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full_5320MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>53.23</td><td>74.00</td><td>-20.77</td><td>44.84</td><td>34.40</td><td>10.84</td><td>36.85</td><td>0.00</td><td>124</td><td>321 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	53.23	74.00	-20.77	44.84	34.40	10.84	36.85	0.00	124	321 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.63</td><td>-----</td><td>-----</td><td>94.37</td><td>34.40</td><td>10.80</td><td>36.94</td><td>0.00</td><td>124</td><td>321 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.63	-----	-----	94.37	34.40	10.80	36.94	0.00	124
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5350.00	53.23	74.00	-20.77	44.84	34.40	10.84	36.85	0.00	124	321 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	102.63	-----	-----	94.37	34.40	10.80	36.94	0.00	124	321 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>39.94</td><td>54.00</td><td>-14.06</td><td>31.55</td><td>34.40</td><td>10.84</td><td>36.85</td><td>0.00</td><td>124</td><td>321 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	39.94	54.00	-14.06	31.55	34.40	10.84	36.85	0.00	124	321 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>94.71</td><td>-----</td><td>-----</td><td>86.43</td><td>34.40</td><td>10.81</td><td>36.93</td><td>0.00</td><td>124</td><td>321 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	94.71	-----	-----	86.43	34.40	10.81	36.93	0.00	124
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5350.00	39.94	54.00	-14.06	31.55	34.40	10.84	36.85	0.00	124	321 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	94.71	-----	-----	86.43	34.40	10.81	36.93	0.00	124	321 AVERAGE																																																																																										



Mode	15																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full_5320MHz																																																																																																																																																															
ANT	1																																																																																																																																																															
Pol.	Horizontal										Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>57.87</td><td>37.60</td><td>15.50</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15960.00</td><td>49.09</td><td>74.00</td><td>-24.91</td><td>55.08</td><td>40.26</td><td>19.39</td><td>65.64</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>38.77</td><td>54.00</td><td>-15.23</td><td>44.76</td><td>40.26</td><td>19.39</td><td>65.64</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	44.67	74.00	-29.33	57.87	37.60	15.50	66.30	0.00	---	---	PEAK	2	15960.00	49.09	74.00	-24.91	55.08	40.26	19.39	65.64	0.00	100	0	PEAK	3	15960.00	38.77	54.00	-15.23	44.76	40.26	19.39	65.64	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>58.43</td><td>37.60</td><td>15.50</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15960.00</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>60.49</td><td>40.26</td><td>19.39</td><td>65.64</td><td>0.00</td><td>270</td><td>157</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>41.72</td><td>54.00</td><td>-12.28</td><td>47.71</td><td>40.26</td><td>19.39</td><td>65.64</td><td>0.00</td><td>270</td><td>157</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	45.23	74.00	-28.77	58.43	37.60	15.50	66.30	0.00	---	---	PEAK	2	15960.00	54.50	74.00	-19.50	60.49	40.26	19.39	65.64	0.00	270	157	PEAK	3	15960.00	41.72	54.00	-12.28	47.71	40.26	19.39	65.64	0.00	270	157
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	10640.00	44.67	74.00	-29.33	57.87	37.60	15.50	66.30	0.00	---	---	PEAK																																																																																																																																																				
2	15960.00	49.09	74.00	-24.91	55.08	40.26	19.39	65.64	0.00	100	0	PEAK																																																																																																																																																				
3	15960.00	38.77	54.00	-15.23	44.76	40.26	19.39	65.64	0.00	100	0	AVERAGE																																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	10640.00	45.23	74.00	-28.77	58.43	37.60	15.50	66.30	0.00	---	---	PEAK																																																																																																																																																				
2	15960.00	54.50	74.00	-19.50	60.49	40.26	19.39	65.64	0.00	270	157	PEAK																																																																																																																																																				
3	15960.00	41.72	54.00	-12.28	47.71	40.26	19.39	65.64	0.00	270	157	AVERAGE																																																																																																																																																				





Mode	16																																																																																																													
	Band Edge																																																																																																													
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_Full_5500MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal										Fundamental																																																																																																			
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.12</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>40.67</td><td>34.40</td><td>10.96</td><td>36.74</td><td>0.00</td><td>117 171 PEAK</td></tr><tr><td>2</td><td>5468.72</td><td>49.96</td><td>68.20</td><td>-18.24</td><td>41.29</td><td>34.44</td><td>10.98</td><td>36.75</td><td>0.00</td><td>117 171 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.12	49.29	74.00	-24.71	40.67	34.40	10.96	36.74	0.00	117 171 PEAK	2	5468.72	49.96	68.20	-18.24	41.29	34.44	10.98	36.75	0.00	117 171 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>105.74</td><td>-----</td><td>-----</td><td>96.98</td><td>34.50</td><td>11.02</td><td>36.76</td><td>0.00</td><td>117 171 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.74	-----	-----	96.98	34.50	11.02	36.76	0.00	117 171 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5451.12	49.29	74.00	-24.71	40.67	34.40	10.96	36.74	0.00	117 171 PEAK																																																																																																				
2	5468.72	49.96	68.20	-18.24	41.29	34.44	10.98	36.75	0.00	117 171 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5500.00	105.74	-----	-----	96.98	34.50	11.02	36.76	0.00	117 171 PEAK																																																																																																				
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>38.63</td><td>54.00</td><td>-15.37</td><td>29.98</td><td>34.42</td><td>10.97</td><td>36.74</td><td>0.00</td><td>117 171 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	38.63	54.00	-15.37	29.98	34.42	10.97	36.74	0.00	117 171 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>97.03</td><td>-----</td><td>-----</td><td>88.27</td><td>34.50</td><td>11.02</td><td>36.76</td><td>0.00</td><td>117 171 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.03	-----	-----	88.27	34.50	11.02	36.76	0.00	117 171 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.92	38.63	54.00	-15.37	29.98	34.42	10.97	36.74	0.00	117 171 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5500.00	97.03	-----	-----	88.27	34.50	11.02	36.76	0.00	117 171 AVERAGE																																																																																																				



Mode	16																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_Full_5500MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5406.64</td><td>48.51</td><td>74.00</td><td>-25.49</td><td>39.93</td><td>34.40</td><td>10.90</td><td>36.72</td><td>0.00</td><td>103</td><td>245 PEAK</td></tr><tr><td>2</td><td>5463.60</td><td>49.09</td><td>68.20</td><td>-19.11</td><td>40.44</td><td>34.43</td><td>10.97</td><td>36.75</td><td>0.00</td><td>103</td><td>245 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5406.64	48.51	74.00	-25.49	39.93	34.40	10.90	36.72	0.00	103	245 PEAK	2	5463.60	49.09	68.20	-19.11	40.44	34.43	10.97	36.75	0.00	103	245 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.68</td><td>-----</td><td>-----</td><td>93.94</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>103</td><td>245 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.68	-----	-----	93.94	34.49	11.01	36.76	0.00	103	245 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5406.64	48.51	74.00	-25.49	39.93	34.40	10.90	36.72	0.00	103	245 PEAK																																																																																																						
2	5463.60	49.09	68.20	-19.11	40.44	34.43	10.97	36.75	0.00	103	245 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	102.68	-----	-----	93.94	34.49	11.01	36.76	0.00	103	245 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5427.44</td><td>37.37</td><td>54.00</td><td>-16.63</td><td>28.77</td><td>34.40</td><td>10.93</td><td>36.73</td><td>0.00</td><td>103</td><td>245 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5427.44	37.37	54.00	-16.63	28.77	34.40	10.93	36.73	0.00	103	245 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>93.70</td><td>-----</td><td>-----</td><td>84.96</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>103</td><td>245 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	93.70	-----	-----	84.96	34.49	11.01	36.76	0.00	103	245 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5427.44	37.37	54.00	-16.63	28.77	34.40	10.93	36.73	0.00	103	245 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	93.70	-----	-----	84.96	34.49	11.01	36.76	0.00	103	245 AVERAGE																																																																																																						






Mode	16																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_Full_5500MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal								Vertical																																																																																																			
Peak Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>58.18</td><td>37.80</td><td>15.76</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>50.10</td><td>68.20</td><td>-18.10</td><td>54.90</td><td>41.10</td><td>19.70</td><td>65.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1	11000.00	45.94	74.00	-28.06	58.18	37.80	15.76	65.80	0.00	---	---	PEAK	2	16500.00	50.10	68.20	-18.10	54.90	41.10	19.70	65.60	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>58.01</td><td>37.80</td><td>15.76</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>49.62</td><td>68.20</td><td>-18.58</td><td>54.43</td><td>41.09</td><td>19.70</td><td>65.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1	11000.00	45.77	74.00	-28.23	58.01	37.80	15.76	65.80	0.00	---	---	PEAK	2	16500.00	49.62	68.20	-18.58	54.43	41.09	19.70	65.60	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
1	11000.00	45.94	74.00	-28.06	58.18	37.80	15.76	65.80	0.00	---	---	PEAK																																																																																																
2	16500.00	50.10	68.20	-18.10	54.90	41.10	19.70	65.60	0.00	---	---	PEAK																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
1	11000.00	45.77	74.00	-28.23	58.01	37.80	15.76	65.80	0.00	---	---	PEAK																																																																																																
2	16500.00	49.62	68.20	-18.58	54.43	41.09	19.70	65.60	0.00	---	---	PEAK																																																																																																
<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>58.18</td><td>37.80</td><td>15.76</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>50.10</td><td>68.20</td><td>-18.10</td><td>54.90</td><td>41.10</td><td>19.70</td><td>65.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	45.94	74.00	-28.06	58.18	37.80	15.76	65.80	0.00	---	---	PEAK	2	16500.00	50.10	68.20	-18.10	54.90	41.10	19.70	65.60	0.00	---	---	PEAK	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>58.01</td><td>37.80</td><td>15.76</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>49.62</td><td>68.20</td><td>-18.58</td><td>54.43</td><td>41.09</td><td>19.70</td><td>65.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	45.77	74.00	-28.23	58.01	37.80	15.76	65.80	0.00	---	---	PEAK	2	16500.00	49.62	68.20	-18.58	54.43	41.09	19.70	65.60	0.00	---	---	PEAK																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11000.00	45.94	74.00	-28.06	58.18	37.80	15.76	65.80	0.00	---	---	PEAK																																																																																																
2	16500.00	50.10	68.20	-18.10	54.90	41.10	19.70	65.60	0.00	---	---	PEAK																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11000.00	45.77	74.00	-28.23	58.01	37.80	15.76	65.80	0.00	---	---	PEAK																																																																																																
2	16500.00	49.62	68.20	-18.58	54.43	41.09	19.70	65.60	0.00	---	---	PEAK																																																																																																






Mode	17																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_Full_5580MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>57.73</td><td>37.86</td><td>15.88</td><td>65.86</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16740.00</td><td>49.54</td><td>68.20</td><td>-18.66</td><td>54.17</td><td>41.33</td><td>19.83</td><td>65.79</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	45.61	74.00	-28.39	57.73	37.86	15.88	65.86	0.00	---	PEAK	2	16740.00	49.54	68.20	-18.66	54.17	41.33	19.83	65.79	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>45.02</td><td>74.00</td><td>-28.98</td><td>57.14</td><td>37.86</td><td>15.88</td><td>65.86</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16740.00</td><td>50.11</td><td>68.20</td><td>-18.09</td><td>54.73</td><td>41.34</td><td>19.83</td><td>65.79</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	45.02	74.00	-28.98	57.14	37.86	15.88	65.86	0.00	---	PEAK	2	16740.00	50.11	68.20	-18.09	54.73	41.34	19.83	65.79	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11160.00	45.61	74.00	-28.39	57.73	37.86	15.88	65.86	0.00	---	PEAK																																																																																																																			
2	16740.00	49.54	68.20	-18.66	54.17	41.33	19.83	65.79	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11160.00	45.02	74.00	-28.98	57.14	37.86	15.88	65.86	0.00	---	PEAK																																																																																																																			
2	16740.00	50.11	68.20	-18.09	54.73	41.34	19.83	65.79	0.00	---	PEAK																																																																																																																			





Mode	18																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_Full_5700MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.00</td><td>60.11</td><td>68.20</td><td>-8.09</td><td>51.00</td><td>34.50</td><td>11.33</td><td>36.00</td><td>0.00</td><td>105</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.00	60.11	68.20	-8.09	51.00	34.50	11.33	36.00	0.00	105	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.62</td><td>-----</td><td>-----</td><td>98.65</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>105</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	107.62	-----	-----	98.65	34.50	11.30	36.83	0.00	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5725.00	60.11	68.20	-8.09	51.00	34.50	11.33	36.00	0.00	105	360 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	107.62	-----	-----	98.65	34.50	11.30	36.83	0.00	105	360 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.00</td><td>-----</td><td>-----</td><td>98.04</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>105</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.00	-----	-----	98.04	34.50	11.29	36.83	0.00	105	360 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	99.00	-----	-----	98.04	34.50	11.29	36.83	0.00	105	360 AVERAGE																																																																																										







Mode	18																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_Full_5700MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5732.52</td><td>52.52</td><td>68.20</td><td>-15.68</td><td>43.47</td><td>34.50</td><td>11.34</td><td>36.79</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.52	52.52	68.20	-15.68	43.47	34.50	11.34	36.79	0.00	100	244	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.61</td><td>-----</td><td>-----</td><td>95.64</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.61	-----	-----	95.64	34.50	11.30	36.83	0.00	100	244
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5732.52	52.52	68.20	-15.68	43.47	34.50	11.34	36.79	0.00	100	244	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	104.61	-----	-----	95.64	34.50	11.30	36.83	0.00	100	244	PEAK																																																																																											
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>95.94</td><td>-----</td><td>-----</td><td>86.98</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	95.94	-----	-----	86.98	34.50	11.29	36.83	0.00	100	244	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	95.94	-----	-----	86.98	34.50	11.29	36.83	0.00	100	244	AVERAGE																																																																																											





Mode	18																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_Full_5700MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays two distinct peaks at 11400 MHz and 17100 MHz, both labeled 'U-NII-1-U-NII-2A-U-NII-2C'. The average level is shown as a blue line around 48.8 dBuV/m. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7000 to 18000 MHz.	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays two distinct peaks at 11400 MHz and 17100 MHz, both labeled 'U-NII-1-U-NII-2A-U-NII-2C'. The average level is shown as a blue line around 48.8 dBuV/m. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7000 to 18000 MHz.																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11400.00</td><td>44.18</td><td>74.00</td><td>-29.82</td><td>56.09</td><td>38.00</td><td>16.05</td><td>65.96</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2 17100.00</td><td>49.32</td><td>68.20</td><td>-18.88</td><td>54.11</td><td>41.21</td><td>20.06</td><td>66.06</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	44.18	74.00	-29.82	56.09	38.00	16.05	65.96	0.00	---	--- PEAK	2 17100.00	49.32	68.20	-18.88	54.11	41.21	20.06	66.06	0.00	---	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11400.00</td><td>44.81</td><td>74.00</td><td>-29.19</td><td>56.72</td><td>38.00</td><td>16.05</td><td>65.96</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2 17100.00</td><td>49.45</td><td>68.20</td><td>-18.75</td><td>54.24</td><td>41.20</td><td>20.07</td><td>66.06</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	44.81	74.00	-29.19	56.72	38.00	16.05	65.96	0.00	---	--- PEAK	2 17100.00	49.45	68.20	-18.75	54.24	41.20	20.07	66.06	0.00	---	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 11400.00	44.18	74.00	-29.82	56.09	38.00	16.05	65.96	0.00	---	--- PEAK																																																																																																						
2 17100.00	49.32	68.20	-18.88	54.11	41.21	20.06	66.06	0.00	---	--- PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 11400.00	44.81	74.00	-29.19	56.72	38.00	16.05	65.96	0.00	---	--- PEAK																																																																																																						
2 17100.00	49.45	68.20	-18.75	54.24	41.20	20.07	66.06	0.00	---	--- PEAK																																																																																																						







		19																																																							
Mode		Band Edge - L																																																							
		U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																							
ANT		1																																																							
Pol.		Horizontal																																																							
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.20</td><td>64.64</td><td>74.00</td><td>-9.36</td><td>56.86</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.20	64.64	74.00	-9.36	56.86	34.10	10.65	36.97	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5147.20	64.64	74.00	-9.36	56.86	34.10	10.65	36.97	0.00	100	360 PEAK																																														
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>106.06</td><td>-----</td><td>-----</td><td>98.21</td><td>34.16</td><td>10.69</td><td>37.00</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	106.06	-----	-----	98.21	34.16	10.69	37.00	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5190.00	106.06	-----	-----	98.21	34.16	10.69	37.00	0.00	100	360 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>49.88</td><td>54.00</td><td>-4.12</td><td>42.10</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	49.88	54.00	-4.12	42.10	34.10	10.65	36.97	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5149.92	49.88	54.00	-4.12	42.10	34.10	10.65	36.97	0.00	100	360 AVERAGE																																														
AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>97.26</td><td>-----</td><td>-----</td><td>89.41</td><td>34.16</td><td>10.69</td><td>37.00</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	97.26	-----	-----	89.41	34.16	10.69	37.00	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5190.00	97.26	-----	-----	89.41	34.16	10.69	37.00	0.00	100	360 AVERAGE																																														



Mode	19																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																							
ANT	1																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.51</td><td>48.89</td><td>74.00</td><td>-25.11</td><td>40.28</td><td>34.40</td><td>10.94</td><td>36.73</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.51	48.89	74.00	-25.11	40.28	34.40	10.94	36.73	0.00	100	360	PEAK	Blank	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5436.51	48.89	74.00	-25.11	40.28	34.40	10.94	36.73	0.00	100	360	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.61</td><td>37.32</td><td>54.00</td><td>-16.68</td><td>28.71</td><td>34.40</td><td>10.95</td><td>36.74</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.61	37.32	54.00	-16.68	28.71	34.40	10.95	36.74	0.00	100	360	AVERAGE	Blank	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5444.61	37.32	54.00	-16.68	28.71	34.40	10.95	36.74	0.00	100	360	AVERAGE																																												



Mode	19																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5140.64</td><td>62.05</td><td>74.00</td><td>-11.95</td><td>54.28</td><td>34.10</td><td>10.64</td><td>36.97</td><td>0.00</td><td>100</td><td>124 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.64	62.05	74.00	-11.95	54.28	34.10	10.64	36.97	0.00	100	124 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>102.26</td><td>-----</td><td>-----</td><td>94.38</td><td>34.19</td><td>10.70</td><td>37.01</td><td>0.00</td><td>100</td><td>124 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	102.26	-----	-----	94.38	34.19	10.70	37.01	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5140.64	62.05	74.00	-11.95	54.28	34.10	10.64	36.97	0.00	100	124 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5190.00	102.26	-----	-----	94.38	34.19	10.70	37.01	0.00	100	124 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.60</td><td>46.78</td><td>54.00</td><td>-7.22</td><td>39.00</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>100</td><td>124 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	46.78	54.00	-7.22	39.00	34.10	10.65	36.97	0.00	100	124 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>93.59</td><td>-----</td><td>-----</td><td>85.71</td><td>34.19</td><td>10.70</td><td>37.01</td><td>0.00</td><td>100</td><td>124 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.59	-----	-----	85.71	34.19	10.70	37.01	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.60	46.78	54.00	-7.22	39.00	34.10	10.65	36.97	0.00	100	124 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5190.00	93.59	-----	-----	85.71	34.19	10.70	37.01	0.00	100	124 AVERAGE																																																																																									