



User Instructions

1. Description of appearance

1) Product Instructions



2. Elementary Operation




3) Packaging List

Bracelet Base *1	Charging Cable *1	Gift box *1
Earphone *1	Charging Base *1	User manual *1

2. Initial Use Instructions

1) Introduction of equipment functional interfaces


The default display after turning on the device is time interface. Tap the touch area and user can change between multiple functional interfaces.



Tips: Phone tracking, the countdown, and the stopwatch interface are closed by default. User need to restart those functions through APP settings > My device > Switch settings

2) Software Download

- A. Search "H Band" in APP Store for iOS users;
B. Search "H Band" through Google Play, Ying Yong Bao, Peasecod for Android users.



3) Connecting Device and Earphone Pairing

A. Under the interface of "APP" settings > "Device", pull under the interface and find Equipment Model. After successfully connecting the device model, "V08" will be shown under the list of "My Device" in the APP. Also in the left top of the device the sign "V08" will be present. Please reconnect if the sign "V08" is showing.

B. Pull the earphone out of the smart band base, then tap the touch area to switch to earphone pairing interface. After the dynamic picture appears, the earphone will send the pairing request. Within 30 seconds user needs to find the Bluetooth Interface on the phone, then search for device "V08Talk" and connect. An interface of "V08Talk" will appear on the device if the pairing is successful. A identification of "V08Talk" will appear on the time interface.

C. The connection of pairing will be cut off temporarily if the user puts the earphone back to the base of the smart band, but it will re-pair if the user takes out the earphone again. During this period, if the smart band or the phone has paired with other Bluetooth devices, then the V08Talk will need to be reconnected with the phone.

4) Connection and Matching Notifications

- a) Make sure the phone Bluetooth is turned on;
b) Make sure the device has a full battery and is turned on or charged before using;
c) Make sure the device is within 50cm range while connecting with the phone;
d) If Android phone cannot find any device through APP, please check if it allows "H Band" to use Bluetooth in the Phone Permission Settings;
e) Make sure the earphone is removed from the smart band base while pairing.

3. Introduction of Main Functions

★ Attention: To ensure the data is valid, please input the right sex, height, weight and color of the skin through APP personal information.



Start Up/Shutdown
To start up the device, press the touch area for 3 seconds. The device will enter into the Time Interface. After no manual operation for 5 seconds, the device will go into standby mode. Switch to Device Shutdown Interface and shutdown the device by pressing the touch area for 3 seconds.



Motion Monitoring
Enter the Motion Monitoring Interface by pressing the touch area through the main interface. Then the device displays the current number of steps, distance and consumed calories. The device will enter into standby mode after no manual operation for longer than 5 seconds.



Sleep Monitoring
Press the touch area twice in the device main interface to enter into the Sleep Monitoring Interface. Then the device displays overall Hours of Sleep for last night, and it will enter into standby mode after no manual operation for 3 seconds.



Manual Heart Rate Test and Automatic Monitoring
Press the touch area 3 times in the device main interface to enter into the Heart Rate Monitoring Interface. The device will continuously capture data and will present those results constantly on the screen. After accumulating data for 60 seconds, the device will enter into standby mode and this is not dependent upon receiving results to the test. The data tested through the device will not be saved.

User can find the Heart Rate icon at the bottom of the APP interface. Tap the icon and the device enters the manual Heart Rate Test Interface. While in this mode, the user can use the device to test their heart rate manually. The data tested through the device will not be saved.



Manual, Automatic and Private Mode of Blood Pressure Testing
Press the touch area 4 times in the device main interface to enter into the Blood Pressure Testing Interface. The test time depends on the user's body condition. It is normal for the test to take longer. The numerical display during the test is ---/---. If there is no blood pressure result, the device will display xxx/xxx. If this appears, please ensure that the sensor is close to the skin. Please keep your body relaxed and still during the test. After 70 seconds of testing, the device will enter into standby mode, regardless of whether results have been displayed. The results captured on the device will not be stored.



Earphone Pairing
Press the touch area 5 times in the device main interface to enter into the earphone pairing interface. Under this interface, press the touch area for 3 seconds and a pairing request should appear. When the device is unpaired, an "x" will be displayed. During the pairing, "x" will be shown. After pairing successfully, "✓" will appear.



Instructions and notifications for use of the earphone
a. Answer/Hang on Phone Calls
When a phone call is coming in and the earphone is at the smart band base, the user can pick up the phone call by taking the earphone out of the smart band base.



Phone Tracking
"H Band" must be running in the background on the phone to use this feature. To track their phone, the user must turn the device Mode to "seek phone". A long press on the touch area will cause the phone to respond.



Count-Down
After setting the Count Down Mode the count-down begins. A sand clock will display on the device screen, and the device will vibrate both when count-down begins and finishes. A quick start switch can also be set for high frequency events. A long hold on the Touch Area will initiate the Count Down quick start.



Stopwatch
The stopwatch can be switched on using the Stopwatch function in the APP. Once it is turned on, the device will go into Stopwatch mode. While the stopwatch is running, tap on the touch area to pause or continue the count. Another long press stops the count.



Alarm Clock and Events Reminder
Multiple alarms can be set through "Settings" in the APP. Snooze reminders for the alarms can be set within the APP. This function can also add tags for important things which happening in the future. When set time arrives, the device will vibrate and show those tags.



Notifications/Pushes
When a new message arrives, the device vibrates and the screen shows relevant notifications and corresponding icons.



Sedentary reminder
This function can be turned on using the APP. The user can set a



b. Call refusal
The device vibrates and a reminder will be displayed on the screen while a phone call coming in; the user can refuse the phone call by pressing the touch area for 3 seconds.



c. Voice assistant and dialing
While the user is wearing the earphone, press the touch area for 3 seconds and the voice assistant will be activated. The user can use a voice assistant to dial the phone and search for the weather. (The device currently supports iOS Siri and Android Voice Assistant. For other voice assistants under the secondary development based on Android system, the user should get the information if it is supported)



d. The function interfaces cannot be switched during the phone call.
After activating the voice assistant. The success rate of the instruction is related to the intelligence level of the voice assistant itself.



e. While the user is wearing the earphone, test of Heart Rate, Blood Pressure and other functions are not available.
During the process of activating voice assistant the earphone must leave the base of the smart band and the device should be connected via Bluetooth. Activation operation only works in standby interface or time main interface.



Phone Tracking
"H Band" must be running in the background on the phone to use this feature. To track their phone, the user must turn the device Mode to "seek phone". A long press on the touch area will cause the phone to respond.



Sedentary reminder
This function can be turned on using the APP. The user can set a



Count-Down
After setting the Count Down Mode the count-down begins. A sand clock will display on the device screen, and the device will vibrate both when count-down begins and finishes. A quick start switch can also be set for high frequency events. A long hold on the Touch Area will initiate the Count Down quick start.



Stopwatch
The stopwatch can be switched on using the Stopwatch function in the APP. Once it is turned on, the device will go into Stopwatch mode. While the stopwatch is running, tap on the touch area to pause or continue the count. Another long press stops the count.



Alarm Clock and Events Reminder
Multiple alarms can be set through "Settings" in the APP. Snooze reminders for the alarms can be set within the APP. This function can also add tags for important things which happening in the future. When set time arrives, the device will vibrate and show those tags.



Notifications/Pushes
When a new message arrives, the device vibrates and the screen shows relevant notifications and corresponding icons.



Sedentary reminder
This function can be turned on using the APP. The user can set a



Heart Rate Warning
Using the APP, the user can choose to turn on the heart rate warning and preset the upper limit of their heart rate. If the device detects that the user's heart rate has reached or exceeded the preset value, it will vibrate and display the following icon on the device screen.



Remote Photograph
To use the device to take a remote photograph, the user can turn on the Camera Mode in the APP; then tap the touch area or quickly shake the waist.



4. Notes
1) Do not use a charger with a current greater than 5V2A. Charging time is 90 minutes;
2) Do not charge if the device is water damaged;
3) Do not wear this device while you are washing hands, doing strenuous exercise or when it is raining.
4) This product is not waterproof, please take the device off before washing hands, doing strenuous exercise or when it is raining to prevent the device.
5) This is an electronic monitoring product; data received from it cannot be used as medical reference and is for reference only;
6) Blood pressure testing tip: Keep your body relaxed and still while testing. Keep device at the same height as where your heart is (like the picture on the right), and don't talk while you are testing.



5. Q&A
Q: What if the update fails?
A: If the initial upgrade fails, please reconnect the device "Dfulang". The system will automatically begin the update.



Q: Why is the sleeping heart rate test result inaccurate?
A: Wearable devices monitors human activities through electronic sensors, and they are at the consumer electronics level. It's normal for certain deviation. The user should treat data objectively.



Q: Where to set APP permissions?
A: Android Phone - Settings - Find "H Band" Application - Set to "Trust this software."
1. If the phone has a Security Management or Clean Up APP, please add the "H Band" application to the White List (Trusted List).
2. In System Settings, under Permission Manager, set "H Band" as a trusted application in order to allow phone calls and incoming messages to be shown on the device display.



Q: How to set the time display?
A: The device will match the time display format of the phone when synced.



time value for the warning. When the device detects that the user has sat or kept still for the set time limit, the device will vibrate to remind the user to move around.



Heart Rate Warning
Using the APP, the user can choose to turn on the heart rate warning and preset the upper limit of their heart rate. If the device detects that the user's heart rate has reached or exceeded the preset value, it will vibrate and display the following icon on the device screen.



Remote Photograph
To use the device to take a remote photograph, the user can turn on the Camera Mode in the APP; then tap the touch area or quickly shake the waist.



4. Notes
1) Do not use a charger with a current greater than 5V2A. Charging time is 90 minutes;
2) Do not charge if the device is water damaged;
3) Do not wear this device while you are washing hands, doing strenuous exercise or when it is raining.
4) This product is not waterproof, please take the device off before washing hands, doing strenuous exercise or when it is raining to prevent the device.
5) This is an electronic monitoring product; data received from it cannot be used as medical reference and is for reference only;
6) Blood pressure testing tip: Keep your body relaxed and still while testing. Keep device at the same height as where your heart is (like the picture on the right), and don't talk while you are testing.



5. Q&A
Q: What if the update fails?
A: If the initial upgrade fails, please reconnect the device "Dfulang". The system will automatically begin the update.



Q: Why is the sleeping heart rate test result inaccurate?
A: Wearable devices monitors human activities through electronic sensors, and they are at the consumer electronics level. It's normal for certain deviation. The user should treat data objectively.



Q: Where to set APP permissions?
A: Android Phone - Settings - Find "H Band" Application - Set to "Trust this software."
1. If the phone has a Security Management or Clean Up APP, please add the "H Band" application to the White List (Trusted List).
2. In System Settings, under Permission Manager, set "H Band" as a trusted application in order to allow phone calls and incoming messages to be shown on the device display.



Q: How to set the time display?
A: The device will match the time display format of the phone when synced.



damage or loss of products.
8) The photoelectric sensor is a highly-sensitive component, and should be careful not to be damaged by hard objects. The device may be sweat stained or have dust attached after wearing it for a period of time. User can use soft cloth to clean regularly.



9) To ensure safety while driving, please do not talk on the phone while you are driving. If you need to use V08, please pick the earphone up from the base of the band and put it on before driving. Please don't drive while you are doing this.



10) Please ignore the Bluetooth connection with your car in your phone's Bluetooth settings if you want to use the V08 earphones connected with Bluetooth instead.



Q: How to reset the password?
A: Long press the touch area for 6 seconds while in the Sleep mode. The device will vibrate and the password will be restored to "0000".



Q: When a phone call is coming in, there is a reminder on the device, but the user cannot hear anything through the earphone?
A: When a phone call is coming in there is a delay and it's recommended to answer the phone call after few rings. If the user uses the phone to answer the call, then the user should pay attention whether the sound is coming through sound track on the phone or the earphone. If it is through the phone then user should switch to the earphone. The sound track will follow the settings.



Q: When I pick up a phone call, I can't hear the voice on the other end?
A: Please make sure the earphone and phone is within valid Bluetooth connection range. If phone has already connected with multiple Bluetooth devices, please remove those invalid connections in the Bluetooth settings.



6. Specifications



Chipset: NORDIC 52832
Sensor: OSRAM SFH7070
Weight: 35g
Data Transfer: Bluetooth 4.0
Battery: Polymer Lithium
Volume of Battery: 95mAh
Charging Voltage: 5V
Charging Current: 80mA
Working Temperature: -5 C -45 C
Waterproof: No



Device Requirement: Android 4.4/above; Bluetooth 4.0; iPhone 4S/above; iOS 8.0/above;

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party.

Responsible for compliance could void the user's authority to operate this equipment. (Example- use only shielded interface cables when connecting to computer or peripheral devices).

This equipment complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

RF warning statement:

The device has been evaluated to meet general RF exposure requirement.
The device can be used in portable exposure condition without restriction.