



Occupied Bandwidth

Channel



15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



20MHz Bandwidth QPSK

20MHz Bandwidth 16QAM



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK



Lowest




Middle




Highest




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.8 Antenna Port Test Data and Results for LTE Band 5

Serial Number:	28LK-1	Test Date:	2023/7/28~2023/8/31
Test Site:	RF	Test Mode:	Transmitting
Tester:	One Luo	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.2~26.8	Relative Humidity: (%)	42~55	ATM Pressure: (kPa)	99.7~100.3
----------------------	-----------	---------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2023/3/31	2024/3/30
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
Weinschel	Power Splitter	1515	RA914	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	143458	2023/3/31	2024/3/30
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2023/3/31	2024/3/30
UNI-T	Multimeter	UT39A+	C210582554	2022/9/29	2023/9/28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency for Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	824.7	836.5	848.3
3MHz	825.5	836.5	847.5
5MHz	826.5	836.5	846.5
10MHz	829	836.5	844

Test Data:**FCC§2.1046;§ 22.913 (a)****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	23.14	23.13	23.09	21.52	38.45
	RB1#3	23.32	23.3	23.26		
	RB1#5	23.18	23.1	23.13		
	RB3#0	23.22	23.2	23.2		
	RB3#3	23.21	23.23	23.25		
	RB6#0	22.24	22.21	22.18		
1.4MHz 16QAM	RB1#0	22.3	22.11	22.09	20.66	38.45
	RB1#3	22.46	22.42	22.29		
	RB1#5	22.31	22.19	22.11		
	RB3#0	22.19	22.3	22.36		
	RB3#3	22.16	22.29	22.36		
	RB6#0	21.25	21.18	21.25		
3MHz QPSK	RB1#0	23.22	23.21	23.17	21.48	38.45
	RB1#8	23.28	23.18	23.16		
	RB1#14	23.25	23.19	23.16		
	RB6#0	22.2	22.13	22.15		
	RB6#9	22.24	22.17	22.16		
	RB15#0	22.25	22.2	22.23		
3MHz 16QAM	RB1#0	22.38	22.29	22.78	20.98	38.45
	RB1#8	22.43	22.21	22.74		
	RB1#14	22.42	22.19	22.74		
	RB6#0	21.2	21.17	21.29		
	RB6#9	21.29	21.18	21.26		
	RB15#0	21.17	21.33	21.32		
5MHz QPSK	RB1#0	23.11	23.11	23.12	21.5	38.45
	RB1#13	23.3	23.22	23.22		
	RB1#24	23.13	23.12	23.1		
	RB15#0	22.27	22.22	22.26		
	RB15#10	22.27	22.22	22.18		
	RB25#0	22.25	22.22	22.17		
5MHz 16QAM	RB1#0	22.2	22.06	22.41	20.71	38.45
	RB1#13	22.37	22.22	22.51		
	RB1#24	22.25	22.01	22.38		
	RB15#0	21.28	21.25	21.23		
	RB15#10	21.31	21.3	21.23		
	RB25#0	21.27	21.32	21.23		
10MHz QPSK	RB1#0	23.2	23.21	23.14	21.61	38.45
	RB1#25	23.41	23.39	23.36		

	RB1#49	23.29	23.25	23.25		
	RB25#0	22.33	22.28	22.31		
	RB25#25	22.33	22.26	22.27		
	RB50#0	22.38	22.27	22.27		
10MHz 16QAM	RB1#0	22.35	22.28	22.73	21.16	38.45
	RB1#25	22.58	22.43	22.96		
	RB1#49	22.43	22.24	22.78		
	RB25#0	21.34	21.39	21.43		
	RB25#25	21.43	21.44	21.34		
	RB50#0	21.35	21.33	21.34		
Note: ERP= Conducted Power(dBm) - Lc(dB) + G _T (dBd) G _T (dBd)=G _T (dBi)-2.15						
					Result:	Pass

Peak-to-average Ratio (PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
10MHz QPSK	RB1#0	5.16	5.19	5.1	13
	RB50#0	5.39	5.25	5.36	13
10MHz 16QAM	RB1#0	6.12	5.8	6	13
	RB50#0	6.29	6.17	6.2	13
				Result:	Pass

FCC §2.1049, §22.905: Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.096	1.102	1.096	1.308	1.29	1.296
1.4MHz 16QAM	1.09	1.096	1.096	1.284	1.29	1.314
3MHz QPSK	2.683	2.683	2.683	2.892	2.868	2.868
3MHz 16QAM	2.683	2.683	2.683	2.868	2.892	2.88
5MHz QPSK	4.511	4.491	4.511	4.96	4.92	4.96
5MHz 16QAM	4.511	4.511	4.471	4.96	4.96	4.9
10MHz QPSK	8.942	8.942	8.942	9.68	9.64	9.6
10MHz 16QAM	8.942	8.942	8.942	9.64	9.56	9.64
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, §22.917(a):Spurious Emissions at Antenna Terminal	
Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.


FCC §2.1051, §22.917(a):Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.

FCC §2.1055, §22.355: Frequency Stability					
Test Modulation:	10 MHz QPSK		Test Channel:	836.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.8	-5.42	-0.006	2.5
	-20	3.8	-6.97	-0.008	2.5
	-10	3.8	-5.5	-0.007	2.5
	0	3.8	6.06	0.007	2.5
	10	3.8	9.8	0.012	2.5
	20	3.8	5.03	0.006	2.5
	30	3.8	-6.62	-0.008	2.5
	40	3.8	-8.73	-0.010	2.5
	50	3.8	-7.05	-0.008	2.5
Frequency Stability vs. Voltage	20	3.65	8.99	0.011	2.5
	20	4.35	-7.17	-0.009	2.5
				Result:	Pass

Test Modulation:	10 MHz 16QAM		Test Channel:	836.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.8	-4.95	-0.006	2.5
	-20	3.8	-5.29	-0.006	2.5
	-10	3.8	5.14	0.006	2.5
	0	3.8	-5.62	-0.007	2.5
	10	3.8	6.25	0.007	2.5
	20	3.8	-4.51	-0.005	2.5
	30	3.8	-4.11	-0.005	2.5
	40	3.8	7.65	0.009	2.5
	50	3.8	2.87	0.003	2.5
Frequency Stability vs. Voltage	20	3.65	8.44	0.010	2.5
	20	4.35	5.77	0.007	2.5
				Result:	Pass

Test Plots (Note: The 7.5dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):

Occupied Bandwidth





Occupied Bandwidth

Channel



3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest




Middle



Highest



Occupied Bandwidth





Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest




Middle




Highest




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.9 Antenna Port Test Data and Results for LTE Band 12

Serial Number:	28LK-1	Test Date:	2023/7/28~2023/8/31
Test Site:	RF	Test Mode:	Transmitting
Tester:	One Luo	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.2~26.8	Relative Humidity: (%)	42~55	ATM Pressure: (kPa)	99.7~100.3
----------------------	-----------	------------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2023/3/31	2024/3/30
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
Weinschel	Power Splitter	1515	RA914	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	143458	2023/3/31	2024/3/30
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2023/3/31	2024/3/30
UNI-T	Multimeter	UT39A+	C210582554	2022/9/29	2023/9/28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency for Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	699.7	707.5	715.3
3MHz	700.5	707.5	714.5
5MHz	701.5	707.5	713.5
10MHz	704	707.5	711

Test Data:**FCC§2.1046;§ 27.50(c) (10)****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	22.55	22.46	22.49	22.21	34.77
	RB1#3	22.73	22.69	22.65		
	RB1#5	22.51	22.46	22.46		
	RB3#0	22.65	22.58	22.57		
	RB3#3	22.63	22.63	22.55		
	RB6#0	21.58	21.54	21.52		
1.4MHz 16QAM	RB1#0	21.62	21.49	21.46	21.24	34.77
	RB1#3	21.74	21.71	21.66		
	RB1#5	21.64	21.54	21.48		
	RB3#0	21.62	21.62	21.76		
	RB3#3	21.61	21.68	21.75		
	RB6#0	20.64	20.53	20.54		
3MHz QPSK	RB1#0	22.62	22.54	22.53	22.1	34.77
	RB1#8	22.62	22.54	22.5		
	RB1#14	22.57	22.55	22.48		
	RB6#0	21.56	21.52	21.47		
	RB6#9	21.56	21.48	21.53		
	RB15#0	21.57	21.57	21.52		
3MHz 16QAM	RB1#0	21.74	21.54	22.11	21.62	34.77
	RB1#8	21.72	21.53	22.1		
	RB1#14	21.71	21.55	22.14		
	RB6#0	20.52	20.44	20.57		
	RB6#9	20.58	20.48	20.57		
	RB15#0	20.54	20.61	20.59		
5MHz QPSK	RB1#0	22.56	22.44	22.43	22.1	34.77
	RB1#13	22.62	22.58	22.54		
	RB1#24	22.56	22.52	22.44		
	RB15#0	21.56	21.57	21.56		
	RB15#10	21.68	21.53	21.57		
	RB25#0	21.59	21.54	21.52		
5MHz 16QAM	RB1#0	21.44	21.77	21.49	21.33	34.77
	RB1#13	21.54	21.85	21.61		
	RB1#24	21.41	21.79	21.53		
	RB15#0	20.63	20.59	20.58		
	RB15#10	20.7	20.51	20.6		
	RB25#0	20.64	20.56	20.57		
10MHz QPSK	RB1#0	22.59	22.5	22.47	22.2	34.77
	RB1#25	22.72	22.7	22.67		
	RB1#49	22.63	22.55	22.53		

10MHz 16QAM	RB25#0	21.46	21.45	21.66	21.75	34.77
	RB25#25	21.6	21.53	21.58		
	RB50#0	21.59	21.54	21.61		
	RB1#0	21.65	21.46	22.06		
	RB1#25	21.87	21.7	22.27		
	RB1#49	21.73	21.61	22.17		
	RB25#0	20.46	20.58	20.73		
	RB25#25	20.66	20.67	20.68		
	RB50#0	20.59	20.59	20.68		

Note:

ERP= Conducted Power(dBm) - Lc(dB) + G_T(dBd)G_T(dBd)=G_T(dBi)-2.15

Result:

Pass

Peak-to-average Ratio(PAR)

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
10MHz QPSK	RB1#0	5.48	5.25	5.36	13
	RB50#0	5.36	5.28	5.39	13
10MHz 16QAM	RB1#0	6.49	5.86	6.23	13
	RB50#0	6.29	6.23	6.23	13
				Result:	Pass

FCC §2.1049, §27.53:Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.096	1.102	1.096	1.314	1.284	1.296
1.4MHz 16QAM	1.09	1.09	1.096	1.284	1.29	1.32
3MHz QPSK	2.695	2.683	2.683	2.88	2.892	2.88
3MHz 16QAM	2.683	2.683	2.683	2.88	2.868	2.892
5MHz QPSK	4.531	4.511	4.551	5.26	5.18	5.22
5MHz 16QAM	4.551	4.551	4.511	5.24	5.22	5.16
10MHz QPSK	8.942	8.982	8.942	9.92	9.96	9.84
10MHz 16QAM	8.942	8.942	8.982	9.88	9.8	9.84

Note: The test plots please refer to the Plots of Occupied Bandwidth

FCC §2.1051, §27.53:Spurious Emissions at Antenna Terminal

Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.
---------	---

FCC §2.1051, §27.53:Out of band emission, Band Edge


Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.
---------	--

FCC §2.1055, §27.54: Frequency Stability						
Test Mode:	10M QPSK	Test Channel: Lowest for Lower Edge, Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.8	699.598	699.00	715.417	716.00
	-20	3.8	699.557	699.00	715.457	716.00
	-10	3.8	699.561	699.00	715.430	716.00
	0	3.8	699.536	699.00	715.496	716.00
	10	3.8	699.566	699.00	715.446	716.00
	20	3.8	699.529	699.00	715.471	716.00
	30	3.8	699.594	699.00	715.446	716.00
	40	3.8	699.571	699.00	715.496	716.00
	50	3.8	699.525	699.00	715.481	716.00
Frequency Stability vs. Voltage	20	3.65	699.584	699.00	715.404	716.00
	20	4.35	699.571	699.00	715.428	716.00
					Result:	Pass

Test Mode:	10M 16QAM	Test Channel: Lowest for Lower Edge, Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.8	699.506	699.00	715.409	716.00
	-20	3.8	699.599	699.00	715.429	716.00
	-10	3.8	699.567	699.00	715.470	716.00
	0	3.8	699.524	699.00	715.401	716.00
	10	3.8	699.516	699.00	715.480	716.00
	20	3.8	699.529	699.00	715.471	716.00
	30	3.8	699.508	699.00	715.424	716.00
	40	3.8	699.598	699.00	715.432	716.00
	50	3.8	699.549	699.00	715.468	716.00
Frequency Stability vs. Voltage	20	3.65	699.554	699.00	715.448	716.00
	20	4.35	699.551	699.00	715.498	716.00
					Result:	Pass

Test Plots(Note: The 7.5dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):

Occupied Bandwidth





Occupied Bandwidth

Channel



3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest




Middle



Highest



Occupied Bandwidth





Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK

Lowest



Middle



Highest

