




Package Contents




Charging Compartment ×1



Transmitter ×2



Receiver ×2



Charging Cable ×1



Windscreen ×2



Magnetic Clip ×2


EN EN

Installation & Use

- ① Connect the receiver with your phone



- ② Turn on the transmitter (TX).
If the connection indicator lights on both TX and RX are on, it is ready for use.




- ③ Set the RX output volume to level 2-3;. You can also charge your phone through the receiver RX, allowing for simultaneous charging during use.



※ For some Type-C phones, you need to enable the OTG function in the phone settings

Overview of Functions


① Transmitter (TX) Overview of Functions



Power and connection indicator: (Unconnected: flashing blue/Connected: solid blue/Unconnected & low-battery: flashing red/Charging: solid red/Fully charged: off/Mute: flashing red)

Noise cancellation indicator: (Noise cancellation on: solid green)

② Receiver (RX) Overview of Functions



EN

EN

Specifications

Product Model	KM23
Wireless Frequency	2.4GHZ
Audio Response	50 Hz - 18 kHz
Signal-to-Noise Ratio	> 65dB
Transmitter Usage Time	Approximately 8 hours
Transmitter Battery Capacity	3.7V/80mAh
Charging Compartment Battery Capacity	3.7V/360mAh
Charging Compartment Dimensions	80*56*28mm

Important Guidelines

1. This product is a precision electronic device. To ensure its optimal performance and longevity, please take care to prevent water ingress or severe impacts. In case of accidental exposure to water, promptly power off the device, gently shake off any excess water, and seek assistance from a qualified technician.
2. If the device is not in use for an extended period, it is advisable to fully charge the battery every three months. This practice helps maintain the battery's performance and longevity over time.
3. Avoid exposing the internal battery to direct sunlight, fire, or other excessively hot environments. Such conditions can degrade battery life and pose safety risks.
4. To ensure uninterrupted signal transmission, it's recommended to keep the transmitter and receiver facing each other during use. This positioning helps optimize signal strength and minimize potential interruptions.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- . Reorient or relocate the receiving antenna.
- . Increase the separation between the equipment and receiver.
- . Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- . Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Information

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

ISED Statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
 - (2) This device must accept any interference, including interference that may cause undesired operation of the device.
- Cet appareil contient des émetteurs/récepteurs exempts de licence qui sont conformes aux RSS exemptés de licence d'Innovation, Sciences et Développement économique Canada.

L'exploitation est soumise aux deux conditions suivantes :

- (1) Cet appareil ne doit pas provoquer d'interférences.
- (2) Cet appareil doit accepter toute interférence, y compris les interférences susceptibles de provoquer un fonctionnement indésirable de l'appareil.

RF Exposure Statement

The device has been evaluated to meet general RF exposure requirement. The device can be used in distance 0mm between the radiator & your body without restriction.

L'appareil a été évalué pour répondre aux exigences générales en matière d'exposition aux RF. L'appareil peut être utilisé dans la distance 0mm entre le radiateur et votre corps sans restriction.