

Peak to Average Ratio

NR Mode Test Dat

Band	Bandwidth (MHz)	Channel	Mode	RB No.	RB Pos.	Peak to Average Ratio (dB)	Verdict
n26 15kHz_Part22	20	166800	Pi/2-BPSK	1	0	4.08	Pass
n26 15kHz_Part22	20	166800	Pi/2-BPSK	100	0	3.89	Pass
n26 15kHz_Part22	20	166800	QPSK	1	0	4.03	Pass
n26 15kHz_Part22	20	166800	QPSK	100	0	4.59	Pass
n26 15kHz_Part22	20	166800	16QAM	1	0	4.97	Pass
n26 15kHz_Part22	20	166800	16QAM	100	0	5.53	Pass
n26 15kHz_Part22	20	166800	64QAM	1	0	5.62	Pass
n26 15kHz_Part22	20	166800	64QAM	100	0	6	Pass
n26 15kHz_Part22	20	166800	256QAM	1	0	5.95	Pass
n26 15kHz_Part22	20	166800	256QAM	100	0	6.14	Pass
n26 15kHz_Part22	20	167300	Pi/2-BPSK	1	0	3.98	Pass
n26 15kHz_Part22	20	167300	Pi/2-BPSK	100	0	3.94	Pass
n26 15kHz_Part22	20	167300	QPSK	1	0	3.66	Pass
n26 15kHz_Part22	20	167300	QPSK	100	0	4.73	Pass
n26 15kHz_Part22	20	167300	16QAM	1	0	4.59	Pass
n26 15kHz_Part22	20	167300	16QAM	100	0	5.62	Pass
n26 15kHz_Part22	20	167300	64QAM	1	0	5.58	Pass
n26 15kHz_Part22	20	167300	64QAM	100	0	5.95	Pass
n26 15kHz_Part22	20	167300	256QAM	1	0	5.95	Pass
n26 15kHz_Part22	20	167300	256QAM	100	0	6.14	Pass
n26 15kHz_Part22	20	167800	Pi/2-BPSK	1	0	4.03	Pass
n26 15kHz_Part22	20	167800	Pi/2-BPSK	100	0	4.03	Pass
n26 15kHz_Part22	20	167800	QPSK	1	0	4.03	Pass
n26 15kHz_Part22	20	167800	QPSK	100	0	5.3	Pass
n26 15kHz_Part22	20	167800	16QAM	1	0	4.83	Pass
n26 15kHz_Part22	20	167800	16QAM	100	0	5.62	Pass
n26 15kHz_Part22	20	167800	64QAM	1	0	5.34	Pass
n26 15kHz_Part22	20	167800	64QAM	100	0	6.05	Pass
n26 15kHz_Part22	20	167800	256QAM	1	0	5.86	Pass
n26 15kHz_Part22	20	167800	256QAM	100	0	6.09	Pass
n26 15kHz_Part90	10	163800	Pi/2-BPSK	1	0	3.98	Pass
n26 15kHz_Part90	10	163800	Pi/2-BPSK	50	0	4.08	Pass
n26 15kHz_Part90	10	163800	QPSK	1	0	4.55	Pass
n26 15kHz_Part90	10	163800	QPSK	50	0	4.87	Pass

Band	Bandwidth (MHz)	Channel	Mode	RB No.	RB Pos.	Peak to Average Ratio (dB)	Verdict
n26 15kHz_Part90	10	163800	16QAM	1	0	5.39	Pass
n26 15kHz_Part90	10	163800	16QAM	50	0	5.81	Pass
n26 15kHz_Part90	10	163800	64QAM	1	0	5.58	Pass
n26 15kHz_Part90	10	163800	64QAM	50	0	6.09	Pass
n26 15kHz_Part90	10	163800	256QAM	1	0	5.95	Pass
n26 15kHz_Part90	10	163800	256QAM	50	0	6.28	Pass
n41	20	501204	Pi/2-BPSK	1	0	4.27	Pass
n41	20	501204	Pi/2-BPSK	50	0	4.45	Pass
n41	20	501204	QPSK	1	0	4.27	Pass
n41	20	501204	QPSK	50	0	5.25	Pass
n41	20	501204	16QAM	1	0	5.34	Pass
n41	20	501204	16QAM	50	0	6.09	Pass
n41	20	501204	64QAM	1	0	6.09	Pass
n41	20	501204	64QAM	50	0	6.52	Pass
n41	20	501204	256QAM	1	0	6.84	Pass
n41	20	501204	256QAM	50	0	6.61	Pass
n41	20	518598	Pi/2-BPSK	1	0	4.5	Pass
n41	20	518598	Pi/2-BPSK	50	0	4.17	Pass
n41	20	518598	QPSK	1	0	3.98	Pass
n41	20	518598	QPSK	50	0	5.44	Pass
n41	20	518598	16QAM	1	0	5.16	Pass
n41	20	518598	16QAM	50	0	6.37	Pass
n41	20	518598	64QAM	1	0	6.37	Pass
n41	20	518598	64QAM	50	0	6.66	Pass
n41	20	518598	256QAM	1	0	6.66	Pass
n41	20	518598	256QAM	50	0	6.84	Pass
n41	20	535998	Pi/2-BPSK	1	0	4.27	Pass
n41	20	535998	Pi/2-BPSK	50	0	4.27	Pass
n41	20	535998	QPSK	1	0	4.59	Pass
n41	20	535998	QPSK	50	0	4.92	Pass
n41	20	535998	16QAM	1	0	5.58	Pass
n41	20	535998	16QAM	50	0	5.86	Pass
n41	20	535998	64QAM	1	0	5.72	Pass
n41	20	535998	64QAM	50	0	6.33	Pass
n41	20	535998	256QAM	1	0	6.52	Pass
n41	20	535998	256QAM	50	0	6.42	Pass
n77 30kHz(3450-3550)	20	630668	Pi/2-BPSK	1	0	4.12	Pass
n77	20	630668	Pi/2-BPSK	50	0	4.17	Pass

Band	Bandwidth (MHz)	Channel	Mode	RB No.	RB Pos.	Peak to Average Ratio (dB)	Verdict
30kHz(3450-3550)							
n77 30kHz(3450-3550)	20	630668	QPSK	1	0	4.59	Pass
n77 30kHz(3450-3550)	20	630668	QPSK	50	0	5.02	Pass
n77 30kHz(3450-3550)	20	630668	16QAM	1	0	5.72	Pass
n77 30kHz(3450-3550)	20	630668	16QAM	50	0	5.86	Pass
n77 30kHz(3450-3550)	20	630668	64QAM	1	0	5.81	Pass
n77 30kHz(3450-3550)	20	630668	64QAM	50	0	6.23	Pass
n77 30kHz(3450-3550)	20	630668	256QAM	1	0	6.37	Pass
n77 30kHz(3450-3550)	20	630668	256QAM	50	0	6.37	Pass
n77 30kHz(3450-3550)	20	633332	Pi/2-BPSK	1	0	4.03	Pass
n77 30kHz(3450-3550)	20	633332	Pi/2-BPSK	50	0	4.03	Pass
n77 30kHz(3450-3550)	20	633332	QPSK	1	0	4.31	Pass
n77 30kHz(3450-3550)	20	633332	QPSK	50	0	4.69	Pass
n77 30kHz(3450-3550)	20	633332	16QAM	1	0	5.2	Pass
n77 30kHz(3450-3550)	20	633332	16QAM	50	0	5.67	Pass
n77 30kHz(3450-3550)	20	633332	64QAM	1	0	5.53	Pass
n77 30kHz(3450-3550)	20	633332	64QAM	50	0	6.05	Pass
n77 30kHz(3450-3550)	20	633332	256QAM	1	0	6.23	Pass
n77 30kHz(3450-3550)	20	633332	256QAM	50	0	6.19	Pass
n77 30kHz(3450-3550)	20	636000	Pi/2-BPSK	1	0	4.08	Pass
n77 30kHz(3450-3550)	20	636000	Pi/2-BPSK	50	0	4.27	Pass

Band	Bandwidth (MHz)	Channel	Mode	RB No.	RB Pos.	Peak to Average Ratio (dB)	Verdict
30kHz(3450-3550)							
n77 30kHz(3450-3550)	20	636000	QPSK	1	0	4.08	Pass
n77 30kHz(3450-3550)	20	636000	QPSK	50	0	5.16	Pass
n77 30kHz(3450-3550)	20	636000	16QAM	1	0	4.97	Pass
n77 30kHz(3450-3550)	20	636000	16QAM	50	0	6	Pass
n77 30kHz(3450-3550)	20	636000	64QAM	1	0	5.53	Pass
n77 30kHz(3450-3550)	20	636000	64QAM	50	0	6.33	Pass
n77 30kHz(3450-3550)	20	636000	256QAM	1	0	6.42	Pass
n77 30kHz(3450-3550)	20	636000	256QAM	50	0	6.37	Pass
n77 30kHz(3700-3980)	20	647334	Pi/2-BPSK	1	0	4.03	Pass
n77 30kHz(3700-3980)	20	647334	Pi/2-BPSK	50	0	4.17	Pass
n77 30kHz(3700-3980)	20	647334	QPSK	1	0	4.31	Pass
n77 30kHz(3700-3980)	20	647334	QPSK	50	0	4.87	Pass
n77 30kHz(3700-3980)	20	647334	16QAM	1	0	5.39	Pass
n77 30kHz(3700-3980)	20	647334	16QAM	50	0	5.81	Pass
n77 30kHz(3700-3980)	20	647334	64QAM	1	0	5.81	Pass
n77 30kHz(3700-3980)	20	647334	64QAM	50	0	6.19	Pass
n77 30kHz(3700-3980)	20	647334	256QAM	1	0	6.19	Pass
n77 30kHz(3700-3980)	20	647334	256QAM	50	0	6.23	Pass
n77 30kHz(3700-3980)	20	656000	Pi/2-BPSK	1	0	4.22	Pass
n77 30kHz(3700-3980)	20	656000	Pi/2-BPSK	50	0	4.36	Pass

Band	Bandwidth (MHz)	Channel	Mode	RB No.	RB Pos.	Peak to Average Ratio (dB)	Verdict
30kHz(3700-3980)							
n77 30kHz(3700-3980)	20	656000	QPSK	1	0	3.94	Pass
n77 30kHz(3700-3980)	20	656000	QPSK	50	0	5.39	Pass
n77 30kHz(3700-3980)	20	656000	16QAM	1	0	5.06	Pass
n77 30kHz(3700-3980)	20	656000	16QAM	50	0	6.23	Pass
n77 30kHz(3700-3980)	20	656000	64QAM	1	0	6.05	Pass
n77 30kHz(3700-3980)	20	656000	64QAM	50	0	6.52	Pass
n77 30kHz(3700-3980)	20	656000	256QAM	1	0	6.47	Pass
n77 30kHz(3700-3980)	20	656000	256QAM	50	0	6.61	Pass
n77 30kHz(3700-3980)	20	664666	Pi/2-BPSK	1	0	4.17	Pass
n77 30kHz(3700-3980)	20	664666	Pi/2-BPSK	50	0	4.12	Pass
n77 30kHz(3700-3980)	20	664666	QPSK	1	0	4.27	Pass
n77 30kHz(3700-3980)	20	664666	QPSK	50	0	4.78	Pass
n77 30kHz(3700-3980)	20	664666	16QAM	1	0	5.2	Pass
n77 30kHz(3700-3980)	20	664666	16QAM	50	0	5.77	Pass
n77 30kHz(3700-3980)	20	664666	64QAM	1	0	5.58	Pass
n77 30kHz(3700-3980)	20	664666	64QAM	50	0	6.19	Pass
n77 30kHz(3700-3980)	20	664666	256QAM	1	0	6.09	Pass
n77 30kHz(3700-3980)	20	664666	256QAM	50	0	6.23	Pass
n78 30kHz(3450-3550)	20	630668	Pi/2-BPSK	1	0	4.08	Pass
n78	20	630668	Pi/2-BPSK	50	0	4.27	Pass


Band	Bandwidth (MHz)	Channel	Mode	RB No.	RB Pos.	Peak to Average Ratio (dB)	Verdict
30kHz(3450-3550)							
n78 30kHz(3450-3550)	20	630668	QPSK	1	0	3.84	Pass
n78 30kHz(3450-3550)	20	630668	QPSK	50	0	5.06	Pass
n78 30kHz(3450-3550)	20	630668	16QAM	1	0	4.92	Pass
n78 30kHz(3450-3550)	20	630668	16QAM	50	0	6	Pass
n78 30kHz(3450-3550)	20	630668	64QAM	1	0	5.81	Pass
n78 30kHz(3450-3550)	20	630668	64QAM	50	0	6.33	Pass
n78 30kHz(3450-3550)	20	630668	256QAM	1	0	6.28	Pass
n78 30kHz(3450-3550)	20	630668	256QAM	50	0	6.33	Pass
n78 30kHz(3450-3550)	20	633332	Pi/2-BPSK	1	0	4.03	Pass
n78 30kHz(3450-3550)	20	633332	Pi/2-BPSK	50	0	4.12	Pass
n78 30kHz(3450-3550)	20	633332	QPSK	1	0	4.41	Pass
n78 30kHz(3450-3550)	20	633332	QPSK	50	0	4.83	Pass
n78 30kHz(3450-3550)	20	633332	16QAM	1	0	5.34	Pass
n78 30kHz(3450-3550)	20	633332	16QAM	50	0	5.77	Pass
n78 30kHz(3450-3550)	20	633332	64QAM	1	0	5.48	Pass
n78 30kHz(3450-3550)	20	633332	64QAM	50	0	6.19	Pass
n78 30kHz(3450-3550)	20	633332	256QAM	1	0	6.23	Pass
n78 30kHz(3450-3550)	20	633332	256QAM	50	0	6.33	Pass
n78 30kHz(3450-3550)	20	636000	Pi/2-BPSK	1	0	4.03	Pass
n78	20	636000	Pi/2-BPSK	50	0	3.98	Pass

Band	Bandwidth (MHz)	Channel	Mode	RB No.	RB Pos.	Peak to Average Ratio (dB)	Verdict
30kHz(3450-3550)							
n78 30kHz(3450-3550)	20	636000	QPSK	1	0	4.17	Pass
n78 30kHz(3450-3550)	20	636000	QPSK	50	0	4.69	Pass
n78 30kHz(3450-3550)	20	636000	16QAM	1	0	5.11	Pass
n78 30kHz(3450-3550)	20	636000	16QAM	50	0	5.62	Pass
n78 30kHz(3450-3550)	20	636000	64QAM	1	0	5.53	Pass
n78 30kHz(3450-3550)	20	636000	64QAM	50	0	6.05	Pass
n78 30kHz(3450-3550)	20	636000	256QAM	1	0	6	Pass
n78 30kHz(3450-3550)	20	636000	256QAM	50	0	6.14	Pass
n78 30kHz(3700-3800)	20	647334	Pi/2-BPSK	1	0	4.12	Pass
n78 30kHz(3700-3800)	20	647334	Pi/2-BPSK	50	0	4.31	Pass
n78 30kHz(3700-3800)	20	647334	QPSK	1	0	4.87	Pass
n78 30kHz(3700-3800)	20	647334	QPSK	50	0	5.62	Pass
n78 30kHz(3700-3800)	20	647334	16QAM	1	0	5.91	Pass
n78 30kHz(3700-3800)	20	647334	16QAM	50	0	6.33	Pass
n78 30kHz(3700-3800)	20	647334	64QAM	1	0	6.05	Pass
n78 30kHz(3700-3800)	20	647334	64QAM	50	0	6.47	Pass
n78 30kHz(3700-3800)	20	647334	256QAM	1	0	6.52	Pass
n78 30kHz(3700-3800)	20	647334	256QAM	50	0	6.56	Pass
n78 30kHz(3700-3800)	20	650000	Pi/2-BPSK	1	0	4.08	Pass
n78	20	650000	Pi/2-BPSK	50	0	4.36	Pass


Band	Bandwidth (MHz)	Channel	Mode	RB No.	RB Pos.	Peak to Average Ratio (dB)	Verdict
30kHz(3700-3800)							
n78 30kHz(3700-3800)	20	650000	QPSK	1	0	4.59	Pass
n78 30kHz(3700-3800)	20	650000	QPSK	50	0	5.58	Pass
n78 30kHz(3700-3800)	20	650000	16QAM	1	0	5.44	Pass
n78 30kHz(3700-3800)	20	650000	16QAM	50	0	6.23	Pass
n78 30kHz(3700-3800)	20	650000	64QAM	1	0	5.72	Pass
n78 30kHz(3700-3800)	20	650000	64QAM	50	0	6.47	Pass
n78 30kHz(3700-3800)	20	650000	256QAM	1	0	6.33	Pass
n78 30kHz(3700-3800)	20	650000	256QAM	50	0	6.56	Pass
n78 30kHz(3700-3800)	20	652666	Pi/2-BPSK	1	0	4.08	Pass
n78 30kHz(3700-3800)	20	652666	Pi/2-BPSK	50	0	4.31	Pass
n78 30kHz(3700-3800)	20	652666	QPSK	1	0	4.36	Pass
n78 30kHz(3700-3800)	20	652666	QPSK	50	0	5.53	Pass
n78 30kHz(3700-3800)	20	652666	16QAM	1	0	5.44	Pass
n78 30kHz(3700-3800)	20	652666	16QAM	50	0	6.23	Pass
n78 30kHz(3700-3800)	20	652666	64QAM	1	0	5.72	Pass
n78 30kHz(3700-3800)	20	652666	64QAM	50	0	6.37	Pass
n78 30kHz(3700-3800)	20	652666	256QAM	1	0	6.19	Pass
n78 30kHz(3700-3800)	20	652666	256QAM	50	0	6.52	Pass

1. n26 15kHz_Part22


1.1 Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




1.2 Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




1.3 Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.4 Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




1.5 Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.6 Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




1.7 Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




1.8 Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




1.9 Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




1.10 Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




1.11 Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




1.12 Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




1.13 Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.14 Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




1.15 Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.16 Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




1.17 Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




1.18 Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




1.19 Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




1.20 Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




1.21 Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




1.22 Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




1.23 Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.24 Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




1.25 Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.26 Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




1.27 Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




1.28 Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)



1.29 Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




1.30 Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




1. n26 15kHz_Part90


1.1 Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




1.2 Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




1.3 Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.4 Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




1.5 Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.6 Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




1.7 Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




1.8 Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)



1.9 Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




1.10 Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)




2. n41


2.1 Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




2.2 Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




2.3 Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




2.4 Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




2.5 Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)



2.6 Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)



2.7 Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)



2.8 Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

