



Occupied Bandwidth


2.6 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




2.7 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




2.8 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




2.9 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




2.10 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




2.11 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




2.12 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




2.13 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




2.14 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




2.15 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




2.16 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)




2.17 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)




2.18 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636166, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)




2.19 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)




2.20 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)




2.21 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)




2.22 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)




2.23 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)




2.24 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)




2.25 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)




2.26 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)




2.27 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)




2.28 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)




2.29 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)




2.30 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)




2.31 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




2.32 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




2.33 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




2.34 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)




2.35 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)




2.36 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)




2.37 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)




2.38 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)




2.39 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)




2.40 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)




2.41 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)




2.42 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)




2.43 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)



2.44 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)




2.45 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)




3. n78 30kHz(3450-3550)


3.1 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




3.2 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




3.3 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




3.4 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




3.5 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




3.6 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




3.7 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




3.8 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




3.9 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




3.10 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




3.11 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




3.12 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




3.13 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




3.14 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




3.15 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




3.16 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)




3.17 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)



3.18 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636166, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)



3.19 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)



3.20 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

