


Spurious Emission at Antenna Terminals


5.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.21	-69.56	-13	56.56	Pass	2986
30	1000	0.1	RMS	882.622	-62.65	-13	49.65	Pass	9701
1000	3000	1	RMS	2931	-49.75	-13	36.75	Pass	2001
3000	3690	1	RMS	3161	-50.26	-13	37.26	Pass	691
3690	3810	1	RMS	3790.8	16.02	60	43.98	Pass	401
3810	7000	1	RMS	3810	-59.73	-13	46.73	Pass	3191
7000	26500	1	RMS	25927	-49.92	-13	36.92	Pass	19503




5.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	1.06	-70.7	-13	57.7	Pass	2986
30	1000	0.1	RMS	758.4	-63.2	-13	50.2	Pass	9701
1000	3000	1	RMS	2932	-49.81	-13	36.81	Pass	2001
3000	3690	1	RMS	3164	-50.29	-13	37.29	Pass	691
3690	3810	1	RMS	3799.2	16.35	60	43.65	Pass	401
3810	7000	1	RMS	3811	-56.41	-13	43.41	Pass	3191
7000	26500	1	RMS	25506	-49.86	-13	36.86	Pass	19503




5.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-13	57.5	Pass	401
0.15	30	0.01	RMS	0.18	-70.03	-13	57.03	Pass	2986
30	1000	0.1	RMS	546	-63.19	-13	50.19	Pass	9701
1000	3000	1	RMS	2935	-49.74	-13	36.74	Pass	2001
3000	3690	1	RMS	3690	-44.16	-13	31.16	Pass	691
3690	3810	1	RMS	3702.3	5.97	60	54.03	Pass	401
3810	7000	1	RMS	3855	-61.72	-13	48.72	Pass	3191
7000	26500	1	RMS	25500	-50.11	-13	37.11	Pass	19503




5.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.52	-13	57.52	Pass	401
0.15	30	0.01	RMS	0.18	-70.45	-13	57.45	Pass	2986
30	1000	0.1	RMS	870.814	-62.12	-13	49.12	Pass	9701
1000	3000	1	RMS	2953	-49.81	-13	36.81	Pass	2001
3000	3690	1	RMS	3690	-49.79	-13	36.79	Pass	691
3690	3810	1	RMS	3700.8	16.86	60	43.14	Pass	401
3810	7000	1	RMS	4008	-63.15	-13	50.15	Pass	3191
7000	26500	1	RMS	25850	-50.08	-13	37.08	Pass	19503




5.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.42	-13	57.42	Pass	401
0.15	30	0.01	RMS	0.25	-70.87	-13	57.87	Pass	2986
30	1000	0.1	RMS	880.02	-62.67	-13	49.67	Pass	9701
1000	3000	1	RMS	2960	-49.73	-13	36.73	Pass	2001
3000	3690	1	RMS	3160	-50.21	-13	37.21	Pass	691
3690	3810	1	RMS	3714.3	16.66	60	43.34	Pass	401
3810	7000	1	RMS	4021	-63.92	-13	50.92	Pass	3191
7000	26500	1	RMS	25511	-49.85	-13	36.85	Pass	19503




5.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.47	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	988.392	-62.46	-13	49.46	Pass	9701
1000	3000	1	RMS	2966	-49.86	-13	36.86	Pass	2001
3000	3690	1	RMS	3162	-50.18	-13	37.18	Pass	691
3690	3810	1	RMS	3746.1	5.52	60	54.48	Pass	401
3810	7000	1	RMS	3897	-62.64	-13	49.64	Pass	3191
7000	26500	1	RMS	26261	-49.92	-13	36.92	Pass	19503




5.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	0.72	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	930.254	-62.56	-13	49.56	Pass	9701
1000	3000	1	RMS	2935	-49.66	-13	36.66	Pass	2001
3000	3690	1	RMS	3161	-50.34	-13	37.34	Pass	691
3690	3810	1	RMS	3743.4	16.33	60	43.67	Pass	401
3810	7000	1	RMS	4050	-65.38	-13	52.38	Pass	3191
7000	26500	1	RMS	25515	-49.89	-13	36.89	Pass	19503




5.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	0.16	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	901.335	-63.2	-13	50.2	Pass	9701
1000	3000	1	RMS	2960	-49.77	-13	36.77	Pass	2001
3000	3690	1	RMS	3159	-50.26	-13	37.26	Pass	691
3690	3810	1	RMS	3756.6	16.28	60	43.72	Pass	401
3810	7000	1	RMS	4064	-64.85	-13	51.85	Pass	3191
7000	26500	1	RMS	25487	-49.73	-13	36.73	Pass	19503




5.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:652832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.35	-70.62	-13	57.62	Pass	2986
30	1000	0.1	RMS	996.398	-63.05	-13	50.05	Pass	9701
1000	3000	1	RMS	2965	-49.72	-13	36.72	Pass	2001
3000	3690	1	RMS	3157	-50.29	-13	37.29	Pass	691
3690	3810	1	RMS	3797.7	5.37	60	54.63	Pass	401
3810	7000	1	RMS	3810	-49.42	-13	36.42	Pass	3191
7000	26500	1	RMS	25525	-50	-13	37	Pass	19503




5.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:652832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	0.16	-70.72	-13	57.72	Pass	2986
30	1000	0.1	RMS	974.883	-62.79	-13	49.79	Pass	9701
1000	3000	1	RMS	2959	-49.85	-13	36.85	Pass	2001
3000	3690	1	RMS	3162	-50.3	-13	37.3	Pass	691
3690	3810	1	RMS	3785.7	15.85	60	44.15	Pass	401
3810	7000	1	RMS	3811	-61.36	-13	48.36	Pass	3191
7000	26500	1	RMS	25511	-49.97	-13	36.97	Pass	19503




5.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:652832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.5	-13	57.5	Pass	401
0.15	30	0.01	RMS	0.17	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	932.355	-63.01	-13	50.01	Pass	9701
1000	3000	1	RMS	2930	-49.71	-13	36.71	Pass	2001
3000	3690	1	RMS	3160	-50.2	-13	37.2	Pass	691
3690	3810	1	RMS	3799.2	16.31	60	43.69	Pass	401




5.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.65	-70.59	-13	57.59	Pass	2986
30	1000	0.1	RMS	945.764	-62.63	-13	49.63	Pass	9701
1000	3000	1	RMS	2936	-49.77	-13	36.77	Pass	2001
3000	3690	1	RMS	3690	-41.38	-13	28.38	Pass	691
3690	3810	1	RMS	3702.9	4.75	60	55.25	Pass	401
3810	7000	1	RMS	3855	-58.61	-13	45.61	Pass	3191
7000	26500	1	RMS	25862	-50	-13	37	Pass	19503




5.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	0.18	-69.72	-13	56.72	Pass	2986
30	1000	0.1	RMS	866.111	-62.81	-13	49.81	Pass	9701
1000	3000	1	RMS	2945	-49.73	-13	36.73	Pass	2001
3000	3690	1	RMS	3690	-49.56	-13	36.56	Pass	691
3690	3810	1	RMS	3701.1	16.79	60	43.21	Pass	401
3810	7000	1	RMS	4008	-63.64	-13	50.64	Pass	3191
7000	26500	1	RMS	25453	-50.25	-13	37.25	Pass	19503




5.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	0.17	-69.97	-13	56.97	Pass	2986
30	1000	0.1	RMS	964.577	-62.96	-13	49.96	Pass	9701
1000	3000	1	RMS	2935	-49.63	-13	36.63	Pass	2001
3000	3690	1	RMS	3164	-50.35	-13	37.35	Pass	691
3690	3810	1	RMS	3719.1	16.79	60	43.21	Pass	401
3810	7000	1	RMS	4026	-63.95	-13	50.95	Pass	3191
7000	26500	1	RMS	25449	-49.92	-13	36.92	Pass	19503




5.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.23	-70.32	-13	57.32	Pass	2986
30	1000	0.1	RMS	981.988	-62.91	-13	49.91	Pass	9701
1000	3000	1	RMS	2955	-49.66	-13	36.66	Pass	2001
3000	3690	1	RMS	3605	-49.93	-13	36.93	Pass	691
3690	3810	1	RMS	3742.8	4.3	60	55.7	Pass	401
3810	7000	1	RMS	3895	-59	-13	46	Pass	3191
7000	26500	1	RMS	25499	-49.56	-13	36.56	Pass	19503




5.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.2	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	982.689	-63.22	-13	50.22	Pass	9701
1000	3000	1	RMS	2931	-49.89	-13	36.89	Pass	2001
3000	3690	1	RMS	3160	-50.13	-13	37.13	Pass	691
3690	3810	1	RMS	3741	16.41	60	43.59	Pass	401
3810	7000	1	RMS	4048	-64.47	-13	51.47	Pass	3191
7000	26500	1	RMS	25469	-50.09	-13	37.09	Pass	19503




5.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.17	-70.79	-13	57.79	Pass	2986
30	1000	0.1	RMS	849	-62.51	-13	49.51	Pass	9701
1000	3000	1	RMS	2936	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3157	-50.26	-13	37.26	Pass	691
3690	3810	1	RMS	3759	16.27	60	43.73	Pass	401
3810	7000	1	RMS	4066	-64.62	-13	51.62	Pass	3191
7000	26500	1	RMS	25887	-49.85	-13	36.85	Pass	19503




5.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	0.84	-71.21	-13	58.21	Pass	2986
30	1000	0.1	RMS	886.024	-61.49	-13	48.49	Pass	9701
1000	3000	1	RMS	2940	-49.7	-13	36.7	Pass	2001
3000	3690	1	RMS	3645	-49.89	-13	36.89	Pass	691
3690	3810	1	RMS	3796.8	4.12	60	55.88	Pass	401
3810	7000	1	RMS	3810	-48.4	-13	35.4	Pass	3191
7000	26500	1	RMS	25837	-50.11	-13	37.11	Pass	19503




5.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.18	-69.05	-13	56.05	Pass	2986
30	1000	0.1	RMS	602.9	-62.86	-13	49.86	Pass	9701
1000	3000	1	RMS	2935	-49.63	-13	36.63	Pass	2001
3000	3690	1	RMS	3162	-50.23	-13	37.23	Pass	691
3690	3810	1	RMS	3780.9	15.79	60	44.21	Pass	401
3810	7000	1	RMS	3811	-63.96	-13	50.96	Pass	3191
7000	26500	1	RMS	26475	-49.96	-13	36.96	Pass	19503



5.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.35	-70.4	-13	57.4	Pass	2986
30	1000	0.1	RMS	769.8	-63.03	-13	50.03	Pass	9701
1000	3000	1	RMS	2931	-49.74	-13	36.74	Pass	2001
3000	3690	1	RMS	3160	-50.18	-13	37.18	Pass	691
3690	3810	1	RMS	3798.9	16.33	60	43.67	Pass	401
3810	7000	1	RMS	3811	-56.65	-13	43.65	Pass	3191
7000	26500	1	RMS	25561	-49.96	-13	36.96	Pass	19503



6. n26 15kHz_Part22


6.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.11	-13	58.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	814	0.1	RMS	814	-55.45	-13	42.45	Pass	7841
814	859	0.1	RMS	827.8	3.53	60	56.47	Pass	451
859	1000	0.1	RMS	973.7	-65.53	-13	52.53	Pass	1411
1000	3000	1	RMS	2929	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8746	-65.88	-13	52.88	Pass	7001




6.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.54	-13	52.54	Pass	401
0.15	30	0.01	RMS	0.2	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	814	-65.31	-13	52.31	Pass	7841
814	859	0.1	RMS	824.3	16.63	60	43.37	Pass	451
859	1000	0.1	RMS	969.5	-65.58	-13	52.58	Pass	1411
1000	3000	1	RMS	2934	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	8741	-65.93	-13	52.93	Pass	7001




6.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.55	-13	52.55	Pass	401
0.15	30	0.01	RMS	0.19	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	813.9	-65.68	-13	52.68	Pass	7841
814	859	0.1	RMS	828.6	16.08	60	43.92	Pass	451
859	1000	0.1	RMS	901.2	-65.53	-13	52.53	Pass	1411
1000	3000	1	RMS	2940	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8748	-65.92	-13	52.92	Pass	7001




6.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.17	-71.47	-13	58.47	Pass	2986
30	814	0.1	RMS	813.1	-65.59	-13	52.59	Pass	7841
814	859	0.1	RMS	835.3	3.57	60	56.43	Pass	451
859	1000	0.1	RMS	889.9	-65.61	-13	52.61	Pass	1411
1000	3000	1	RMS	2933	-49.98	-13	36.98	Pass	2001
3000	10000	1	RMS	8751	-65.92	-13	52.92	Pass	7001




6.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.68	-13	52.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	58.5	Pass	2986
30	814	0.1	RMS	808.5	-65.71	-13	52.71	Pass	7841
814	859	0.1	RMS	834.3	16.55	60	43.45	Pass	451
859	1000	0.1	RMS	975.8	-65.54	-13	52.54	Pass	1411
1000	3000	1	RMS	2935	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8738	-66.03	-13	53.03	Pass	7001




6.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.81	-13	52.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	814	0.1	RMS	813.7	-65.75	-13	52.75	Pass	7841
814	859	0.1	RMS	838.7	16.07	60	43.93	Pass	451
859	1000	0.1	RMS	892.6	-65.57	-13	52.57	Pass	1411
1000	3000	1	RMS	2937	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	8746	-65.97	-13	52.97	Pass	7001




6.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	809.6	-65.8	-13	52.8	Pass	7841
814	859	0.1	RMS	845.1	3.7	60	56.3	Pass	451
859	1000	0.1	RMS	978	-65.59	-13	52.59	Pass	1411
1000	3000	1	RMS	2932	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8744	-65.87	-13	52.87	Pass	7001




6.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.14	-13	52.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	814	0.1	RMS	813	-65.89	-13	52.89	Pass	7841
814	859	0.1	RMS	844.3	16.64	60	43.36	Pass	451
859	1000	0.1	RMS	979.3	-65.57	-13	52.57	Pass	1411
1000	3000	1	RMS	2939	-50	-13	37	Pass	2001
3000	10000	1	RMS	8740	-65.92	-13	52.92	Pass	7001




6.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.55	-13	51.55	Pass	401
0.15	30	0.01	RMS	0.19	-72.15	-13	59.15	Pass	2986
30	814	0.1	RMS	813.3	-65.56	-13	52.56	Pass	7841
814	859	0.1	RMS	848.6	16.05	60	43.95	Pass	451
859	1000	0.1	RMS	875.2	-65.56	-13	52.56	Pass	1411
1000	3000	1	RMS	2937	-50	-13	37	Pass	2001
3000	10000	1	RMS	8748	-65.96	-13	52.96	Pass	7001




6.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	814	0.1	RMS	814	-43.89	-13	30.89	Pass	7841
814	859	0.1	RMS	831.7	-1.44	60	61.44	Pass	451
859	1000	0.1	RMS	938.6	-65.53	-13	52.53	Pass	1411
1000	3000	1	RMS	2939	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8746	-66.01	-13	53.01	Pass	7001




6.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.37	-13	51.37	Pass	401
0.15	30	0.01	RMS	0.19	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	814	-62.19	-13	49.19	Pass	7841
814	859	0.1	RMS	824.5	16.62	60	43.38	Pass	451
859	1000	0.1	RMS	898	-65.62	-13	52.62	Pass	1411
1000	3000	1	RMS	2942	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8742	-65.94	-13	52.94	Pass	7001




6.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.47	-13	52.47	Pass	401
0.15	30	0.01	RMS	0.23	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	812	-65.66	-13	52.66	Pass	7841
814	859	0.1	RMS	838.5	16.84	60	43.16	Pass	451
859	1000	0.1	RMS	959.8	-65.5	-13	52.5	Pass	1411
1000	3000	1	RMS	2935	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8765	-65.95	-13	52.95	Pass	7001




6.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.21	-72.68	-13	59.68	Pass	2986
30	814	0.1	RMS	813.8	-48.01	-13	35.01	Pass	7841
814	859	0.1	RMS	832.4	-1.35	60	61.35	Pass	451
859	1000	0.1	RMS	918.6	-65.53	-13	52.53	Pass	1411
1000	3000	1	RMS	2951	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8746	-65.94	-13	52.94	Pass	7001




6.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.42	-13	53.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	814	0.1	RMS	814	-65.32	-13	52.32	Pass	7841
814	859	0.1	RMS	829.5	16.77	60	43.23	Pass	451
859	1000	0.1	RMS	922.7	-65.47	-13	52.47	Pass	1411
1000	3000	1	RMS	2938	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8748	-65.95	-13	52.95	Pass	7001




6.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.25	-13	52.25	Pass	401
0.15	30	0.01	RMS	0.37	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	812.9	-65.74	-13	52.74	Pass	7841
814	859	0.1	RMS	843.5	16.76	60	43.24	Pass	451
859	1000	0.1	RMS	917.5	-65.61	-13	52.61	Pass	1411
1000	3000	1	RMS	2939	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8746	-66	-13	53	Pass	7001




6.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	814	0.1	RMS	813.8	-50.91	-13	37.91	Pass	7841
814	859	0.1	RMS	835.4	-1.43	60	61.43	Pass	451
859	1000	0.1	RMS	908.1	-65.58	-13	52.58	Pass	1411
1000	3000	1	RMS	2931	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8747	-65.99	-13	52.99	Pass	7001




6.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.08	-13	53.08	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	813.6	-65.5	-13	52.5	Pass	7841
814	859	0.1	RMS	834.5	16.7	60	43.3	Pass	451
859	1000	0.1	RMS	926.4	-65.53	-13	52.53	Pass	1411
1000	3000	1	RMS	2936	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8748	-65.93	-13	52.93	Pass	7001




6.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.49	-13	51.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	814	0.1	RMS	813.4	-65.89	-13	52.89	Pass	7841
814	859	0.1	RMS	848.5	16.73	60	43.27	Pass	451
859	1000	0.1	RMS	969.9	-65.46	-13	52.46	Pass	1411
1000	3000	1	RMS	2939	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8741	-66.03	-13	53.03	Pass	7001




6.28 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	813.9	-42.91	-13	29.91	Pass	7841
814	859	0.1	RMS	834.2	-2.56	60	62.56	Pass	451
859	1000	0.1	RMS	915	-65.58	-13	52.58	Pass	1411
1000	3000	1	RMS	2942	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8746	-65.93	-13	52.93	Pass	7001




6.29 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.51	-13	51.51	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	58.85	Pass	2986
30	814	0.1	RMS	813.7	-60.46	-13	47.46	Pass	7841
814	859	0.1	RMS	824.5	16.48	60	43.52	Pass	451
859	1000	0.1	RMS	859.2	-65.5	-13	52.5	Pass	1411
1000	3000	1	RMS	2940	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8746	-65.98	-13	52.98	Pass	7001




6.30 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.33	-13	51.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	811	-65.82	-13	52.82	Pass	7841
814	859	0.1	RMS	843.4	16.36	60	43.64	Pass	451
859	1000	0.1	RMS	893.8	-65.66	-13	52.66	Pass	1411
1000	3000	1	RMS	2949	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8746	-65.98	-13	52.98	Pass	7001




6.31 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	813.5	-44.56	-13	31.56	Pass	7841
814	859	0.1	RMS	830.7	-2.63	60	62.63	Pass	451
859	1000	0.1	RMS	997.2	-65.57	-13	52.57	Pass	1411
1000	3000	1	RMS	2944	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8738	-65.95	-13	52.95	Pass	7001




6.32 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.73	-13	52.73	Pass	401
0.15	30	0.01	RMS	0.16	-72.68	-13	59.68	Pass	2986
30	814	0.1	RMS	813.3	-60.97	-13	47.97	Pass	7841
814	859	0.1	RMS	827	16.49	60	43.51	Pass	451
859	1000	0.1	RMS	971.5	-65.59	-13	52.59	Pass	1411
1000	3000	1	RMS	2944	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8747	-65.86	-13	52.86	Pass	7001




6.33 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.02	-13	52.02	Pass	401
0.15	30	0.01	RMS	0.22	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	810.3	-65.78	-13	52.78	Pass	7841
814	859	0.1	RMS	845.9	16.41	60	43.59	Pass	451
859	1000	0.1	RMS	881.7	-65.6	-13	52.6	Pass	1411
1000	3000	1	RMS	2930	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8747	-65.98	-13	52.98	Pass	7001




6.34 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.2	-72.64	-13	59.64	Pass	2986
30	814	0.1	RMS	814	-46.26	-13	33.26	Pass	7841
814	859	0.1	RMS	833.1	-2.46	60	62.46	Pass	451
859	1000	0.1	RMS	929.2	-65.5	-13	52.5	Pass	1411
1000	3000	1	RMS	2936	-50	-13	37	Pass	2001
3000	10000	1	RMS	8746	-65.89	-13	52.89	Pass	7001




6.35 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.65	-13	52.65	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-13	59.04	Pass	2986
30	814	0.1	RMS	813.8	-62.68	-13	49.68	Pass	7841
814	859	0.1	RMS	829.5	16.5	60	43.5	Pass	451
859	1000	0.1	RMS	974.6	-65.52	-13	52.52	Pass	1411
1000	3000	1	RMS	2941	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8753	-65.99	-13	52.99	Pass	7001



6.36 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.02	-13	51.02	Pass	401
0.15	30	0.01	RMS	0.17	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	813.5	-65.79	-13	52.79	Pass	7841
814	859	0.1	RMS	848.4	16.41	60	43.59	Pass	451
859	1000	0.1	RMS	980.3	-65.56	-13	52.56	Pass	1411
1000	3000	1	RMS	2943	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8745	-65.97	-13	52.97	Pass	7001



1. n26 15kHz_Part90


1.1 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	804	0.1	RMS	801.5	-65.88	-13	52.88	Pass	7741
804	834	0.1	RMS	817.95	3.51	60	56.49	Pass	401
834	1000	0.1	RMS	834	-63.94	-13	50.94	Pass	1661
1000	3000	1	RMS	2930	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8742	-65.86	-13	52.86	Pass	7001




1.2 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.63	-13	51.63	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	2986
30	804	0.1	RMS	803.6	-65.85	-13	52.85	Pass	7741
804	834	0.1	RMS	814.35	16.76	60	43.24	Pass	401
834	1000	0.1	RMS	844.8	-65.24	-13	52.24	Pass	1661
1000	3000	1	RMS	2938	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8745	-65.94	-13	52.94	Pass	7001




1.3 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.17	-13	53.17	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	804	0.1	RMS	776.9	-65.81	-13	52.81	Pass	7741
804	834	0.1	RMS	818.625	16.63	60	43.37	Pass	401
834	1000	0.1	RMS	844.8	-65.03	-13	52.03	Pass	1661
1000	3000	1	RMS	2932	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	8745	-65.85	-13	52.85	Pass	7001




1.4 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	804	0.1	RMS	745.4	-65.85	-13	52.85	Pass	7741
804	834	0.1	RMS	817.65	3.62	60	56.38	Pass	401
834	1000	0.1	RMS	834.1	-60.59	-13	47.59	Pass	1661
1000	3000	1	RMS	2938	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	8742	-65.9	-13	52.9	Pass	7001




1.5 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.69	-13	52.69	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	58.58	Pass	2986
30	804	0.1	RMS	782.2	-65.88	-13	52.88	Pass	7741
804	834	0.1	RMS	816.825	16.91	60	43.09	Pass	401
834	1000	0.1	RMS	848.3	-65.41	-13	52.41	Pass	1661
1000	3000	1	RMS	2445	-49.18	-13	36.18	Pass	2001
3000	10000	1	RMS	8745	-65.95	-13	52.95	Pass	7001




1.6 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.89	-13	51.89	Pass	401
0.15	30	0.01	RMS	0.19	-72.85	-13	59.85	Pass	2986
30	804	0.1	RMS	803.2	-65.93	-13	52.93	Pass	7741
804	834	0.1	RMS	821.175	16.87	60	43.13	Pass	401
834	1000	0.1	RMS	844.8	-65.25	-13	52.25	Pass	1661
1000	3000	1	RMS	2461	-49.04	-13	36.04	Pass	2001
3000	10000	1	RMS	8745	-65.9	-13	52.9	Pass	7001




1.7 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.16	-71.54	-13	58.54	Pass	2986
30	804	0.1	RMS	746.4	-65.93	-13	52.93	Pass	7741
804	834	0.1	RMS	820.05	3.52	60	56.48	Pass	401
834	1000	0.1	RMS	834.1	-54.38	-13	41.38	Pass	1661
1000	3000	1	RMS	2947	-50.04	-13	37.04	Pass	2001
3000	10000	1	RMS	8747	-65.95	-13	52.95	Pass	7001




1.8 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.57	-13	52.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	804	0.1	RMS	767.6	-65.92	-13	52.92	Pass	7741
804	834	0.1	RMS	819.3	16.78	60	43.22	Pass	401
834	1000	0.1	RMS	837	-65.29	-13	52.29	Pass	1661
1000	3000	1	RMS	2943	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8750	-65.99	-13	52.99	Pass	7001




**1.9 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3,
Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.31	-13	51.31	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	59.33	Pass	2986
30	804	0.1	RMS	731.1	-65.79	-13	52.79	Pass	7741
804	834	0.1	RMS	823.65	16.87	60	43.13	Pass	401
834	1000	0.1	RMS	834.2	-64.98	-13	51.98	Pass	1661
1000	3000	1	RMS	2941	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8747	-65.98	-13	52.98	Pass	7001




1.10 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.17	-72.53	-13	59.53	Pass	2986
30	804	0.1	RMS	799.1	-65.79	-13	52.79	Pass	7741
804	834	0.1	RMS	817.65	0.39	60	59.61	Pass	401
834	1000	0.1	RMS	834	-45.85	-13	32.85	Pass	1661
1000	3000	1	RMS	2946	-50	-13	37	Pass	2001
3000	10000	1	RMS	8744	-66.04	-13	53.04	Pass	7001




1.11 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.88	-13	51.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	58.17	Pass	2986
30	804	0.1	RMS	803.7	-65.81	-13	52.81	Pass	7741
804	834	0.1	RMS	814.425	16.73	60	43.27	Pass	401
834	1000	0.1	RMS	844.8	-65.22	-13	52.22	Pass	1661
1000	3000	1	RMS	2938	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8745	-65.99	-13	52.99	Pass	7001



1.12 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.1	-13	52.1	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	57.77	Pass	2986
30	804	0.1	RMS	773.1	-65.75	-13	52.75	Pass	7741
804	834	0.1	RMS	823.575	16.95	60	43.05	Pass	401
834	1000	0.1	RMS	834.7	-64.96	-13	51.96	Pass	1661
1000	3000	1	RMS	2943	-50	-13	37	Pass	2001
3000	10000	1	RMS	8744	-65.94	-13	52.94	Pass	7001



--BLANK BELOW--