











Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
25C 4.25V	N/A	5180	Ant1	5179.961	-39000	-7.53	25	Pass
25C 5V	N/A	5180	Ant1	5179.961	-39000	-7.53	25	Pass
25C 5.75V	N/A	5180	Ant1	5179.961	-39000	-7.53	25	Pass
0C 5V	N/A	5180	Ant1	5179.961	-39000	-7.53	25	Pass
10C 5V	N/A	5180	Ant1	5179.961	-39000	-7.53	25	Pass
20C 5V	N/A	5180	Ant1	5179.961	-39000	-7.53	25	Pass
30C 5V	N/A	5180	Ant1	5179.961	-39000	-7.53	25	Pass
40C 5V	N/A	5180	Ant1	5179.961	-39000	-7.53	25	Pass
50C 5V	N/A	5180	Ant1	5179.961	-39000	-7.53	25	Pass
60C 5V	N/A	5180	Ant1	5179.961	-39000	-7.53	25	Pass
25C 4.25V	N/A	5260	Ant1	5259.962	-38000	-7.22	25	Pass
25C 5V	N/A	5260	Ant1	5259.962	-38000	-7.22	25	Pass
25C 5.75V	N/A	5260	Ant1	5259.963	-37000	-7.03	25	Pass
0C 5V	N/A	5260	Ant1	5259.963	-37000	-7.03	25	Pass
10C 5V	N/A	5260	Ant1	5259.963	-37000	-7.03	25	Pass
20C 5V	N/A	5260	Ant1	5259.963	-37000	-7.03	25	Pass
30C 5V	N/A	5260	Ant1	5259.963	-37000	-7.03	25	Pass
40C 5V	N/A	5260	Ant1	5259.963	-37000	-7.03	25	Pass
50C 5V	N/A	5260	Ant1	5259.963	-37000	-7.03	25	Pass
60C 5V	N/A	5260	Ant1	5259.963	-37000	-7.03	25	Pass
25C 4.25V	N/A	5500	Ant1	5499.962	-38000	-6.91	25	Pass
25C 5V	N/A	5500	Ant1	5499.962	-38000	-6.91	25	Pass
25C 5.75V	N/A	5500	Ant1	5499.963	-37000	-6.73	25	Pass
0C 5V	N/A	5500	Ant1	5499.963	-37000	-6.73	25	Pass
10C 5V	N/A	5500	Ant1	5499.963	-37000	-6.73	25	Pass
20C 5V	N/A	5500	Ant1	5499.963	-37000	-6.73	25	Pass
30C 5V	N/A	5500	Ant1	5499.963	-37000	-6.73	25	Pass
40C 5V	N/A	5500	Ant1	5499.963	-37000	-6.73	25	Pass
50C 5V	N/A	5500	Ant1	5499.963	-37000	-6.73	25	Pass
60C 5V	N/A	5500	Ant1	5499.963	-37000	-6.73	25	Pass
25C 4.25V	N/A	5825	Ant1	5824.96	-40000	-6.87	25	Pass
25C 5V	N/A	5825	Ant1	5824.961	-39000	-6.7	25	Pass
25C 5.75V	N/A	5825	Ant1	5824.961	-39000	-6.7	25	Pass
0C 5V	N/A	5825	Ant1	5824.961	-39000	-6.7	25	Pass
10C 5V	N/A	5825	Ant1	5824.962	-38000	-6.52	25	Pass
20C 5V	N/A	5825	Ant1	5824.962	-38000	-6.52	25	Pass
30C 5V	N/A	5825	Ant1	5824.962	-38000	-6.52	25	Pass
40C 5V	N/A	5825	Ant1	5824.962	-38000	-6.52	25	Pass
50C 5V	N/A	5825	Ant1	5824.962	-38000	-6.52	25	Pass
60C 5V	N/A	5825	Ant1	5824.963	-37000	-6.35	25	Pass
















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-35.7	-27	Pass
NVNT	a	5200	Ant1	-35.27	-27	Pass
NVNT	a	5240	Ant1	-35.62	-27	Pass
NVNT	a	5260	Ant1	-36.39	-27	Pass
NVNT	a	5280	Ant1	-35.24	-27	Pass
NVNT	a	5320	Ant1	-35.13	-27	Pass
NVNT	a	5500	Ant1	-36.21	-27	Pass
NVNT	a	5580	Ant1	-36.07	-27	Pass
NVNT	a	5700	Ant1	-34.37	-27	Pass
NVNT	a	5745	Ant1	-36.8	-27	Pass
NVNT	a	5785	Ant1	-37.18	-27	Pass
NVNT	a	5825	Ant1	-37.08	-27	Pass
NVNT	n20	5180	Ant1	-35.01	-27	Pass
NVNT	n20	5200	Ant1	-35.91	-27	Pass
NVNT	n20	5240	Ant1	-36.06	-27	Pass
NVNT	n20	5260	Ant1	-35.97	-27	Pass
NVNT	n20	5280	Ant1	-35.82	-27	Pass
NVNT	n20	5320	Ant1	-35.28	-27	Pass
NVNT	n20	5500	Ant1	-35.65	-27	Pass
NVNT	n20	5580	Ant1	-35.73	-27	Pass
NVNT	n20	5700	Ant1	-35.22	-27	Pass
NVNT	n20	5745	Ant1	-36.48	-27	Pass
NVNT	n20	5785	Ant1	-36.35	-27	Pass
NVNT	n20	5825	Ant1	-36.3	-27	Pass
NVNT	n40	5190	Ant1	-35.82	-27	Pass
NVNT	n40	5230	Ant1	-35.28	-27	Pass
NVNT	n40	5270	Ant1	-34.3	-27	Pass
NVNT	n40	5310	Ant1	-35.9	-27	Pass
NVNT	n40	5510	Ant1	-35.77	-27	Pass
NVNT	n40	5550	Ant1	-35.65	-27	Pass
NVNT	n40	5670	Ant1	-36.28	-27	Pass
NVNT	n40	5755	Ant1	-36.11	-27	Pass
NVNT	n40	5795	Ant1	-35.66	-27	Pass


Note: The gain value has been compensated in the test chart.












Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-49.88	4.54	49.92	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-59.55	4.54	40.25	Average	54	Pass
NVNT	a	5180	Ant1	5027.1	-44.76	4.54	55.04	Peak	68.2	Pass
NVNT	a	5180	Ant1	5141.2	-56.82	4.54	42.98	Average	54	Pass
NVNT	a	5180	Ant1	5150	-47.46	4.54	52.34	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-57.11	4.54	42.69	Average	54	Pass
NVNT	a	5240	Ant1	5350	-48.6	4.54	51.2	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-57.67	4.54	42.13	Average	54	Pass
NVNT	a	5240	Ant1	5456.88	-45.45	4.54	54.35	Peak	68.2	Pass
NVNT	a	5240	Ant1	5402.64	-57.38	4.54	42.42	Average	54	Pass
NVNT	a	5240	Ant1	5460	-49.14	4.54	50.66	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-58.19	4.54	41.61	Average	54	Pass
NVNT	a	5260	Ant1	4500	-49.89	4.57	49.94	Peak	68.2	Pass
NVNT	a	5260	Ant1	4500	-59.58	4.57	40.25	Average	54	Pass
NVNT	a	5260	Ant1	5098.26	-45.62	4.57	54.21	Peak	68.2	Pass
NVNT	a	5260	Ant1	5134.14	-57.44	4.57	42.39	Average	54	Pass
NVNT	a	5260	Ant1	5150	-47.27	4.57	52.56	Peak	68.2	Pass
NVNT	a	5260	Ant1	5150	-57.74	4.57	42.09	Average	54	Pass
NVNT	a	5320	Ant1	5350	-48.51	4.57	51.32	Peak	68.2	Pass
NVNT	a	5320	Ant1	5350	-57.1	4.57	42.73	Average	54	Pass
NVNT	a	5320	Ant1	5371.2	-45.53	4.57	54.3	Peak	68.2	Pass
NVNT	a	5320	Ant1	5359	-56.95	4.57	42.88	Average	54	Pass
NVNT	a	5320	Ant1	5460	-49.09	4.57	50.74	Peak	68.2	Pass
NVNT	a	5320	Ant1	5460	-57.83	4.57	42	Average	54	Pass
NVNT	a	5500	Ant1	5460	-47.82	4.85	52.29	Peak	68.2	Pass
NVNT	a	5500	Ant1	5460	-57.33	4.85	42.78	Average	54	Pass
NVNT	a	5500	Ant1	5462.4	-46.57	4.85	53.54	Peak	68.2	Pass
NVNT	a	5500	Ant1	5467.8	-56.83	4.85	43.28	Average	54	Pass
NVNT	a	5500	Ant1	5470	-48.1	4.85	52.01	Peak	68.2	Pass
NVNT	a	5500	Ant1	5470	-57.06	4.85	43.05	Average	54	Pass
NVNT	a	5700	Ant1	5725	-47.17	4.85	52.94	Peak	68.2	Pass
NVNT	a	5700	Ant1	5725	-57.05	4.85	43.06	Average	54	Pass
NVNT	a	5700	Ant1	5728.4	-45.91	4.85	54.2	Peak	68.2	Pass
NVNT	a	5700	Ant1	5728.4	-56.8	4.85	43.31	Average	54	Pass
NVNT	a	5700	Ant1	5735	-48.78	4.85	51.33	Peak	68.2	Pass
NVNT	a	5700	Ant1	5735	-57.27	4.85	42.84	Average	54	Pass
NVNT	a	5745	Ant1	5650	-50.11	5.37	50.52	Peak	-27	Pass
NVNT	a	5745	Ant1	5650	-57.42	5.37	43.21	Average	-27	Pass
NVNT	a	5745	Ant1	5700	-48.28	5.37	52.35	Peak	10	Pass
NVNT	a	5745	Ant1	5700	-56.96	5.37	43.67	Average	10	Pass
NVNT	a	5745	Ant1	5720	-47.05	5.37	53.58	Peak	15.6	Pass
NVNT	a	5745	Ant1	5720	-56.77	5.37	43.86	Average	15.6	Pass
NVNT	a	5745	Ant1	5725	-48.31	5.37	52.32	Peak	27	Pass
NVNT	a	5745	Ant1	5725	-56.46	5.37	44.17	Average	27	Pass
NVNT	a	5825	Ant1	5850	-48.62	5.37	52.01	Peak	27	Pass
NVNT	a	5825	Ant1	5850	-55.74	5.37	44.89	Average	27	Pass
NVNT	a	5825	Ant1	5855	-47.84	5.37	52.79	Peak	15.6	Pass
NVNT	a	5825	Ant1	5855	-56.04	5.37	44.59	Average	15.6	Pass
NVNT	a	5825	Ant1	5875	-47.84	5.37	52.79	Peak	10	Pass
NVNT	a	5825	Ant1	5875	-56.67	5.37	43.96	Average	10	Pass
NVNT	a	5825	Ant1	5925	-48.12	5.37	52.51	Peak	-27	Pass
NVNT	a	5825	Ant1	5925	-56.8	5.37	43.83	Average	-27	Pass
NVNT	n20	5180	Ant1	4500	-49.69	4.54	50.11	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-59.55	4.54	40.25	Average	54	Pass
NVNT	n20	5180	Ant1	5097.8	-45.44	4.54	54.36	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5143.3	-56.82	4.54	42.98	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-47.87	4.54	51.93	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-57.01	4.54	42.79	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-46.76	4.54	53.04	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-57.46	4.54	42.34	Average	54	Pass
NVNT	n20	5240	Ant1	5379.6	-44.97	4.54	54.83	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5401.44	-57.03	4.54	42.77	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-48.71	4.54	51.09	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-57.88	4.54	41.92	Average	54	Pass
NVNT	n20	5260	Ant1	4500	-49.35	4.57	50.48	Peak	68.2	Pass
NVNT	n20	5260	Ant1	4500	-59.31	4.57	40.52	Average	54	Pass
NVNT	n20	5260	Ant1	4914.96	-45.64	4.57	54.19	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5138.82	-57.31	4.57	42.52	Average	54	Pass
NVNT	n20	5260	Ant1	5150	-49.4	4.57	50.43	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5150	-57.41	4.57	42.42	Average	54	Pass
NVNT	n20	5320	Ant1	5350	-49.49	4.57	50.34	Peak	68.2	Pass

NVNT	n20	5320	Ant1	5350	-56.86	4.57	42.97	Average	54	Pass
NVNT	n20	5320	Ant1	5353	-44.19	4.57	55.64	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5350.8	-56.66	4.57	43.17	Average	54	Pass
NVNT	n20	5320	Ant1	5460	-49.47	4.57	50.36	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5460	-57.69	4.57	42.14	Average	54	Pass
NVNT	n20	5500	Ant1	5460	-46.33	4.85	53.78	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5460	-56.88	4.85	43.23	Average	54	Pass
NVNT	n20	5500	Ant1	5468.8	-45.54	4.85	54.57	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5464.6	-56.65	4.85	43.46	Average	54	Pass
NVNT	n20	5500	Ant1	5470	-46.97	4.85	53.14	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5470	-56.91	4.85	43.2	Average	54	Pass
NVNT	n20	5700	Ant1	5725	-47.65	4.85	52.46	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725	-56.39	4.85	43.72	Average	54	Pass
NVNT	n20	5700	Ant1	5732.6	-45.11	4.85	55	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725	-56.39	4.85	43.72	Average	54	Pass
NVNT	n20	5700	Ant1	5735	-49.41	4.85	50.7	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5735	-57.01	4.85	43.1	Average	54	Pass
NVNT	n20	5745	Ant1	5650	-47.23	5.37	53.4	Peak	-27	Pass
NVNT	n20	5745	Ant1	5650	-57.41	5.37	43.22	Average	-27	Pass
NVNT	n20	5745	Ant1	5700	-48.66	5.37	51.97	Peak	10	Pass
NVNT	n20	5745	Ant1	5700	-57.13	5.37	43.5	Average	10	Pass
NVNT	n20	5745	Ant1	5720	-47.88	5.37	52.75	Peak	15.6	Pass
NVNT	n20	5745	Ant1	5720	-56.36	5.37	44.27	Average	15.6	Pass
NVNT	n20	5745	Ant1	5725	-48.02	5.37	52.61	Peak	27	Pass
NVNT	n20	5745	Ant1	5725	-55.7	5.37	44.93	Average	27	Pass
NVNT	n20	5825	Ant1	5850	-47.46	5.37	53.17	Peak	27	Pass
NVNT	n20	5825	Ant1	5850	-55.27	5.37	45.36	Average	27	Pass
NVNT	n20	5825	Ant1	5855	-48.34	5.37	52.29	Peak	15.6	Pass
NVNT	n20	5825	Ant1	5855	-56.01	5.37	44.62	Average	15.6	Pass
NVNT	n20	5825	Ant1	5875	-47.7	5.37	52.93	Peak	10	Pass
NVNT	n20	5825	Ant1	5875	-56.53	5.37	44.1	Average	10	Pass
NVNT	n20	5825	Ant1	5925	-47.84	5.37	52.79	Peak	-27	Pass
NVNT	n20	5825	Ant1	5925	-56.99	5.37	43.64	Average	-27	Pass
NVNT	n40	5190	Ant1	4500	-48.73	4.54	51.07	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-59.05	4.54	40.75	Average	54	Pass
NVNT	n40	5190	Ant1	5148.97	-45.13	4.54	54.67	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5146.05	-56.36	4.54	43.44	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-48.37	4.54	51.43	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-56.46	4.54	43.34	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-48.87	4.54	50.93	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-57.51	4.54	42.29	Average	54	Pass
NVNT	n40	5230	Ant1	5375.76	-46.15	4.54	53.65	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5357.13	-56.89	4.54	42.91	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-50.06	4.54	49.74	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-57.66	4.54	42.14	Average	54	Pass
NVNT	n40	5270	Ant1	4500	-49.82	4.57	50.01	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4500	-59.23	4.57	40.6	Average	54	Pass
NVNT	n40	5270	Ant1	5041.89	-45.5	4.57	54.33	Peak	68.2	Pass
NVNT	n40	5270	Ant1	5114.79	-57.22	4.57	42.61	Average	54	Pass
NVNT	n40	5270	Ant1	5150	-47.96	4.57	51.87	Peak	68.2	Pass
NVNT	n40	5270	Ant1	5150	-57.47	4.57	42.36	Average	54	Pass
NVNT	n40	5310	Ant1	5350	-48.52	4.57	51.31	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5350	-56.8	4.57	43.03	Average	54	Pass
NVNT	n40	5310	Ant1	5361.4	-44.99	4.57	54.84	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5356.6	-56.55	4.57	43.28	Average	54	Pass
NVNT	n40	5310	Ant1	5460	-46.75	4.57	53.08	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5460	-57.78	4.57	42.05	Average	54	Pass
NVNT	n40	5510	Ant1	5460	-47.86	4.85	52.25	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5460	-57.17	4.85	42.94	Average	54	Pass
NVNT	n40	5510	Ant1	5461.2	-45.56	4.85	54.55	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5467	-56.71	4.85	43.4	Average	54	Pass
NVNT	n40	5510	Ant1	5470	-48.75	4.85	51.36	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5470	-57.24	4.85	42.87	Average	54	Pass
NVNT	n40	5670	Ant1	5725	-49.97	4.85	50.14	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725	-57.29	4.85	42.82	Average	54	Pass
NVNT	n40	5670	Ant1	5727.8	-46.99	4.85	53.12	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5734.2	-56.59	4.85	43.52	Average	54	Pass
NVNT	n40	5670	Ant1	5735	-49.21	4.85	50.9	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5735	-57.26	4.85	42.85	Average	54	Pass
NVNT	n40	5755	Ant1	5650	-49.4	5.37	51.23	Peak	-27	Pass
NVNT	n40	5755	Ant1	5650	-57.29	5.37	43.34	Average	-27	Pass
NVNT	n40	5755	Ant1	5700	-49.82	5.37	50.81	Peak	10	Pass
NVNT	n40	5755	Ant1	5700	-57.05	5.37	43.58	Average	10	Pass
NVNT	n40	5755	Ant1	5720	-48.28	5.37	52.35	Peak	15.6	Pass
NVNT	n40	5755	Ant1	5720	-56.6	5.37	44.03	Average	15.6	Pass


NVNT	n40	5755	Ant1	5725	-48.31	5.37	52.32	Peak	27	Pass
NVNT	n40	5755	Ant1	5725	-55.98	5.37	44.65	Average	27	Pass
NVNT	n40	5795	Ant1	5850	-48.41	5.37	52.22	Peak	27	Pass
NVNT	n40	5795	Ant1	5850	-56.02	5.37	44.61	Average	27	Pass
NVNT	n40	5795	Ant1	5855	-48.29	5.37	52.34	Peak	15.6	Pass
NVNT	n40	5795	Ant1	5855	-56.02	5.37	44.61	Average	15.6	Pass
NVNT	n40	5795	Ant1	5875	-47.27	5.37	53.36	Peak	10	Pass
NVNT	n40	5795	Ant1	5875	-56.07	5.37	44.56	Average	10	Pass
NVNT	n40	5795	Ant1	5925	-47.15	5.37	53.48	Peak	-27	Pass
NVNT	n40	5795	Ant1	5925	-56.64	5.37	43.99	Average	-27	Pass




Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average




Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average




Restrict Band NVNT a 5260MHz Ant1 Peak




Restrict Band NVNT a 5260MHz Ant1 Average




Restrict Band NVNT a 5320MHz Ant1 Peak




Restrict Band NVNT a 5320MHz Ant1 Average




Restrict Band NVNT a 5500MHz Ant1 Peak




Restrict Band NVNT a 5500MHz Ant1 Average




Restrict Band NVNT a 5700MHz Ant1 Peak




Restrict Band NVNT a 5700MHz Ant1 Average




Restrict Band NVNT a 5745MHz Ant1 Peak




Restrict Band NVNT a 5745MHz Ant1 Average




Restrict Band NVNT a 5825MHz Ant1 Peak




Restrict Band NVNT a 5825MHz Ant1 Average




Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average




Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average




Restrict Band NVNT n20 5260MHz Ant1 Peak




Restrict Band NVNT n20 5260MHz Ant1 Average




Restrict Band NVNT n20 5320MHz Ant1 Peak




Restrict Band NVNT n20 5320MHz Ant1 Average




Restrict Band NVNT n20 5500MHz Ant1 Peak




Restrict Band NVNT n20 5500MHz Ant1 Average




Restrict Band NVNT n20 5700MHz Ant1 Peak



Restrict Band NVNT n20 5700MHz Ant1 Average



Restrict Band NVNT n20 5745MHz Ant1 Peak



Restrict Band NVNT n20 5745MHz Ant1 Average