


























Occupied Channel Bandwidth



Mode	Frequency (MHz)	99% OBW (MHz)
a	5745	16.687
a	5785	16.639
a	5825	16.642
n20	5745	17.709
n20	5785	17.716
n20	5825	17.722
n40	5755	36.51
n40	5795	36.462
ac20	5745	17.703
ac20	5785	17.699
ac20	5825	17.719
ac40	5755	36.38
ac40	5795	36.378
ac80	5775	75.858




























Maximum Power Spectral Density Level



Mode	Frequency (MHz)	Conducted PSD (dBm/510kHz)	Duty Factor (dB)	Total PSD (dBm/510kHz)	Total PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
a	5745	-4.558	1.66	-2.898	-2.988	<=30	Pass
a	5785	-4.134	1.66	-2.474	-2.564	<=30	Pass
a	5825	-3.673	1.66	-2.013	-2.103	<=30	Pass
n20	5745	-4.459	1.66	-2.799	-2.889	<=30	Pass
n20	5785	-4.349	1.67	-2.679	-2.769	<=30	Pass
n20	5825	-3.575	1.67	-1.905	-1.995	<=30	Pass
n40	5755	-8.597	2.3	-6.297	-6.387	<=30	Pass
n40	5795	-7.052	2.3	-4.752	-4.842	<=30	Pass
ac20	5745	-5.1	1.58	-3.52	-3.61	<=30	Pass
ac20	5785	-3.843	1.56	-2.283	-2.373	<=30	Pass
ac20	5825	-3.682	1.56	-2.122	-2.212	<=30	Pass
ac40	5755	-8.646	2.18	-6.466	-6.556	<=30	Pass
ac40	5795	-7.84	2.18	-5.66	-5.75	<=30	Pass
ac80	5775	-11.128	2.68	-8.448	-8.538	<=30	Pass























6 Test Setup Photo

Reference to the file No.: ET-26094838SP for details.

7 EUT Constructional Details

Reference to the file No.: ET-26094838EP and ET-26094838IP for details

-----END-----