






















Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-53.99	-20	Pass
NVNT	1-DH5	2480	No-Hopping	-52.12	-20	Pass
NVNT	2-DH5	2402	No-Hopping	-52.18	-20	Pass
NVNT	2-DH5	2480	No-Hopping	-53.27	-20	Pass
NVNT	3-DH5	2402	No-Hopping	-49.86	-20	Pass
NVNT	3-DH5	2480	No-Hopping	-53.09	-20	Pass



















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-54.49	-20	Pass
NVNT	1-DH5	2480	Hopping	-51.56	-20	Pass
NVNT	2-DH5	2402	Hopping	-51.57	-20	Pass
NVNT	2-DH5	2480	Hopping	-52.31	-20	Pass
NVNT	3-DH5	2402	Hopping	-53.02	-20	Pass
NVNT	3-DH5	2480	Hopping	-50.19	-20	Pass



















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-41.4	-20	Pass
NVNT	1-DH5	2441	-40.19	-20	Pass
NVNT	1-DH5	2480	-39.26	-20	Pass
NVNT	2-DH5	2402	-40.93	-20	Pass
NVNT	2-DH5	2441	-39.8	-20	Pass
NVNT	2-DH5	2480	-38.71	-20	Pass
NVNT	3-DH5	2402	-41.23	-20	Pass
NVNT	3-DH5	2441	-39.07	-20	Pass
NVNT	3-DH5	2480	-39.33	-20	Pass



























Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	15	Pass
NVNT	2-DH5	79	15	Pass
NVNT	3-DH5	79	15	Pass







APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

※※※※※END OF THE REPORT※※※※※