





















## Band Edge


| Condition | Mode  | Frequency (MHz) | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|--------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | No-Hopping   | -46.4           | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | No-Hopping   | -48.12          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | No-Hopping   | -47.17          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | No-Hopping   | -52.02          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | No-Hopping   | -48.3           | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | No-Hopping   | -53.55          | -20         | Pass    |


















## Band Edge(Hopping)


| Condition | Mode  | Frequency (MHz) | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|--------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Hopping      | -47.37          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Hopping      | -47.66          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Hopping      | -47.2           | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Hopping      | -49.56          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Hopping      | -46.7           | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Hopping      | -52.16          | -20         | Pass    |



















## Conducted RF Spurious Emission


| Condition | Mode  | Frequency (MHz) | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | -43.01          | -20         | Pass    |
| NVNT      | 1-DH5 | 2441            | -43.41          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | -43.82          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | -42.27          | -20         | Pass    |
| NVNT      | 2-DH5 | 2441            | -43.79          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | -44.05          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | -39.71          | -20         | Pass    |
| NVNT      | 3-DH5 | 2441            | -40.26          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | -40.84          | -20         | Pass    |



























Number of Hopping Channel

| Condition | Mode  | Hopping Number | Limit | Verdict |
|-----------|-------|----------------|-------|---------|
| NVNT      | 1-DH5 | 79             | 15    | Pass    |
| NVNT      | 2-DH5 | 79             | 15    | Pass    |
| NVNT      | 3-DH5 | 79             | 15    | Pass    |







## APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

\*\*\*\*\*END OF THE REPORT\*\*\*\*\*