

Contents

<i>Appendix 1. Conducted output power</i>	<i>2</i>
<i>Appendix 2. Frequency stability</i>	<i>4</i>
<i>Appendix 3. Peak-to-Average Ratio</i>	<i>6</i>
<i>Appendix 4. Occupied bandwidth</i>	<i>11</i>
<i>Appendix 5. Band edge</i>	<i>16</i>
<i>Appendix 6. Out-of-band emissions</i>	<i>20</i>

Appendix 1. Conducted output power

Condition	Band	Channel	Frequency (MHz)	Power (dBm)	Gain (dBm)	ERP (dBm)	EIRP (dBm)	Verdict
NVNT	GPRS850 1 Slot	128	824.2	33.48	-1.75	29.58	/	PASS
NVNT	GPRS850 1 Slot	190	836.6	33.44	-1.75	29.54	/	PASS
NVNT	GPRS850 1 Slot	251	848.8	33.77	-1.75	29.87	/	PASS
NVNT	GPRS850 2 Slot	128	824.2	30.67	-1.75	26.77	/	PASS
NVNT	GPRS850 2 Slot	190	836.6	30.55	-1.75	26.65	/	PASS
NVNT	GPRS850 2 Slot	251	848.8	30.65	-1.75	26.75	/	PASS
NVNT	GPRS850 3 Slot	128	824.2	28.64	-1.75	24.74	/	PASS
NVNT	GPRS850 3 Slot	190	836.6	28.52	-1.75	24.62	/	PASS
NVNT	GPRS850 3 Slot	251	848.8	28.64	-1.75	24.74	/	PASS
NVNT	GPRS850 4 Slot	128	824.2	26.47	-1.75	22.57	/	PASS
NVNT	GPRS850 4 Slot	190	836.6	26.29	-1.75	22.39	/	PASS
NVNT	GPRS850 4 Slot	251	848.8	26.41	-1.75	22.51	/	PASS
NVNT	GPRS1900 1 Slot	512	1850.2	29.98	-0.1	/	29.88	PASS
NVNT	GPRS1900 1 Slot	661	1880	30.34	-0.1	/	30.24	PASS
NVNT	GPRS1900 1 Slot	810	1909.8	0.00	-0.1	/	-0.1	PASS
NVNT	GPRS1900 2 Slot	512	1850.2	26.79	-0.1	/	26.69	PASS
NVNT	GPRS1900 2 Slot	661	1880	26.91	-0.1	/	26.81	PASS
NVNT	GPRS1900 2 Slot	810	1909.8	26.59	-0.1	/	26.49	PASS
NVNT	GPRS1900 3 Slot	512	1850.2	25.18	-0.1	/	25.08	PASS
NVNT	GPRS1900	661	1880	25.34	-0.1	/	25.24	PASS

	3 Slot							
NVNT	GPRS1900 3 Slot	810	1909.8	25.05	-0.1	/	24.95	PASS
NVNT	GPRS1900 4 Slot	512	1850.2	23.12	-0.1	/	23.02	PASS
NVNT	GPRS1900 4 Slot	661	1880	23.23	-0.1	/	23.13	PASS
NVNT	GPRS1900 4 Slot	810	1909.8	22.87	-0.1	/	22.77	PASS


Appendix 2.Frequency stability

Condition	Band	Channel	Frequency (MHz)	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
NVNT	GPRS850	128	824.2	LV	NT	6.39	0.008	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	NT	9.10	0.011	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	HV	NT	7.39	0.009	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	LV	NT	13.04	0.016	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	NT	5.65	0.007	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	HV	NT	8.07	0.010	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	LV	NT	7.75	0.009	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	NT	2.74	0.003	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	HV	NT	3.65	0.004	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	LV	NT	7.26	0.004	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	NT	999.00	0.540	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	HV	NT	-5.62	-0.003	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	LV	NT	3.33	0.002	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	NT	-3.58	-0.002	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	HV	NT	18.60	0.010	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	LV	NT	-2.45	-0.001	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	NT	15.59	0.008	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	HV	NT	10.40	0.005	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	-30	8.78	0.011	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	-20	3.03	0.004	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	0	9.36	0.011	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	10	6.65	0.008	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	20	6.33	0.008	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	30	9.75	0.012	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	40	9.10	0.011	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	50	8.17	0.010	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	-30	2.52	0.003	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	-20	-0.32	0.000	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	0	0.97	0.001	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	10	5.20	0.006	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	20	3.55	0.004	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	30	-0.39	0.000	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	40	6.42	0.008	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	50	2.94	0.004	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	-30	2.74	0.003	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	-20	5.07	0.006	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	0	5.62	0.007	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	10	3.65	0.004	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	20	2.23	0.003	-2.5	2.5	PASS


NVNT	GPRS850	251	848.8	NV	30	5.13	0.006	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	40	5.52	0.007	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	50	999.00	1.177	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	-30	8.46	0.005	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	-20	6.78	0.004	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	0	10.43	0.006	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	10	4.68	0.003	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	20	-0.29	0.000	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	30	13.43	0.007	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	40	8.81	0.005	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	50	-1.16	-0.001	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	-30	2.10	0.001	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	-20	-11.72	-0.006	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	0	10.04	0.005	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	10	10.91	0.006	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	20	9.46	0.005	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	30	13.82	0.007	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	40	9.43	0.005	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	50	18.76	0.010	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	-30	5.00	0.003	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	-20	8.30	0.004	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	0	-1.26	-0.001	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	10	-8.56	-0.004	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	20	17.43	0.009	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	30	10.23	0.005	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	40	5.42	0.003	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	50	14.75	0.008	-2.5	2.5	PASS

Appendix 3. Peak-to-Average Ratio


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
NVNT	GPRS850	128	824.2	2.808337408	13.00	PASS
NVNT	GPRS850	190	836.6	2.779271795	13.00	PASS
NVNT	GPRS850	251	848.8	2.831646655	13.00	PASS
NVNT	GPRS1900	512	1850.2	2.80244713	13.00	PASS
NVNT	GPRS1900	661	1880	2.824616457	13.00	PASS
NVNT	GPRS1900	810	1909.8	2.83329023	13.00	PASS




GPRS850 Channel=128 NVNT




GPRS850 Channel=190 NVNT




GPRS850 Channel=251 NVNT



GPRS1900 Channel=512 NVNT




GPRS1900 Channel=661 NVNT




GPRS1900 Channel=810 NVNT

Appendix 4.Occupied bandwidth


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>99% OBW (kHz)</i>	<i>-26dB EBW (kHz)</i>	<i>Verdict</i>
NVNT	GPRS850	128	824.2	241.548	316.507	PASS
NVNT	GPRS850	190	836.6	242.724	322.730	PASS
NVNT	GPRS850	251	848.8	240.055	313.710	PASS
NVNT	GPRS1900	512	1850.2	249.697	315.287	PASS
NVNT	GPRS1900	661	1880	248.962	318.973	PASS
NVNT	GPRS1900	810	1909.8	249.498	317.623	PASS




GPRS850 Channel=128 NVNT




GPRS850 Channel=190 NVNT




GPRS850 Channel=251 NVNT



GPRS1900 Channel=512 NVNT




GPRS1900 Channel=661 NVNT




GPRS1900 Channel=810 NVNT

Appendix 5.Band edge


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
NVNT	GPRS850	128	824.2	823.98	-26.19	-13	PASS
NVNT	GPRS850	251	848.8	849.02	-27.25	-13	PASS
NVNT	GPRS1900	512	1850.2	1849.98	-29.20	-13	PASS
NVNT	GPRS1900	810	1909.8	1910.02	-29.88	-13	PASS




GPRS850 Channel=128 NVNT



GPRS850 Channel=251 NVNT




GPRS1900 Channel=512 NVNT




GPRS1900 Channel=810 NVNT

Appendix 6.Out-of-band emissions


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
NVNT	GPRS850	128	824.2	5277.46	-24.44	-13	PASS
NVNT	GPRS850	190	836.6	5493.56	-22.31	-13	PASS
NVNT	GPRS850	251	848.8	4847.50	-25.48	-13	PASS
NVNT	GPRS1900	512	1850.2	5497.79	-22.19	-13	PASS
NVNT	GPRS1900	661	1880	5275.12	-23.30	-13	PASS
NVNT	GPRS1900	810	1909.8	17489.27	-23.32	-13	PASS




GPRS850 Channel=128 NVNT




GPRS850 Channel=190 NVNT




GPRS850 Channel=251 NVNT



GPRS1900 Channel=512 NVNT



GPRS1900 Channel=661 NVNT



GPRS1900 Channel=810 NVNT

