
























8.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-1.77	0.1	-1.67	8	Pass
NVNT	b	2437	Ant1	-1.47	0.06	-1.41	8	Pass
NVNT	b	2462	Ant1	-1.06	0.06	-1	8	Pass
NVNT	g	2412	Ant1	-6.09	0.33	-5.76	8	Pass
NVNT	g	2437	Ant1	-6.32	0.47	-5.85	8	Pass
NVNT	g	2462	Ant1	-6.12	0.37	-5.75	8	Pass
NVNT	n20	2412	Ant1	-7.77	0.39	-7.38	8	Pass
NVNT	n20	2437	Ant1	-7.98	0.4	-7.58	8	Pass
NVNT	n20	2462	Ant1	-7.91	0.35	-7.56	8	Pass
NVNT	n40	2422	Ant1	-12.09	0.83	-11.26	8	Pass
NVNT	n40	2437	Ant1	-11.02	0.76	-10.26	8	Pass
NVNT	n40	2452	Ant1	-11.63	0.73	-10.9	8	Pass
NVNT	ax20	2412	Ant1	-8.37	0.43	-7.94	8	Pass
NVNT	ax20	2437	Ant1	-8.76	0.47	-8.29	8	Pass
NVNT	ax20	2462	Ant1	-7.46	0.5	-6.96	8	Pass
NVNT	ax40	2422	Ant1	-11.58	0.83	-10.75	8	Pass
NVNT	ax40	2437	Ant1	-11.15	0.84	-10.31	8	Pass
NVNT	ax40	2452	Ant1	-11.27	0.85	-10.42	8	Pass


































8.6 BAND EDGE



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-47.99	-30	Pass
NVNT	b	2462	Ant1	-61.31	-30	Pass
NVNT	g	2412	Ant1	-33.87	-30	Pass
NVNT	g	2462	Ant1	-48	-30	Pass
NVNT	n20	2412	Ant1	-40.48	-30	Pass
NVNT	n20	2462	Ant1	-49.67	-30	Pass
NVNT	n40	2422	Ant1	-32.98	-30	Pass
NVNT	n40	2452	Ant1	-37.04	-30	Pass
NVNT	ax20	2412	Ant1	-33.36	-30	Pass
NVNT	ax20	2462	Ant1	-45.55	-30	Pass
NVNT	ax40	2422	Ant1	-37.34	-30	Pass
NVNT	ax40	2452	Ant1	-39.7	-30	Pass







































8.7 CONDUCTED RF SPURIOUS EMISSION

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-48.2	-30	Pass
NVNT	b	2437	Ant1	-49.85	-30	Pass
NVNT	b	2462	Ant1	-49	-30	Pass
NVNT	g	2412	Ant1	-44.35	-30	Pass
NVNT	g	2437	Ant1	-45.18	-30	Pass
NVNT	g	2462	Ant1	-43.68	-30	Pass
NVNT	n20	2412	Ant1	-45.18	-30	Pass
NVNT	n20	2437	Ant1	-41.02	-30	Pass
NVNT	n20	2462	Ant1	-43.82	-30	Pass
NVNT	n40	2422	Ant1	-40.22	-30	Pass
NVNT	n40	2437	Ant1	-41.51	-30	Pass
NVNT	n40	2452	Ant1	-40.9	-30	Pass
NVNT	ax20	2412	Ant1	-43.24	-30	Pass
NVNT	ax20	2437	Ant1	-43.6	-30	Pass
NVNT	ax20	2462	Ant1	-42.89	-30	Pass
NVNT	ax40	2422	Ant1	-41.32	-30	Pass
NVNT	ax40	2437	Ant1	-42.06	-30	Pass
NVNT	ax40	2452	Ant1	-41.59	-30	Pass

