



n78(3450-3550) SCS=15kHz DFT_BPSK BW=40MHz Channel=635332 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	811.70	-41.84	-13
2	1000	10000	1000	4789.00	-34.83	-13
3	10000	40000	1000	38979.25	-35.20	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=631668 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	745.59	-41.73	-13
2	1000	10000	1000	3946.83	-35.03	-13
3	10000	40000	1000	38609.50	-33.30	-13


n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=631668 RB=1@269




n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=631668 RB=270@0




n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=633334 RB=1@0



n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=633334 RB=1@269




n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=633334 RB=270@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	661.57	-41.85	-13
2	1000	10000	1000	4702.83	-35.01	-13
3	10000	40000	1000	39251.50	-34.50	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	842.79	-41.72	-13
2	1000	10000	1000	8547.18	-35.55	-13
3	10000	40000	1000	38315.50	-34.92	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@269




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	943.30	-41.81	-13
2	1000	10000	1000	3990.93	-35.82	-13
3	10000	40000	1000	38646.25	-34.55	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=635000 RB=270@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	886.68	-41.63	-13
2	1000	10000	1000	5190.40	-34.97	-13
3	10000	40000	1000	38679.25	-34.69	-13


n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=1@23




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=24@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=1@23




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=24@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=1@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=1@23




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=24@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	768.92	-41.60	-13
2	1000	10000	1000	3610.68	-35.24	-13
3	10000	40000	1000	39439.00	-34.84	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	999.30	-42.17	-13
2	1000	10000	1000	3999.25	-35.50	-13
3	10000	40000	1000	38191.75	-34.42	-13


n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=1@37




n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=36@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=1@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=1@37




n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=36@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	910.13	-41.35	-13
2	1000	10000	1000	4765.60	-34.29	-13
3	10000	40000	1000	39777.25	-35.23	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=636166 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	920.36	-41.61	-13
2	1000	10000	1000	8876.35	-35.30	-13
3	10000	40000	1000	38218.75	-35.18	-13


n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=636166 RB=1@37




n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=636166 RB=36@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=630668 RB=1@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=630668 RB=1@50




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=630668 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	717.41	-42.15	-13
2	1000	10000	1000	3932.65	-34.00	-13
3	10000	40000	1000	39247.00	-35.26	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	869.34	-41.20	-13
2	1000	10000	1000	8073.55	-35.28	-13
3	10000	40000	1000	38252.50	-34.80	-13


n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=633334 RB=1@50




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=633334 RB=50@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=636000 RB=1@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=636000 RB=1@50




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=636000 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	909.43	-40.93	-13
2	1000	10000	1000	4819.60	-35.38	-13
3	10000	40000	1000	38602.00	-34.20	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=631334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	401.97	-41.73	-13
2	1000	10000	1000	9748.23	-35.34	-13
3	10000	40000	1000	38594.50	-34.60	-13


n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=631334 RB=1@105




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=631334 RB=100@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=633334 RB=1@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=633334 RB=1@105




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=633334 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	857.36	-41.44	-13
2	1000	10000	1000	3977.65	-34.69	-13
3	10000	40000	1000	38647.00	-35.05	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=635332 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	887.29	-41.68	-13
2	1000	10000	1000	4733.65	-35.81	-13
3	10000	40000	1000	39157.00	-34.23	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=635332 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	971.19	-42.29	-13
2	1000	10000	1000	1766.35	-31.08	-13
3	10000	40000	1000	38269.75	-35.46	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=635332 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	618.09	-41.51	-13
2	1000	10000	1000	1766.35	-33.69	-13
3	10000	40000	1000	38640.25	-34.55	-13


n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=1@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=1@132




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=128@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	908.63	-41.47	-13
2	1000	10000	1000	3980.80	-35.48	-13
3	10000	40000	1000	38602.00	-34.28	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	943.79	-41.94	-13
2	1000	10000	1000	4737.93	-34.95	-13
3	10000	40000	1000	39285.25	-34.72	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	765.19	-42.07	-13
2	1000	10000	1000	4742.43	-35.56	-13
3	10000	40000	1000	38920.00	-34.92	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=128@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	766.21	-42.00	-13
2	1000	10000	1000	4721.28	-34.86	-13
3	10000	40000	1000	38685.25	-33.75	-13


n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@132




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=128@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	997.74	-41.52	-13
2	1000	10000	1000	4811.73	-35.64	-13
3	10000	40000	1000	38658.25	-35.32	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	863.69	-41.54	-13
2	1000	10000	1000	4747.60	-34.85	-13
3	10000	40000	1000	38642.50	-34.55	-13


n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=1@161



n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=162@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	968.86	-41.50	-13
2	1000	10000	1000	4737.93	-35.41	-13
3	10000	40000	1000	38631.25	-35.54	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=1@161




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	877.00	-41.50	-13
2	1000	10000	1000	9505.90	-35.67	-13
3	10000	40000	1000	38599.75	-33.74	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=162@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	954.05	-41.21	-13
2	1000	10000	1000	4000.83	-35.79	-13
3	10000	40000	1000	38908.00	-35.07	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	847.61	-41.63	-13
2	1000	10000	1000	9797.05	-35.26	-13
3	10000	40000	1000	38608.75	-34.47	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=1@161




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	730.90	-41.94	-13
2	1000	10000	1000	7986.25	-35.09	-13
3	10000	40000	1000	38607.25	-34.77	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=162@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	802.85	-41.54	-13
2	1000	10000	1000	5051.58	-35.48	-13
3	10000	40000	1000	38215.75	-34.93	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	838.28	-40.68	-13
2	1000	10000	1000	9557.65	-35.03	-13
3	10000	40000	1000	38214.25	-34.62	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=1@188




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	979.99	-41.38	-13
2	1000	10000	1000	3931.75	-35.61	-13
3	10000	40000	1000	38599.00	-34.45	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=180@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	730.66	-41.64	-13
2	1000	10000	1000	4603.38	-35.69	-13
3	10000	40000	1000	39290.50	-35.09	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	797.73	-41.74	-13
2	1000	10000	1000	4744.45	-35.02	-13
3	10000	40000	1000	38287.00	-34.60	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=1@188




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	936.54	-40.84	-13
2	1000	10000	1000	7260.40	-35.39	-13
3	10000	40000	1000	38623.00	-35.42	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=180@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	766.57	-41.46	-13
2	1000	10000	1000	4764.48	-35.04	-13
3	10000	40000	1000	38615.50	-35.40	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	765.65	-41.64	-13
2	1000	10000	1000	3943.45	-34.86	-13
3	10000	40000	1000	38654.50	-33.75	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=1@188




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	925.33	-41.41	-13
2	1000	10000	1000	3909.48	-34.42	-13
3	10000	40000	1000	38623.75	-33.68	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=180@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	602.37	-41.91	-13
2	1000	10000	1000	8803.90	-35.78	-13
3	10000	40000	1000	38601.25	-34.62	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	885.10	-41.80	-13
2	1000	10000	1000	4729.83	-35.30	-13
3	10000	40000	1000	38578.00	-34.50	-13


n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=1@216




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=216@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=1@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=1@216




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	853.85	-42.33	-13
2	1000	10000	1000	4727.35	-35.02	-13
3	10000	40000	1000	39356.50	-35.08	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	960.01	-41.69	-13
2	1000	10000	1000	4701.93	-35.48	-13
3	10000	40000	1000	38580.25	-34.90	-13


n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=1@216




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=216@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=1@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=1@244




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=243@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	883.70	-41.50	-13
2	1000	10000	1000	3911.28	-34.51	-13
3	10000	40000	1000	38701.00	-35.27	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	842.81	-41.77	-13
2	1000	10000	1000	4716.55	-35.97	-13
3	10000	40000	1000	39205.75	-34.52	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=1@244




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	862.89	-42.06	-13
2	1000	10000	1000	4803.63	-34.88	-13
3	10000	40000	1000	38653.75	-35.42	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=243@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	860.08	-42.45	-13
2	1000	10000	1000	9769.83	-35.04	-13
3	10000	40000	1000	39222.25	-34.90	-13


n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=1@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=1@244




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=243@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	745.42	-41.88	-13
2	1000	10000	1000	4790.58	-33.62	-13
3	10000	40000	1000	39270.25	-35.56	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	883.02	-42.33	-13
2	1000	10000	1000	4784.50	-34.94	-13
3	10000	40000	1000	38599.75	-35.10	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=1@272



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	985.01	-42.36	-13
2	1000	10000	1000	5037.85	-34.85	-13
3	10000	40000	1000	38327.50	-34.43	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=270@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	761.06	-41.99	-13
2	1000	10000	1000	4773.03	-35.29	-13
3	10000	40000	1000	39332.50	-34.70	-13