

# **FCC REPORT**

## **(LTE)**

**Applicant:** SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO., LTD

**Address of Applicant:** A2 2F BUILDING ENET NEW INDUSTRIAL PARK, DAFU INDUSTRIAL ZONE, GUANLAN, LONGHUA SHENZHEN CHINA

**Equipment Under Test (EUT)**

Product Name: Smart Phone

Model No.: WP15

Trade mark: OUKITEL

**FCC ID:** 2ANMU-WP15

**Applicable standards:** FCC CFR Title 47 Part 2  
FCC CFR Title 47 Part 24 Subpart E  
FCC CFR Title 47 Part 27 Subpart L  
FCC CFR Title 47 Part 27 Subpart M  
FCC CFR Title 47 Part 27 Subpart H  
FCC CFR Title 47 Part 90 Subpart S

**Date of sample receipt:** 17 Jun., 2021

**Date of Test:** 17 Jun., to 28 Jul., 2021

**Date of report issued:** 28 Jul., 2021

**Test Result:** PASS\*

\*In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Bruce Zhang  
Laboratory Manager

This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product and does not permit the use of the JYT product certification mark. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## 2. Version

| Version No. | Date          | Description |
|-------------|---------------|-------------|
| 00          | 28 Jul., 2021 | Original    |
|             |               |             |
|             |               |             |
|             |               |             |
|             |               |             |

Tested by:

*Mike.ou*  
Test Engineer

Date:

*28 Jul., 2021*

Reviewed by:

*Winner Zhang*  
Project Engineer

Date:

*28 Jul., 2021*

### 3. Contents

|                                                                   | Page |
|-------------------------------------------------------------------|------|
| 1. COVER PAGE .....                                               | 1    |
| 2. VERSION.....                                                   | 2    |
| 3. CONTENTS.....                                                  | 3    |
| 4. TEST SUMMARY .....                                             | 4    |
| 5. GENERAL INFORMATION .....                                      | 6    |
| 5.1 CLIENT INFORMATION.....                                       | 6    |
| 5.2 GENERAL DESCRIPTION OF E.U.T.....                             | 6    |
| 5.3 TEST ENVIRONMENT AND MODE, AND TEST SAMPLES PLANS .....       | 16   |
| 5.4 DESCRIPTION OF SUPPORT UNITS.....                             | 16   |
| 5.5 MEASUREMENT UNCERTAINTY.....                                  | 16   |
| 5.6 RELATED SUBMITTAL(S) / GRANT (S) .....                        | 16   |
| 5.7 ADDITIONS TO, DEVIATIONS, OR EXCLUSIONS FROM THE METHOD ..... | 16   |
| 5.8 LABORATORY FACILITY .....                                     | 16   |
| 5.9 LABORATORY LOCATION .....                                     | 16   |
| 5.10 TEST INSTRUMENTS LIST .....                                  | 17   |
| 6. TEST RESULTS.....                                              | 18   |
| 6.1 CONDUCTED OUTPUT POWER, ERP AND EIRP .....                    | 18   |
| 6.2 PEAK-TO-AVERAGE RATIO .....                                   | 19   |
| 6.3 OCCUPY BANDWIDTH .....                                        | 20   |
| 6.4 OUT OF BAND EMISSION AT ANTENNA TERMINALS .....               | 21   |
| 6.5 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT.....         | 23   |
| 6.6 FREQUENCY STABILITY V.S. TEMPERATURE MEASUREMENT.....         | 37   |
| 6.7 FREQUENCY STABILITY V.S. VOLTAGE MEASUREMENT .....            | 38   |
| 7 TEST SETUP PHOTO.....                                           | 39   |
| 8 EUT CONSTRUCTIONAL DETAILS .....                                | 40   |

## 4. Test Summary

| Test Items                                | Section in CFR 47                                                                                                                       | Result                                 |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| RF Exposure (SAR)                         | Part 1.1307<br>Part 2.1093                                                                                                              | Passed<br>(Please refer to SAR Report) |
| RF Output Power                           | Part 2.1046<br>Part 22.913 (a)(5)<br>Part 24.232 (c)<br>Part 27.50 (c)(10)<br>Part 27.50 (d)(4)<br>Part 27.50 (h)(2)<br>Part 90.635 (b) | Appendix A – LTE                       |
| Peak-to-Average Ratio                     | Part 24.232 (d)<br>Part 22.913 (d)<br>Part 27.50(d)(5)                                                                                  | Appendix B – LTE                       |
| Modulation Characteristics                | Part 2.1047                                                                                                                             | Appendix G – LTE                       |
| 99% & -26 dB Occupied Bandwidth           | Part 2.1049<br>Part 22.917(b)<br>Part 24.238(b)<br>Part 27.53(g)<br>Part 27.53(h)<br>Part 27.53(m)<br>Part 90.691(a)                    | Appendix C – LTE                       |
| Out of band emission at antenna terminals | Part 2.1053<br>Part 22.917(a)<br>Part 24.238 (a)<br>Part 27.53 (g)<br>Part 27.53 (h)<br>Part 27.53(m)<br>Part 90.691(a)                 | Appendix D – LTE<br>Appendix E – LTE   |
| Field strength of spurious radiation      | Part 22.917(a)<br>Part 24.238 (a)<br>Part 27.53 (g)<br>Part 27.53 (h)<br>Part 27.53(m)<br>Part 90.691(a)                                | Pass                                   |
| Frequency stability vs. temperature       | Part 22.355<br>Part 24.235<br>Part 27.54<br>Part 90.213(a)<br>Part 2.1055(a)(1)(b)                                                      | Appendix F – LTE                       |
| Frequency stability vs. voltage           | Part 22.355<br>Part 24.235<br>Part 27.54<br>Part 90.213(a)<br>Part 2.1055(d)(2)                                                         | Appendix F – LTE                       |

**Remark:**

1. Pass: The EUT complies with the essential requirements in the standard.
2. The cable insertion loss used by "RF Output Power" and other conduction measurement items is 0.5dB(Fundamental Frequency below 1GHz)/1.0dB(Fundamental Frequency above 1GHz) (provided by the customer).

**Test Method:**

ANSI/TIA-603-E-2016  
ANSI C63.26-2015

## 5. General Information

### 5.1 Client Information

|               |                                                                                                |
|---------------|------------------------------------------------------------------------------------------------|
| Applicant:    | SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO., LTD                                                 |
| Address:      | A2 2F BUILDING ENET NEW INDUSTRIAL PARK, DAFU INDUSTRIAL ZONE, GUANLAN, LONGHUA SHENZHEN CHINA |
| Manufacturer: | SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO., LTD                                                 |
| Address:      | A2 2F BUILDING ENET NEW INDUSTRIAL PARK, DAFU INDUSTRIAL ZONE, GUANLAN, LONGHUA SHENZHEN CHINA |

### 5.2 General Description of E.U.T.

|                            |                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                           |                                           |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------|
| Product Name:              | Smart Phone                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                           |                                           |
| Model No.:                 | WP15                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                           |                                           |
| Operation Frequency range: | LTE Band 2: TX: 1850MHz-1910MHz RX: 1930MHz-1990MHz<br>LTE Band 4: TX: 1710MHz-1755MHz RX: 2110MHz-2155MHz<br>LTE Band 5: TX: 824MHz-849MHz RX: 869MHz-894MHz<br>LTE Band 7: TX: 2500MHz-2570MHz RX: 2620MHz-2690MHz<br>LTE Band 12: TX: 699MHz-716MHz RX: 729MHz-746MHz<br>LTE Band 25: TX: 1850MHz-1915 MHz RX: 1930MHz-1995MHz<br>LTE Band 26: TX: 814MHz-849MHz RX: 859MHz-894MHz<br>LTE Band 66: TX: 1710MHz-1780MHz RX: 2110MHz-2200MHz |                                           |                                           |
| Modulation type:           | <input checked="" type="checkbox"/> QPSK                                                                                                                                                                                                                                                                                                                                                                                                      | <input checked="" type="checkbox"/> 16QAM | <input checked="" type="checkbox"/> 64QAM |
| Antenna type:              | Internal Antenna                                                                                                                                                                                                                                                                                                                                                                                                                              |                                           |                                           |
| Antenna gain:              | LTE Band 2: 0.64 dBi(declare by Applicant)<br>LTE Band 4: 0.60 dBi(declare by Applicant)<br>LTE Band 5: 0.37 dBi(declare by Applicant)<br>LTE Band 7: 1.23 dBi(declare by Applicant)<br>LTE Band 12: 0.26 dBi(declare by Applicant)<br>LTE Band 25: 0.64 dBi(declare by Applicant)<br>LTE Band 26: 0.37 dBi(declare by Applicant)<br>LTE Band 66: 0.60 dBi(declare by Applicant)                                                              |                                           |                                           |
| Power supply:              | Rechargeable Li-ion Polymer Battery DC3.87V, 15600mAh                                                                                                                                                                                                                                                                                                                                                                                         |                                           |                                           |
| AC adapter:                | Model: HJ-FC017K7-US<br>Input: AC100-240V, 50/60Hz 0.6A<br>Output: DC 5.0V, 2.0A or DC 7.0V, 2.0A,<br>or DC 9.0V, 2.0A or DC 12V, 1.5A                                                                                                                                                                                                                                                                                                        |                                           |                                           |
| Test Sample Condition:     | The applicant provided engineering samples for staying in continuously transmitting for testing.                                                                                                                                                                                                                                                                                                                                              |                                           |                                           |

**Operation Frequency List:**

| LTE Band 2 (1.4MHz) |                 | LTE Band 2 (3MHz)  |                 |
|---------------------|-----------------|--------------------|-----------------|
| Channel             | Frequency (MHz) | Channel            | Frequency (MHz) |
| 18607               | 1850.70         | 18615              | 1851.50         |
| 18608               | 1850.80         | 18616              | 1851.60         |
| ....                | ....            | ....               | ....            |
| 18899               | 1879.90         | 18899              | 1879.90         |
| 18900               | 1880.00         | 18900              | 1880.00         |
| 18901               | 1880.10         | 18901              | 1880.10         |
| ...                 | ...             | ...                | ...             |
| 19193               | 1909.20         | 19185              | 1908.40         |
| 19194               | 1909.30         | 19186              | 1908.50         |
| LTE Band 2 (5MHz)   |                 | LTE Band 2 (10MHz) |                 |
| Channel             | Frequency (MHz) | Channel            | Frequency (MHz) |
| 18625               | 1852.50         | 18650              | 1855.00         |
| 18626               | 1852.60         | 18651              | 1855.10         |
| ....                | ....            | ....               | ....            |
| 18899               | 1879.90         | 18899              | 1879.90         |
| 18900               | 1880.00         | 18900              | 1880.00         |
| 18901               | 1880.10         | 18901              | 1880.10         |
| ...                 | ...             | ...                | ...             |
| 19175               | 1907.40         | 19150              | 1904.90         |
| 19176               | 1907.50         | 19151              | 1905.00         |
| LTE Band 2 (15MHz)  |                 | LTE Band 2 (20MHz) |                 |
| Channel             | Frequency (MHz) | Channel            | Frequency (MHz) |
| 18675               | 1857.50         | 18700              | 1860.00         |
| 18676               | 1857.60         | 18701              | 1860.10         |
| ....                | ....            | ....               | ....            |
| 18899               | 1879.90         | 18899              | 1879.90         |
| 18900               | 1880.00         | 18900              | 1880.00         |
| 18901               | 1880.10         | 18901              | 1880.10         |
| ...                 | ...             | ...                | ...             |
| 19125               | 1902.40         | 19100              | 1899.90         |
| 19126               | 1902.50         | 19101              | 1900.00         |

| LTE Band 4 (1.4MHz) |                 | LTE Band 4 (3MHz)  |                 |
|---------------------|-----------------|--------------------|-----------------|
| Channel             | Frequency (MHz) | Channel            | Frequency (MHz) |
| 19957               | 1710.70         | 19965              | 1711.50         |
| 19958               | 1710.80         | 19966              | 1711.60         |
| ....                | ....            | ....               | ....            |
| 20174               | 1732.40         | 20174              | 1732.40         |
| 20175               | 1732.50         | 20175              | 1732.50         |
| 20176               | 1732.60         | 20176              | 1732.60         |
| ...                 | ...             | ...                | ...             |
| 20392               | 1754.20         | 20384              | 1753.40         |
| 20393               | 1754.30         | 20385              | 1753.50         |
| LTE Band 4 (5MHz)   |                 | LTE Band 4 (10MHz) |                 |
| Channel             | Frequency (MHz) | Channel            | Frequency (MHz) |
| 19975               | 1712.50         | 20000              | 1715.00         |
| 19976               | 1712.60         | 20001              | 1715.10         |
| ....                | ....            | ....               | ....            |
| 20174               | 1732.40         | 20174              | 1732.40         |
| 20175               | 1732.50         | 20175              | 1732.50         |
| 20176               | 1732.60         | 20176              | 1732.60         |
| ...                 | ...             | ...                | ...             |
| 20374               | 1752.40         | 20349              | 1749.90         |
| 20375               | 1752.50         | 20350              | 1750.00         |
| LTE Band 4 (15MHz)  |                 | LTE Band 4 (20MHz) |                 |
| Channel             | Frequency (MHz) | Channel            | Frequency (MHz) |
| 20025               | 1717.50         | 20050              | 1720.00         |
| 20026               | 1717.60         | 20051              | 1720.10         |
| ....                | ....            | ....               | ....            |
| 20174               | 1732.40         | 20174              | 1732.40         |
| 20175               | 1732.50         | 20175              | 1732.50         |
| 20176               | 1732.60         | 20176              | 1732.60         |
| ...                 | ...             | ...                | ...             |
| 20324               | 1747.40         | 20299              | 1744.90         |
| 20325               | 1747.50         | 20300              | 1745.00         |

| LTE Band 5 (1.4MHz) |                 | LTE Band 5 (3MHz)  |                 |
|---------------------|-----------------|--------------------|-----------------|
| Channel             | Frequency (MHz) | Channel            | Frequency (MHz) |
| 20407               | 824.70          | 20415              | 825.50          |
| 20408               | 824.80          | 20416              | 825.60          |
| ....                | ....            | ....               | ....            |
| 20524               | 836.40          | 20524              | 836.40          |
| 20525               | 836.50          | 20525              | 836.50          |
| 20526               | 836.60          | 20526              | 836.60          |
| ...                 | ...             | ...                | ...             |
| 20642               | 848.20          | 20634              | 847.40          |
| 20643               | 848.30          | 20635              | 847.50          |
| LTE Band 5 (5MHz)   |                 | LTE Band 5 (10MHz) |                 |
| Channel             | Frequency (MHz) | Channel            | Frequency (MHz) |
| 20425               | 826.50          | 20450              | 829.00          |
| 20426               | 826.60          | 20451              | 829.10          |
| ....                | ....            | ....               | ....            |
| 20524               | 836.40          | 20524              | 836.40          |
| 20525               | 836.50          | 20525              | 836.50          |
| 20526               | 836.60          | 20526              | 836.60          |
| ...                 | ...             | ...                | ...             |
| 20624               | 846.40          | 20599              | 839.90          |
| 20625               | 846.50          | 20600              | 844.00          |

| LTE Band 7 (5MHz)  |                 | LTE Band 7 (10MHz) |                 |
|--------------------|-----------------|--------------------|-----------------|
| Channel            | Frequency (MHz) | Channel            | Frequency (MHz) |
| 20775              | 2502.50         | 20800              | 2505.00         |
| 20776              | 2502.60         | 20801              | 2502.10         |
| ....               | ....            | ....               | ....            |
| 21099              | 2534.90         | 21099              | 2534.90         |
| 21100              | 2535.00         | 21100              | 2535.00         |
| 21101              | 2535.20         | 21101              | 2535.20         |
| ...                | ...             | ...                | ...             |
| 21424              | 2567.40         | 21399              | 2564.90         |
| 21425              | 2567.50         | 21400              | 2565.00         |
| LTE Band 7 (15MHz) |                 | LTE Band 7 (20MHz) |                 |
| Channel            | Frequency (MHz) | Channel            | Frequency (MHz) |
| 20825              | 2507.50         | 20850              | 2510.00         |
| 20826              | 2507.60         | 20851              | 2510.10         |
| ....               | ....            | ....               | ....            |
| 21099              | 2534.90         | 21099              | 2534.90         |
| 21100              | 2535.00         | 21100              | 2535.00         |
| 21101              | 2535.20         | 21101              | 2535.20         |
| ...                | ...             | ...                | ...             |
| 21374              | 2562.40         | 21349              | 2559.90         |
| 21375              | 2562.50         | 21350              | 2560.00         |

| LTE Band 12 (1.4MHz) |                 | LTE Band 12 (3MHz)  |                 |
|----------------------|-----------------|---------------------|-----------------|
| Channel              | Frequency (MHz) | Channel             | Frequency (MHz) |
| 23017                | 699.70          | 23025               | 700.50          |
| 23756                | 699.80          | 23026               | 700.60          |
| ....                 | ....            | ....                | ....            |
| 23094                | 707.40          | 23094               | 707.40          |
| 23095                | 707.50          | 23095               | 707.50          |
| 23096                | 707.60          | 23096               | 707.60          |
| ...                  | ...             | ...                 | ...             |
| 23172                | 715.20          | 23164               | 714.40          |
| 23173                | 715.30          | 23165               | 714.50          |
| LTE Band 12 (5MHz)   |                 | LTE Band 12 (10MHz) |                 |
| Channel              | Frequency (MHz) | Channel             | Frequency (MHz) |
| 23035                | 701.50          | 23060               | 704.00          |
| 23036                | 701.60          | 23061               | 704.10          |
| ....                 | ....            | ....                | ....            |
| 23094                | 707.40          | 23094               | 707.40          |
| 23095                | 707.50          | 23095               | 707.50          |
| 23096                | 707.60          | 23096               | 707.60          |
| ...                  | ...             | ...                 | ...             |
| 23154                | 713.40          | 23129               | 710.90          |
| 23155                | 713.50          | 23130               | 711.00          |

| LTE Band 25 (1.4MHz) |                 | LTE Band 25 (3MHz)  |                 |
|----------------------|-----------------|---------------------|-----------------|
| Channel              | Frequency (MHz) | Channel             | Frequency (MHz) |
| 26047                | 1850.70         | 26055               | 1851.50         |
| 26048                | 1850.80         | 26056               | 1851.60         |
| ....                 | ....            | ....                | ....            |
| 26364                | 1882.40         | 26367               | 1882.40         |
| 26365                | 1882.50         | 26365               | 1882.50         |
| 26366                | 1882.60         | 26366               | 1882.60         |
| ...                  | ...             | ...                 | ...             |
| 26682                | 1914.20         | 26676               | 1913.40         |
| 26683                | 1914.30         | 26675               | 1913.50         |
| LTE Band 25 (5MHz)   |                 | LTE Band 25 (10MHz) |                 |
| Channel              | Frequency (MHz) | Channel             | Frequency (MHz) |
| 26065                | 1852.50         | 26090               | 1855.00         |
| 26066                | 1852.60         | 26091               | 1855.10         |
| ....                 | ....            | ....                | ....            |
| 26364                | 1882.40         | 26364               | 1882.40         |
| 26365                | 1882.50         | 26365               | 1882.50         |
| 26366                | 1882.60         | 26366               | 1882.60         |
| ...                  | ...             | ...                 | ...             |
| 26664                | 1912.40         | 26639               | 1909.90         |
| 26665                | 1912.50         | 26640               | 1910.00         |
| LTE Band 25 (15MHz)  |                 | LTE Band 25 (20MHz) |                 |
| Channel              | Frequency (MHz) | Channel             | Frequency (MHz) |
| 26115                | 1857.50         | 26140               | 1860.00         |
| 26116                | 1857.60         | 26139               | 1860.10         |
| ....                 | ....            | ....                | ....            |
| 26364                | 1882.40         | 26364               | 1882.40         |
| 26365                | 1882.50         | 26365               | 1882.50         |
| 36366                | 1882.60         | 26366               | 1882.60         |
| ...                  | ...             | ...                 | ...             |
| 26614                | 1907.40         | 26589               | 1904.90         |
| 26615                | 1907.50         | 26590               | 1905.00         |

| LTE Band 26 (1.4MHz) |                 | LTE Band 26 (3MHz)  |                 |
|----------------------|-----------------|---------------------|-----------------|
| Channel              | Frequency (MHz) | Channel             | Frequency (MHz) |
| 26697                | 814.70          | 26705               | 815.50          |
| 26698                | 814.80          | 26706               | 815.60          |
| ....                 | ....            | ....                | ....            |
| 26864                | 831.40          | 26864               | 831.40          |
| 26865                | 831.50          | 26865               | 831.50          |
| 26866                | 831.60          | 26866               | 831.60          |
| ...                  | ...             | ...                 | ...             |
| 27032                | 848.20          | 27024               | 847.40          |
| 27033                | 848.30          | 27025               | 847.50          |
| LTE Band 26 (5MHz)   |                 | LTE Band 26 (10MHz) |                 |
| Channel              | Frequency (MHz) | Channel             | Frequency (MHz) |
| 26715                | 816.50          | 26750               | 820.00          |
| 26716                | 816.60          | 26760               | 820.10          |
| ....                 | ....            | ....                | ....            |
| 26864                | 831.40          | 26864               | 831.40          |
| 26865                | 831.50          | 26865               | 831.50          |
| 26866                | 831.60          | 26866               | 831.60          |
| ...                  | ...             | ...                 | ...             |
| 27014                | 846.40          | 26980               | 843.90          |
| 27015                | 846.50          | 26990               | 844.00          |
| LTE Band 26 (15MHz)  |                 |                     |                 |
| Channel              | Frequency (MHz) |                     |                 |
| 26775                | 822.50          |                     |                 |
| 26776                | 822.60          |                     |                 |
| ....                 | ....            |                     |                 |
| 26864                | 831.40          |                     |                 |
| 26865                | 831.50          |                     |                 |
| 26866                | 831.60          |                     |                 |
| ...                  | ...             |                     |                 |
| 26964                | 841.40          |                     |                 |
| 26965                | 841.50          |                     |                 |

| LTE Band 66 (1.4MHz) |                 | LTE Band 66 (3MHz)  |                 |
|----------------------|-----------------|---------------------|-----------------|
| Channel              | Frequency (MHz) | Channel             | Frequency (MHz) |
| 131979               | 1710.70         | 131987              | 1711.50         |
| 131980               | 1710.80         | 131988              | 1711.60         |
| ....                 | ....            | ....                | ....            |
| 132321               | 1744.90         | 132321              | 1744.90         |
| 132322               | 1745.00         | 132322              | 1745.00         |
| 132323               | 1745.10         | 132323              | 1745.10         |
| ...                  | ...             | ...                 | ...             |
| 132664               | 1779.20         | 132656              | 1778.40         |
| 132665               | 1779.30         | 132657              | 1778.50         |
| LTE Band 66 (5MHz)   |                 | LTE Band 66 (10MHz) |                 |
| Channel              | Frequency (MHz) | Channel             | Frequency (MHz) |
| 131997               | 1712.50         | 132022              | 1715.00         |
| 131998               | 1712.60         | 132023              | 1715.10         |
| ....                 | ....            | ....                | ....            |
| 132321               | 1744.90         | 132321              | 1744.90         |
| 132322               | 1745.00         | 132322              | 1745.00         |
| 132323               | 1745.10         | 132323              | 1745.10         |
| ...                  | ...             | ...                 | ...             |
| 136246               | 1777.40         | 132621              | 1774.90         |
| 136247               | 1777.50         | 132622              | 1775.00         |
| LTE Band 66 (15MHz)  |                 | LTE Band 66 (20MHz) |                 |
| Channel              | Frequency (MHz) | Channel             | Frequency (MHz) |
| 132047               | 1717.50         | 132072              | 1720.00         |
| 132048               | 1717.60         | 132073              | 1720.10         |
| ....                 | ....            | ....                | ....            |
| 132321               | 1744.90         | 132321              | 1744.90         |
| 132322               | 1745.00         | 132322              | 1745.00         |
| 132323               | 1745.10         | 132323              | 1745.10         |
| ...                  | ...             | ...                 | ...             |
| 132596               | 1772.40         | 132571              | 1769.90         |
| 132597               | 1772.50         | 132572              | 1770.00         |

Regards to the operating frequency range, the lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channels as below:

| LTE Band 7 (5MHz)  |       |                 | LTE Band 7 (10MHz) |       |                 |
|--------------------|-------|-----------------|--------------------|-------|-----------------|
| Channel            |       | Frequency (MHz) | Channel            |       | Frequency (MHz) |
| Lowest channel     | 20775 | 2502.50         | Lowest channel     | 20800 | 2505.00         |
| Middle channel     | 21100 | 2535.00         | Middle channel     | 21100 | 2535.00         |
| Highest channel    | 21425 | 2567.50         | Highest channel    | 21400 | 2565.00         |
| LTE Band 7 (15MHz) |       |                 | LTE Band 7 (20MHz) |       |                 |
| Channel            |       | Frequency (MHz) | Channel            |       | Frequency (MHz) |
| Lowest channel     | 20825 | 2507.50         | Lowest channel     | 20850 | 2510.00         |
| Middle channel     | 21100 | 2535.00         | Middle channel     | 21100 | 2535.00         |
| Highest channel    | 21375 | 2562.50         | Highest channel    | 21350 | 2560.00         |

| LTE Band 12(1.4MHz) |       |                 | LTE Band 12(3MHz)  |       |                 |
|---------------------|-------|-----------------|--------------------|-------|-----------------|
| Channel             |       | Frequency (MHz) | Channel            |       | Frequency (MHz) |
| Lowest channel      | 23017 | 699.70          | Lowest channel     | 23025 | 700.50          |
| Middle channel      | 23095 | 707.50          | Middle channel     | 23095 | 707.50          |
| Highest channel     | 23173 | 715.30          | Highest channel    | 23165 | 714.50          |
| LTE Band 12(5MHz)   |       |                 | LTE Band 12(10MHz) |       |                 |
| Channel             |       | Frequency (MHz) | Channel            |       | Frequency (MHz) |
| Lowest channel      | 23035 | 701.50          | Lowest channel     | 23060 | 704.00          |
| Middle channel      | 23095 | 707.50          | Middle channel     | 23095 | 707.50          |
| Highest channel     | 23155 | 713.50          | Highest channel    | 23130 | 711.00          |

LTE Band 25 includes LTE Band 2:

| LTE Band 25 (1.4MHz) |       |                 | LTE Band 25 (3MHz)  |       |                 |
|----------------------|-------|-----------------|---------------------|-------|-----------------|
| Channel:             |       | Frequency (MHz) | Channel             |       | Frequency (MHz) |
| Lowest channel       | 26047 | 1850.70         | Lowest channel      | 26055 | 1851.50         |
| Middle channel       | 26365 | 1882.50         | Middle channel      | 26365 | 1882.50         |
| Highest channel      | 26683 | 1914.30         | Highest channel     | 26675 | 1913.50         |
| LTE Band 25 (5MHz)   |       |                 | LTE Band 25 (10MHz) |       |                 |
| Channel              |       | Frequency (MHz) | Channel             |       | Frequency (MHz) |
| Lowest channel       | 26065 | 1852.50         | Lowest channel      | 26090 | 1855.00         |
| Middle channel       | 26365 | 1882.50         | Middle channel      | 26365 | 1882.50         |
| Highest channel      | 26665 | 1912.50         | Highest channel     | 26640 | 1910.00         |
| LTE Band 25 (15MHz)  |       |                 | LTE Band 25 (20MHz) |       |                 |
| Channel              |       | Frequency (MHz) | Channel             |       | Frequency (MHz) |
| Lowest channel       | 26115 | 1857.50         | Lowest channel      | 26140 | 1860.00         |
| Middle channel       | 26365 | 1882.50         | Middle channel      | 26365 | 1882.50         |
| Highest channel      | 26615 | 1907.50         | Highest channel     | 26590 | 1905.00         |

LTE Band 26(Part 22) includes LTE Band 5:

| LTE Band 26(1.4MHz) for Part 22 |       |                 | LTE Band 26(1.4MHz) for Part 90               |       |                 |
|---------------------------------|-------|-----------------|-----------------------------------------------|-------|-----------------|
| Channel                         |       | Frequency (MHz) | Channel                                       |       | Frequency (MHz) |
| Lowest channel                  | 26797 | 824.7           | Lowest channel                                | 26697 | 814.7           |
| Middle channel                  | 26915 | 836.5           | Middle channel                                | 26740 | 819.0           |
| Highest channel                 | 27033 | 848.3           | Highest channel                               | 26783 | 823.3           |
| LTE Band 26(3MHz) for Part 22   |       |                 | LTE Band 26(3MHz) for Part 90                 |       |                 |
| Channel                         |       | Frequency (MHz) | Channel                                       |       | Frequency (MHz) |
| Lowest channel                  | 26805 | 825.5           | Lowest channel                                | 26705 | 815.5           |
| Middle channel                  | 26915 | 836.5           | Middle channel                                | 26740 | 819.0           |
| Highest channel                 | 27025 | 847.5           | Highest channel                               | 26775 | 822.5           |
| LTE Band 26(5MHz) for Part 22   |       |                 | LTE Band 26(5MHz) for Part 90                 |       |                 |
| Channel                         |       | Frequency (MHz) | Channel                                       |       | Frequency (MHz) |
| Lowest channel                  | 26815 | 826.5           | Lowest channel                                | 26715 | 816.5           |
| Middle channel                  | 26915 | 836.5           | Middle channel                                | 26740 | 819.0           |
| Highest channel                 | 27015 | 846.5           | Highest channel                               | 26765 | 821.5           |
| LTE Band 26(10MHz) for Part 22  |       |                 | LTE Band 26(10MHz) for Part 90                |       |                 |
| Channel                         |       | Frequency (MHz) | Channel                                       |       | Frequency (MHz) |
| Lowest channel                  | 26840 | 829.0           | Lowest channel                                | /     | /               |
| Middle channel                  | 26915 | 836.5           | Middle channel                                | 26740 | 819.0           |
| Highest channel                 | 26990 | 844.0           | Highest channel                               | /     | /               |
| LTE Band 26(15MHz) for Part 22H |       |                 | LTE Band 26(15MHz) (Straddling Part 22H, 90S) |       |                 |
| Channel                         |       | Frequency (MHz) | Channel                                       |       | Frequency (MHz) |
| Lowest channel                  | 26865 | 831.5           | Lowest channel                                | 26765 | 821.5           |
| Middle Channel                  | 26915 | 836.5           | /                                             | /     | /               |
| Highest channel                 | 26965 | 841.5           | /                                             | /     | /               |

LTE Band 66 includes LTE Band 4:

| LTE Band 66 (1.4MHz) |        |                 | LTE Band 66 (3MHz)  |        |                 |
|----------------------|--------|-----------------|---------------------|--------|-----------------|
| Channel              |        | Frequency (MHz) | Channel             |        | Frequency (MHz) |
| Lowest channel       | 131979 | 1710.7          | Lowest channel      | 131987 | 1711.5          |
| Middle channel       | 132322 | 1745.0          | Middle channel      | 132322 | 1745.0          |
| Highest channel      | 132665 | 1779.3          | Highest channel     | 132657 | 1778.5          |
| LTE Band 66 (5MHz)   |        |                 | LTE Band 66 (10MHz) |        |                 |
| Channel              |        | Frequency (MHz) | Channel             |        | Frequency (MHz) |
| Lowest channel       | 131997 | 1712.5          | Lowest channel      | 132022 | 1715.0          |
| Middle channel       | 132322 | 1745.5          | Middle channel      | 132322 | 1745.0          |
| Highest channel      | 132647 | 1777.5          | Highest channel     | 132622 | 1775.0          |
| LTE Band 66 (15MHz)  |        |                 | LTE Band 66 (20MHz) |        |                 |
| Channel              |        | Frequency (MHz) | Channel             |        | Frequency (MHz) |
| Lowest channel       | 132047 | 1717.5          | Lowest channel      | 132072 | 1720.0          |
| Middle channel       | 132322 | 1745.0          | Middle channel      | 132322 | 1745.0          |
| Highest channel      | 132597 | 1772.5          | Highest channel     | 132572 | 1770.0          |

### 5.3 Test environment and mode, and test samples plans

| Operating Environment:                                                                                                                                                                                                                                                                                                                                                           |                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| Temperature:                                                                                                                                                                                                                                                                                                                                                                     | Normal: 15°C ~ 35°C, Extreme: -30°C ~ +50°C                      |
| Humidity:                                                                                                                                                                                                                                                                                                                                                                        | 20 % ~ 75 % RH                                                   |
| Atmospheric Pressure:                                                                                                                                                                                                                                                                                                                                                            | 1008 mbar                                                        |
| Voltage:                                                                                                                                                                                                                                                                                                                                                                         | Nominal: 3.87Vdc, Extreme: Low 3.5Vdc, High 4.45Vdc              |
| Test mode:                                                                                                                                                                                                                                                                                                                                                                       |                                                                  |
| LTE QPSK mode                                                                                                                                                                                                                                                                                                                                                                    | Keep the EUT communication with simulated station in QPSK mode   |
| LTE 16-QAM mode                                                                                                                                                                                                                                                                                                                                                                  | Keep the EUT communication with simulated station in 16-QAM mode |
| Remark: The EUT has been tested under continuous transmitting mode. Channel Low, Mid and High for each type band with rated data rate were chosen for full testing. The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for these modes. Just the worst case position (H mode) shown in report. |                                                                  |

### 5.4 Description of Support Units

| Test Equipment    | Manufacturer | Model No. | Serial No. |
|-------------------|--------------|-----------|------------|
| Simulated Station | Anritsu      | MT8820C   | 6201026545 |

### 5.5 Measurement Uncertainty

| Parameters                          | Expanded Uncertainty |
|-------------------------------------|----------------------|
| Radiated Emission (9kHz ~ 30MHz)    | ±3.12 dB (k=2)       |
| Radiated Emission (30MHz ~ 1000MHz) | ±4.32 dB (k=2)       |
| Radiated Emission (1GHz ~ 18GHz)    | ±5.16 dB (k=2)       |
| Radiated Emission (18GHz ~ 40GHz)   | ±3.20 dB (k=2)       |

### 5.6 Related Submittal(s) / Grant (s)

|                                                              |
|--------------------------------------------------------------|
| This is an original grant, no related submittals and grants. |
|--------------------------------------------------------------|

### 5.7 Additions to, deviations, or exclusions from the method

|    |
|----|
| No |
|----|

### 5.8 Laboratory Facility

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>The test facility is recognized, certified, or accredited by the following organizations:</p> <ul style="list-style-type: none"> <li>● <b>FCC - Designation No.: CN1211</b><br/>JianYan Testing Group Shenzhen Co., Ltd. has been accredited as a testing laboratory by FCC (Federal Communications Commission). The test firm Registration No. is 727551.</li> <li>● <b>ISED – CAB identifier.: CN0021</b><br/>The 3m Semi-anechoic chamber of JianYan Testing Group Shenzhen Co., Ltd. has been Registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 10106A-1.</li> <li>● <b>A2LA - Registration No.: 4346.01</b><br/>This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. The test scope can be found as below link: <a href="https://portal.a2la.org/scopepdf/4346-01.pdf">https://portal.a2la.org/scopepdf/4346-01.pdf</a></li> </ul> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 5.9 Laboratory Location


|                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>JianYan Testing Group Shenzhen Co., Ltd.<br/>Address: No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.<br/>Tel: +86-755-23118282, Fax: +86-755-23116366<br/>Email: info-JYTee@lets.com, Website: <a href="http://www.ccis-cb.com">http://www.ccis-cb.com</a></p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## 5.10 Test Instruments list

| Test Equipment               | Manufacturer    | Model No.     | Serial No.         | Cal. Date (mm-dd-yy) | Cal. Due date (mm-dd-yy) |
|------------------------------|-----------------|---------------|--------------------|----------------------|--------------------------|
| 3m SAC                       | ETS             | 9m*6m*6m      | 966                | 01-19-2021           | 01-18-2024               |
| BiConiLog Antenna            | SCHWARZBECK     | VULB9163      | 497                | 03-03-2021           | 03-02-2022               |
| Biconical Antenna            | SCHWARZBECK     | VUBA9117      | 359                | 06-17-2021           | 06-16-2022               |
| Horn Antenna                 | SCHWARZBECK     | BBHA9120D     | 916                | 03-03-2021           | 03-02-2022               |
| Horn Antenna                 | SCHWARZBECK     | BBHA9120D     | 1805               | 06-17-2021           | 06-16-2022               |
| Horn Antenna                 | SCHWARZBECK     | BBHA 9170     | BBHA9170582        | 11-18-2020           | 11-17-2021               |
| EMI Test Software            | AUDIX           | E3            | Version: 6.110919b |                      |                          |
| Pre-amplifier                | HP              | 8447D         | 2944A09358         | 03-03-2021           | 03-02-2022               |
| Pre-amplifier                | CD              | PAP-1G18      | 11804              | 03-03-2021           | 03-02-2022               |
| Spectrum analyzer            | Rohde & Schwarz | FSP30         | 101454             | 03-03-2021           | 03-02-2022               |
| Spectrum analyzer            | Rohde & Schwarz | FSP40         | 100363             | 11-18-2020           | 11-17-2021               |
| EMI Test Receiver            | Rohde & Schwarz | ESRP7         | 101070             | 03-03-2021           | 03-02-2022               |
| Spectrum Analyzer            | Agilent         | N9020A        | MY50510123         | 11-18-2020           | 11-17-2021               |
| Signal Generator             | Rohde & Schwarz | SMX           | 835454/016         | 03-03-2021           | 03-02-2022               |
| Signal Generator             | R&S             | SMR20         | 1008100050         | 03-03-2021           | 03-02-2022               |
| RF Switch Unit               | MWRFTTEST       | MW200         | N/A                | N/A                  | N/A                      |
| Test Software                | MWRFTTEST       | MTS8200       | Version: 2.0.0.0   |                      |                          |
| Cable                        | ZDECL           | Z108-NJ-NJ-81 | 1608458            | 03-03-2021           | 03-02-2022               |
| Cable                        | MICRO-COAX      | MFR64639      | K10742-5           | 03-03-2021           | 03-02-2022               |
| Cable                        | SUHNER          | SUCOFLEX100   | 58193/4PE          | 03-03-2021           | 03-02-2022               |
| DC Power Supply              | XinNuoEr        | WYK-10020K    | 1409050110020      | 09-25-2020           | 09-24-2021               |
| Temperature Humidity Chamber | HengPu          | HPGDS-500     | 20140828008        | 11-01-2020           | 10-31-2021               |
| Simulated Station            | Rohde & Schwarz | CMW500        | 140493             | 07-22-2020           | 07-21-2021               |
|                              |                 |               |                    | 07-21-2020           | 07-20-2021               |


## 6. Test results

### 6.1 Conducted Output Power, ERP and EIRP

|                   |                                                                                                                                                                                                                                                                                            |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 22.913 (a)(5), Part 24.232(c), part 27.50(c)(10), Part 27.50(d)(4), Part 27.50 (h)(2), Part 90.635 (b)                                                                                                                                                                                |
| Limit:            | LTE Band 7: 2W, LTE Band 12: 3W, LTE Band 25: 2W, LTE Band 26: 7W (for Part 22H), 100W (for Part 90S), LTE Band 66: 1W                                                                                                                                                                     |
| Test Setup:       |  <p>The diagram shows a blue rectangular box labeled 'System simulator' connected by a line to a small black square labeled 'ATT', which is then connected to a black rectangular box labeled 'EUT'.</p> |
| Test Procedure:   | The transmitter output was connected to a calibrated attenuator, the other end of which was connected to the CMW500. Transmitter output power was read off in dBm.                                                                                                                         |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                          |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                           |
| Test results:     | Passed                                                                                                                                                                                                                                                                                     |


**Measurement Data:** Refer to Appendix A – LTE

## 6.2 Peak-to-Average Ratio

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 24.232 (d), Part 27.50(d)(5), Part 22.913 (d)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Limit:            | The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Test Setup:       |  <p>The diagram illustrates the test setup. On the left, there are two blue rectangular blocks: the top one is labeled 'System simulator' and the bottom one is labeled 'Spectrum Analyzer'. Both have a single output port. These two ports are connected to a single input port of a white rectangular block labeled 'Splitter'. The 'Splitter' has two output ports. One output port is connected to a black rectangular block labeled 'ATT' (Attenuator). The other output port is connected to a black rectangular block labeled 'EUT' (Equipment Under Test).</p> |
| Test Procedure:   | <ol style="list-style-type: none"> <li>1 The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.</li> <li>2 Set the CCDF option in spectrum analyzer, <math>RBW \geq OBW</math>,</li> <li>3 Set the EUT working in highest power level, measured and recorded the 0.1% as PAPR level.</li> <li>4 Repeat step 1~3 at other frequency and modulations.</li> </ol>                                                                                                                                                                                                                                            |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |


**Measurement Data:** Refer to Appendix B – LTE

### 6.3 Occupy Bandwidth

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 22.917(b), Part 24.238(b), Part 27.53(g),Part 27.53(h),Part 27.53(m), Part 90.691(a)                                                                                                                                                                                                                                                                                                                                     |
| Test Setup:       |  <p>The diagram shows a test setup for measuring occupied bandwidth. A System simulator and a Spectrum Analyzer are connected to a Splitter. The Splitter is connected to an ATT (Attenuator) and then to the EUT (Equipment Under Test).</p>                                                                                               |
| Test Procedure:   | <ol style="list-style-type: none"> <li>1. The EUT's output RF connector was connected with a short cable to the spectrum analyzer</li> <li>2. RBW was set to about 1% ~ 5% of emission BW, VBW= 3 times RBW.</li> <li>3. -26dBc display line was placed on the screen (or 99% bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace.</li> </ol> |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                             |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                                              |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                        |

**Measurement Data:** Refer to Appendix C – LTE

## 6.4 Out of band emission at antenna terminals

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 22.917(a), Part 24.238 (a), part 27.53(g), part 27.53(h), Part 27.53(m),Part 90.691(a)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Limit:            | <p>LTE Band 12 &amp; 25 &amp; 26(Part 22) &amp; 66:<br/>The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least <math>43 + 10 \log_{10}(P)</math> dB (-13 dBm).</p> <p>LTE Band 7:<br/>For mobile digital stations, the attenuation factor shall be not less than <math>40 + 10 \log (P)</math> dB on all frequencies between the channel edge and 5 megahertz from the channel edge, <math>43 + 10 \log (P)</math> dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and <math>55 + 10 \log (P)</math> dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that <math>43 + 10 \log (P)</math> dB on all frequencies between 2490.5 MHz and 2496 MHz and <math>55 + 10 \log (P)</math> dB at or below 2490.5 MHz.</p> <p>LTE Band 26(Part 90):<br/>(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 116 Log10(f/6.1) decibels or <math>50 + 10 \text{ Log}_{10}(P)</math> decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.<br/>(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least <math>43 + 10 \text{ Log}_{10}(P)</math> decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.</p> |
| Test Setup:       |  <p>The diagram shows a test setup. On the left, there are two blue rectangular boxes labeled 'System simulator' and 'Spectrum Analyzer'. The 'System simulator' is connected to a 'Splitter' (a white box with three ports) via a black line. The 'Spectrum Analyzer' is also connected to the 'Splitter' via a black line. The 'Splitter' is connected to an 'ATT' (Attenuator, a small black rectangle) via a black line. The 'ATT' is connected to the 'EUT' (Equipment Under Test, a black rectangle) via a black line.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Test Procedure:   | <ol style="list-style-type: none"> <li>1 The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.</li> <li>2 For the out of band: For Band 5 &amp; 12 &amp; 17 set the RBW=100 kHz, VBW=300 kHz and for Band 2 &amp; 4 &amp; 7 set the RBW=1 MHz, VBW=3 MHz when below 1 GHz, RBW =1 MHz, VBW=3 MHz when above 1 GHz, Start=30MHz, Stop= 10th harmonic.</li> <li>3 Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |



|               |                                                                                                                                     |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Test mode:    | Refer to section 5.3 for details                                                                                                    |
| Test results: | Passed                                                                                                                              |
| Remark:       | Pre-scan all RB Size and offset, and found the RB Size and offset of worst case, so the report shows only the worst case test data. |

**Measurement Data:**

**Band edge emission:** Refer to Appendix D – LTE

**Spurious emission:** Refer to Appendix E – LTE

## 6.5 Field strength of spurious radiation measurement

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 22.917(a), Part 24.238 (a), Part 27.53(g),Part 27.53(m),Part 27.53(h),Part 90.691(a)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Limit:            | <p>LTE Band 12 &amp; 25 &amp; 26(Part 22) &amp; 66:<br/>The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least <math>43 + 10 \log_{10}(P)</math> dB (-13 dBm).</p> <p>LTE Band 7:<br/>For mobile digital stations, the attenuation factor shall be not less than <math>40 + 10 \log (P)</math> dB on all frequencies between the channel edge and 5 megahertz from the channel edge, <math>43 + 10 \log (P)</math> dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and <math>55 + 10 \log (P)</math> dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that <math>43 + 10 \log (P)</math> dB on all frequencies between 2490.5 MHz and 2496 MHz and <math>55 + 10 \log (P)</math> dB at or below 2490.5 MHz.</p> <p>LTE Band 26(Part 90):<br/>For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least <math>43 + 10 \log_{10}(P)</math> decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.</p> |
| Test setup:       | <p>Below 1GHz</p>  <p>Above 1GHz</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Test Procedure:   | <ol style="list-style-type: none"> <li>1. The EUT was placed on the top of a rotating table 0.8m(below 1GHz)/1.5m(above 1GHz) above the ground at a 3 meter camber. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | <ol style="list-style-type: none"> <li>2. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.</li> <li>3. The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.</li> <li>4. The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.<br/> <math display="block">\text{ERP / EIRP} = \text{S.G. output (dBm)} + \text{Antenna Gain(dB/dBi)} - \text{Cable Loss (dB)}</math> </li> </ol> |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Test mode:        | Refer to section 5.3 for details.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

**Measurement Data:**
**LTE Band 7 part:**

| Band 7 (5MHz)                                                                                                   |                                  |             |                               |                  |             |              |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 5005.00                                                                                                         | -48.10                           | 4.56        | -43.54                        | -25.00           | 18.54       | Vertical     |
| 7507.50                                                                                                         | -50.32                           | 13.14       | -37.18                        | -25.00           | 12.18       | Vertical     |
| 10010.00                                                                                                        | -51.32                           | 16.93       | -34.39                        | -25.00           | 9.39        | Vertical     |
| 5005.00                                                                                                         | -48.00                           | 4.56        | -43.44                        | -25.00           | 18.44       | Horizontal   |
| 7507.50                                                                                                         | -49.70                           | 13.14       | -36.56                        | -25.00           | 11.56       | Horizontal   |
| 10010.00                                                                                                        | -52.31                           | 16.93       | -35.38                        | -25.00           | 10.38       | Horizontal   |
| Middle channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 5070.00                                                                                                         | -48.32                           | 4.55        | -43.77                        | -25.00           | 18.77       | Vertical     |
| 7605.00                                                                                                         | -50.67                           | 13.58       | -37.09                        | -25.00           | 12.09       | Vertical     |
| 10140.00                                                                                                        | -50.93                           | 17.44       | -33.49                        | -25.00           | 8.49        | Vertical     |
| 5070.00                                                                                                         | -48.28                           | 4.55        | -43.73                        | -25.00           | 18.73       | Horizontal   |
| 7605.00                                                                                                         | -49.22                           | 13.58       | -35.64                        | -25.00           | 10.64       | Horizontal   |
| 10140.00                                                                                                        | -52.06                           | 17.44       | -34.62                        | -25.00           | 9.62        | Horizontal   |
| Highest channel                                                                                                 |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 5135.00                                                                                                         | -48.02                           | 4.62        | -43.40                        | -25.00           | 18.40       | Vertical     |
| 7702.50                                                                                                         | -50.97                           | 13.24       | -37.73                        | -25.00           | 12.73       | Vertical     |
| 10270.00                                                                                                        | -50.61                           | 18.40       | -32.21                        | -25.00           | 7.21        | Vertical     |
| 5135.00                                                                                                         | -48.03                           | 4.62        | -43.41                        | -25.00           | 18.41       | Horizontal   |
| 7702.50                                                                                                         | -49.53                           | 13.24       | -36.29                        | -25.00           | 11.29       | Horizontal   |
| 10270.00                                                                                                        | -51.67                           | 18.40       | -33.27                        | -25.00           | 8.27        | Horizontal   |
| <b>Remark:</b><br>The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report. |                                  |             |                               |                  |             |              |

| Band 7 (20MHz)                                                                                                  |                                  |             |                               |                  |             |              |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 5020.00                                                                                                         | -48.48                           | 4.56        | -43.92                        | -25.00           | 18.92       | Vertical     |
| 7530.00                                                                                                         | -50.32                           | 13.29       | -37.03                        | -25.00           | 12.03       | Vertical     |
| 10040.00                                                                                                        | -51.14                           | 16.98       | -34.16                        | -25.00           | 9.16        | Vertical     |
| 5020.00                                                                                                         | -47.57                           | 4.56        | -43.01                        | -25.00           | 18.01       | Horizontal   |
| 7530.00                                                                                                         | -49.68                           | 13.29       | -36.39                        | -25.00           | 11.39       | Horizontal   |
| 10040.00                                                                                                        | -52.02                           | 16.98       | -35.04                        | -25.00           | 10.04       | Horizontal   |
| Middle channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 5070.00                                                                                                         | -48.04                           | 4.55        | -43.49                        | -25.00           | 18.49       | Vertical     |
| 7605.00                                                                                                         | -50.11                           | 13.58       | -36.53                        | -25.00           | 11.53       | Vertical     |
| 10140.00                                                                                                        | -51.21                           | 17.44       | -33.77                        | -25.00           | 8.77        | Vertical     |
| 5070.00                                                                                                         | -47.92                           | 4.55        | -43.37                        | -25.00           | 18.37       | Horizontal   |
| 7605.00                                                                                                         | -49.39                           | 13.58       | -35.81                        | -25.00           | 10.81       | Horizontal   |
| 10140.00                                                                                                        | -51.91                           | 17.44       | -34.47                        | -25.00           | 9.47        | Horizontal   |
| Highest channel                                                                                                 |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 5120.00                                                                                                         | -47.65                           | 4.62        | -43.03                        | -25.00           | 18.03       | Vertical     |
| 7680.00                                                                                                         | -49.83                           | 13.18       | -36.65                        | -25.00           | 11.65       | Vertical     |
| 10240.00                                                                                                        | -51.45                           | 18.27       | -33.18                        | -25.00           | 8.18        | Vertical     |
| 5120.00                                                                                                         | -48.06                           | 4.62        | -43.44                        | -25.00           | 18.44       | Horizontal   |
| 7680.00                                                                                                         | -49.12                           | 13.18       | -35.94                        | -25.00           | 10.94       | Horizontal   |
| 10240.00                                                                                                        | -51.58                           | 18.27       | -33.31                        | -25.00           | 8.31        | Horizontal   |
| <b>Remark:</b><br>The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report. |                                  |             |                               |                  |             |              |

**LTE Band 12 part:**

| Band 12 (1.4MHz)                                                                                                |                                  |             |                               |                  |             |              |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1399.40                                                                                                         | -55.84                           | -8.43       | -64.27                        | -13.00           | 51.27       | Vertical     |
| 2099.10                                                                                                         | -55.61                           | -7.76       | -63.37                        | -13.00           | 50.37       | Vertical     |
| 2798.80                                                                                                         | -51.85                           | -3.98       | -55.83                        | -13.00           | 42.83       | Vertical     |
| 1399.40                                                                                                         | -56.32                           | -8.43       | -64.75                        | -13.00           | 51.75       | Horizontal   |
| 2099.10                                                                                                         | -54.88                           | -7.76       | -62.64                        | -13.00           | 49.64       | Horizontal   |
| 2798.80                                                                                                         | -51.31                           | -3.98       | -55.29                        | -13.00           | 42.29       | Horizontal   |
| Middle channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1415.00                                                                                                         | -55.49                           | -8.60       | -64.09                        | -13.00           | 51.09       | Vertical     |
| 2122.50                                                                                                         | -55.26                           | -7.65       | -62.91                        | -13.00           | 49.91       | Vertical     |
| 2830.00                                                                                                         | -51.67                           | -3.91       | -55.58                        | -13.00           | 42.58       | Vertical     |
| 1415.00                                                                                                         | -56.70                           | -8.60       | -65.30                        | -13.00           | 52.30       | Horizontal   |
| 2122.50                                                                                                         | -54.56                           | -7.65       | -62.21                        | -13.00           | 49.21       | Horizontal   |
| 2830.00                                                                                                         | -51.18                           | -3.91       | -55.09                        | -13.00           | 42.09       | Horizontal   |
| Highest channel                                                                                                 |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1430.60                                                                                                         | -55.79                           | -8.77       | -64.56                        | -13.00           | 51.56       | Vertical     |
| 2145.90                                                                                                         | -55.93                           | -7.54       | -63.47                        | -13.00           | 50.47       | Vertical     |
| 2861.20                                                                                                         | -51.55                           | -3.78       | -55.33                        | -13.00           | 42.33       | Vertical     |
| 1430.60                                                                                                         | -56.23                           | -8.77       | -65.00                        | -13.00           | 52.00       | Horizontal   |
| 2145.90                                                                                                         | -55.16                           | -7.54       | -62.70                        | -13.00           | 49.70       | Horizontal   |
| 2861.20                                                                                                         | -51.42                           | -3.78       | -55.20                        | -13.00           | 42.20       | Horizontal   |
| <b>Remark:</b><br>The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report. |                                  |             |                               |                  |             |              |

| Band 12 (10MHz)                                                                                                 |                                  |             |                               |                  |             |              |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1408.00                                                                                                         | -55.91                           | -8.60       | -64.51                        | -13.00           | 51.51       | Vertical     |
| 2112.00                                                                                                         | -55.80                           | -7.65       | -63.45                        | -13.00           | 50.45       | Vertical     |
| 2816.00                                                                                                         | -51.33                           | -3.91       | -55.24                        | -13.00           | 42.24       | Vertical     |
| 1408.00                                                                                                         | -56.30                           | -8.60       | -64.90                        | -13.00           | 51.90       | Horizontal   |
| 2112.00                                                                                                         | -55.37                           | -7.65       | -63.02                        | -13.00           | 50.02       | Horizontal   |
| 2816.00                                                                                                         | -50.93                           | -3.91       | -54.84                        | -13.00           | 41.84       | Horizontal   |
| Middle channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1415.00                                                                                                         | -55.71                           | -8.60       | -64.31                        | -13.00           | 51.31       | Vertical     |
| 2122.50                                                                                                         | -55.82                           | -7.65       | -63.47                        | -13.00           | 50.47       | Vertical     |
| 2830.00                                                                                                         | -51.17                           | -3.91       | -55.08                        | -13.00           | 42.08       | Vertical     |
| 1415.00                                                                                                         | -56.07                           | -8.60       | -64.67                        | -13.00           | 51.67       | Horizontal   |
| 2122.50                                                                                                         | -55.81                           | -7.65       | -63.46                        | -13.00           | 50.46       | Horizontal   |
| 2830.00                                                                                                         | -50.58                           | -3.91       | -54.49                        | -13.00           | 41.49       | Horizontal   |
| Highest channel                                                                                                 |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1422.00                                                                                                         | -55.94                           | -8.60       | -64.54                        | -13.00           | 51.54       | Vertical     |
| 2133.00                                                                                                         | -56.04                           | -7.54       | -63.58                        | -13.00           | 50.58       | Vertical     |
| 2844.00                                                                                                         | -51.63                           | -3.85       | -55.48                        | -13.00           | 42.48       | Vertical     |
| 1422.00                                                                                                         | -55.68                           | -8.60       | -64.28                        | -13.00           | 51.28       | Horizontal   |
| 2133.00                                                                                                         | -55.97                           | -7.54       | -63.51                        | -13.00           | 50.51       | Horizontal   |
| 2844.00                                                                                                         | -50.82                           | -3.85       | -54.67                        | -13.00           | 41.67       | Horizontal   |
| <b>Remark:</b><br>The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report. |                                  |             |                               |                  |             |              |

**LTE Band 25 part:**

| Band 25 (1.4MHz)                                                                                                |                                  |             |                               |                  |             |              |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 3701.40                                                                                                         | -48.96                           | -1.40       | -50.36                        | -13.00           | 37.36       | Vertical     |
| 5552.10                                                                                                         | -43.30                           | 5.27        | -38.03                        | -13.00           | 25.03       | Vertical     |
| 7402.80                                                                                                         | -37.97                           | 13.00       | -24.97                        | -13.00           | 11.97       | Vertical     |
| 3701.40                                                                                                         | -49.04                           | -1.40       | -50.44                        | -13.00           | 37.44       | Horizontal   |
| 5552.10                                                                                                         | -43.83                           | 5.27        | -38.56                        | -13.00           | 25.56       | Horizontal   |
| 7402.80                                                                                                         | -38.45                           | 13.00       | -25.45                        | -13.00           | 12.45       | Horizontal   |
| Middle channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 3765.00                                                                                                         | -48.69                           | -1.73       | -50.42                        | -13.00           | 37.42       | Vertical     |
| 5647.50                                                                                                         | -42.95                           | 4.76        | -38.19                        | -13.00           | 25.19       | Vertical     |
| 7530.00                                                                                                         | -38.15                           | 10.76       | -27.39                        | -13.00           | 14.39       | Vertical     |
| 3765.00                                                                                                         | -48.61                           | -1.73       | -50.34                        | -13.00           | 37.34       | Horizontal   |
| 5647.50                                                                                                         | -43.48                           | 4.76        | -38.72                        | -13.00           | 25.72       | Horizontal   |
| 7530.00                                                                                                         | -38.65                           | 10.76       | -27.89                        | -13.00           | 14.89       | Horizontal   |
| Highest channel                                                                                                 |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 3828.60                                                                                                         | -48.73                           | -0.76       | -49.49                        | -13.00           | 36.49       | Vertical     |
| 5742.90                                                                                                         | -43.07                           | 6.82        | -36.25                        | -13.00           | 23.25       | Vertical     |
| 7657.20                                                                                                         | -38.08                           | 13.31       | -24.77                        | -13.00           | 11.77       | Vertical     |
| 3828.60                                                                                                         | -49.16                           | -0.76       | -49.92                        | -13.00           | 36.92       | Horizontal   |
| 5742.90                                                                                                         | -44.17                           | 6.82        | -37.35                        | -13.00           | 24.35       | Horizontal   |
| 7657.20                                                                                                         | -38.86                           | 13.31       | -25.55                        | -13.00           | 12.55       | Horizontal   |
| <b>Remark:</b><br>The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report. |                                  |             |                               |                  |             |              |

| Band 25 (20MHz)                                                                                                 |                                  |             |                               |                  |             |              |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 3720.00                                                                                                         | -49.12                           | -1.28       | -50.40                        | -13.00           | 37.40       | Vertical     |
| 5580.00                                                                                                         | -42.77                           | 5.36        | -37.41                        | -13.00           | 24.41       | Vertical     |
| 7440.00                                                                                                         | -38.05                           | 13.04       | -25.01                        | -13.00           | 12.01       | Vertical     |
| 3720.00                                                                                                         | -49.59                           | -1.28       | -50.87                        | -13.00           | 37.87       | Horizontal   |
| 5580.00                                                                                                         | -44.23                           | 5.36        | -38.87                        | -13.00           | 25.87       | Horizontal   |
| 7440.00                                                                                                         | -38.58                           | 13.04       | -25.54                        | -13.00           | 12.54       | Horizontal   |
| Middle channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 3465.00                                                                                                         | -48.70                           | -1.73       | -50.43                        | -13.00           | 37.43       | Vertical     |
| 5197.50                                                                                                         | -42.74                           | 4.76        | -37.98                        | -13.00           | 24.98       | Vertical     |
| 6930.00                                                                                                         | -37.72                           | 10.76       | -26.96                        | -13.00           | 13.96       | Vertical     |
| 3465.00                                                                                                         | -49.76                           | -1.73       | -51.49                        | -13.00           | 38.49       | Horizontal   |
| 5197.50                                                                                                         | -44.45                           | 4.76        | -39.69                        | -13.00           | 26.69       | Horizontal   |
| 6930.00                                                                                                         | -38.39                           | 10.76       | -27.63                        | -13.00           | 14.63       | Horizontal   |
| Highest channel                                                                                                 |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 3810.00                                                                                                         | -48.65                           | -0.83       | -49.48                        | -13.00           | 36.48       | Vertical     |
| 5715.00                                                                                                         | -43.22                           | 6.72        | -36.50                        | -13.00           | 23.50       | Vertical     |
| 7620.00                                                                                                         | -38.03                           | 13.58       | -24.45                        | -13.00           | 11.45       | Vertical     |
| 3810.00                                                                                                         | -49.92                           | -0.83       | -50.75                        | -13.00           | 37.75       | Horizontal   |
| 5715.00                                                                                                         | -44.32                           | 6.72        | -37.60                        | -13.00           | 24.60       | Horizontal   |
| 7620.00                                                                                                         | -38.68                           | 13.58       | -25.10                        | -13.00           | 12.10       | Horizontal   |
| <b>Remark:</b><br>The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report. |                                  |             |                               |                  |             |              |

**LTE Band 26 part:**

| Band 26 (1.4MHz)( Part 22)                                                                                      |                                  |             |                               |                  |             |              |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1649.40                                                                                                         | -51.13                           | -9.90       | -61.03                        | -13.00           | 48.03       | Vertical     |
| 2474.10                                                                                                         | -47.02                           | -5.68       | -52.70                        | -13.00           | 39.70       | Vertical     |
| 3298.80                                                                                                         | -49.00                           | -2.19       | -51.19                        | -13.00           | 38.19       | Vertical     |
| 1649.40                                                                                                         | -50.82                           | -9.90       | -60.72                        | -13.00           | 47.72       | Horizontal   |
| 2474.10                                                                                                         | -46.24                           | -5.68       | -51.92                        | -13.00           | 38.92       | Horizontal   |
| 3298.80                                                                                                         | -48.38                           | -2.19       | -50.57                        | -13.00           | 37.57       | Horizontal   |
| Middle channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1673.00                                                                                                         | -50.67                           | -9.88       | -60.55                        | -13.00           | 47.55       | Vertical     |
| 2509.50                                                                                                         | -47.32                           | -5.45       | -52.77                        | -13.00           | 39.77       | Vertical     |
| 3346.00                                                                                                         | -49.05                           | -2.09       | -51.14                        | -13.00           | 38.14       | Vertical     |
| 1673.00                                                                                                         | -50.48                           | -9.88       | -60.36                        | -13.00           | 47.36       | Horizontal   |
| 2509.50                                                                                                         | -46.51                           | -5.45       | -51.96                        | -13.00           | 38.96       | Horizontal   |
| 3346.00                                                                                                         | -48.68                           | -2.09       | -50.77                        | -13.00           | 37.77       | Horizontal   |
| Highest channel                                                                                                 |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1696.60                                                                                                         | -51.44                           | -9.87       | -61.31                        | -13.00           | 48.31       | Vertical     |
| 2544.90                                                                                                         | -46.88                           | -5.13       | -52.01                        | -13.00           | 39.01       | Vertical     |
| 3393.20                                                                                                         | -49.22                           | -1.97       | -51.19                        | -13.00           | 38.19       | Vertical     |
| 1696.60                                                                                                         | -50.93                           | -9.87       | -60.80                        | -13.00           | 47.80       | Horizontal   |
| 2544.90                                                                                                         | -46.52                           | -5.13       | -51.65                        | -13.00           | 38.65       | Horizontal   |
| 3393.20                                                                                                         | -48.10                           | -1.97       | -50.07                        | -13.00           | 37.07       | Horizontal   |
| <b>Remark:</b><br>The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report. |                                  |             |                               |                  |             |              |

| Band 26 (15MHz)( Part 22)                                                                                       |                                  |             |                               |                  |             |              |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1663.00                                                                                                         | -51.59                           | -9.89       | -61.48                        | -13.00           | 48.48       | Vertical     |
| 2494.50                                                                                                         | -46.66                           | -5.57       | -52.23                        | -13.00           | 39.23       | Vertical     |
| 3326.00                                                                                                         | -49.12                           | -2.14       | -51.26                        | -13.00           | 38.26       | Vertical     |
| 1663.00                                                                                                         | -50.80                           | -9.89       | -60.69                        | -13.00           | 47.69       | Horizontal   |
| 2494.50                                                                                                         | -46.99                           | -5.57       | -52.56                        | -13.00           | 39.56       | Horizontal   |
| 3326.00                                                                                                         | -48.40                           | -2.14       | -50.54                        | -13.00           | 37.54       | Horizontal   |
| Middle channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1673.00                                                                                                         | -51.50                           | -9.88       | -61.38                        | -13.00           | 48.38       | Vertical     |
| 2509.50                                                                                                         | -46.87                           | -5.45       | -52.32                        | -13.00           | 39.32       | Vertical     |
| 3346.00                                                                                                         | -48.97                           | -2.09       | -51.06                        | -13.00           | 38.06       | Vertical     |
| 1673.00                                                                                                         | -50.94                           | -9.89       | -60.83                        | -13.00           | 47.83       | Horizontal   |
| 2509.50                                                                                                         | -46.98                           | -5.57       | -52.55                        | -13.00           | 39.55       | Horizontal   |
| 3346.00                                                                                                         | -47.99                           | -2.14       | -50.13                        | -13.00           | 37.13       | Horizontal   |
| Highest channel                                                                                                 |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1683.00                                                                                                         | -51.78                           | -9.87       | -61.65                        | -13.00           | 48.65       | Vertical     |
| 2524.50                                                                                                         | -46.90                           | -5.29       | -52.19                        | -13.00           | 39.19       | Vertical     |
| 3366.00                                                                                                         | -49.02                           | -2.01       | -51.03                        | -13.00           | 38.03       | Vertical     |
| 1683.00                                                                                                         | -50.86                           | -9.89       | -60.75                        | -13.00           | 47.75       | Horizontal   |
| 2524.50                                                                                                         | -46.63                           | -5.57       | -52.20                        | -13.00           | 39.20       | Horizontal   |
| 3366.00                                                                                                         | -48.12                           | -2.14       | -50.26                        | -13.00           | 37.26       | Horizontal   |
| <b>Remark:</b><br>The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report. |                                  |             |                               |                  |             |              |

| Band 26 (1.4MHz)( Part 90)                                                                               |                                  |             |                               |                  |             |              |
|----------------------------------------------------------------------------------------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel                                                                                           |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                          | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1629.40                                                                                                  | -52.22                           | -9.90       | -62.12                        | -13.00           | 49.12       | Vertical     |
| 2444.10                                                                                                  | -47.07                           | -5.68       | -52.75                        | -13.00           | 39.75       | Vertical     |
| 3258.80                                                                                                  | -48.69                           | -2.19       | -50.88                        | -13.00           | 37.88       | Vertical     |
| 1629.40                                                                                                  | -50.84                           | -9.90       | -60.74                        | -13.00           | 47.74       | Horizontal   |
| 2444.10                                                                                                  | -46.92                           | -5.68       | -52.60                        | -13.00           | 39.60       | Horizontal   |
| 3258.80                                                                                                  | -48.29                           | -2.19       | -50.48                        | -13.00           | 37.48       | Horizontal   |
| Middle channel                                                                                           |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                          | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1638.00                                                                                                  | -52.25                           | -9.88       | -62.13                        | -13.00           | 49.13       | Vertical     |
| 2457.00                                                                                                  | -46.65                           | -5.45       | -52.10                        | -13.00           | 39.10       | Vertical     |
| 3276.00                                                                                                  | -48.70                           | -2.09       | -50.79                        | -13.00           | 37.79       | Vertical     |
| 1638.00                                                                                                  | -50.76                           | -9.88       | -60.64                        | -13.00           | 47.64       | Horizontal   |
| 2457.00                                                                                                  | -46.78                           | -5.45       | -52.23                        | -13.00           | 39.23       | Horizontal   |
| 3276.00                                                                                                  | -48.49                           | -2.09       | -50.58                        | -13.00           | 37.58       | Horizontal   |
| Highest channel                                                                                          |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                          | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1646.60                                                                                                  | -52.24                           | -9.87       | -62.11                        | -13.00           | 49.11       | Vertical     |
| 2469.90                                                                                                  | -46.38                           | -5.13       | -51.51                        | -13.00           | 38.51       | Vertical     |
| 3293.20                                                                                                  | -48.41                           | -1.97       | -50.38                        | -13.00           | 37.38       | Vertical     |
| 1646.60                                                                                                  | -50.90                           | -9.87       | -60.77                        | -13.00           | 47.77       | Horizontal   |
| 2469.90                                                                                                  | -46.40                           | -5.13       | -51.53                        | -13.00           | 38.53       | Horizontal   |
| 3293.20                                                                                                  | -48.15                           | -1.97       | -50.12                        | -13.00           | 37.12       | Horizontal   |
| Remark:<br>The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report. |                                  |             |                               |                  |             |              |

| Band 26 (10MHz)( Part 90) |                                  |             |                               |                  |             |              |
|---------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel            |                                  |             |                               |                  |             |              |
| Frequency (MHz)           | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1638.00                   | -51.84                           | -9.89       | -61.73                        | -13.00           | 48.73       | Vertical     |
| 2457.00                   | -46.37                           | -5.57       | -51.94                        | -13.00           | 38.94       | Vertical     |
| 3276.00                   | -48.41                           | -2.14       | -50.55                        | -13.00           | 37.55       | Vertical     |
| 1638.00                   | -50.87                           | -9.89       | -60.76                        | -13.00           | 47.76       | Horizontal   |
| 2457.00                   | -46.36                           | -5.57       | -51.93                        | -13.00           | 38.93       | Horizontal   |
| 3276.00                   | -48.02                           | -2.14       | -50.16                        | -13.00           | 37.16       | Horizontal   |


| Band 26 (15MHz)( Part 90) |                                  |             |                               |                  |             |              |
|---------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel            |                                  |             |                               |                  |             |              |
| Frequency (MHz)           | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 1643.00                   | -51.68                           | -9.88       | -61.56                        | -13.00           | 48.56       | Vertical     |
| 2464.50                   | -46.27                           | -5.45       | -51.72                        | -13.00           | 38.72       | Vertical     |
| 3286.00                   | -48.67                           | -2.09       | -50.76                        | -13.00           | 37.76       | Vertical     |
| 1643.00                   | -50.69                           | -9.88       | -60.57                        | -13.00           | 47.57       | Horizontal   |
| 2464.50                   | -46.71                           | -5.45       | -52.16                        | -13.00           | 39.16       | Horizontal   |
| 3286.00                   | -48.00                           | -2.09       | -50.09                        | -13.00           | 37.09       | Horizontal   |

**LTE Band 66 part:**

| Band 66 (1.4MHz)                                                                                                |                                  |             |                               |                  |             |              |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 3421.40                                                                                                         | -48.06                           | -7.52       | -55.58                        | -13.00           | 42.58       | Vertical     |
| 5132.10                                                                                                         | -41.99                           | -1.45       | -43.44                        | -13.00           | 30.44       | Vertical     |
| 6842.80                                                                                                         | -39.82                           | 3.48        | -36.34                        | -13.00           | 23.34       | Vertical     |
| 3421.40                                                                                                         | -48.87                           | -7.52       | -56.39                        | -13.00           | 43.39       | Horizontal   |
| 5132.10                                                                                                         | -44.14                           | -1.45       | -45.59                        | -13.00           | 32.59       | Horizontal   |
| 6842.80                                                                                                         | -39.39                           | 3.48        | -35.91                        | -13.00           | 22.91       | Horizontal   |
| Middle channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 3490.00                                                                                                         | -48.17                           | -6.98       | -55.15                        | -13.00           | 42.15       | Vertical     |
| 5235.00                                                                                                         | -42.02                           | -0.84       | -42.86                        | -13.00           | 29.86       | Vertical     |
| 6980.00                                                                                                         | -39.65                           | 3.10        | -36.55                        | -13.00           | 23.55       | Vertical     |
| 3490.00                                                                                                         | -49.09                           | -6.98       | -56.07                        | -13.00           | 43.07       | Horizontal   |
| 5235.00                                                                                                         | -44.17                           | -0.84       | -45.01                        | -13.00           | 32.01       | Horizontal   |
| 6980.00                                                                                                         | -39.24                           | 3.10        | -36.14                        | -13.00           | 23.14       | Horizontal   |
| Highest channel                                                                                                 |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 3558.60                                                                                                         | -48.33                           | -6.75       | -55.08                        | -13.00           | 42.08       | Vertical     |
| 5337.90                                                                                                         | -42.24                           | -0.37       | -42.61                        | -13.00           | 29.61       | Vertical     |
| 7117.20                                                                                                         | -39.40                           | 3.51        | -35.89                        | -13.00           | 22.89       | Vertical     |
| 3558.60                                                                                                         | -48.46                           | -6.75       | -55.21                        | -13.00           | 42.21       | Horizontal   |
| 5337.90                                                                                                         | -43.98                           | -0.37       | -44.35                        | -13.00           | 31.35       | Horizontal   |
| 7117.20                                                                                                         | -39.66                           | 3.51        | -36.15                        | -13.00           | 23.15       | Horizontal   |
| <b>Remark:</b><br>The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report. |                                  |             |                               |                  |             |              |


| Band 66 (20MHz)                                                                                                 |                                  |             |                               |                  |             |              |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|-------------|-------------------------------|------------------|-------------|--------------|
| Lowest channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 3440.00                                                                                                         | -48.29                           | -7.39       | -55.68                        | -13.00           | 42.68       | Vertical     |
| 5160.00                                                                                                         | -42.31                           | -1.22       | -43.53                        | -13.00           | 30.53       | Vertical     |
| 6880.00                                                                                                         | -39.70                           | 3.66        | -36.04                        | -13.00           | 23.04       | Vertical     |
| 3440.00                                                                                                         | -48.48                           | -7.39       | -55.87                        | -13.00           | 42.87       | Horizontal   |
| 5160.00                                                                                                         | -44.40                           | -1.22       | -45.62                        | -13.00           | 32.62       | Horizontal   |
| 6880.00                                                                                                         | -39.22                           | 3.66        | -35.56                        | -13.00           | 22.56       | Horizontal   |
| Middle channel                                                                                                  |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 3490.00                                                                                                         | -48.24                           | -6.98       | -55.22                        | -13.00           | 42.22       | Vertical     |
| 5235.00                                                                                                         | -42.43                           | -0.84       | -43.27                        | -13.00           | 30.27       | Vertical     |
| 6980.00                                                                                                         | -39.52                           | 3.10        | -36.42                        | -13.00           | 23.42       | Vertical     |
| 3490.00                                                                                                         | -48.34                           | -6.98       | -55.32                        | -13.00           | 42.32       | Horizontal   |
| 5235.00                                                                                                         | -44.51                           | -0.84       | -45.35                        | -13.00           | 32.35       | Horizontal   |
| 6980.00                                                                                                         | -39.43                           | 3.10        | -36.33                        | -13.00           | 23.33       | Horizontal   |
| Highest channel                                                                                                 |                                  |             |                               |                  |             |              |
| Frequency (MHz)                                                                                                 | Level at antenna terminals (dBm) | Factor (dB) | Spurious Emission level (dBm) | Limit Line (dBm) | Margin (dB) | Polarization |
| 3540.00                                                                                                         | -48.17                           | -6.81       | -54.98                        | -13.00           | 41.98       | Vertical     |
| 5310.00                                                                                                         | -42.68                           | -0.55       | -43.23                        | -13.00           | 30.23       | Vertical     |
| 7080.00                                                                                                         | -39.07                           | 3.37        | -35.70                        | -13.00           | 22.70       | Vertical     |
| 3540.00                                                                                                         | -47.98                           | -6.81       | -54.79                        | -13.00           | 41.79       | Horizontal   |
| 5310.00                                                                                                         | -44.68                           | -0.55       | -45.23                        | -13.00           | 32.23       | Horizontal   |
| 7080.00                                                                                                         | -39.49                           | 3.37        | -36.12                        | -13.00           | 23.12       | Horizontal   |
| <b>Remark:</b><br>The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report. |                                  |             |                               |                  |             |              |

## 6.6 Frequency stability V.S. Temperature measurement

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 22.355, Part 24.235, Part 27.54, Part 90.213(a), Part 2.1055(d)(2)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Limit:            | ±2.5ppm for LTE Band 26<br>Within authorized band for Band 7 & 12 & 25 & 66                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Test setup:       |  <p>The diagram illustrates the test setup. A Power Source (represented by a green box with two terminals) is connected via red and black wires to a Divider (grey box). The Divider is connected to a Temperature &amp; Humidity Chamber (blue outline) which contains the Equipment Under Test (EUT, represented by a black rectangle). The Divider is also connected to a Spectrum Analyzer (SA, blue box) and a Signal Source (SS, blue box). The SA and SS are connected to the Divider via blue lines.</p>                                                                                                                                                                      |
| Test procedure:   | <ol style="list-style-type: none"> <li>1. The equipment under test was connected to an external DC power supply and input rated voltage.</li> <li>2. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators.</li> <li>3. The EUT was placed inside the temperature chamber.</li> <li>4. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency.</li> <li>5. Turn EUT off and set the chamber temperature to –30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency.</li> <li>6. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached</li> </ol> |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

**Measurement Data:** Refer to Appendix F – LTE

## 6.7 Frequency stability V.S. Voltage measurement

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 22.355, Part 24.235, Part 27.54, Part 90.213(a), Part 2.1055(d)(2)                                                                                                                                                                                                                                                                                                                                                                        |
| Limit:            | ±2.5ppm for LTE Band 26<br>Within authorized band for Band 7 & 12 & 25 & 66                                                                                                                                                                                                                                                                                                                                                                    |
| Test setup:       |                                                                                                                                                                                                                                                                                                                                                              |
| Test procedure:   | <ol style="list-style-type: none"> <li>1. Set chamber temperature to 25°C. Use a variable DC power source to power the EUT and set the voltage to rated voltage.</li> <li>2. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.</li> <li>3. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint, record the maximum frequency change.</li> </ol> |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                              |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                                                               |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                                         |

**Measurement Data:** Refer to Appendix F – LTE

## 8 EUT Constructional Details

Reference to the test report No. JYTSZB-R12-2101118

-----End of report-----