







n78(3450-3550) SCS=30kHz DFT_64QAM BW=90MHz LowChannel=633000 RB=1@0




n78(3450-3550) SCS=30kHz DFT_64QAM BW=90MHz LowChannel=633000 RB=243@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz HighChannel=633334 RB=1@272




n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz HighChannel=633334 RB=270@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz LowChannel=633334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz LowChannel=633334 RB=270@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz HighChannel=636332 RB=1@23




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz HighChannel=636332 RB=24@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz LowChannel=630334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz LowChannel=630334 RB=24@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz HighChannel=636166 RB=1@37




n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz HighChannel=636166 RB=36@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz LowChannel=630500 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz LowChannel=630500 RB=36@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz HighChannel=636000 RB=1@50




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz HighChannel=636000 RB=50@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz LowChannel=630668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz LowChannel=630668 RB=50@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz HighChannel=635332 RB=100@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz HighChannel=635332 RB=1@105




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz LowChannel=631334 RB=100@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz LowChannel=631334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz HighChannel=635000 RB=128@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz HighChannel=635000 RB=1@132




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz LowChannel=631668 RB=128@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz LowChannel=631668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz HighChannel=634666 RB=162@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz HighChannel=634666 RB=1@161




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz LowChannel=632000 RB=162@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz LowChannel=632000 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz HighChannel=634332 RB=180@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz HighChannel=634332 RB=1@188




n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz LowChannel=632334 RB=180@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz LowChannel=632334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz HighChannel=634000 RB=1@216




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz HighChannel=634000 RB=216@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz LowChannel=632668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz LowChannel=632668 RB=216@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz HighChannel=633666 RB=1@244




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz HighChannel=633666 RB=243@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz LowChannel=633000 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz LowChannel=633000 RB=243@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz HighChannel=633334 RB=1@272




n78(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz HighChannel=633334 RB=270@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz LowChannel=633334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz LowChannel=633334 RB=270@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz HighChannel=636332 RB=1@23




n78(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz HighChannel=636332 RB=24@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz LowChannel=630334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz LowChannel=630334 RB=24@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz HighChannel=636166 RB=1@37




n78(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz HighChannel=636166 RB=36@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz LowChannel=630500 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz LowChannel=630500 RB=36@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz HighChannel=636000 RB=1@50




n78(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz HighChannel=636000 RB=50@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz LowChannel=630668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz LowChannel=630668 RB=50@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz HighChannel=635332 RB=100@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz HighChannel=635332 RB=1@105




n78(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz LowChannel=631334 RB=100@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz LowChannel=631334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz HighChannel=635000 RB=128@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz HighChannel=635000 RB=1@132




n78(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz LowChannel=631668 RB=128@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz LowChannel=631668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz HighChannel=634666 RB=162@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz HighChannel=634666 RB=1@161




n78(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz LowChannel=632000 RB=162@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz LowChannel=632000 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz HighChannel=634332 RB=180@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz HighChannel=634332 RB=1@188




n78(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz LowChannel=632334 RB=180@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz LowChannel=632334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz HighChannel=634000 RB=1@216




n78(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz HighChannel=634000 RB=216@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz LowChannel=632668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz LowChannel=632668 RB=216@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz HighChannel=633666 RB=1@244



n78(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz HighChannel=633666 RB=243@0



n78(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz LowChannel=633000 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz LowChannel=633000 RB=243@0

6. Conducted Spurious Emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n78(3450-3550)	30	10	630334	1@0	DFT_BPSK	4740.85	-35.07	-13	PASS
n78(3450-3550)	30	10	630334	1@23	DFT_BPSK	38606.50	-35.04	-13	PASS
n78(3450-3550)	30	10	630334	24@0	DFT_BPSK	38641.75	-33.82	-13	PASS
n78(3450-3550)	30	10	633334	1@0	DFT_BPSK	9995.95	-35.23	-13	PASS
n78(3450-3550)	30	10	633334	1@23	DFT_BPSK	4721.05	-34.61	-13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_BPSK	4763.58	-34.78	-13	PASS
n78(3450-3550)	30	10	636332	1@0	DFT_BPSK	38584.75	-33.99	-13	PASS
n78(3450-3550)	30	10	636332	1@23	DFT_BPSK	39331.00	-33.99	-13	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_BPSK	38548.00	-34.80	-13	PASS
n78(3450-3550)	30	15	630500	1@0	DFT_BPSK	38596.00	-34.47	-13	PASS
n78(3450-3550)	30	15	630500	1@37	DFT_BPSK	38971.75	-35.26	-13	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_BPSK	8972.65	-34.92	-13	PASS
n78(3450-3550)	30	15	633334	1@0	DFT_BPSK	38623.75	-35.23	-13	PASS
n78(3450-3550)	30	15	633334	1@37	DFT_BPSK	6026.28	-35.02	-13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_BPSK	39294.25	-34.73	-13	PASS
n78(3450-3550)	30	15	636166	1@0	DFT_BPSK	4816.45	-35.19	-13	PASS
n78(3450-3550)	30	15	636166	1@37	DFT_BPSK	9460.23	-35.00	-13	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_BPSK	38596.75	-33.48	-13	PASS
n78(3450-3550)	30	20	630668	1@0	DFT_BPSK	4807.00	-34.58	-13	PASS
n78(3450-3550)	30	20	630668	1@50	DFT_BPSK	9938.58	-35.05	-13	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_BPSK	38632.75	-34.66	-13	PASS
n78(3450-3550)	30	20	633334	1@0	DFT_BPSK	4752.33	-34.56	-13	PASS
n78(3450-3550)	30	20	633334	1@50	DFT_BPSK	38593.75	-34.34	-13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_BPSK	38645.50	-34.46	-13	PASS
n78(3450-3550)	30	20	636000	1@0	DFT_BPSK	9833.50	-34.91	-13	PASS
n78(3450-3550)	30	20	636000	1@50	DFT_BPSK	3936.48	-34.66	-13	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_BPSK	4748.50	-34.68	-13	PASS
n78(3450-3550)	30	40	631334	1@0	DFT_BPSK	7273.68	-34.64	-13	PASS
n78(3450-3550)	30	40	631334	1@105	DFT_BPSK	4735.23	-33.92	-13	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_BPSK	4782.25	-34.31	-13	PASS
n78(3450-3550)	30	40	633334	1@0	DFT_BPSK	7056.10	-34.56	-13	PASS
n78(3450-3550)	30	40	633334	1@105	DFT_BPSK	9356.73	-35.14	-13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_BPSK	4721.95	-34.74	-13	PASS
n78(3450-3550)	30	40	635332	1@0	DFT_BPSK	4782.48	-34.36	-13	PASS
n78(3450-3550)	30	40	635332	1@105	DFT_BPSK	8274.25	-34.89	-13	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_BPSK	4819.38	-34.53	-13	PASS
n78(3450-3550)	30	50	631668	1@0	DFT_BPSK	38669.50	-34.36	-13	PASS
n78(3450-3550)	30	50	631668	1@132	DFT_BPSK	38628.25	-34.07	-13	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_BPSK	3985.98	-34.35	-13	PASS


n78(3450-3550)	30	50	633334	1@0	DFT_BPSK	4792.83	-34.52	-13	PASS
n78(3450-3550)	30	50	633334	1@132	DFT_BPSK	39252.25	-34.49	-13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_BPSK	4752.78	-34.98	-13	PASS
n78(3450-3550)	30	50	635000	1@0	DFT_BPSK	38362.75	-34.72	-13	PASS
n78(3450-3550)	30	50	635000	1@132	DFT_BPSK	7312.38	-34.33	-13	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_BPSK	4812.63	-34.82	-13	PASS
n78(3450-3550)	30	60	632000	1@0	DFT_BPSK	38573.50	-34.40	-13	PASS
n78(3450-3550)	30	60	632000	1@161	DFT_BPSK	4785.40	-34.36	-13	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_BPSK	4717.23	-34.64	-13	PASS
n78(3450-3550)	30	60	633334	1@0	DFT_BPSK	38683.00	-34.59	-13	PASS
n78(3450-3550)	30	60	633334	1@161	DFT_BPSK	4719.48	-34.62	-13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_BPSK	3946.60	-34.34	-13	PASS
n78(3450-3550)	30	60	634666	1@0	DFT_BPSK	38646.25	-35.24	-13	PASS
n78(3450-3550)	30	60	634666	1@161	DFT_BPSK	39196.75	-34.31	-13	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_BPSK	38623.00	-34.82	-13	PASS
n78(3450-3550)	30	70	632334	1@0	DFT_BPSK	38593.75	-34.04	-13	PASS
n78(3450-3550)	30	70	632334	1@188	DFT_BPSK	4270.83	-35.32	-13	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_BPSK	4744.68	-33.30	-13	PASS
n78(3450-3550)	30	70	633334	1@0	DFT_BPSK	9809.43	-34.27	-13	PASS
n78(3450-3550)	30	70	633334	1@188	DFT_BPSK	4746.25	-34.06	-13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_BPSK	39202.75	-34.62	-13	PASS
n78(3450-3550)	30	70	634332	1@0	DFT_BPSK	38565.25	-34.96	-13	PASS
n78(3450-3550)	30	70	634332	1@188	DFT_BPSK	3934.90	-34.75	-13	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_BPSK	38266.00	-34.85	-13	PASS
n78(3450-3550)	30	80	632668	1@0	DFT_BPSK	38900.50	-34.81	-13	PASS
n78(3450-3550)	30	80	632668	1@216	DFT_BPSK	38250.25	-34.90	-13	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_BPSK	38663.50	-34.66	-13	PASS
n78(3450-3550)	30	80	633334	1@0	DFT_BPSK	38674.00	-34.63	-13	PASS
n78(3450-3550)	30	80	633334	1@216	DFT_BPSK	38622.25	-34.57	-13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_BPSK	38609.50	-34.59	-13	PASS
n78(3450-3550)	30	80	634000	1@0	DFT_BPSK	39246.25	-35.01	-13	PASS
n78(3450-3550)	30	80	634000	1@216	DFT_BPSK	38643.25	-35.17	-13	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_BPSK	38923.75	-35.09	-13	PASS
n78(3450-3550)	30	90	633000	1@0	DFT_BPSK	38655.25	-33.37	-13	PASS
n78(3450-3550)	30	90	633000	1@244	DFT_BPSK	38638.00	-34.53	-13	PASS
n78(3450-3550)	30	90	633000	243@0	DFT_BPSK	4751.20	-34.32	-13	PASS
n78(3450-3550)	30	90	633334	1@0	DFT_BPSK	38637.25	-35.12	-13	PASS
n78(3450-3550)	30	90	633334	1@244	DFT_BPSK	38613.25	-34.82	-13	PASS
n78(3450-3550)	30	90	633334	243@0	DFT_BPSK	4749.18	-34.83	-13	PASS
n78(3450-3550)	30	90	633666	1@0	DFT_BPSK	38626.00	-34.71	-13	PASS
n78(3450-3550)	30	90	633666	1@244	DFT_BPSK	38608.00	-34.78	-13	PASS
n78(3450-3550)	30	90	633666	243@0	DFT_BPSK	3967.08	-34.39	-13	PASS
n78(3450-3550)	30	100	633334	1@0	DFT_BPSK	8805.03	-34.30	-13	PASS
n78(3450-3550)	30	100	633334	1@272	DFT_BPSK	3994.08	-34.70	-13	PASS

n78(3450-3550)	30	100	633334	270@0	DFT_BPSK	38646.25	-34.97	-13	PASS
----------------	----	-----	--------	-------	----------	----------	--------	-----	------




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	983.44	-41.55	-13
2	1000	10000	1000	4740.85	-35.07	-13
3	10000	40000	1000	38623.75	-35.25	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	912.70	-42.17	-13
2	1000	10000	1000	4820.05	-35.05	-13
3	10000	40000	1000	38606.50	-35.04	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=1@23




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	842.21	-41.68	-13
2	1000	10000	1000	3716.65	-34.15	-13
3	10000	40000	1000	38641.75	-33.82	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=24@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	887.16	-42.07	-13
2	1000	10000	1000	9995.95	-35.23	-13
3	10000	40000	1000	38543.50	-35.41	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	779.13	-41.08	-13
2	1000	10000	1000	4721.05	-34.61	-13
3	10000	40000	1000	39261.25	-35.23	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=1@23




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	793.61	-41.86	-13
2	1000	10000	1000	4763.58	-34.78	-13
3	10000	40000	1000	38651.50	-35.33	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=24@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	962.46	-42.09	-13
2	1000	10000	1000	3969.33	-34.44	-13
3	10000	40000	1000	38584.75	-33.99	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	870.24	-41.71	-13
2	1000	10000	1000	3925.45	-35.14	-13
3	10000	40000	1000	39331.00	-33.99	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=1@23




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	875.67	-41.93	-13
2	1000	10000	1000	3964.83	-34.82	-13
3	10000	40000	1000	38548.00	-34.80	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=24@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	985.96	-41.19	-13
2	1000	10000	1000	3763.23	-35.20	-13
3	10000	40000	1000	38596.00	-34.47	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	779.33	-41.88	-13
2	1000	10000	1000	4774.38	-35.46	-13
3	10000	40000	1000	38971.75	-35.26	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=1@37




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	871.55	-41.35	-13
2	1000	10000	1000	8972.65	-34.92	-13
3	10000	40000	1000	38668.75	-35.54	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=36@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	659.24	-42.22	-13
2	1000	10000	1000	3610.68	-35.31	-13
3	10000	40000	1000	38623.75	-35.23	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	970.66	-41.56	-13
2	1000	10000	1000	6026.28	-35.02	-13
3	10000	40000	1000	38989.75	-35.17	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=1@37




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	815.65	-40.66	-13
2	1000	10000	1000	3905.43	-35.37	-13
3	10000	40000	1000	39294.25	-34.73	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=36@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	980.36	-41.62	-13
2	1000	10000	1000	4816.45	-35.19	-13
3	10000	40000	1000	39763.75	-35.42	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=636166 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	850.16	-41.03	-13
2	1000	10000	1000	9460.23	-35.00	-13
3	10000	40000	1000	38608.75	-35.77	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=636166 RB=1@37




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	794.65	-41.30	-13
2	1000	10000	1000	4724.65	-35.39	-13
3	10000	40000	1000	38596.75	-33.48	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=636166 RB=36@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	895.12	-41.15	-13
2	1000	10000	1000	4907.00	-34.58	-13
3	10000	40000	1000	38323.00	-34.68	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=630668 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	868.57	-41.00	-13
2	1000	10000	1000	9938.58	-35.05	-13
3	10000	40000	1000	38907.25	-35.52	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=630668 RB=1@50




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	726.24	-41.30	-13
2	1000	10000	1000	4728.48	-34.76	-13
3	10000	40000	1000	38632.75	-34.66	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=630668 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	923.01	-41.79	-13
2	1000	10000	1000	4752.33	-34.56	-13
3	10000	40000	1000	38636.50	-35.11	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	864.73	-41.64	-13
2	1000	10000	1000	3984.63	-35.01	-13
3	10000	40000	1000	38593.75	-34.34	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=633334 RB=1@50




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	862.82	-42.14	-13
2	1000	10000	1000	4751.20	-35.65	-13
3	10000	40000	1000	38645.50	-34.46	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=633334 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	778.04	-42.12	-13
2	1000	10000	1000	9833.50	-34.91	-13
3	10000	40000	1000	38669.50	-35.11	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=636000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	841.91	-41.53	-13
2	1000	10000	1000	3936.48	-34.66	-13
3	10000	40000	1000	38595.25	-34.91	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=636000 RB=1@50




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	792.59	-41.15	-13
2	1000	10000	1000	4748.50	-34.68	-13
3	10000	40000	1000	38293.00	-35.23	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=636000 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	832.53	-41.44	-13
2	1000	10000	1000	7273.68	-34.64	-13
3	10000	40000	1000	38639.50	-34.73	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=631334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	800.13	-41.86	-13
2	1000	10000	1000	4735.23	-33.92	-13
3	10000	40000	1000	39032.50	-34.43	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=631334 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	833.18	-41.87	-13
2	1000	10000	1000	4782.25	-34.31	-13
3	10000	40000	1000	39009.25	-34.57	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=631334 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	817.83	-41.87	-13
2	1000	10000	1000	7056.10	-34.56	-13
3	10000	40000	1000	38629.75	-35.30	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	774.69	-41.83	-13
2	1000	10000	1000	9356.73	-35.14	-13
3	10000	40000	1000	38346.25	-35.52	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=633334 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	849.70	-41.65	-13
2	1000	10000	1000	4721.95	-34.74	-13
3	10000	40000	1000	38604.25	-35.16	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=633334 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	876.59	-41.56	-13
2	1000	10000	1000	4782.48	-34.36	-13
3	10000	40000	1000	38627.50	-34.48	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=635332 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	993.38	-42.04	-13
2	1000	10000	1000	8274.25	-34.89	-13
3	10000	40000	1000	38684.50	-35.58	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=635332 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	933.63	-41.93	-13
2	1000	10000	1000	4819.38	-34.53	-13
3	10000	40000	1000	38206.75	-34.74	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=635332 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	750.66	-41.86	-13
2	1000	10000	1000	7296.63	-35.03	-13
3	10000	40000	1000	38669.50	-34.36	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	791.16	-41.57	-13
2	1000	10000	1000	8042.50	-34.40	-13
3	10000	40000	1000	38628.25	-34.07	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	876.59	-41.64	-13
2	1000	10000	1000	3985.98	-34.35	-13
3	10000	40000	1000	38629.00	-35.19	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=128@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	863.04	-41.86	-13
2	1000	10000	1000	4792.83	-34.52	-13
3	10000	40000	1000	38617.00	-34.97	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	885.25	-41.46	-13
2	1000	10000	1000	3983.05	-35.19	-13
3	10000	40000	1000	39252.25	-34.49	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	904.87	-41.07	-13
2	1000	10000	1000	4752.78	-34.98	-13
3	10000	40000	1000	38643.25	-34.99	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=128@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	806.97	-42.10	-13
2	1000	10000	1000	3837.93	-34.79	-13
3	10000	40000	1000	38362.75	-34.72	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	948.69	-41.77	-13
2	1000	10000	1000	7312.38	-34.33	-13
3	10000	40000	1000	38629.75	-34.62	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	650.07	-41.61	-13
2	1000	10000	1000	4812.63	-34.82	-13
3	10000	40000	1000	38917.00	-35.34	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=128@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	963.77	-40.83	-13
2	1000	10000	1000	4759.30	-34.71	-13
3	10000	40000	1000	38573.50	-34.40	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	985.69	-41.45	-13
2	1000	10000	1000	4785.40	-34.36	-13
3	10000	40000	1000	38921.50	-35.15	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=1@161




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	438.52	-41.55	-13
2	1000	10000	1000	4717.23	-34.64	-13
3	10000	40000	1000	38601.25	-35.35	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=162@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	822.76	-41.68	-13
2	1000	10000	1000	8273.35	-34.87	-13
3	10000	40000	1000	38683.00	-34.59	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=1@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	898.37	-41.20	-13
2	1000	10000	1000	4719.48	-34.62	-13
3	10000	40000	1000	38649.25	-34.64	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=1@161