






Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	788.44	-41.96	-13
2	1000	10000	1000	3946.60	-34.34	-13
3	10000	40000	1000	39175.00	-35.01	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=162@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	737.45	-41.56	-13
2	1000	10000	1000	3923.88	-35.31	-13
3	10000	40000	1000	38646.25	-35.24	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	886.75	-41.17	-13
2	1000	10000	1000	8144.88	-35.88	-13
3	10000	40000	1000	39196.75	-34.31	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=1@161




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	436.43	-41.52	-13
2	1000	10000	1000	4733.88	-34.98	-13
3	10000	40000	1000	38623.00	-34.82	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=162@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	906.30	-41.81	-13
2	1000	10000	1000	3998.35	-34.39	-13
3	10000	40000	1000	38593.75	-34.04	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	887.72	-41.15	-13
2	1000	10000	1000	4270.83	-35.32	-13
3	10000	40000	1000	38605.00	-35.36	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=1@188




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	792.37	-41.23	-13
2	1000	10000	1000	4744.68	-33.30	-13
3	10000	40000	1000	38601.25	-34.43	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=180@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	864.93	-41.96	-13
2	1000	10000	1000	9809.43	-34.27	-13
3	10000	40000	1000	38684.50	-34.78	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	887.80	-41.59	-13
2	1000	10000	1000	4746.25	-34.06	-13
3	10000	40000	1000	38281.00	-35.02	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=1@188




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	868.08	-40.62	-13
2	1000	10000	1000	4738.38	-35.38	-13
3	10000	40000	1000	39202.75	-34.62	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=180@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	852.85	-41.78	-13
2	1000	10000	1000	3968.43	-35.12	-13
3	10000	40000	1000	38565.25	-34.96	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	900.99	-41.42	-13
2	1000	10000	1000	3934.90	-34.75	-13
3	10000	40000	1000	38559.25	-35.25	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=1@188




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	711.45	-42.02	-13
2	1000	10000	1000	4746.93	-35.01	-13
3	10000	40000	1000	38266.00	-34.85	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=180@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	808.74	-41.81	-13
2	1000	10000	1000	6003.78	-35.49	-13
3	10000	40000	1000	38900.50	-34.81	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	886.10	-41.54	-13
2	1000	10000	1000	9998.43	-35.19	-13
3	10000	40000	1000	38250.25	-34.90	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=1@216




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	928.58	-41.29	-13
2	1000	10000	1000	3952.90	-34.71	-13
3	10000	40000	1000	38663.50	-34.66	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	980.02	-41.86	-13
2	1000	10000	1000	3965.50	-35.20	-13
3	10000	40000	1000	38674.00	-34.63	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	813.69	-41.39	-13
2	1000	10000	1000	4805.88	-35.01	-13
3	10000	40000	1000	38622.25	-34.57	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=1@216




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	861.99	-41.40	-13
2	1000	10000	1000	4729.15	-35.26	-13
3	10000	40000	1000	38609.50	-34.59	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	808.76	-41.76	-13
2	1000	10000	1000	9864.33	-35.24	-13
3	10000	40000	1000	39246.25	-35.01	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	852.41	-41.32	-13
2	1000	10000	1000	5533.08	-35.45	-13
3	10000	40000	1000	38643.25	-35.17	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=1@216




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	906.56	-41.25	-13
2	1000	10000	1000	8834.28	-35.35	-13
3	10000	40000	1000	38923.75	-35.09	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	929.21	-41.61	-13
2	1000	10000	1000	4726.68	-35.23	-13
3	10000	40000	1000	38655.25	-33.37	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	271.14	-41.23	-13
2	1000	10000	1000	4787.20	-34.89	-13
3	10000	40000	1000	38638.00	-34.53	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=1@244




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	913.26	-41.76	-13
2	1000	10000	1000	4751.20	-34.32	-13
3	10000	40000	1000	38647.00	-34.38	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=243@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	898.71	-41.95	-13
2	1000	10000	1000	9848.80	-35.62	-13
3	10000	40000	1000	38637.25	-35.12	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	979.19	-41.50	-13
2	1000	10000	1000	7978.38	-35.13	-13
3	10000	40000	1000	38613.25	-34.82	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=1@244




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	773.43	-41.33	-13
2	1000	10000	1000	4749.18	-34.83	-13
3	10000	40000	1000	38950.00	-35.11	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=243@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	810.51	-41.54	-13
2	1000	10000	1000	4862.80	-34.92	-13
3	10000	40000	1000	38626.00	-34.71	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	869.05	-41.17	-13
2	1000	10000	1000	4757.05	-35.16	-13
3	10000	40000	1000	38608.00	-34.78	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=1@244




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	866.43	-41.46	-13
2	1000	10000	1000	3967.08	-34.39	-13
3	10000	40000	1000	38549.50	-34.87	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=243@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	938.62	-41.59	-13
2	1000	10000	1000	8805.03	-34.30	-13
3	10000	40000	1000	38263.75	-35.13	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=1@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	930.06	-41.10	-13
2	1000	10000	1000	3994.08	-34.70	-13
3	10000	40000	1000	39297.25	-35.32	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=1@272



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	842.25	-40.79	-13
2	1000	10000	1000	4001.95	-35.04	-13
3	10000	40000	1000	38646.25	-34.97	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=270@0

