






Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	836.85	-41.81	-13
2	1000	10000	1000	9938.80	-34.82	-13
3	10000	40000	1000	39457.75	-34.84	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=128@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	919.10	-41.16	-13
2	1000	10000	1000	4652.20	-35.04	-13
3	10000	40000	1000	38888.50	-34.81	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	797.92	-40.82	-13
2	1000	10000	1000	4884.85	-34.75	-13
3	10000	40000	1000	38639.50	-34.14	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	549.41	-42.01	-13
2	1000	10000	1000	4802.50	-34.09	-13
3	10000	40000	1000	36407.50	-34.57	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=128@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	435.97	-41.95	-13
2	1000	10000	1000	4757.28	-34.47	-13
3	10000	40000	1000	38586.25	-34.94	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	971.72	-42.14	-13
2	1000	10000	1000	4592.35	-34.97	-13
3	10000	40000	1000	38646.25	-34.65	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	849.50	-41.09	-13
2	1000	10000	1000	8240.28	-35.11	-13
3	10000	40000	1000	38260.75	-34.06	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=162@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	706.02	-41.20	-13
2	1000	10000	1000	5680.90	-35.59	-13
3	10000	40000	1000	38637.25	-34.62	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	703.76	-42.20	-13
2	1000	10000	1000	4741.08	-34.49	-13
3	10000	40000	1000	38583.25	-35.14	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=1@161




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	902.90	-41.24	-13
2	1000	10000	1000	8877.93	-34.80	-13
3	10000	40000	1000	38918.50	-35.42	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=162@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	883.14	-41.47	-13
2	1000	10000	1000	4776.63	-34.45	-13
3	10000	40000	1000	38653.75	-35.00	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	784.54	-41.44	-13
2	1000	10000	1000	3972.93	-34.34	-13
3	10000	40000	1000	38632.75	-34.14	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=1@161




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	732.84	-41.28	-13
2	1000	10000	1000	9673.53	-35.35	-13
3	10000	40000	1000	38264.50	-34.61	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=162@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	887.72	-40.70	-13
2	1000	10000	1000	4021.75	-34.90	-13
3	10000	40000	1000	38621.50	-34.33	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	849.26	-41.41	-13
2	1000	10000	1000	4755.03	-34.71	-13
3	10000	40000	1000	38242.00	-35.72	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=1@161




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	784.42	-41.65	-13
2	1000	10000	1000	3949.98	-35.17	-13
3	10000	40000	1000	39099.25	-35.45	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=180@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	865.36	-41.77	-13
2	1000	10000	1000	4756.60	-34.87	-13
3	10000	40000	1000	38614.75	-34.85	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	846.11	-41.65	-13
2	1000	10000	1000	3940.75	-33.99	-13
3	10000	40000	1000	38274.25	-34.79	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=1@188




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	836.41	-42.16	-13
2	1000	10000	1000	4782.48	-34.68	-13
3	10000	40000	1000	38256.25	-35.01	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=180@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	603.73	-41.86	-13
2	1000	10000	1000	9606.70	-34.40	-13
3	10000	40000	1000	39255.25	-34.47	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	726.02	-41.33	-13
2	1000	10000	1000	9993.03	-34.83	-13
3	10000	40000	1000	38266.00	-33.83	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=1@188




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	749.40	-41.65	-13
2	1000	10000	1000	4722.63	-34.52	-13
3	10000	40000	1000	38949.25	-34.71	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=180@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	846.38	-41.95	-13
2	1000	10000	1000	8788.38	-35.49	-13
3	10000	40000	1000	38911.00	-34.97	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	935.88	-41.13	-13
2	1000	10000	1000	4789.00	-34.53	-13
3	10000	40000	1000	38623.75	-34.29	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=1@188




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	791.47	-41.22	-13
2	1000	10000	1000	4833.33	-34.85	-13
3	10000	40000	1000	38219.50	-34.49	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	478.53	-41.77	-13
2	1000	10000	1000	8990.43	-35.01	-13
3	10000	40000	1000	38656.00	-34.61	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=1@216




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	810.66	-41.64	-13
2	1000	10000	1000	4543.75	-34.80	-13
3	10000	40000	1000	38338.00	-34.76	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	889.66	-40.71	-13
2	1000	10000	1000	9811.00	-34.24	-13
3	10000	40000	1000	38658.25	-35.30	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	746.27	-41.72	-13
2	1000	10000	1000	4781.80	-35.28	-13
3	10000	40000	1000	38659.00	-34.60	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=1@216




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	891.21	-41.61	-13
2	1000	10000	1000	3974.50	-33.98	-13
3	10000	40000	1000	39205.00	-35.04	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	816.99	-41.30	-13
2	1000	10000	1000	4716.78	-34.89	-13
3	10000	40000	1000	38699.50	-35.05	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	1000.00	-41.77	-13
2	1000	10000	1000	9313.98	-34.79	-13
3	10000	40000	1000	38351.50	-34.81	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=1@216




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	444.53	-42.10	-13
2	1000	10000	1000	8286.63	-34.96	-13
3	10000	40000	1000	38587.75	-34.60	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	903.80	-41.32	-13
2	1000	10000	1000	4720.38	-33.45	-13
3	10000	40000	1000	39088.00	-35.26	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	747.05	-42.20	-13
2	1000	10000	1000	8305.53	-35.07	-13
3	10000	40000	1000	38648.50	-34.97	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=1@244




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	889.06	-40.91	-13
2	1000	10000	1000	4776.40	-35.04	-13
3	10000	40000	1000	38595.25	-34.50	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=243@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	704.76	-41.67	-13
2	1000	10000	1000	4731.85	-34.10	-13
3	10000	40000	1000	38971.75	-34.62	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	906.66	-41.41	-13
2	1000	10000	1000	4753.00	-34.90	-13
3	10000	40000	1000	38884.75	-35.41	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=1@244




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	957.88	-41.02	-13
2	1000	10000	1000	3947.28	-35.50	-13
3	10000	40000	1000	38929.00	-34.40	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=243@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	835.78	-41.80	-13
2	1000	10000	1000	4760.88	-35.12	-13
3	10000	40000	1000	38969.50	-35.06	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=1@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	701.34	-41.55	-13
2	1000	10000	1000	4793.50	-35.15	-13
3	10000	40000	1000	38595.25	-35.13	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=1@244



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	751.61	-42.19	-13
2	1000	10000	1000	4005.55	-35.47	-13
3	10000	40000	1000	38633.50	-34.39	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=243@0

