






Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	831.92	-41.37	-13
2	1000	10000	1000	4718.35	-34.27	-13
3	10000	40000	1000	38248.75	-34.64	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=635332 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	762.67	-41.99	-13
2	1000	10000	1000	3989.13	-34.90	-13
3	10000	40000	1000	38272.00	-35.70	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=128@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	763.71	-41.43	-13
2	1000	10000	1000	4732.08	-34.97	-13
3	10000	40000	1000	38934.25	-34.06	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	818.15	-41.45	-13
2	1000	10000	1000	4788.33	-34.20	-13
3	10000	40000	1000	38652.25	-33.97	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	822.25	-41.40	-13
2	1000	10000	1000	3946.60	-34.48	-13
3	10000	40000	1000	38957.50	-34.35	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=128@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	594.73	-42.00	-13
2	1000	10000	1000	3935.13	-34.30	-13
3	10000	40000	1000	38641.00	-34.95	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	877.68	-42.06	-13
2	1000	10000	1000	4765.38	-34.90	-13
3	10000	40000	1000	38185.75	-35.45	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	731.99	-41.18	-13
2	1000	10000	1000	4723.53	-35.26	-13
3	10000	40000	1000	38266.00	-34.70	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=128@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	770.43	-40.96	-13
2	1000	10000	1000	4005.33	-35.39	-13
3	10000	40000	1000	38632.00	-34.68	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	769.77	-41.09	-13
2	1000	10000	1000	4768.30	-34.50	-13
3	10000	40000	1000	38589.25	-35.04	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	872.15	-41.50	-13
2	1000	10000	1000	4723.75	-34.50	-13
3	10000	40000	1000	38715.25	-35.15	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=162@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	741.47	-42.29	-13
2	1000	10000	1000	4873.38	-35.43	-13
3	10000	40000	1000	38615.50	-35.26	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	855.37	-41.78	-13
2	1000	10000	1000	4723.30	-34.71	-13
3	10000	40000	1000	39229.00	-34.89	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=1@161




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	827.97	-41.48	-13
2	1000	10000	1000	3936.70	-34.63	-13
3	10000	40000	1000	38670.25	-34.51	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=162@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	777.97	-41.55	-13
2	1000	10000	1000	4795.75	-34.23	-13
3	10000	40000	1000	38577.25	-35.01	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	817.91	-41.49	-13
2	1000	10000	1000	8785.00	-35.18	-13
3	10000	40000	1000	38647.00	-34.75	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=1@161




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	801.78	-41.52	-13
2	1000	10000	1000	4716.55	-33.98	-13
3	10000	40000	1000	38613.25	-35.34	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=162@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	566.00	-42.06	-13
2	1000	10000	1000	9834.18	-34.26	-13
3	10000	40000	1000	38951.50	-34.70	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	935.23	-41.04	-13
2	1000	10000	1000	4792.15	-34.86	-13
3	10000	40000	1000	38635.00	-35.08	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=1@161




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	718.14	-42.20	-13
2	1000	10000	1000	8878.83	-35.33	-13
3	10000	40000	1000	38663.50	-35.40	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=180@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	801.15	-40.96	-13
2	1000	10000	1000	3949.75	-35.17	-13
3	10000	40000	1000	38623.75	-34.22	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	900.50	-41.36	-13
2	1000	10000	1000	8544.03	-35.43	-13
3	10000	40000	1000	38918.50	-35.14	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=1@188




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	975.46	-41.96	-13
2	1000	10000	1000	9818.65	-34.87	-13
3	10000	40000	1000	38655.25	-34.61	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=180@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	650.63	-42.25	-13
2	1000	10000	1000	4741.75	-35.00	-13
3	10000	40000	1000	39312.25	-35.24	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	980.26	-41.86	-13
2	1000	10000	1000	8852.50	-34.96	-13
3	10000	40000	1000	39807.25	-35.33	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=1@188




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	762.59	-41.87	-13
2	1000	10000	1000	3946.38	-35.41	-13
3	10000	40000	1000	38611.00	-34.95	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=180@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	714.92	-41.57	-13
2	1000	10000	1000	4728.93	-35.36	-13
3	10000	40000	1000	38591.50	-34.62	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	589.33	-41.95	-13
2	1000	10000	1000	9767.80	-35.42	-13
3	10000	40000	1000	38679.25	-35.22	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=1@188




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	674.88	-41.52	-13
2	1000	10000	1000	4719.70	-34.54	-13
3	10000	40000	1000	38656.75	-33.63	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	951.02	-40.71	-13
2	1000	10000	1000	4702.38	-34.24	-13
3	10000	40000	1000	38950.00	-34.93	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=1@216




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	782.09	-41.33	-13
2	1000	10000	1000	4229.88	-35.22	-13
3	10000	40000	1000	38661.25	-34.71	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	610.84	-41.82	-13
2	1000	10000	1000	3982.38	-34.85	-13
3	10000	40000	1000	38654.50	-34.82	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	895.09	-41.58	-13
2	1000	10000	1000	4737.25	-34.80	-13
3	10000	40000	1000	38635.00	-35.40	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=1@216




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	871.72	-41.24	-13
2	1000	10000	1000	4757.50	-35.08	-13
3	10000	40000	1000	38635.75	-34.62	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	591.53	-41.94	-13
2	1000	10000	1000	9572.95	-34.22	-13
3	10000	40000	1000	38282.50	-35.11	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	766.84	-40.87	-13
2	1000	10000	1000	9555.63	-34.95	-13
3	10000	40000	1000	38270.50	-34.84	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=1@216




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	689.36	-41.39	-13
2	1000	10000	1000	5016.48	-35.38	-13
3	10000	40000	1000	39190.75	-35.09	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	936.47	-41.34	-13
2	1000	10000	1000	3980.58	-34.63	-13
3	10000	40000	1000	38643.25	-34.18	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	993.09	-41.47	-13
2	1000	10000	1000	4743.10	-35.04	-13
3	10000	40000	1000	38677.75	-34.98	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=1@244




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	856.05	-40.38	-13
2	1000	10000	1000	9975.03	-35.03	-13
3	10000	40000	1000	39226.75	-34.78	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=243@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	933.14	-42.00	-13
2	1000	10000	1000	6911.65	-34.85	-13
3	10000	40000	1000	38653.00	-34.98	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	693.24	-41.95	-13
2	1000	10000	1000	3971.80	-35.18	-13
3	10000	40000	1000	38594.50	-34.88	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=1@244




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	810.80	-41.93	-13
2	1000	10000	1000	4817.80	-35.52	-13
3	10000	40000	1000	38587.00	-35.36	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=243@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	999.05	-40.98	-13
2	1000	10000	1000	4822.98	-35.02	-13
3	10000	40000	1000	39768.25	-35.08	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=1@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	412.86	-42.44	-13
2	1000	10000	1000	4771.23	-35.53	-13
3	10000	40000	1000	38692.75	-35.04	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=1@244



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	843.27	-41.68	-13
2	1000	10000	1000	7367.50	-35.14	-13
3	10000	40000	1000	39305.50	-34.27	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=243@0

