







n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz HighChannel=635332 RB=100@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz HighChannel=635332 RB=1@105




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz LowChannel=631334 RB=100@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz LowChannel=631334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz HighChannel=635000 RB=128@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz HighChannel=635000 RB=1@132




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz LowChannel=631668 RB=128@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz LowChannel=631668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz HighChannel=634666 RB=162@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz HighChannel=634666 RB=1@161




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz LowChannel=632000 RB=162@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz LowChannel=632000 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz HighChannel=634332 RB=180@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz HighChannel=634332 RB=1@188




n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz LowChannel=632334 RB=180@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz LowChannel=632334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz HighChannel=634000 RB=1@216




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz HighChannel=634000 RB=216@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz LowChannel=632668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz LowChannel=632668 RB=216@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz HighChannel=633666 RB=1@244




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz HighChannel=633666 RB=243@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz LowChannel=633000 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz LowChannel=633000 RB=243@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz HighChannel=633334 RB=1@272




n78(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz HighChannel=633334 RB=270@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz LowChannel=633334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz LowChannel=633334 RB=270@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz HighChannel=636332 RB=1@23




n78(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz HighChannel=636332 RB=24@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz LowChannel=630334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz LowChannel=630334 RB=24@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz HighChannel=636166 RB=1@37




n78(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz HighChannel=636166 RB=36@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz LowChannel=630500 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz LowChannel=630500 RB=36@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz HighChannel=636000 RB=1@50




n78(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz HighChannel=636000 RB=50@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz LowChannel=630668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz LowChannel=630668 RB=50@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz HighChannel=635332 RB=100@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz HighChannel=635332 RB=1@105




n78(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz LowChannel=631334 RB=100@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz LowChannel=631334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz HighChannel=635000 RB=128@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz HighChannel=635000 RB=1@132




n78(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz LowChannel=631668 RB=128@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz LowChannel=631668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz HighChannel=634666 RB=162@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz HighChannel=634666 RB=1@161




n78(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz LowChannel=632000 RB=162@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz LowChannel=632000 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz HighChannel=634332 RB=180@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz HighChannel=634332 RB=1@188




n78(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz LowChannel=632334 RB=180@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz LowChannel=632334 RB=1@0



n78(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz HighChannel=634000 RB=1@216




n78(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz HighChannel=634000 RB=216@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz LowChannel=632668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz LowChannel=632668 RB=216@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz HighChannel=633666 RB=1@244



n78(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz HighChannel=633666 RB=243@0



n78(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz LowChannel=633000 RB=1@0



n78(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz LowChannel=633000 RB=243@0


5. Conducted Spurious Emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n78(3450-3550)	15	10	630334	1@0	DFT_BPSK	3402.33	-27.79	-13	PASS
n78(3450-3550)	15	10	630334	1@51	DFT_BPSK	3404.35	-31.35	-13	PASS
n78(3450-3550)	15	10	630334	50@0	DFT_BPSK	3382.08	-31.44	-13	PASS
n78(3450-3550)	15	10	633334	1@0	DFT_BPSK	3950.65	-34.41	-13	PASS
n78(3450-3550)	15	10	633334	1@51	DFT_BPSK	4715.43	-33.90	-13	PASS
n78(3450-3550)	15	10	633334	50@0	DFT_BPSK	3968.43	-33.99	-13	PASS
n78(3450-3550)	15	10	636332	1@0	DFT_BPSK	4827.48	-33.81	-13	PASS
n78(3450-3550)	15	10	636332	1@51	DFT_BPSK	4702.15	-34.15	-13	PASS
n78(3450-3550)	15	10	636332	50@0	DFT_BPSK	3592.45	-31.63	-13	PASS
n78(3450-3550)	15	15	630500	1@0	DFT_BPSK	3695.95	-33.79	-13	PASS
n78(3450-3550)	15	15	630500	1@78	DFT_BPSK	4723.53	-34.44	-13	PASS
n78(3450-3550)	15	15	630500	75@0	DFT_BPSK	4252.38	-33.51	-13	PASS
n78(3450-3550)	15	15	633334	1@0	DFT_BPSK	38682.25	-33.90	-13	PASS
n78(3450-3550)	15	15	633334	1@78	DFT_BPSK	4785.18	-34.31	-13	PASS
n78(3450-3550)	15	15	633334	75@0	DFT_BPSK	3912.85	-32.62	-13	PASS
n78(3450-3550)	15	15	636166	1@0	DFT_BPSK	4740.40	-33.20	-13	PASS
n78(3450-3550)	15	15	636166	1@78	DFT_BPSK	3652.98	-31.07	-13	PASS
n78(3450-3550)	15	15	636166	75@0	DFT_BPSK	4746.25	-34.06	-13	PASS
n78(3450-3550)	15	20	630668	1@0	DFT_BPSK	3696.18	-34.02	-13	PASS
n78(3450-3550)	15	20	630668	1@105	DFT_BPSK	39226.75	-34.61	-13	PASS
n78(3450-3550)	15	20	630668	100@0	DFT_BPSK	4721.95	-34.02	-13	PASS
n78(3450-3550)	15	20	633334	1@0	DFT_BPSK	3736.23	-34.28	-13	PASS
n78(3450-3550)	15	20	633334	1@105	DFT_BPSK	3941.88	-34.38	-13	PASS
n78(3450-3550)	15	20	633334	100@0	DFT_BPSK	8264.35	-34.09	-13	PASS
n78(3450-3550)	15	20	636000	1@0	DFT_BPSK	4019.28	-34.08	-13	PASS
n78(3450-3550)	15	20	636000	1@105	DFT_BPSK	3795.18	-33.88	-13	PASS
n78(3450-3550)	15	20	636000	100@0	DFT_BPSK	9653.95	-33.90	-13	PASS
n78(3450-3550)	15	40	631334	1@0	DFT_BPSK	38659.75	-33.72	-13	PASS
n78(3450-3550)	15	40	631334	1@215	DFT_BPSK	7823.80	-34.22	-13	PASS
n78(3450-3550)	15	40	631334	216@0	DFT_BPSK	9806.50	-34.41	-13	PASS
n78(3450-3550)	15	40	633334	1@0	DFT_BPSK	38613.25	-33.53	-13	PASS
n78(3450-3550)	15	40	633334	1@215	DFT_BPSK	4723.30	-34.31	-13	PASS
n78(3450-3550)	15	40	633334	216@0	DFT_BPSK	38650.00	-34.02	-13	PASS
n78(3450-3550)	15	40	635332	1@0	DFT_BPSK	8270.20	-34.14	-13	PASS
n78(3450-3550)	15	40	635332	1@215	DFT_BPSK	4039.98	-34.19	-13	PASS
n78(3450-3550)	15	40	635332	216@0	DFT_BPSK	3922.75	-33.79	-13	PASS
n78(3450-3550)	15	50	631668	1@0	DFT_BPSK	3942.78	-33.25	-13	PASS
n78(3450-3550)	15	50	631668	1@269	DFT_BPSK	8010.10	-34.02	-13	PASS

n78(3450-3550)	15	50	631668	270@0	DFT_BPSK	38625.25	-34.18	-13	PASS
n78(3450-3550)	15	50	633334	1@0	DFT_BPSK	8769.70	-34.33	-13	PASS
n78(3450-3550)	15	50	633334	1@269	DFT_BPSK	38557.00	-33.41	-13	PASS
n78(3450-3550)	15	50	633334	270@0	DFT_BPSK	4796.43	-33.80	-13	PASS
n78(3450-3550)	15	50	635000	1@0	DFT_BPSK	3954.03	-33.59	-13	PASS
n78(3450-3550)	15	50	635000	1@269	DFT_BPSK	4040.43	-33.88	-13	PASS
n78(3450-3550)	15	50	635000	270@0	DFT_BPSK	3901.60	-34.49	-13	PASS
n78(3450-3550)	30	10	630334	1@0	DFT_BPSK	3403.68	-25.32	-13	PASS
n78(3450-3550)	30	10	630334	1@23	DFT_BPSK	4732.75	-33.86	-13	PASS
n78(3450-3550)	30	10	630334	24@0	DFT_BPSK	38941.75	-34.44	-13	PASS
n78(3450-3550)	30	10	633334	1@0	DFT_BPSK	3592.00	-32.43	-13	PASS
n78(3450-3550)	30	10	633334	1@23	DFT_BPSK	3399.18	-32.66	-13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_BPSK	4776.18	-33.73	-13	PASS
n78(3450-3550)	30	10	636332	1@0	DFT_BPSK	3609.10	-28.49	-13	PASS
n78(3450-3550)	30	10	636332	1@23	DFT_BPSK	9770.95	-34.17	-13	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_BPSK	3615.85	-31.49	-13	PASS
n78(3450-3550)	30	15	630500	1@0	DFT_BPSK	3382.75	-28.53	-13	PASS
n78(3450-3550)	30	15	630500	1@37	DFT_BPSK	9611.65	-34.17	-13	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_BPSK	38671.75	-34.00	-13	PASS
n78(3450-3550)	30	15	633334	1@0	DFT_BPSK	3384.55	-32.82	-13	PASS
n78(3450-3550)	30	15	633334	1@37	DFT_BPSK	38620.75	-34.24	-13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_BPSK	4718.58	-34.17	-13	PASS
n78(3450-3550)	30	15	636166	1@0	DFT_BPSK	3633.85	-32.28	-13	PASS
n78(3450-3550)	30	15	636166	1@37	DFT_BPSK	3650.73	-29.83	-13	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_BPSK	3630.70	-29.38	-13	PASS
n78(3450-3550)	30	20	630668	1@0	DFT_BPSK	38253.25	-33.81	-13	PASS
n78(3450-3550)	30	20	630668	1@50	DFT_BPSK	3350.58	-32.92	-13	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_BPSK	38647.00	-33.89	-13	PASS
n78(3450-3550)	30	20	633334	1@0	DFT_BPSK	3345.63	-32.81	-13	PASS
n78(3450-3550)	30	20	633334	1@50	DFT_BPSK	3754.90	-34.07	-13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_BPSK	38600.50	-33.82	-13	PASS
n78(3450-3550)	30	20	636000	1@0	DFT_BPSK	3636.55	-33.47	-13	PASS
n78(3450-3550)	30	20	636000	1@50	DFT_BPSK	3659.95	-29.44	-13	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_BPSK	3668.73	-34.14	-13	PASS
n78(3450-3550)	30	40	631334	1@0	DFT_BPSK	9763.30	-33.26	-13	PASS
n78(3450-3550)	30	40	631334	1@105	DFT_BPSK	9557.43	-33.53	-13	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_BPSK	4006.45	-34.40	-13	PASS
n78(3450-3550)	30	40	633334	1@0	DFT_BPSK	4001.50	-34.49	-13	PASS
n78(3450-3550)	30	40	633334	1@105	DFT_BPSK	8203.38	-34.65	-13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_BPSK	38641.00	-34.60	-13	PASS
n78(3450-3550)	30	40	635332	1@0	DFT_BPSK	4808.80	-34.00	-13	PASS
n78(3450-3550)	30	40	635332	1@105	DFT_BPSK	3951.33	-33.74	-13	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_BPSK	3947.50	-32.85	-13	PASS


n78(3450-3550)	30	50	631668	1@0	DFT_BPSK	3918.93	-34.14	-13	PASS
n78(3450-3550)	30	50	631668	1@132	DFT_BPSK	3990.48	-34.18	-13	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_BPSK	4235.95	-33.90	-13	PASS
n78(3450-3550)	30	50	633334	1@0	DFT_BPSK	4731.40	-34.10	-13	PASS
n78(3450-3550)	30	50	633334	1@132	DFT_BPSK	9122.73	-34.45	-13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_BPSK	38634.25	-34.12	-13	PASS
n78(3450-3550)	30	50	635000	1@0	DFT_BPSK	38251.75	-34.13	-13	PASS
n78(3450-3550)	30	50	635000	1@132	DFT_BPSK	4039.98	-33.01	-13	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_BPSK	8845.30	-33.74	-13	PASS
n78(3450-3550)	30	60	632000	1@0	DFT_BPSK	38659.75	-34.13	-13	PASS
n78(3450-3550)	30	60	632000	1@161	DFT_BPSK	38646.25	-34.19	-13	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_BPSK	9851.05	-34.31	-13	PASS
n78(3450-3550)	30	60	633334	1@0	DFT_BPSK	8820.10	-34.35	-13	PASS
n78(3450-3550)	30	60	633334	1@161	DFT_BPSK	4197.70	-34.29	-13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_BPSK	4718.35	-32.57	-13	PASS
n78(3450-3550)	30	60	634666	1@0	DFT_BPSK	38261.50	-33.91	-13	PASS
n78(3450-3550)	30	60	634666	1@161	DFT_BPSK	38256.25	-33.69	-13	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_BPSK	3859.75	-33.78	-13	PASS
n78(3450-3550)	30	70	632334	1@0	DFT_BPSK	4729.15	-33.92	-13	PASS
n78(3450-3550)	30	70	632334	1@188	DFT_BPSK	39214.00	-34.02	-13	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_BPSK	9306.55	-33.58	-13	PASS
n78(3450-3550)	30	70	633334	1@0	DFT_BPSK	4734.33	-34.01	-13	PASS
n78(3450-3550)	30	70	633334	1@188	DFT_BPSK	9668.13	-34.35	-13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_BPSK	7844.28	-34.21	-13	PASS
n78(3450-3550)	30	70	634332	1@0	DFT_BPSK	9003.48	-34.48	-13	PASS
n78(3450-3550)	30	70	634332	1@188	DFT_BPSK	38984.50	-34.39	-13	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_BPSK	38605.00	-33.95	-13	PASS
n78(3450-3550)	30	80	632668	1@0	DFT_BPSK	3940.75	-34.09	-13	PASS
n78(3450-3550)	30	80	632668	1@216	DFT_BPSK	4721.28	-33.33	-13	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_BPSK	8319.70	-34.71	-13	PASS
n78(3450-3550)	30	80	633334	1@0	DFT_BPSK	38642.50	-33.85	-13	PASS
n78(3450-3550)	30	80	633334	1@216	DFT_BPSK	9027.78	-33.76	-13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_BPSK	5027.95	-33.98	-13	PASS
n78(3450-3550)	30	80	634000	1@0	DFT_BPSK	4725.33	-32.29	-13	PASS
n78(3450-3550)	30	80	634000	1@216	DFT_BPSK	4792.83	-34.57	-13	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_BPSK	38914.75	-33.05	-13	PASS
n78(3450-3550)	30	90	633000	1@0	DFT_BPSK	38611.75	-34.15	-13	PASS
n78(3450-3550)	30	90	633000	1@244	DFT_BPSK	8060.73	-34.67	-13	PASS
n78(3450-3550)	30	90	633000	243@0	DFT_BPSK	3967.53	-33.46	-13	PASS
n78(3450-3550)	30	90	633334	1@0	DFT_BPSK	4779.78	-34.17	-13	PASS
n78(3450-3550)	30	90	633334	1@244	DFT_BPSK	38263.75	-33.82	-13	PASS
n78(3450-3550)	30	90	633334	243@0	DFT_BPSK	9957.93	-34.27	-13	PASS
n78(3450-3550)	30	90	633666	1@0	DFT_BPSK	3916.45	-33.98	-13	PASS

n78(3450-3550)	30	90	633666	1@244	DFT_BPSK	9005.05	-34.18	-13	PASS
n78(3450-3550)	30	90	633666	243@0	DFT_BPSK	8256.25	-34.32	-13	PASS
n78(3450-3550)	30	100	633334	1@0	DFT_BPSK	4772.13	-34.02	-13	PASS
n78(3450-3550)	30	100	633334	1@272	DFT_BPSK	4786.08	-34.16	-13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_BPSK	9645.85	-34.05	-13	PASS




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	857.80	-40.89	-13
2	1000	10000	1000	3402.33	-27.79	-13
3	10000	40000	1000	38669.50	-34.03	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=630334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	587.10	-40.92	-13
2	1000	10000	1000	3404.35	-31.35	-13
3	10000	40000	1000	38658.25	-33.94	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=630334 RB=1@51




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	565.44	-41.17	-13
2	1000	10000	1000	3382.08	-31.44	-13
3	10000	40000	1000	38931.25	-35.36	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=630334 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	984.50	-40.42	-13
2	1000	10000	1000	3950.65	-34.41	-13
3	10000	40000	1000	38634.25	-34.58	-13


n78(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=633334 RB=1@0



n78(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=633334 RB=1@51




n78(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=633334 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	972.84	-39.97	-13
2	1000	10000	1000	4827.48	-33.81	-13
3	10000	40000	1000	38595.25	-34.46	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=636332 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	859.62	-39.59	-13
2	1000	10000	1000	4702.15	-34.15	-13
3	10000	40000	1000	38329.75	-34.84	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=636332 RB=1@51




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	757.14	-40.56	-13
2	1000	10000	1000	3592.45	-31.63	-13
3	10000	40000	1000	38555.50	-34.16	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=636332 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	957.76	-41.04	-13
2	1000	10000	1000	3695.95	-33.79	-13
3	10000	40000	1000	38656.75	-34.01	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=630500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	797.27	-40.94	-13
2	1000	10000	1000	4723.53	-34.44	-13
3	10000	40000	1000	38660.50	-35.12	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=630500 RB=1@78




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	958.02	-40.24	-13
2	1000	10000	1000	4252.38	-33.51	-13
3	10000	40000	1000	38620.75	-34.04	-13


n78(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=630500 RB=75@0



n78(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=633334 RB=1@0




n78(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=633334 RB=1@78




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	954.73	-41.07	-13
2	1000	10000	1000	3912.85	-32.62	-13
3	10000	40000	1000	39811.75	-34.90	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=633334 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	918.18	-40.45	-13
2	1000	10000	1000	4740.40	-33.20	-13
3	10000	40000	1000	38611.00	-34.38	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=636166 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	785.22	-40.61	-13
2	1000	10000	1000	3652.98	-31.07	-13
3	10000	40000	1000	36406.00	-35.16	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=636166 RB=1@78




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	740.82	-41.13	-13
2	1000	10000	1000	4746.25	-34.06	-13
3	10000	40000	1000	38627.50	-34.55	-13


n78(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=636166 RB=75@0



n78(3450-3550) SCS=15kHz DFT_BPSK BW=20MHz Channel=630668 RB=100@0




n78(3450-3550) SCS=15kHz DFT_BPSK BW=20MHz Channel=630668 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	736.67	-41.25	-13
2	1000	10000	1000	9991.00	-34.72	-13
3	10000	40000	1000	39226.75	-34.61	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=20MHz Channel=630668 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	879.31	-40.57	-13
2	1000	10000	1000	8264.35	-34.09	-13
3	10000	40000	1000	38667.25	-35.34	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=20MHz Channel=633334 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	917.48	-41.08	-13
2	1000	10000	1000	3736.23	-34.28	-13
3	10000	40000	1000	38641.00	-34.56	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=20MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	737.91	-40.70	-13
2	1000	10000	1000	3941.88	-34.38	-13
3	10000	40000	1000	39223.75	-34.68	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=20MHz Channel=633334 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	807.26	-40.33	-13
2	1000	10000	1000	9653.95	-33.90	-13
3	10000	40000	1000	38620.00	-34.47	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=20MHz Channel=636000 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	849.84	-40.98	-13
2	1000	10000	1000	4019.28	-34.08	-13
3	10000	40000	1000	39241.75	-34.68	-13


n78(3450-3550) SCS=15kHz DFT_BPSK BW=20MHz Channel=636000 RB=1@0



n78(3450-3550) SCS=15kHz DFT_BPSK BW=20MHz Channel=636000 RB=1@105




n78(3450-3550) SCS=15kHz DFT_BPSK BW=40MHz Channel=631334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	809.42	-40.65	-13
2	1000	10000	1000	7823.80	-34.22	-13
3	10000	40000	1000	38644.00	-35.10	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=40MHz Channel=631334 RB=1@215




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	882.12	-40.52	-13
2	1000	10000	1000	9806.50	-34.41	-13
3	10000	40000	1000	38618.50	-34.44	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=40MHz Channel=631334 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	851.37	-40.91	-13
2	1000	10000	1000	9722.35	-34.35	-13
3	10000	40000	1000	38613.25	-33.53	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=40MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	888.43	-40.54	-13
2	1000	10000	1000	4723.30	-34.31	-13
3	10000	40000	1000	38973.25	-34.97	-13


n78(3450-3550) SCS=15kHz DFT_BPSK BW=40MHz Channel=633334 RB=1@215




n78(3450-3550) SCS=15kHz DFT_BPSK BW=40MHz Channel=633334 RB=216@0




n78(3450-3550) SCS=15kHz DFT_BPSK BW=40MHz Channel=635332 RB=1@0



n78(3450-3550) SCS=15kHz DFT_BPSK BW=40MHz Channel=635332 RB=1@215




n78(3450-3550) SCS=15kHz DFT_BPSK BW=40MHz Channel=635332 RB=216@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	787.57	-39.89	-13
2	1000	10000	1000	3942.78	-33.25	-13
3	10000	40000	1000	38665.00	-34.99	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=631668 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	892.04	-40.54	-13
2	1000	10000	1000	8010.10	-34.02	-13
3	10000	40000	1000	38641.00	-34.76	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=631668 RB=1@269




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	875.77	-41.04	-13
2	1000	10000	1000	9714.48	-34.32	-13
3	10000	40000	1000	38625.25	-34.18	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=631668 RB=270@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	737.20	-39.88	-13
2	1000	10000	1000	8769.70	-34.33	-13
3	10000	40000	1000	39250.75	-34.48	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	705.61	-41.50	-13
2	1000	10000	1000	4752.55	-33.81	-13
3	10000	40000	1000	38557.00	-33.41	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=633334 RB=1@269




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	824.33	-40.40	-13
2	1000	10000	1000	4796.43	-33.80	-13
3	10000	40000	1000	39215.50	-34.57	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=633334 RB=270@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	867.28	-40.40	-13
2	1000	10000	1000	3954.03	-33.59	-13
3	10000	40000	1000	38911.00	-34.10	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	765.24	-41.23	-13
2	1000	10000	1000	4040.43	-33.88	-13
3	10000	40000	1000	38590.00	-34.55	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@269




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	969.59	-39.93	-13
2	1000	10000	1000	3901.60	-34.49	-13
3	10000	40000	1000	38698.75	-34.63	-13

n78(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=635000 RB=270@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	521.40	-41.10	-13
2	1000	10000	1000	4772.13	-34.02	-13
3	10000	40000	1000	39271.00	-34.79	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	661.01	-40.76	-13
2	1000	10000	1000	4786.08	-34.16	-13
3	10000	40000	1000	38619.25	-34.97	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=1@272




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	427.34	-41.00	-13
2	1000	10000	1000	9645.85	-34.05	-13
3	10000	40000	1000	38653.00	-34.90	-13


n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=270@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=1@23




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	981.86	-40.92	-13
2	1000	10000	1000	7268.28	-34.69	-13
3	10000	40000	1000	38941.75	-34.44	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=24@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	988.07	-40.05	-13
2	1000	10000	1000	3592.00	-32.43	-13
3	10000	40000	1000	38609.50	-34.58	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	792.49	-40.92	-13
2	1000	10000	1000	3399.18	-32.66	-13
3	10000	40000	1000	38666.50	-34.50	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=1@23




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	952.91	-41.03	-13
2	1000	10000	1000	4776.18	-33.73	-13
3	10000	40000	1000	39763.75	-34.97	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=24@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	876.01	-39.31	-13
2	1000	10000	1000	3609.10	-28.49	-13
3	10000	40000	1000	38605.00	-34.28	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	847.83	-41.28	-13
2	1000	10000	1000	9770.95	-34.17	-13
3	10000	40000	1000	38620.75	-34.21	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=1@23




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	726.75	-40.72	-13
2	1000	10000	1000	3615.85	-31.49	-13
3	10000	40000	1000	38279.50	-34.86	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=24@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	863.28	-40.38	-13
2	1000	10000	1000	3382.75	-28.53	-13
3	10000	40000	1000	38662.75	-34.94	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	896.82	-40.22	-13
2	1000	10000	1000	9611.65	-34.17	-13
3	10000	40000	1000	38677.00	-34.91	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=1@37




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	767.93	-40.97	-13
2	1000	10000	1000	9500.95	-34.64	-13
3	10000	40000	1000	38671.75	-34.00	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=36@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	984.92	-41.11	-13
2	1000	10000	1000	3384.55	-32.82	-13
3	10000	40000	1000	38350.00	-34.38	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	914.06	-40.83	-13
2	1000	10000	1000	3354.40	-34.45	-13
3	10000	40000	1000	38620.75	-34.24	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=1@37



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	914.35	-40.67	-13
2	1000	10000	1000	4718.58	-34.17	-13
3	10000	40000	1000	39263.50	-34.54	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=36@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	987.66	-39.89	-13
2	1000	10000	1000	3633.85	-32.28	-13
3	10000	40000	1000	38626.75	-34.41	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=636166 RB=1@0