



Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	On Time (ms)	Period (ms)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)	Max Variation (%)
NVNT	a	5745	Ant1	1.398	1.496	93.45	0.29	0.72	0.22
NVNT	a	5785	Ant1	1.396	1.494	93.44	0.29	0.72	0.19
NVNT	a	5825	Ant1	1.396	1.494	93.44	0.29	0.72	0.19
NVNT	a	5745	Ant2	1.398	1.494	93.57	0.29	0.72	0.19
NVNT	a	5785	Ant2	1.398	1.496	93.45	0.29	0.72	0.20
NVNT	a	5825	Ant2	1.398	1.494	93.57	0.29	0.72	0.21
NVNT	n20	5745	MIMO	1.31	1.41	92.91	0.32	0.76	0.20
NVNT	n20	5785	MIMO	1.31	1.405	93.24	0.3	0.76	0.19
NVNT	n20	5825	MIMO	1.31	1.41	92.91	0.32	0.76	0.16
NVNT	n40	5755	MIMO	0.651	0.747	87.15	0.6	1.54	0.15
NVNT	n40	5795	MIMO	0.648	0.747	86.75	0.62	1.54	0.15
NVNT	ac20	5745	MIMO	1.315	1.415	92.93	0.32	0.76	0.20
NVNT	ac20	5785	MIMO	1.315	1.415	92.93	0.32	0.76	0.21
NVNT	ac20	5825	MIMO	1.315	1.415	92.93	0.32	0.76	0.21
NVNT	ac40	5755	MIMO	0.656	0.754	87	0.6	1.52	0.22
NVNT	ac40	5795	MIMO	0.658	0.756	87.04	0.6	1.52	0.18
NVNT	ac80	5775	MIMO	0.326	0.44	74.09	1.3	3.07	0.20
NVNT	ax20	5745	MIMO	1.025	1.12	91.52	0.38	0.98	0.18
NVNT	ax20	5785	MIMO	1.02	1.12	91.07	0.41	0.98	0.19
NVNT	ax20	5825	MIMO	1.02	1.12	91.07	0.41	0.98	0.18
NVNT	ax40	5755	MIMO	0.543	0.639	84.98	0.71	1.84	0.20
NVNT	ax40	5795	MIMO	0.543	0.642	84.58	0.73	1.84	0.16
NVNT	ax80	5775	MIMO	0.292	0.396	73.74	1.32	3.42	0.16


Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT a 5745MHz Ant2




Duty Cycle NVNT n20 5745MHz MIMO




Duty Cycle NVNT n20 5785MHz MIMO



Duty Cycle NVNT n20 5825MHz MIMO




Duty Cycle NVNT n40 5755MHz MIMO





Duty Cycle NVNT n40 5795MHz MIMO




Duty Cycle NVNT ac20 5745MHz MIMO




Duty Cycle NVNT ac40 5755MHz MIMO

[illegible]


Duty Cycle NVNT ac80 5775MHz MIMO




Duty Cycle NVNT ax20 5745MHz MIMO




Duty Cycle NVNT ax20 5785MHz MIMO



Duty Cycle NVNT ax20 5825MHz MIMO



Duty Cycle NVNT ax80 5775MHz MIMO




Maximum Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	11.29	0.29	11.58	<=30	Pass
NVNT	a	5785	Ant1	11.23	0.29	11.52	<=30	Pass
NVNT	a	5825	Ant1	10.92	0.29	11.21	<=30	Pass
NVNT	a	5745	Ant2	12.65	0.29	12.94	<=30	Pass
NVNT	a	5785	Ant2	12.49	0.29	12.78	<=30	Pass
NVNT	a	5825	Ant2	12.23	0.29	12.52	<=30	Pass
NVNT	n20	5745	Ant1	10.7	0.32	11.02	<=30	Pass
NVNT	n20	5745	Ant2	11.58	0.32	11.9	<=30	Pass
NVNT	n20	5745	MIMO	-	-	14.49	<=30	Pass
NVNT	n20	5785	Ant1	9.69	0.3	9.99	<=30	Pass
NVNT	n20	5785	Ant2	11.57	0.3	11.87	<=30	Pass
NVNT	n20	5785	MIMO	-	-	14.04	<=30	Pass
NVNT	n20	5825	Ant1	9.71	0.32	10.03	<=30	Pass
NVNT	n20	5825	Ant2	11.22	0.32	11.54	<=30	Pass
NVNT	n20	5825	MIMO	-	-	13.86	<=30	Pass
NVNT	n40	5755	Ant1	9.95	0.6	10.55	<=30	Pass
NVNT	n40	5755	Ant2	10.6	0.6	11.2	<=30	Pass
NVNT	n40	5755	MIMO	-	-	13.9	<=30	Pass
NVNT	n40	5795	Ant1	9.65	0.62	10.27	<=30	Pass
NVNT	n40	5795	Ant2	10.77	0.62	11.39	<=30	Pass
NVNT	n40	5795	MIMO	-	-	13.88	<=30	Pass
NVNT	ac20	5745	Ant1	9.83	0.32	10.15	<=30	Pass
NVNT	ac20	5745	Ant2	11.28	0.32	11.6	<=30	Pass
NVNT	ac20	5745	MIMO	-	-	13.95	<=30	Pass
NVNT	ac20	5785	Ant1	9.11	0.32	9.43	<=30	Pass
NVNT	ac20	5785	Ant2	11.08	0.32	11.4	<=30	Pass
NVNT	ac20	5785	MIMO	-	-	13.54	<=30	Pass
NVNT	ac20	5825	Ant1	9.83	0.32	10.15	<=30	Pass
NVNT	ac20	5825	Ant2	10.8	0.32	11.12	<=30	Pass
NVNT	ac20	5825	MIMO	-	-	13.67	<=30	Pass
NVNT	ac40	5755	Ant1	9.75	0.6	10.35	<=30	Pass
NVNT	ac40	5755	Ant2	11.16	0.6	11.76	<=30	Pass
NVNT	ac40	5755	MIMO	-	-	14.12	<=30	Pass
NVNT	ac40	5795	Ant1	9.51	0.6	10.11	<=30	Pass
NVNT	ac40	5795	Ant2	10.99	0.6	11.59	<=30	Pass
NVNT	ac40	5795	MIMO	-	-	13.92	<=30	Pass
NVNT	ac80	5775	Ant1	9.11	1.3	10.41	<=30	Pass
NVNT	ac80	5775	Ant2	10.2	1.3	11.5	<=30	Pass
NVNT	ac80	5775	MIMO	-	-	14	<=30	Pass
NVNT	ax20	5745	Ant1	8.86	0.38	9.24	<=30	Pass


NVNT	ax20	5745	Ant2	9.2	0.38	9.58	<=30	Pass
NVNT	ax20	5745	MIMO	-	-	12.42	<=30	Pass
NVNT	ax20	5785	Ant1	9.16	0.41	9.57	<=30	Pass
NVNT	ax20	5785	Ant2	11.29	0.41	11.7	<=30	Pass
NVNT	ax20	5785	MIMO	-	-	13.77	<=30	Pass
NVNT	ax20	5825	Ant1	8.92	0.41	9.33	<=30	Pass
NVNT	ax20	5825	Ant2	9.74	0.41	10.15	<=30	Pass
NVNT	ax20	5825	MIMO	-	-	12.77	<=30	Pass
NVNT	ax40	5755	Ant1	10.32	0.71	11.03	<=30	Pass
NVNT	ax40	5755	Ant2	11.18	0.71	11.89	<=30	Pass
NVNT	ax40	5755	MIMO	-	-	14.49	<=30	Pass
NVNT	ax40	5795	Ant1	9.53	0.73	10.26	<=30	Pass
NVNT	ax40	5795	Ant2	10.69	0.73	11.42	<=30	Pass
NVNT	ax40	5795	MIMO	-	-	13.89	<=30	Pass
NVNT	ax80	5775	Ant1	9.28	1.32	10.6	<=30	Pass
NVNT	ax80	5775	Ant2	10.57	1.32	11.89	<=30	Pass
NVNT	ax80	5775	MIMO	-	-	14.3	<=30	Pass

Test Graphs


Power NVNT a 5745MHz Ant1




Power NVNT a 5785MHz Ant1



Power NVNT a 5825MHz Ant1



Power NVNT a 5745MHz Ant2



Power NVNT a 5785MHz Ant2



Power NVNT a 5825MHz Ant2



Power NVNT n20 5745MHz Ant1



Power NVNT n20 5745MHz Ant2



Power NVNT n20 5785MHz Ant1



Power NVNT n20 5785MHz Ant2



Power NVNT n20 5825MHz Ant1



Power NVNT n20 5825MHz Ant2



Power NVNT n40 5755MHz Ant1



Power NVNT n40 5755MHz Ant2



Power NVNT n40 5795MHz Ant1



Power NVNT n40 5795MHz Ant2



Power NVNT ac20 5745MHz Ant1



Power NVNT ac20 5745MHz Ant2




Power NVNT ac20 5785MHz Ant1



Power NVNT ac20 5785MHz Ant2




Power NVNT ac20 5825MHz Ant1



Power NVNT ac20 5825MHz Ant2



Power NVNT ac40 5755MHz Ant1



Power NVNT ac40 5755MHz Ant2



Power NVNT ac40 5795MHz Ant1



Power NVNT ac40 5795MHz Ant2



Power NVNT ac80 5775MHz Ant1



Power NVNT ac80 5775MHz Ant2



Power NVNT ax20 5745MHz Ant1



Power NVNT ax20 5745MHz Ant2



Power NVNT ax20 5785MHz Ant1



Power NVNT ax20 5785MHz Ant2




Power NVNT ax20 5825MHz Ant1



Power NVNT ax20 5825MHz Ant2




Power NVNT ax40 5755MHz Ant1



Power NVNT ax40 5755MHz Ant2



Power NVNT ax40 5795MHz Ant1



Power NVNT ax40 5795MHz Ant2



Power NVNT ax80 5775MHz Ant1



Power NVNT ax80 5775MHz Ant2




-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.3	≥ 0.5	Pass
NVNT	a	5785	Ant1	16.29	≥ 0.5	Pass
NVNT	a	5825	Ant1	16.04	≥ 0.5	Pass
NVNT	a	5745	Ant2	16.32	≥ 0.5	Pass
NVNT	a	5785	Ant2	16.29	≥ 0.5	Pass
NVNT	a	5825	Ant2	16.31	≥ 0.5	Pass
NVNT	n20	5745	Ant1	17.52	≥ 0.5	Pass
NVNT	n20	5745	Ant2	17.57	≥ 0.5	Pass
NVNT	n20	5785	Ant1	17.01	≥ 0.5	Pass
NVNT	n20	5785	Ant2	17.57	≥ 0.5	Pass
NVNT	n20	5825	Ant1	17.14	≥ 0.5	Pass
NVNT	n20	5825	Ant2	17.53	≥ 0.5	Pass
NVNT	n40	5755	Ant1	36.32	≥ 0.5	Pass
NVNT	n40	5755	Ant2	36.11	≥ 0.5	Pass
NVNT	n40	5795	Ant1	35.47	≥ 0.5	Pass
NVNT	n40	5795	Ant2	36.32	≥ 0.5	Pass
NVNT	ac20	5745	Ant1	17.08	≥ 0.5	Pass
NVNT	ac20	5745	Ant2	17.58	≥ 0.5	Pass
NVNT	ac20	5785	Ant1	17.32	≥ 0.5	Pass
NVNT	ac20	5785	Ant2	17.57	≥ 0.5	Pass
NVNT	ac20	5825	Ant1	17.13	≥ 0.5	Pass
NVNT	ac20	5825	Ant2	17.58	≥ 0.5	Pass
NVNT	ac40	5755	Ant1	36.31	≥ 0.5	Pass
NVNT	ac40	5755	Ant2	36.3	≥ 0.5	Pass
NVNT	ac40	5795	Ant1	35.06	≥ 0.5	Pass
NVNT	ac40	5795	Ant2	36.3	≥ 0.5	Pass
NVNT	ac80	5775	Ant1	75.79	≥ 0.5	Pass
NVNT	ac80	5775	Ant2	76.3	≥ 0.5	Pass
NVNT	ax20	5745	Ant1	17.9	≥ 0.5	Pass
NVNT	ax20	5745	Ant2	17.25	≥ 0.5	Pass
NVNT	ax20	5785	Ant1	17.13	≥ 0.5	Pass
NVNT	ax20	5785	Ant2	15.67	≥ 0.5	Pass
NVNT	ax20	5825	Ant1	18.21	≥ 0.5	Pass
NVNT	ax20	5825	Ant2	16.64	≥ 0.5	Pass
NVNT	ax40	5755	Ant1	37.59	≥ 0.5	Pass
NVNT	ax40	5755	Ant2	37.06	≥ 0.5	Pass
NVNT	ax40	5795	Ant1	37.3	≥ 0.5	Pass
NVNT	ax40	5795	Ant2	36.69	≥ 0.5	Pass
NVNT	ax80	5775	Ant1	76.94	≥ 0.5	Pass
NVNT	ax80	5775	Ant2	75.96	≥ 0.5	Pass

Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1



-6dB Bandwidth NVNT a 5785MHz Ant1



-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT a 5745MHz Ant2



-6dB Bandwidth NVNT a 5785MHz Ant2



-6dB Bandwidth NVNT a 5825MHz Ant2



-6dB Bandwidth NVNT n20 5745MHz Ant1



-6dB Bandwidth NVNT n20 5745MHz Ant2



-6dB Bandwidth NVNT n20 5785MHz Ant1



-6dB Bandwidth NVNT n20 5785MHz Ant2



-6dB Bandwidth NVNT n20 5825MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant2



-6dB Bandwidth NVNT n40 5755MHz Ant1



-6dB Bandwidth NVNT n40 5755MHz Ant2



-6dB Bandwidth NVNT n40 5795MHz Ant1



-6dB Bandwidth NVNT n40 5795MHz Ant2



-6dB Bandwidth NVNT ac20 5745MHz Ant1



-6dB Bandwidth NVNT ac20 5745MHz Ant2



-6dB Bandwidth NVNT ac20 5785MHz Ant1



-6dB Bandwidth NVNT ac20 5785MHz Ant2



-6dB Bandwidth NVNT ac20 5825MHz Ant1



-6dB Bandwidth NVNT ac20 5825MHz Ant2



-6dB Bandwidth NVNT ac40 5755MHz Ant1



-6dB Bandwidth NVNT ac40 5755MHz Ant2



-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ac40 5795MHz Ant2




-6dB Bandwidth NVNT ac80 5775MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant2



-6dB Bandwidth NVNT ax20 5745MHz Ant1



-6dB Bandwidth NVNT ax20 5745MHz Ant2



-6dB Bandwidth NVNT ax20 5785MHz Ant1



-6dB Bandwidth NVNT ax20 5785MHz Ant2



-6dB Bandwidth NVNT ax20 5825MHz Ant1



-6dB Bandwidth NVNT ax20 5825MHz Ant2



-6dB Bandwidth NVNT ax40 5755MHz Ant1




-6dB Bandwidth NVNT ax40 5755MHz Ant2



-6dB Bandwidth NVNT ax40 5795MHz Ant1



-6dB Bandwidth NVNT ax40 5795MHz Ant2



-6dB Bandwidth NVNT ax80 5775MHz Ant1



-6dB Bandwidth NVNT ax80 5775MHz Ant2




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.588
NVNT	a	5785	Ant1	16.576
NVNT	a	5825	Ant1	16.542
NVNT	a	5745	Ant2	16.608
NVNT	a	5785	Ant2	16.532
NVNT	a	5825	Ant2	16.531
NVNT	n20	5745	Ant1	17.762
NVNT	n20	5745	Ant2	17.707
NVNT	n20	5785	Ant1	17.737
NVNT	n20	5785	Ant2	17.667
NVNT	n20	5825	Ant1	17.721
NVNT	n20	5825	Ant2	17.669
NVNT	n40	5755	Ant1	36.328
NVNT	n40	5755	Ant2	36.329
NVNT	n40	5795	Ant1	36.266
NVNT	n40	5795	Ant2	36.204
NVNT	ac20	5745	Ant1	17.774
NVNT	ac20	5745	Ant2	17.715
NVNT	ac20	5785	Ant1	17.709
NVNT	ac20	5785	Ant2	17.706
NVNT	ac20	5825	Ant1	17.723
NVNT	ac20	5825	Ant2	17.664
NVNT	ac40	5755	Ant1	36.372
NVNT	ac40	5755	Ant2	36.279
NVNT	ac40	5795	Ant1	36.291
NVNT	ac40	5795	Ant2	36.236
NVNT	ac80	5775	Ant1	75.805
NVNT	ac80	5775	Ant2	75.749
NVNT	ax20	5745	Ant1	18.938
NVNT	ax20	5745	Ant2	18.883
NVNT	ax20	5785	Ant1	18.863
NVNT	ax20	5785	Ant2	18.915
NVNT	ax20	5825	Ant1	18.856
NVNT	ax20	5825	Ant2	18.792
NVNT	ax40	5755	Ant1	37.652
NVNT	ax40	5755	Ant2	37.596
NVNT	ax40	5795	Ant1	37.577
NVNT	ax40	5795	Ant2	37.605
NVNT	ax80	5775	Ant1	77.071
NVNT	ax80	5775	Ant2	77.322

Test Graphs

OBW NVNT a 5745MHz Ant1



OBW NVNT a 5785MHz Ant1



OBW NVNT a 5825MHz Ant1



OBW NVNT a 5745MHz Ant2



OBW NVNT a 5785MHz Ant2



OBW NVNT a 5825MHz Ant2



OBW NVNT n20 5745MHz Ant1



OBW NVNT n20 5745MHz Ant2



OBW NVNT n20 5785MHz Ant1



OBW NVNT n20 5785MHz Ant2



OBW NVNT n20 5825MHz Ant1




OBW NVNT n20 5825MHz Ant2



OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5755MHz Ant2



OBW NVNT n40 5795MHz Ant1



OBW NVNT n40 5795MHz Ant2



OBW NVNT ac20 5745MHz Ant1



OBW NVNT ac20 5745MHz Ant2



OBW NVNT ac20 5785MHz Ant1



OBW NVNT ac20 5785MHz Ant2



OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac20 5825MHz Ant2



OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5755MHz Ant2



OBW NVNT ac40 5795MHz Ant1




OBW NVNT ac40 5795MHz Ant2



OBW NVNT ac80 5775MHz Ant1



OBW NVNT ac80 5775MHz Ant2



OBW NVNT ax20 5745MHz Ant1



OBW NVNT ax20 5745MHz Ant2



OBW NVNT ax20 5785MHz Ant1



OBW NVNT ax20 5785MHz Ant2



OBW NVNT ax20 5825MHz Ant1




OBW NVNT ax20 5825MHz Ant2



OBW NVNT ax40 5755MHz Ant1



OBW NVNT ax40 5755MHz Ant2




OBW NVNT ax40 5795MHz Ant1




OBW NVNT ax40 5795MHz Ant2



OBW NVNT ax80 5775MHz Ant1



OBW NVNT ax80 5775MHz Ant2



Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/510kHz)	Duty Factor (dB)	Total PSD (dBm/510kHz)	Total PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	Ant1	-1.209	0.29	-0.919	-1.01	<=30	Pass
NVNT	a	5785	Ant1	-1.029	0.29	-0.739	-0.83	<=30	Pass
NVNT	a	5825	Ant1	-1.09	0.29	-0.8	-0.89	<=30	Pass
NVNT	a	5745	Ant2	0.096	0.29	0.386	0.3	<=30	Pass
NVNT	a	5785	Ant2	0.372	0.29	0.662	0.58	<=30	Pass
NVNT	a	5825	Ant2	-0.016	0.29	0.274	0.19	<=30	Pass
NVNT	n20	5745	Ant1	-2.398	0.32	-2.078	-2.16	<=30	Pass
NVNT	n20	5745	Ant2	-1.088	0.32	-0.768	-0.85	<=30	Pass
NVNT	n20	5745	MIMO	1.317	0.32	1.637	1.55	<=30	Pass
NVNT	n20	5785	Ant1	-2.13	0.3	-1.83	-1.92	<=30	Pass
NVNT	n20	5785	Ant2	-0.932	0.3	-0.632	-0.72	<=30	Pass
NVNT	n20	5785	MIMO	1.52	0.3	1.82	1.73	<=30	Pass
NVNT	n20	5825	Ant1	-2.342	0.32	-2.022	-2.11	<=30	Pass
NVNT	n20	5825	Ant2	-0.62	0.32	-0.3	-0.39	<=30	Pass
NVNT	n20	5825	MIMO	1.614	0.32	1.934	1.85	<=30	Pass
NVNT	n40	5755	Ant1	-6.423	0.6	-5.823	-5.91	<=30	Pass
NVNT	n40	5755	Ant2	-6.222	0.6	-5.622	-5.71	<=30	Pass
NVNT	n40	5755	MIMO	-3.311	0.6	-2.711	-2.8	<=30	Pass
NVNT	n40	5795	Ant1	-7.66	0.62	-7.04	-7.13	<=30	Pass
NVNT	n40	5795	Ant2	-5.668	0.62	-5.048	-5.13	<=30	Pass
NVNT	n40	5795	MIMO	-3.54	0.62	-2.92	-3.01	<=30	Pass
NVNT	ac20	5745	Ant1	-3.239	0.32	-2.919	-3.01	<=30	Pass
NVNT	ac20	5745	Ant2	-2.416	0.32	-2.096	-2.18	<=30	Pass
NVNT	ac20	5745	MIMO	0.202	0.32	0.522	0.44	<=30	Pass
NVNT	ac20	5785	Ant1	-2.834	0.32	-2.514	-2.6	<=30	Pass
NVNT	ac20	5785	Ant2	-1.989	0.32	-1.669	-1.76	<=30	Pass
NVNT	ac20	5785	MIMO	0.619	0.32	0.939	0.85	<=30	Pass
NVNT	ac20	5825	Ant1	-2.988	0.32	-2.668	-2.75	<=30	Pass
NVNT	ac20	5825	Ant2	-2.671	0.32	-2.351	-2.44	<=30	Pass
NVNT	ac20	5825	MIMO	0.184	0.32	0.504	0.42	<=30	Pass
NVNT	ac40	5755	Ant1	-6.258	0.6	-5.658	-5.74	<=30	Pass
NVNT	ac40	5755	Ant2	-6.147	0.6	-5.547	-5.63	<=30	Pass
NVNT	ac40	5755	MIMO	-3.192	0.6	-2.592	-2.68	<=30	Pass
NVNT	ac40	5795	Ant1	-6.863	0.6	-6.263	-6.35	<=30	Pass
NVNT	ac40	5795	Ant2	-5.418	0.6	-4.818	-4.9	<=30	Pass
NVNT	ac40	5795	MIMO	-3.07	0.6	-2.47	-2.56	<=30	Pass
NVNT	ac80	5775	Ant1	-10.143	1.3	-8.843	-8.93	<=30	Pass
NVNT	ac80	5775	Ant2	-9.361	1.3	-8.061	-8.15	<=30	Pass

NVNT	ac80	5775	MIMO	-6.724	1.3	-5.424	-5.51	<=30	Pass
NVNT	ax20	5745	Ant1	-3.412	0.38	-3.032	-3.12	<=30	Pass
NVNT	ax20	5745	Ant2	-1.758	0.38	-1.378	-1.46	<=30	Pass
NVNT	ax20	5745	MIMO	0.504	0.38	0.884	0.8	<=30	Pass
NVNT	ax20	5785	Ant1	-2.509	0.41	-2.099	-2.19	<=30	Pass
NVNT	ax20	5785	Ant2	-0.932	0.41	-0.522	-0.61	<=30	Pass
NVNT	ax20	5785	MIMO	1.361	0.41	1.771	1.68	<=30	Pass
NVNT	ax20	5825	Ant1	-3.559	0.41	-3.149	-3.24	<=30	Pass
NVNT	ax20	5825	Ant2	-2.514	0.41	-2.104	-2.19	<=30	Pass
NVNT	ax20	5825	MIMO	0.005	0.41	0.415	0.33	<=30	Pass
NVNT	ax40	5755	Ant1	-6.587	0.71	-5.877	-5.96	<=30	Pass
NVNT	ax40	5755	Ant2	-5.975	0.71	-5.265	-5.35	<=30	Pass
NVNT	ax40	5755	MIMO	-3.26	0.71	-2.55	-2.64	<=30	Pass
NVNT	ax40	5795	Ant1	-6.693	0.73	-5.963	-6.05	<=30	Pass
NVNT	ax40	5795	Ant2	-5.377	0.73	-4.647	-4.73	<=30	Pass
NVNT	ax40	5795	MIMO	-2.975	0.73	-2.245	-2.33	<=30	Pass
NVNT	ax80	5775	Ant1	-10.209	1.32	-8.889	-8.98	<=30	Pass
NVNT	ax80	5775	Ant2	-8.766	1.32	-7.446	-7.53	<=30	Pass
NVNT	ax80	5775	MIMO	-6.418	1.32	-5.098	-5.18	<=30	Pass

Test Graphs

PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1



PSD NVNT a 5825MHz Ant1



PSD NVNT a 5745MHz Ant2




PSD NVNT a 5785MHz Ant2



PSD NVNT a 5825MHz Ant2



PSD NVNT n20 5745MHz Ant1



PSD NVNT n20 5745MHz Ant2



PSD NVNT n20 5785MHz Ant1



PSD NVNT n20 5785MHz Ant2




PSD NVNT n20 5825MHz Ant1



PSD NVNT n20 5825MHz Ant2



PSD NVNT n40 5755MHz Ant1



PSD NVNT n40 5755MHz Ant2



PSD NVNT n40 5795MHz Ant1



PSD NVNT n40 5795MHz Ant2



PSD NVNT ac20 5745MHz Ant1



PSD NVNT ac20 5745MHz Ant2



PSD NVNT ac20 5785MHz Ant1



PSD NVNT ac20 5785MHz Ant2



PSD NVNT ac20 5825MHz Ant1



PSD NVNT ac20 5825MHz Ant2



PSD NVNT ac40 5755MHz Ant1



PSD NVNT ac40 5755MHz Ant2



PSD NVNT ac40 5795MHz Ant1



PSD NVNT ac40 5795MHz Ant2



PSD NVNT ac80 5775MHz Ant1



PSD NVNT ac80 5775MHz Ant2



PSD NVNT ax20 5745MHz Ant1



PSD NVNT ax20 5745MHz Ant2



PSD NVNT ax20 5785MHz Ant1



PSD NVNT ax20 5785MHz Ant2




PSD NVNT ax20 5825MHz Ant1



PSD NVNT ax20 5825MHz Ant2




PSD NVNT ax40 5755MHz Ant1



PSD NVNT ax40 5755MHz Ant2



PSD NVNT ax40 5795MHz Ant1



PSD NVNT ax40 5795MHz Ant2



PSD NVNT ax80 5775MHz Ant1



PSD NVNT ax80 5775MHz Ant2

