














Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	11.46	<=21	Pass
NVNT	1-DH5	2441	11.15	<=21	Pass
NVNT	1-DH5	2480	9.15	<=21	Pass
NVNT	2-DH5	2402	11.58	<=21	Pass
NVNT	2-DH5	2441	10.38	<=21	Pass
NVNT	2-DH5	2480	8.61	<=21	Pass
NVNT	3-DH5	2402	11.95	<=21	Pass
NVNT	3-DH5	2441	10.85	<=21	Pass
NVNT	3-DH5	2480	9.13	<=21	Pass















**-20dB Bandwidth**


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9994	Pass
NVNT	1-DH5	2441	1.004	Pass
NVNT	1-DH5	2480	1.008	Pass
NVNT	2-DH5	2402	1.356	Pass
NVNT	2-DH5	2441	1.349	Pass
NVNT	2-DH5	2480	1.351	Pass
NVNT	3-DH5	2402	1.306	Pass
NVNT	3-DH5	2441	1.311	Pass
NVNT	3-DH5	2480	1.33	Pass
















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.873	2403.019	1.146	≥ 0.9994	Pass
NVNT	1-DH5	2440.843	2442.142	1.299	≥ 1.004	Pass
NVNT	1-DH5	2478.99	2480.148	1.158	≥ 1.008	Pass
NVNT	2-DH5	2401.858	2402.896	1.038	≥ 0.904	Pass
NVNT	2-DH5	2441.083	2442.109	1.026	≥ 0.899	Pass
NVNT	2-DH5	2478.873	2480.013	1.14	≥ 0.901	Pass
NVNT	3-DH5	2402.038	2403.058	1.02	≥ 0.871	Pass
NVNT	3-DH5	2441.032	2441.986	0.954	≥ 0.874	Pass
NVNT	3-DH5	2479.044	2479.986	0.942	≥ 0.887	Pass















Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-65.06	<=-20	Pass
NVNT	1-DH5	2480	No-Hopping	-63.38	<=-20	Pass
NVNT	2-DH5	2402	No-Hopping	-58.84	<=-20	Pass
NVNT	2-DH5	2480	No-Hopping	-61.69	<=-20	Pass
NVNT	3-DH5	2402	No-Hopping	-60.22	<=-20	Pass
NVNT	3-DH5	2480	No-Hopping	-61.44	<=-20	Pass




















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-67.03	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-63.29	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-63.27	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-59.11	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-63.86	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-61.86	<=-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-52.86	<=-20	Pass
NVNT	1-DH5	2441	-54.55	<=-20	Pass
NVNT	1-DH5	2480	-52.25	<=-20	Pass
NVNT	2-DH5	2402	-50.12	<=-20	Pass
NVNT	2-DH5	2441	-51.4	<=-20	Pass
NVNT	2-DH5	2480	-49.03	<=-20	Pass
NVNT	3-DH5	2402	-52.47	<=-20	Pass
NVNT	3-DH5	2441	-51.1	<=-20	Pass
NVNT	3-DH5	2480	-49.64	<=-20	Pass

























APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

※※※※※END OF THE REPORT※※※※※