






















Appendix F: Band edge


Band I		802.11a																											
CH _L	MultView Spectrum Ref Level 25.00 dBm Offset 1.00 dB RBW 1 MHz Att 35 dB SWI 1.01 ms VBW 3 MHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  5.1 GHz1001 pts9.0 MHz/5.19 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.177188 GHz</td><td>-7.75 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>5.15 GHz</td><td>-33.43 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>5.1495 GHz</td><td>-30.23 dBm</td><td></td><td></td></tr></table> Date: 15 JUL 2020 14:41:51	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.177188 GHz	-7.75 dBm			M2	1		5.15 GHz	-33.43 dBm			M3	1		5.1495 GHz	-30.23 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.177188 GHz	-7.75 dBm																									
M2	1		5.15 GHz	-33.43 dBm																									
M3	1		5.1495 GHz	-30.23 dBm																									
CH _H	MultView Spectrum Ref Level 25.00 dBm Offset 1.00 dB RBW 1 MHz Att 35 dB SWI 1.01 ms VBW 3 MHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  5.23 GHz1001 pts13.0 MHz/5.36 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.24019 GHz</td><td>-9.20 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>5.35 GHz</td><td>-47.23 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>5.3587 GHz</td><td>-46.12 dBm</td><td></td><td></td></tr></table> Date: 15 JUL 2020 14:53:55	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.24019 GHz	-9.20 dBm			M2	1		5.35 GHz	-47.23 dBm			M3	1		5.3587 GHz	-46.12 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.24019 GHz	-9.20 dBm																									
M2	1		5.35 GHz	-47.23 dBm																									
M3	1		5.3587 GHz	-46.12 dBm																									















































Appendix G: Frequency stability**Voltage VS Frequency stability**

Band: I			Test Frequency: 5180.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-14000.00	-2.70270	PASS
T _N	V _N	-13000.00	-2.50965	PASS
T _N	V _H	-15000.00	-2.89575	PASS

Band: II			Test Frequency: 5260.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-16000.00	-3.04183	PASS
T _N	V _N	-15000.00	-2.85171	PASS
T _N	V _H	-16000.00	-3.04183	PASS

Band: IV			Test Frequency: 5745.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-17000.00	-2.95910	PASS
T _N	V _N	-16000.00	-2.78503	PASS
T _N	V _H	-17000.00	-2.95910	PASS

Temperature VS Frequency stability

Band: I			Test Frequency: 5180.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-15000.00	-2.89575	PASS
V _N	-10	-15000.00	-2.89575	PASS
V _N	0	-16000.00	-3.08880	PASS
V _N	10	-16000.00	-3.08880	PASS
V _N	20	-16000.00	-3.08880	PASS
V _N	30	-16000.00	-3.08880	PASS
V _N	40	-16000.00	-3.08880	PASS
V _N	50	-16000.00	-3.08880	PASS

Band: II			Test Frequency: 5260.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-16000.00	-3.04183	PASS
V _N	-10	-16000.00	-3.04183	PASS
V _N	0	-16000.00	-3.04183	PASS
V _N	10	-17000.00	-3.23194	PASS
V _N	20	-17000.00	-3.23194	PASS
V _N	30	-17000.00	-3.23194	PASS
V _N	40	-17000.00	-3.23194	PASS
V _N	50	-17000.00	-3.23194	PASS

Band: IV			Test Frequency: 5745.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-18000.00	-3.13316	PASS
V _N	-10	-18000.00	-3.13316	PASS
V _N	0	-18000.00	-3.13316	PASS
V _N	10	-18000.00	-3.13316	PASS
V _N	20	-18000.00	-3.13316	PASS
V _N	30	-18000.00	-3.13316	PASS
V _N	40	-18000.00	-3.13316	PASS
V _N	50	-18000.00	-3.13316	PASS

-----End of Report-----