









**EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS**

|                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>EUT Housing and Board<br/>View 1</b></p>      |  <p>This photograph shows the internal components of the EUT housing. The black plastic housing is open, revealing the internal circuit board, a yellow battery, and a blue circular component labeled 'NETUM'. A black ruler is placed horizontally below the components for scale. The background is a blue textured surface.</p> |
| <p><b>Solder<br/>Board-Component View<br/>1</b></p> |  <p>This photograph shows a close-up of the solder board component. The board is black and populated with various electronic components, including a microcontroller, capacitors, and a connector. A black ruler is placed horizontally below the board for scale. The background is a blue textured surface.</p>                  |

|                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Solder<br/>Board-Component View<br/>2</p> |  A photograph of a small electronic circuit board (PCB) with various components, including a microcontroller, capacitors, and a USB connector. The board is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters (0 to 100 mm) and centimeters (0 to 10 cm). A small yellow label with the text "3M 3001" is attached to the board. |
| <p>Solder<br/>Board-Component View<br/>3</p> |  A photograph of the same electronic circuit board (PCB) as in View 2, but with a different component (a black rectangular component) soldered onto it. The board is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters (0 to 100 mm) and centimeters (0 to 10 cm).                                                              |

|                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>Solder<br/>Board-Component View<br/>4</div> |  A photograph of a small electronic component, identified as a Bluetooth V1.2 module, mounted on a blue printed circuit board (PCB). The component is rectangular and populated with various surface-mount components, including resistors, capacitors, and a central integrated circuit. A black cable is soldered to one of the pins on the right side of the component. The PCB is placed on a black surface with a white ruler for scale. The ruler has markings in millimeters (0 to 100 mm) and centimeters (0 to 10 cm). A small yellow label with the text "300253" is attached to the black cable. |
| <div>Solder<br/>Board-Component View<br/>5</div> |  A photograph of a small electronic component, identified as a Bluetooth V1.2 module, mounted on a blue printed circuit board (PCB). The component is rectangular and populated with various surface-mount components, including resistors, capacitors, and a central integrated circuit. The PCB is placed on a black surface with a white ruler for scale. The ruler has markings in millimeters (0 to 100 mm) and centimeters (0 to 10 cm).                                                                                                                                                             |

|                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>Solder<br/>Board-Component View<br/>6</div> |  A photograph showing a small, dark, rectangular component with two gold-colored circular solder points. The component is placed on a blue textured surface. A black ruler with white markings is positioned to the left and below the component, showing measurements in millimeters. The ruler markings are oriented vertically and horizontally.                                             |
| <div>Solder<br/>Board-Component View<br/>7</div> |  A photograph showing a small, dark, rectangular component with a complex circuit pattern, including various electronic components and a connector. The component is placed on a blue textured surface. A black ruler with white markings is positioned to the left and below the component, showing measurements in millimeters. The ruler markings are oriented vertically and horizontally. |